

SIXTY-FIFTH ANNUAL REPORT

OF THE
REGISTRAR GENERAL

FOR
SCOTLAND.

1919.

Presented to both Houses of Parliament by Command of His Majesty.



EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses :
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28 ABINGDON STREET, LONDON, S.W. 1.
37 PETER STREET, MANCHESTER ; 1 ST. ANDREW'S CRESCENT, CARDIFF ;
23 FORTH STREET, EDINBURGH ;
or from E. PONSONBY, LIMITED, 116 GRAFTON STREET, DUBLIN.

1920.

[Cmd. 980.]

Price 5s. Net.

CONTENTS.

	PAGE.
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vii
Population Estimates,	ix
Births,	x
Marriages,	xvi
Deaths,	xix
Ages of those Dying,	xxiv
Causes of Death,	xxvii
<i>APPENDIX I.</i>	
Fifty-Fourth Annual Report on Vaccination (1918),	xlvii
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1918,	l
<i>APPENDIX III.</i>	
Weather Report for Year 1919,	lx

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1919.

Table 1. Births, Deaths, and Marriages, 1855 to 1919,	lxxiii
„ 2. Birth-, Death-, and Marriage-rates, 1855 to 1919,	lxxiv
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1909 to 1919,	lxxvi
„ 4. Birth-, Death-, and Marriage-rates in Larger Burghs,	lxxvii
„ 5. Do. do. Smaller Burghs,	lxxviii
„ 6. Do. do. County Districts,	lxxxii
„ 7. Do. do. Counties,	lxxxv
„ 8. Birth-rate among Married and among Unmarried Women	lxxxvi

MARRIAGES, 1918.

Table 9. Method of Celebration, etc., of Marriages, 1855-1918. Numbers,	lxxxvii
„ 10. Method of Celebration, etc., of Marriages, 1855-1918. Percentages,	lxxxviii
„ 11. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1918. Numbers,	xc
„ 12. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1918. Percentages,	xc
„ 13. Regular and Irregular Marriages, 1918,	xciii
„ 14. Church of Celebration of Regular Marriages, 1918,	xciv
„ 15. Civil Condition of Persons Marrying, 1918,	xcv

	PAGE.
Table 16. Method of Signature of Marriage Registers, or Schedules, 1918,	xcvi
„ 17. Ages of Men at Marriage, 1918,	xcviii
„ 18. Ages of Women at Marriage, 1918,	ci
„ 19. Age Distribution of Men and Women at Marriage, 1918,	cii
„ 20. Age Distribution of Men and Women at Marriage, 1855-1918,	cii
„ 21. Ages in Combination of Men and Women at Marriage, 1918,	ciii
„ 22. Ages in Combination of Bachelors and Spinsters at Marriage, 1918,	civ
„ 23. Ages in Combination of Bachelors and Widows at Marriage, 1918,	cv
„ 24. Ages in Combination of Widowers and Spinsters at Marriage, 1918,	cvi
„ 25. Ages in Combination of Widowers and Widows at Marriage, 1918,	cvii

DEATHS, 1919.

Table 26. Ages at Death—Quinquennial Age-Groups,	cviii
„ 27. Death-rates—Quinquennial Age-Groups,	cviii
„ 28. Percentage of Deaths in Quinquennial Age-Groups,	cviii
„ 29. Ages at Death, Single Years of Age, and Condition as to Marriage,	cx
„ 30. Deaths in Age-Groups in Larger Burghs,	cxii
„ 31. Death-rates in Age-Groups in Larger Burghs,	cxii
„ 32. Deaths by Age and Cause,	cxiii
„ 33. Death-rates by Age and Cause,	cxiv
„ 34. Percentage of Deaths from various Causes in Age-Groups,	cxv
„ 35. Deaths from various Causes—Scotland and Groups of Public Health Districts,	cxvi
„ 36. Death-rates from various Causes—Scotland and Groups of Public Health Districts,	cxvii
„ 37. Deaths from various Causes—Larger Burghs,	cxviii
„ 38. Death-rates from various Causes—Larger Burghs,	cxix
„ 39. Deaths from Principal Epidemic and certain other Diseases, 1855-1919,	cxx
„ 40. Death-rates from Principal Epidemic and certain other Diseases, 1855-1919,	cxxi
„ 41. Deaths and Death-rate from Puerperal Conditions,	cxxiii
„ 42. Deaths from Malignant Disease,	cxxiv
„ 43. Deaths from Suicide,	cxxvi
„ 44. Deaths from Poison,	cxxviii
„ 45. Deaths of Children of less than One Year from certain Causes, showing the Age in Completed Months,	cxxix
„ 46. Deaths of Children of less than One Year, showing the Month of Registration of Death,	cxxix
„ 47. Certified and Uncertified Deaths,	cxxxi

OTHER TABLES.

Table 48. Meteorology of Scotland,	cxxxi
„ 49. Weather, and Weekly Death-rates,	cxxxi
„ 50. Vaccinations in Scotland, 1908-1918,	cxxxi
„ 51. Vaccinations in Scotland, deducting those dying before Vaccination, 1908-1918,	cxxxi
„ 52. Deaths from Small-pox in Scotland, 1855-1918, with Vaccination Particulars, 1864-1918,	cxxxi
„ 53. Age Distribution of Deaths from Small-pox, 1855-1918,	cxxxi

A B S T R A C T S.

	PAGE.
Summary for each Registration District,	1-41

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes,	42
Scotland—Males,	46
Scotland—Females,	50
Counties of Scotland—Both Sexes,	54
Scotland, by Month of Registration—Both Sexes,	70
Glasgow—Both Sexes,	74
Edinburgh do.	78
Dundee do.	82
Aberdeen do.	86
Paisley do.	90
Leith do.	94
Greenock do.	98
Middle Ward District of Lanark—Both Sexes,	102

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen,	106
Do. Argyll,	125
Do. Ayr,	138
Do. Banff,	158
Do. Berwick,	171
Do. Bute,	178
Do. Caithness,	183
Do. Clackmannan	186
Do. Dumbarton,	191
Do. Dumfries,	199
Do. Edinburgh (Midlothian),	211
Do. Elgin (Moray),	223
Do. Fife,	230
Do. Forfar,	262
Do. Haddington,	274
Do. Inverness,	283
Do. Kincardine,	294
Do. Kinross,	303
Do. Kirkcudbright,	305
Do. Lanark,	315
Do. Linlithgow,	327
Do. Nairn,	335
Do. Orkney,	337
Do. Peebles,	343
Do. Perth,	346
Do. Renfrew,	363
Do. Ross and Cromarty,	372
Do. Roxburgh,	384
Do. Selkirk,	393
Do. Shetland,	396
Do. Stirling,	399
Do. Sutherland,	408
Do. Wigtown,	410
METEOROLOGICAL ABSTRACTS,	417

REPORT

TO THE RIGHT HONOURABLE

ROBERT MUNRO, K.C., M.P.,

His Majesty's Secretary for Scotland.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,

NEW REGISTER HOUSE,

EDINBURGH, 30th September, 1920.

SIR,

I have the honour, in compliance with the requirements of the Registration of Births, Deaths, and Marriages Act, 1854, 17 and 18 Vict., c. 80, to submit the Sixty-fifth ANNUAL REPORT on the Registration Statistics of Scotland, being those applicable to the year 1919, with three Appendices, (1) on the Vaccination of Children whose births were registered during the year 1918, (2) a Supplementary and Detailed Report on the Marriages registered during the year 1918, and (3) a Report on the Meteorological Observations of the year 1919. The principal Report and the two first-named Appendices have been prepared by Dr. James Craufurd Dunlop, Superintendent of Statistics, while the last-mentioned Appendix has been prepared by Mr. A. Watt, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

I have the honour to be,

SIR,

Your most obedient Servant,

R. H. GRAY,

Secretary.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1919.

In the Report dealing with the vital statistics of Scotland during the year 1918 attention was drawn to the fact that there were two conditions affecting the statistics of the year, the one a continuance of the European war with a resulting low birth-rate, and the other a severe epidemic of influenza with a resulting rise in the death-rate. Of these two conditions the one, the epidemic of influenza, continued into the year now under review, 1919, while the other no longer continued, and as a result the national birth-rate in the latter part of the year rose not only up to pre-war level, but even above that level.

The population of Scotland at the middle of the year 1919 is estimated at 4,894,077. This estimate is an uncertain one for two reasons, the one the long time that has elapsed since the taking of a census, and the other the fact that the effect of war conditions on the population of Scotland is imperfectly known. The estimate is 7803 more than that of the previous year, and 133,173 more than the population of the country as ascertained by the census of 1911.

Births registered during the year numbered 106,268, which, while being 2542 less than the mean of the numbers of the previous five years, and 9926 less than the mean of those of the preceding ten years, is 7714 more than in 1918. The annual birth-rate was 21·71 per thousand. This rate is 1·54 more than that of the previous year, but is 0·89 less than the mean of those of the previous five years, and 2·64 less than the mean of those of the previous ten years. The birth-rates of the individual months from January to August were all low, varying from 20 to 33 per cent. below the pre-war average, but from September onwards this rate showed a marked recovery; in October the monthly birth-rate was 27·1 per thousand, which is 8 per cent. over the pre-war average; in November the rate was 26·6, which is 12 per cent. more than that average; and in December it was 30·1, which is 21 per cent. more than that average.

The birth registers of the year contained the registration of the birth of quadruplets, all four of whom were alive at birth. This is the fifth time that such an event has been registered since the institution of national registration, and that is since 1855.

The number of marriages registered and the marriage-rate are both the highest on record. The number, 44,137, is 9608 more than in the previous year, 10,611 more than the mean of those of the five preceding years, and 11,470 more than the mean of those of the preceding ten years. The previous largest number occurred in 1915 and was 36,233. The marriage-rate of the year was 9·02 per thousand. It is 1·95 more than that of 1918, 2·06 more than

the mean of the rates of the preceding five years, 2·18 more than the mean of those of the preceding ten years, and 1·45 more than that of 1915, which previously was the highest.

Deaths registered during the year numbered 75,149. This number, while being 3223 less than in the previous year, is 412 more than the mean of the numbers of the preceding five years, and 1377 more than the mean of those of the preceding ten years. The death-rate of the year was 15·35 per thousand. It is 0·69 less than that of 1918, but closely approximates the mean of those of the previous five years and the mean of those of the preceding ten years, being only 0·16 and 0·10 respectively less than those means.

The infantile death-rate of the year was 101·6 per thousand living children born. It is 1·8 more than that of the previous year, but 6·7 less than the mean of those of the preceding five years, and 6·9 less than the mean of those of the preceding ten years.

The deaths of 12 reputed centenarians were registered during the year. Continuing the practice of recent years, attempts have been made in each case to verify the age at death, with the result that in 5 instances proof of attainment of age 100 was obtained, and in 2 instances proof of not having attained that age was found, while in the remaining 5 instances proof of age could not be got. During the last ten years research as to the age of 134 reputed centenarians has been made, with the result that in 50 instances attainment of age 100 was proved, and in 12 instances disproved, while in 72 instances no satisfactory evidence was available.

Among the points elucidated by an examination of the causes of death during the year, special attention may be directed to three—a very small mortality from enteric fever, an unusually low phthisis death-rate, and a continued rise in the cancer death-rate. Deaths from enteric fever during the year in all numbered only 83, a number which compares very favourably with the mean of those of the preceding ten years, 196, and very strikingly with some of those of earlier years, 1625 having been registered in 1875, and more than 1400 in each of the years 1866, 1868, 1873, 1874, 1875, 1876, 1877, and 1878. The death-rate from phthisis was 88 per 100,000; it is 19 less than that of the previous year, 18 less than the mean of those of the five preceding years, and 23 less than the mean of those of the ten preceding years. In 1870 and in 1860 this death-rate was 283 per 100,000, and the rate in this year is less than one-third of what it was in those two years. The cancer death-rate shows a further rise, one up to 116 per 100,000; it is the highest yet recorded, and is 7 more than the mean of those of the preceding ten years. Up to 1913 the phthisis death-rate was constantly more than the cancer death-rate, but the reverse is now the case, the cancer death-rate of this year being 28, or 31·7 per cent., more than the phthisis death-rate.

The most conspicuous feature of the Report on Vaccination (Appendix I.) is a further fall in the proportion of children reported as having been successfully vaccinated. This proportion is now only 54·5 per cent. Since the passing of the amending Act in 1907 the number of children remaining unvaccinated by reason of parental conscientious objection amounts to 348,049.

In the detailed report on the marriages registered during the year 1918 (Appendix II.) there are given facts regarding the marriages

of that year which were not available at the time the Annual Report for that year was issued. Among the points there referred to the following are noteworthy. The frequency of irregular marriage during the year, though less than in the years 1915 and 1916, continued high, these marriages numbering 5943 and constituting 17·2 per cent. of the total registered; they are 961 more numerous than in 1917, but 19 fewer than in 1916, and 1477 fewer than in 1915, when they attained a maximum of 7420. The frequency of marriage in the Presbyterian churches remains high; they numbered 21,362, and constituted 61·9 per cent. of the total marriages registered, and 74·7 per cent. of the regular marriages. In all 40 religious denominations were named in the marriage registers, a number which is 2 in excess of that of the previous year. The number of marriages of widows was more than normal; in the ten years before the declaration of the recent war these marriages averaged 1512 annually, on an average 775 bachelors and 737 widowers marrying widows, but in 1918 the number of bachelors marrying widows increased to 1804, and of widowers marrying widows to 1137, while the total number of widows married increased to 2941. Of the 69,058 persons marrying during the year, all but 432 signed the marriage schedules or registers by writing, that number doing so by mark; this number is the smallest yet recorded since the institution of national registration in 1855. These points are dealt with at greater length in that Appendix.

ESTIMATED POPULATION OF SCOTLAND, 1919.

The population of Scotland in the middle of the year 1918 was estimated at 4,886,274. Between then and the middle of the year 1919 the excess of living children born over persons dying amounted to 6264, while during the same period returns show that immigrants outnumbered emigrants by 1539, and by adding these three amounts together the population at the middle of 1919 is estimated at 4,894,077. This estimate is 7803 more than that of the previous year, and 133,173 more than the population of Scotland as ascertained by the census of 1911.

The male population is estimated at 2,373,422, and the female at 2,520,655, these estimates being based on the assumption that the ratio of males to females in the population remains as found by the last census.

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1919.

GROUPS OF DISTRICTS.	Census 1901.			Census 1911.			Estimated to 30th June 1919.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Larger Burghs	1,016,530	1,089,715	2,106,245	1,075,391	1,170,344	2,245,735	1,157,009	1,257,474	2,414,483
Smaller Burghs	415,221	465,860	881,081	452,724	503,963	956,687	454,191	504,923	959,114
County Districts	742,004	742,773	1,484,777	780,724	777,758	1,558,482	762,222	758,258	1,520,480
SCOTLAND .	2,173,755	2,298,348	4,472,103	2,308,839	2,452,065	4,760,904	2,373,422	2,520,655	4,894,077

Collectively the population of the larger burghs, those with populations of over 30,000, is estimated at 2,414,483; that of the smaller burghs, those with populations of under 30,000, at 959,114; and that of the county, or extra-burghal, districts, at 1,520,480. Compared with the estimated population in the previous year, that of the larger burghs is 11,987 more, and that of the smaller burghs is 140 more, but that of the county districts is 4324 less.

In giving these estimates of population, as also others stated and used in this Report, it is right to state that they are of necessity of comparatively small reliability, and this is so for two reasons, the one being that fully eight years have elapsed since the taking of the last census, and the other being the unknown effect of war conditions and casualties on the size and distribution of the population. It is feared that errors of estimate in some instances may be sufficient to materially affect and falsify the calculation of rates.

BIRTH STATISTICS.

The births of 106,268 living children were registered in Scotland during the year 1919. This number is 7714 more than that of the previous year, but is 2542 less than the mean of those of the preceding five years, and 9926 less than the mean of those of the preceding ten years. These births number more than in the previous year and more than in the year 1917, but less than in all other years since 1861. A maximum number of births was registered in Scotland in the year 1903; it was 133,525, and compared with it the number of 1919 is 27,257, or 20·4 per cent., less. (*Table 1.*)

Of the children whose births were registered during the year, 54,771, or 51·5 per cent., were male, while 51,497, or 48·5 per cent., were female. The male children of the year number 4398 more than those of the previous year, and the female children 3316 more. Compared with the mean of the numbers of the preceding five years, the male children are 873 fewer, and the female children are 1669 fewer. Compared with the mean of the numbers of the preceding ten years, the male children are 4605 fewer, and the female children are 5321 fewer. (*Table 1.*)

The ratio of male to female children was 106·4 to 100. This

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1919.

GROUPS OF DISTRICTS.	Births.			Birth-rate per 1000 of Estimated Population.			Illegiti- mate Births per 100 Total Births.
	Total.	Legitimate	Illegitimate.	Total.	Legitimate	Illegitimate.	
Larger Burghs .	53,052	48,847	4,205	21·97	20·23	1·74	7·93
Smaller Burghs .	20,290	18,734	1,556	21·15	19·53	1·62	7·67
County Districts	32,926	30,263	2,663	21·66	19·90	1·75	8·09
SCOTLAND . .	106,268	97,844	8,424	21·71	19·99	1·72	7·93

ratio is 1·9 higher than in the previous year, 1·7 more than the mean of those of the preceding five years, and 1·9 more than the mean of those of the preceding ten years. (*Table 2.*)

The Scottish birth-rate for the year was 21·71 per thousand of the estimated population. It is 1·54 more than that of the previous year, but is 0·89 less than the mean of those of the five preceding years, and 2·64 less than the mean of those of the ten preceding years. The birth-rates of the two preceding years, 1917 and 1918, are the only lower annual birth-rates for Scotland yet recorded. A maximum Scottish birth-rate occurred in the year 1876; it was 35·62, and compared with it that of this year is 13·91, or 39·1 per cent., less. (*Table 2.*)

The birth-rate of male children per thousand of the estimated male population was 23·08, and that of female children per thousand of the estimated female population was 20·43, the former being 1·82, and the latter 1·28, more than in the previous year.

In the counties, burghs included, the annual birth-rate varied from 25·5 in Linlithgow, 24·5 in Lanark, 23·5 in Renfrew, 23·4 in Ayr and in Dumbarton, and 23·1 in Dumfries, to 12·1 in Selkirk, 13·7 in Bute, 14·6 in Shetland, 14·7 in Peebles, 14·8 in Sutherland, and 14·9 in Argyll. In 1 county this rate was between 25 and 30; in 13, between 20 and 25; in 13, between 15 and 20; and in 6, less than 15. (*Table 7.*)

Births registered in the larger burghs numbered 53,052, and constituted 49·9 per cent. of the total. Those registered in the smaller burghs numbered 20,290, and constituted 19·1 per cent. of the total, and those registered in the county districts numbered 32,926, and constituted 31·0 per cent. of the total. Births registered in the larger burghs numbered 5605 more than in the previous year; those registered in the smaller burghs, 1575 more; and those registered in the county districts, 534 more.

In the larger burghs taken collectively the annual birth-rate was 21·97 per thousand, which is 2·22 more than in the previous year, and 0·26 more than the national rate. In these burghs taken individually this rate varied from 29·8 in Hamilton, 28·9 in Coatbridge, and 28·7 in Greenock and in Motherwell, to 16·2 in Perth, 16·6 in Edinburgh, and 18·7 in Dundee. In Clydebank this rate was 26·0; in Glasgow, 23·2; in Leith, 22·5; in Kilmarnock,

TABLE C.—Birth-rate per 1000 Women Aged 15-45, 1919.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	614,032	53,052	49·9	21·97	101·2	86·4	95·8
Smaller Burghs .	233,103	20,290	19·1	21·15	97·4	87·0	96·5
County Districts	330,659	32,926	31·0	21·66	99·8	99·6	110·4
SCOTLAND . .	1,177,794	106,268	100·0	21·71	100·0	90·2	100·0

22·2; in Paisley, 21·8; in Falkirk, 21·3; in Ayr, 21·1; in Kirkcaldy, 20·5; and in Aberdeen, 20·2. (*Table 4.*)

In the smaller burghs taken collectively the birth-rate was 21·15 per thousand, which is 1·63 more than that of the previous year, but is 0·56 less than the national rate, and 0·82 less than the larger burgh rate. There are in all 187 of these burghs, 163 of them having populations of 1000 or more, and 24 having populations of less than that amount. Excluding the latter and taking the former individually, the birth-rate of the year in them is found to vary from 37·8 in Ardrossan, 34·3 in Inverbervie, 33·0 in Saltcoats, 32·6 in Port-Glasgow, 32·5 in Kilwinning, 32·2 in Findochty, 31·6 in Dunfermline, and 31·5 in Prestonpans, to 5·5 in Whithorn, 6·7 in Anstruther-Easter, 7·9 in Largs, 8·0 in Kingussie, 8·2 in Innerleithen, 9·0 in Alyth, and 10·3 in Selkirk. (*Table 5.*)

In the county districts taken collectively the birth-rate of the year was 21·66. This rate is 0·42 more than that of the previous year, but is 0·05 less than the national birth-rate, 0·31 less than the larger burgh birth-rate, and 0·51 more than the smaller burgh birth-rate. In these districts taken individually the birth-rate varied from 33·5 in Annan District of Dumfries, 30·1 in Middle Ward District of Lanark, 29·1 in Bathgate District of Linlithgow, 28·2 in Laurencekirk District of Kincardine, and 27·1 in County District of Clackmannan, to 9·9 in Mid-Argyll District of Argyll, 10·2 in Arran District of Bute, 10·9 in South-Western District of Ross and Cromarty, 11·1 in Ardnamurchan District of Argyll, 11·4 in Lochaber District of Inverness, and 11·8 in Western District of Perth.* (*Table 6.*)

TABLE D.—Frequencies of Specified Birth-rates in Counties, Burghs, and County Districts, 1919.

Birth-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
—4	...	1	1	1
4—	...	1	1	1	...
6—	...	4	4	2	2
8—	...	4	3	1	...	3	...
10—	...	18	13	5	...	12	1
12—	2	31	21	10	...	15	6
14—	4	29	15	14	...	13	2
16—	7	53	33	20	2	28	3
18—	6	38	22	16	1	20	1
20—	7	42	25	17	5	17	3
22—	5	30	21	9	3	17	1
24—	1	19	13	6	...	12	1
26—	1	14	10	4	1	9	...
28—	...	13	11	2	4	5	2
30—	...	4	3	1	...	3	...
32—	...	5	4	1	...	4	...
34—	...	1	1	1	...
36—	...	1	1	1	...
42—	...	1	1	1
TOTALS, ...	33	309	203	106	16	163	24

* In this and in corresponding paragraphs no notice is taken of the Cumbræ District of Bute, where the Censal population was only 93.

The frequencies of birth-rates of varying amounts in the counties, burghs, and county districts are shown in Table D.

The number of women in Scotland of child-bearing age, 15 to 45, is estimated at 1,177,794, and basing on this estimate the birth-rate of the year expressed as per thousand of such women is found to be 90·2. This rate is 6·4 more than that of the previous year, and 6·8 more than that of the year 1917, but is 4·5 less than that of the year 1916. In the counties, burghs included, this rate varied from 127·4 in Linlithgow, 101·9 in Lanark, 101·3 in Banff, 99·3 in Ayr, and 99·1 in Stirling, to 44·4 in Selkirk, 54·0 in Bute, 54·4 in Peebles, 62·2 in Roxburgh, 65·4 in Shetland, 65·5 in Perth, and 67·6 in Argyll. In the larger burghs taken collectively this rate was 86·4; in the smaller burghs, 87·0; and in the county districts, 99·6. In the previous year these three rates were 77·6, 80·3, and 97·7, and comparison shows that the increased frequency of birth in this year was more marked in the burghal than in the county districts. In the larger burghs taken individually it varied from 141·8 in Coatbridge, 140·7 in Hamilton, 137·6 in Motherwell, and 122·3 in Greenock, to 58·9 in Edinburgh, 60·2 in Perth, 69·2 in Dundee, and 79·4 in Aberdeen. (*Table 8.*)

Of the 106,268 children whose births were registered during the year, 97,844, or 92·07 per cent., were legitimate, while 8424, or 7·93 per cent., were illegitimate. The legitimate children of the year number 7144 more than in the previous year, but 3026 less than the mean of the numbers of the preceding five years, and 9864 less than the mean of those of the preceding ten years. The illegitimate children of the year number 570 more than in the previous year, and 484 more than the mean of the numbers of the five preceding years, but 62 less than the mean of those of the preceding ten years. The legitimate children of the year are more than those of each of the two preceding years, 1917 and 1918, but fewer than for all earlier years since 1862. The illegitimate children of the year are more than those of each of the four preceding years, 1915, 1916, 1917, and 1918, but fewer than those of all other years since 1903. The illegitimate rate expressed as the number of illegitimate children per cent. of the total children registered, 7·93, is slightly lower than in the previous year, when it was 7·97, but is higher than in all other years since 1889; the statistical fact that this rate is, with the one exception specified, the highest during the last thirty years may be attributed to the relatively small number of legitimate children registered during the year, for this rate, while varying directly with the number of illegitimate children, varies inversely with that of legitimate children. (*Table 1.*)

The legitimate birth-rate of Scotland expressed as per thousand of the estimated number of married women of child-bearing age, 15 to 45, was 195, which is 17 higher than in 1918, and 14 higher than in 1917. In the larger burghs taken collectively this rate was 186; in the smaller burghs, 195; and in the county districts, 213. In the previous year these three rates were 165, 180, and 209, and thus all three are higher in this than in the previous year, the largest increase being in the larger burghs, and the smallest in the county districts. In the counties this rate varied from 252 in Ross and Cromarty, 231 in Dumfries, 229 in Caithness, 225 in Inverness, 219 in Clackmannan, and 218 in Ayr and in Linlithgow, to 119 in

Selkirk, 145 in Peebles, 151 in Bute, 160 in Roxburgh, 163 in Midlothian, and 165 in Forfar and in Perth. In the larger burghs taken individually it ranged from 249 in Greenock, 246 in Coatbridge, 239 in Hamilton, and 222 in Motherwell, to 143 in Perth, 148 in Edinburgh, and 157 in Dundee. (*Table 8.*)

The illegitimate birth-rate expressed as per thousand of the estimated number of unmarried and widowed women of child-bearing age for the year was 12·5. This rate is 0·9 more than that of the previous year, 1·6 more than in 1917, 0·8 more than in 1916, and 0·6 more than in 1915, but is 1·0 less than in 1914. In the larger burghs taken collectively this rate was 12·0; in the smaller burghs, 11·3; and in the county districts, 14·2. In the previous year these three rates were 11·4, 10·0, and 13·2, and thus in each of these groups of districts it was higher in this than in that year. In the counties this rate varied from 24·9 in Wigtown, 20·9 in Moray (Elgin), 19·9 in Kincardine, 19·6 in Banff, and 19·1 in Dumfries, to 6·2 in Selkirk, 6·3 in Bute, 7·0 in Peebles, 7·7 in Shetland, 9·5 in Berwick, and 9·6 in Renfrew and in Ross and Cromarty. In the larger burghs taken individually this rate varied from 18·9 in Falkirk, 17·8 in Hamilton, 17·6 in Motherwell, and 15·8 in Coatbridge, to 9·3 in Edinburgh and in Kilmarnock, and 9·5 in Paisley. (*Table 8.*)

The illegitimate rate expressed as per thousand of the general population in Scotland was 1·72; in the larger burghs taken collectively, 1·74; in the smaller burghs, 1·62; and in the county districts, 1·75. These four rates are all higher than in the previous year, when they were 1·61, 1·66, 1·43, and 1·63 respectively.

The illegitimate rate expressed as illegitimate births per cent. of the total births in the counties varied from 18·4 in Wigtown, 13·9 in Moray (Elgin), 12·8 in Kirkcudbright, 12·7 in Roxburgh, and 12·3 in Aberdeen, to 5·1 in Linlithgow, 5·5 in Dumbarton, 6·0 in Renfrew, 6·4 in Ayr, 6·6 in Fife, and 6·8 in Lanark. In the smaller burghs, exclusive of those in which less than 100 births were registered during the year, this rate varied from 19·0 in Campbeltown, 15·1 in Dumfries, 14·2 in Inverness, 13·1 in Stranraer, and 12·4 in Dysart, to 1·9 in Kilwinning, 2·6 in Renfrew, 2·8 in Armadale, 2·9 in Musselburgh, 3·0 in Troon, and 3·2 in Rutherglen. In county districts, exclusive of those in which less than 100 births were registered, it varied from 25·1 in Rhins District of Wigtown, 19·0 in Deeside District of Aberdeen, 18·8 in Turriff District of Aberdeen, 18·6 in Eastern District of Kirkcudbright, and 17·6 in Keith District of Banff, to 2·0 in Lorn District of Argyll, 2·6 in Skye District of Inverness, 2·8 in Lews District of Ross and Cromarty, 4·4 in Bathgate District of Linlithgow, 4·5 in Lower Ward and 5·0 in Middle Ward Districts of Lanark. (*Tables 4-7.*)

Of the 106,268 children whose births were registered during the year, 103,057 were single children, 3168 were twins, 39 were triplets, and 4 were quadruplets. Of the total children, 96·98 per cent. were single children, 2·98 per cent. were twins, and 0·04 per cent. were triplets or quadruplets. In the first year of national registration, 1855, the birth tabulation did not show the numbers of multiple births, but since then, 1856 to 1919, there have been only 5 occasions when the birth of living quadruplets was recorded, these being in the years 1857, 1867, 1903, 1907, and 1919. During that

period the births of 7,728,910 children have been registered, and the frequency of quadruplet children among the total children is thus 1 in 386,446. Basing on the same period, the frequency of twin children among all children is found to be 1 in 42, and of triplet children 1 in 2905. In the year now under review, 1919, the frequency of twin children was 1 in 34, and of triplet children 1 in 2725.

From the foregoing figures it may be deduced that the number of women giving birth to living children in 1919 was 104,655, the births being single births in 103,057 instances, twin births in 1584 instances, triplet births in 13 instances, and a quadruplet birth in 1 instance, 1 birth in 66 being a twin birth, and 1 in 8050 a triplet birth. In the period 1856 to 1919 women giving birth to children have in all numbered 7,635,267, and among these births 91,854, or 1 in 83, was a twin birth; 887, or 1 in 8608, a triplet birth; and 5, or 1 in 1,527,053, a quadruplet birth. The numbers in this and in the preceding paragraph refer only to living children, still births not being recorded in the registers, and consequently in the computations a birth of one living and one stillborn child, or of one living and two stillborn children, counts as a single birth, and one of two living and one stillborn as a twin birth.

The Scottish birth-rate in the first quarter of the year was 18·6; in the second quarter, 19·5; in the third quarter, 20·5; and in the fourth quarter, 27·9. Compared with those of the corresponding quarters of the previous year, those of the first two quarters are found to be lower, while those of the last two quarters are found to be higher. That of the first quarter is 0·7 lower than in the previous year, and that of the second quarter is 1·9 lower, while that of the third quarter is 0·4 higher, and that of the fourth quarter is 7·9 higher. The birth-rate of the first quarter equals that of the fourth quarter of 1917, but is lower than all other quarterly birth-rates yet recorded. The birth-rate of the fourth quarter is higher than those of all fourth quarters since 1903, and higher than those of all quarters subsequent to the second quarter of the year 1914. (*Table 3.*)

TABLE E.—Monthly Birth-rates in Scotland.

	Birth-rates.							Increase or Decrease per cent. compared with Pre-War Average.					
	Pre-War Average.*	1914	1915	1916	1917	1918	1919	1914	1915	1916	1917	1918	1919
January .	25·8	—	25·2	22·2	21·6	19·7	19·4	—	— 2	—14	—16	—24	—25
February .	25·6	—	26·0	22·0	20·9	19·1	17·9	—	+ 2	—14	—18	—25	—30
March .	26·4	—	27·5	24·1	21·0	19·0	18·6	—	+ 4	— 9	—20	—28	—30
April .	27·8	—	27·2	24·5	21·8	22·6	18·7	—	— 2	—12	—22	—19	—33
May .	27·7	—	25·5	25·9	21·8	21·6	19·6	—	— 8	— 6	—21	—22	—29
June .	27·2	—	24·8	24·4	21·4	20·0	20·3	—	— 9	—10	—21	—26	—25
July .	26·3	—	23·2	23·1	20·4	21·3	20·2	—	—12	—12	—22	—19	—23
August .	24·5	24·6	21·7	22·3	18·8	19·5	19·5	0	—11	— 9	—23	—20	—20
September	24·4	24·8	21·7	21·7	17·4	19·3	22·2	+2	—11	—11	—29	—21	— 9
October .	25·1	25·9	21·4	22·3	19·5	21·2	27·1	+3	—15	—11	—22	—16	+ 8
November	23·7	24·4	20·7	20·5	18·3	19·6	26·6	+3	—13	—14	—23	—23	+12
December	24·9	24·8	21·5	20·3	18·1	19·1	30·1	0	—14	—18	—27	—23	+21

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

The monthly birth-rates were low during the first eight months of the year, January to August, but thereafter showed a marked increase. From January to August this rate varied from 17·9 in February, 18·6 in March, and 18·7 in April, to 20·3 in June, 20·2 in July, and 19·5 in August. In September this rate increased to 22·2, and in October to 27·1; in November it showed a slight decrease, being 26·6, but in December it again rose and amounted to 30·1. (*Table 48.*)

Table E is constructed to show the effects of war conditions on the birth-rate; in it each monthly birth-rate since the declaration of war is compared with a pre-war average. Nine months after the commencement of the war, in May, 1915, the birth-rate began to show a decided decrease, for in that month it was 8 per cent. less than the pre-war average. In the latter part of the year 1915 the fall continued, and in the last three months varied from 13 to 15 per cent. In 1916 the fall of the birth-rate varied from 6 to 18 per cent., the latter amount occurring in December. In 1917 the fall of the birth-rate was greater; in January the rate was 16 per cent. less than pre-war average and in February 18 per cent. less, while in the remaining months of the year the fall was 20 per cent. or more, a maximum drop of 29 per cent. occurring in September. In 1918 the fall of the birth-rate varied from 16 per cent. in October, and 19 per cent. in April and in July, to 28 per cent. in March, and 26 per cent. in June. In 1919 the monthly birth-rate remained low until September, but thereafter showed a marked increase; the birth-rates of February, March, and April of that year were each 30 per cent. or more less than pre-war average, and those of May, June, July, and August were each 20 per cent. or more less than that average, but in September the monthly birth-rate was only 9 per cent. less than that average, while in October, November, and December the rate was above pre-war average, the excess in October being one of 8 per cent., in November one of 12 per cent., and in December one of 21 per cent., the last-named being 30·1 per thousand as compared with a pre-war average of 24·9 per thousand. In 2 months, September 1917 and February 1919, the monthly birth-rate was less than 18 per thousand; in 5 months, 3 of which were in 1917 and 2 in 1919, it was 18 but less than 19 per thousand; and in 10 months, 7 of which were in 1918 and 3 in 1919, it was 19 but less than 20 per thousand.

The birth-rate of the year in England and Wales was 18·5 per thousand of the estimated population, and in Ireland, 20·4. The former is 3·2, and the latter 1·3, less than the Scottish rate.

MARRIAGE STATISTICS.

In conformity with the scheme of these reports, the marriage statistics of the year 1919 fall to be dealt with in two portions. In this Report there is incorporated the numbers of marriages celebrated during the year in Scotland and in its geographical divisions, while in the subsequent Report, that dealing with the birth and death statistics of the year 1920, there will be given the more detailed marriage statistics of the year, these latter including the statistics of the church of celebration, of the ages of the persons

married, etc., in the same manner as the more detailed statistics of the marriages of the year 1918 are given in Appendix II., and in Tables 9 to 25, of this Report.

Marriages registered in Scotland during the year 1919 numbered 44,137. This number is 9608 more than that of the previous year, 10,611 more than the mean of those of the five preceding years, and 11,470 more than the mean of those of the ten preceding years. It is the largest number of marriages registered in Scotland in any year since the institution of national registration, the previous record number being that of the year 1915, which was 36,233. Thus this year's marriages outnumber the maximum yearly number previously recorded by 7904, and that is by 21·8 per cent. (*Table 1.*)

The marriage-rate of the year was 9·02 per thousand. It, like the total number of marriages, is the highest yet recorded for Scotland. It is 1·95 more than that of the previous year, 2·06 more than the mean of those of the preceding five years, 2·18 more than the mean of those of the preceding ten years, and 1·45, or 19·1 per cent., more than that of 1915, which is the highest previously recorded. (*Table 2.*)

Of the 44,137 marriages registered during the year, 27,016, or 61·2 per cent., were registered in the larger burghs; 8516, or 19·3 per cent., in the smaller burghs; and 8605, or 19·5 per cent., in the county districts. Compared with the number in the previous year that of marriages registered in the larger burghs is 5600, or 26·1 per cent., more; in the smaller burghs, 1834, or 27·4 per cent., more; and in the county districts, 2103, or 32·3 per cent., more. Thus the increased frequency of marriage is common to both classes of burghs and to the county districts. The marriage-rate of the year in the larger burghs taken collectively was 11·19, in the smaller burghs 8·88, and in the county districts 5·66. In the previous year these three rates were 8·91, 6·97, and 4·26.

In the counties, burghs included, the marriage-rate of the year

TABLE F.—Monthly Marriage-rates in Scotland.

	Marriage-rates.							Increase or Decrease per cent. compared with Pre-War Average.					
	Pre-War Average.*	1914	1915	1916	1917	1918	1919	1914	1915	1916	1917	1918	1919
January .	9·3	—	9·5	10·1	8·5	8·4	8·9	—	+ 2	+ 9	— 9	—10	— 4
February .	4·9	—	5·1	6·0	5·1	5·9	6·0	—	+ 4	+22	+ 4	+20	+22
March .	5·0	—	5·5	5·3	4·6	6·1	6·9	—	+10	+ 6	— 8	+22	+38
April .	7·4	—	7·2	6·2	6·6	7·5	10·0	—	— 3	—16	—11	+ 1	+35
May .	2·7	—	4·6	4·2	3·4	3·6	5·1	—	+70	+56	+26	+33	+89
June .	11·8	—	11·5	8·7	8·3	8·8	13·6	—	— 3	—26	—30	—25	+15
July .	10·2	—	10·1	7·8	7·6	9·0	12·3	—	— 1	—24	—25	—12	+21
August .	5·1	6·1	6·8	5·8	5·5	6·4	7·7	+20	+33	+14	+ 8	+25	+51
September	6·4	7·3	7·0	5·6	6·0	7·6	9·8	+14	+ 9	—12	— 6	+19	+53
October .	5·4	5·4	6·0	5·5	6·0	7·0	7·7	0	+11	+ 2	+11	+30	+43
November	5·2	6·2	8·1	5·0	5·3	6·2	7·9	+19	+56	— 4	+ 2	+19	+52
December	9·8	8·4	9·2	8·0	8·4	8·5	12·2	—14	— 6	—18	—14	—13	+24

* Mean of the rates for the corresponding month of the four years previous to the declaration of war.

varied from 11·6 in Midlothian, 10·2 in Lanark, 10·0 in Aberdeen, 9·7 in Moray (Elgin), and 9·5 in Dumfries and in Forfar, to 3·5 in Sutherland, 5·0 in Argyll, 5·8 in Linlithgow, 6·0 in Bute, and 6·3 in Ross and Cromarty. (*Table 7.*)

In the larger burghs taken individually the marriage-rate of the year ranged from 13·9 in Edinburgh, 13·4 in Aberdeen, 11·7 in Glasgow, 11·0 in Ayr, and 10·6 in Dundee, to 6·6 in Hamilton, 6·7 in Clydebank, 6·8 in Motherwell, 7·4 in Coatbridge, and 8·0 in Paisley. In Perth this rate was 10·6; in Leith, 9·1; in Greenock, 8·9; in Falkirk, 8·9;; in Kilmarnock, 8·8; and in Kirkcaldy, 8·4. (*Table 4.*)

The marriage-rates of the smaller burghs and of the county districts are shown in Tables 5 and 6. They, and indeed those of the larger burghs and of the counties, may be indicative of the frequency of marriage solemnised and registered in the particular localities, but, on account of the frequency of removal from smaller burghs to larger burghs, and from county districts to burghs, for the purposes of marriage, they cannot be accepted as indicative of the frequency of marriage among the populations of the particular areas.

The Scottish marriage-rate of the first quarter of the year was 7·3; of the second quarter, 9·5; of the third quarter, 9·9; and of the fourth quarter, 9·2. Compared with the rate of the corresponding quarter of the previous year, that of the first quarter is 0·5 more; of the second quarter, 2·9 more; of the third quarter, 2·3 more; and of the fourth quarter, 2·0 more. (*Table 3.*)

The monthly marriage-rates varied from 13·6 in June, 12·3 in July, 12·2 in December, and 10·0 in April, to 5·1 in May, 6·0 in February, and 6·9 in March. In September this rate was 9·8; in January, 8·9; in November, 7·9; and in August and in October, 7·7. (*Table 48.*)

The marriage-rate of the year in England and Wales was 9·9, and in Ireland 6·2, the former being 0·9 more, and the latter 2·8, less than the Scottish rate.

Table F. has been constructed to show the variations of the marriage-rate in war time. In it the marriage-rate of each month since the declaration of war is compared with a pre-war average, and in it a few points are evident. One of these is that an effect of war conditions is to partly counteract the prejudice against marriage in May, while these conditions have reduced the frequency of marriage in what were the more favourite months. Thus the pre-war average marriage-rate in May was 2·7, while in the four months of May included in the period of the war this rate varied from 3·4 to 4·6 and averaged 4·0. On the other hand, the average pre-war marriage-rates in June, July, and December were 11·8, 10·2, and 9·8 respectively, while in war-time they averaged 9·3, 8·6, and 8·5 respectively. These changes lead to a general levelling of the monthly marriage-rates; in the pre-war period they varied from 2·7 in May and 4·9 in February, to 11·8 in June and 10·2 in July, while in the war period they varied from 4·0 in May and 5·4 in March to 9·3 in June and 9·1 in January. In the pre-war period the extreme difference between these monthly rates was 9·1, while in the war period it was only 5·3. Omitting reference to the marriage-rates of May, which

are materially affected by relatively small numbers of marriages, well marked increases in the marriage-rates are found in certain periods of the war; among these are August, September, and November of 1914; August, September, October, and November of 1915; February of 1916; March of 1918; and August, September, October, and November of that year. After the war, during the period of demobilization, from February 1919 onwards, there was another marked increase in these rates, which was specially evident in the months of August, September, October, and November, the rates of August, September, and November each being fully 50 per cent. over the pre-war average.

DEATH STATISTICS.

The deaths of 75,149 persons were registered during the year. This number, though 3223 less than that of the previous year, is 412 more than the mean of those of the five preceding years, and 1377 more than the mean of those of the ten preceding years. The deaths of the year number more than those in each of the years, 1909 to 1917, the year 1915 excepted, but number fewer than in each of the years 1897 to 1908, the year 1905 excepted. That the deaths of the year are in excess of the averages of recent years is attributable to a severe epidemic of influenza during the first quarter; in that quarter the deaths outnumbered those of the first quarter of the previous year by 11,074, the mean of the corresponding numbers of the preceding five years by 7994, and the mean of those of the preceding ten years by 8096. The deaths of each of the three other quarters were of less than average amount. (*Tables 1 and 3.*)

The Scottish death-rate of the year was 15·35 per thousand. It is 0·69 less than that of the previous year, 0·16 less than the mean of those of the five preceding years, and 0·10 less than the mean of those of the preceding ten years. The years 1917, 1916, 1912, 1911, and 1910 are the only years in which lower Scottish death-rates were recorded, the lowest of all being 1917, when the rate was 14·31. The highest national death-rate occurred in 1864, and was 23·58 per thousand. (*Table 2.*)

Deaths of males during the year numbered 37,500, and of females

TABLE G.—Deaths in Scotland and its Groups of Public Health Districts in 1919.

GROUPS OF DISTRICTS.	Estimated Population.	Deaths. (Corrected.)	Death-rate per 1000 of Population.		
			Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Larger Burghs . . .	2,414,483	37,944	16·07	15·72	16·79
Smaller Burghs . . .	959,114	14,262	14·33	14·87	14·49
County Districts . . .	1,520,480	22,077	14·87	14·52	13·58
SCOTLAND . . .	4,894,077	*75,149	15·35	15·35	15·35

* *Vide* Note, Table 26.

37,649. The former are 1644 fewer than in the previous year, and 104 less than the mean of the numbers of the five preceding years, but 544 more than the mean of those of the ten preceding years. The latter are 1579 fewer than in the previous year, but are 517 more than the mean of the numbers of the preceding five years, and 833 more than the mean of those of the preceding ten years. The death-rate of the year in the male population was 15·80, and in the female population 14·94, the former being 0·72, and the latter 0·65, less than in the previous year. (*Tables 1 and 2.*)

The 75,149 deaths registered during the year include those of 866 persons dying in Scotland from disease or injury acquired at sea or outwith Scotland on war service. These 866 deaths are included in the national statistics, but are excluded from all local statistics.

When dealing in this Report with the death statistics of counties, of burghs, or of county districts, three rates are given. The first, the crude death-rate, is based on the number of deaths registered in the county, burgh, or district, and is neither corrected nor adjusted in any manner. The second, the corrected death-rate, is based on the number of deaths registered but corrected by the exclusion of deaths of non-residents and the inclusion of those of residents in the county, burgh, or district taking place elsewhere in Scotland. The third, the corrected and adjusted rate, is the corrected death-rate adjusted to compensate for any differences there may be between the age and sex distribution of the local population and that of Scotland. The first of these rates shows the actual frequency of death in the burgh or district, and the second the frequency of death in the population of the district, while the third is a statistical quantity useful for the purpose of comparison, as it indicates the relative frequency of death uncomplicated by variation in sex and age distribution.

TABLE H.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1919.

	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Coatbridge . . .	16·5	+0·3	16·8	+1·4	18·2
Glasgow . . .	16·7	−0·3	16·4	+1·6	18·0
Greenock . . .	17·7	−0·4	17·3	+0·2	17·5
Edinburgh . . .	17·9	−1·4	16·5	+0·6	17·1
Leith . . .	12·9	+3·2	16·1	+0·7	16·8
Paisley . . .	13·4	+0·8	14·2	+1·5	15·7
Dundee . . .	14·9	−0·2	14·7	+0·5	15·2
Kilmarnock . . .	14·9	−0·9	14·0	+1·2	15·2
Aberdeen . . .	15·9	−1·1	14·8	+0·2	15·0
Falkirk . . .	14·4	−0·8	13·6	+1·3	14·9
Perth . . .	18·1	−3·0	15·1	−0·3	14·8
Ayr . . .	16·1	−1·7	14·4	+0·2	14·6
Motherwell . . .	11·1	+1·4	12·5	+1·7	14·2
Hamilton . . .	12·1	+1·0	13·1	+1·1	14·2
Kirkcaldy . . .	12·4	+1·1	13·5	+0·3	13·8
Clydebank . . .	8·4	+3·1	11·5	+1·8	13·3

In the counties, burghs included, the crude death-rate varied from 22·1 in Ross and Cromarty, 20·7 in Inverness, 19·8 in Sutherland, and 19·5 in Orkney, to 11·4 in Linlithgow, 11·6 in Peebles and in Selkirk, and 11·8 in Fife. In 16 counties this rate was higher than the national rate, in the remaining 17 counties it was lower. In them the corrected death-rate varied from 20·7 in Sutherland, 19·9 in Orkney, 19·6 in Ross and Cromarty, and 19·5 in Inverness, to 11·9 in Linlithgow, 12·1 in Selkirk, 12·2 in Fife, 13·1 in Stirling, 13·2 in Peebles, and 13·4 in Haddington. In them the corrected and adjusted death-rate ranged from 17·1 in Lanark, 16·6 in Clackmannan, 16·5 in Midlothian, 16·1 in Roxburgh, and 15·9 in Ross and Cromarty and in Inverness, to 12·1 in Fife, 12·2 in Shetland and in Selkirk, 12·5 in Kincardine, and 12·8 in Linlithgow and in Peebles. In 25 counties the corrected and adjusted death-rate was lower than the Scottish death-rate, while in 8 it was higher. (*Table 7.*)

In the larger burghs taken collectively the crude death-rate was 16·07 per thousand, the corrected death-rate, 15·72, and the corrected and adjusted death-rate, 16·79, each of these three rates being lower in this than in the previous year, the crude death-rate being 0·45 lower, the corrected death-rate 0·34 lower, and the corrected and adjusted death-rate 0·36 lower. The corrected and adjusted death-rate is 1·44 more than the Scottish death-rate. (*Table 4.*)

In the smaller burghs taken collectively the crude death-rate of the year was 14·33; the corrected death-rate, 14·87; and the corrected and adjusted death-rate, 14·49. All three are lower in this than in the previous year, the crude rate being 1·46, the corrected rate 1·29, and the corrected and adjusted rate 1·25 lower. The corrected and adjusted death-rate is 0·86 less than the Scottish rate, and 2·30 less than the corrected and adjusted rate in the larger burghs. (*Table 4.*)

In the county districts taken collectively the crude death-rate was 14·87; the corrected death-rate, 14·52; and the corrected and adjusted death-rate, 13·58. All three are less than in the previous year, the crude rate being 0·56 less, the corrected rate 0·53 less, and the corrected and adjusted rate, 0·50 less. The corrected and adjusted rate is 1·77 less than the Scottish rate, 3·21 less than in the larger burghs, and 0·91 less than in the smaller burghs. (*Table 4.*)

In the larger burghs taken individually the crude death-rate varied from 18·1 in Perth, 17·9 in Edinburgh, 17·7 in Greenock, and 16·7 in Glasgow, to 8·4 in Clydebank, 11·1 in Motherwell, 12·1 in Hamilton, and 12·4 in Kirkcaldy. The corrected death-rate varied from 17·3 in Greenock, 16·8 in Coatbridge, 16·5 in Edinburgh, and 16·4 in Glasgow, to 11·5 in Clydebank, 12·5 in Motherwell, 13·1 in Hamilton, 13·5 in Kirkcaldy, and 13·6 in Falkirk. In these burghs the corrected and adjusted death-rate varied from 18·2 in Coatbridge, 18·0 in Glasgow, 17·5 in Greenock, and 17·1 in Edinburgh, to 13·3 in Clydebank, 13·8 in Kirkcaldy, 14·2 in Hamilton, 14·2 in Motherwell, and 14·6 in Ayr. In 6 of these burghs the corrected and adjusted death-rate was higher than the national rate, while in 10 of them it was lower. (*Table 4.*)

In the smaller burghs, exclusive of those with populations of less

than 1000, the crude death-rate varied from 29·7 in Melrose, 27·4 in Wigtown, 26·7 in Banff, 24·9 in Stonehaven, and 23·9 in Coldstream, to 6·2 in Cowdenbeath, 7·8 in Cockenzie and Port-Seton, 7·8 in Armadale, 8·1 in Buckhaven, Methil, and Innerleven, and 8·4 in Darvel and in Buckie. In the same burghs the corrected death-rate varied from 29·0 in Wigtown, 25·4 in Laurencekirk, 24·7 in Coldstream, 24·2 in Rattray, and 23·2 in Bridge of Allan, to 7·9 in Queensferry, 8·5 in Cowdenbeath, 9·2 in Darvel, and 9·4 in Buckhaven Methil and Innerleven, in Buckie, and in Newmilns and Greenholm. In these burghs the corrected and adjusted death-rate ranged from 24·3 in Wigtown, 20·7 in Bridge of Allan, 20·1 in Coldstream, and 20·0 in Rattray, to 8·5 in Callander and in Inverurie, 9·1 in Dunblane, 9·3 in Buckie, and 9·4 in Cockenzie and Port-Seton. (*Table 5.*)

In the county districts taken individually the crude death-rate varied from 31·1 in Suburban District of Midlothian, 27·9 in Lews District of Ross and Cromarty, 26·0 in South-Western District of Ross and Cromarty, 24·9 in Inverness District of Inverness, 24·4 in Mid-Argyll District of Argyll, 23·9 in North Uist District of Inverness, and 23·8 in Walls District of Orkney, to 9·0 in Central District of Stirling, 9·7 in County District of Selkirk, 10·1 in Carrick District of Ayr, 10·2 in St. Andrews District of Fife, 10·3 in Kirkcaldy District of Fife, and 10·4 in Alford District of Aberdeen, in Blairgowrie District of Perth, and in Dunfermline District of Fife. In them the corrected death-rate varied from 27·7 in South-Western District of Ross and Cromarty, 24·1 in Skye

TABLE J.—Frequencies of Specified Death-rates, Corrected and Adjusted, in Counties, Burghs, and County Districts, 1919.

Death-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
6	...	2	2	2
7	...	1	1	1
8	...	3	3	2	1
9	...	12	8	4	...	7	1
10	..	25	16	9	...	13	3
11	...	19	14	5	...	14	...
12	6	45	24	21	...	20	4
13	9	50	27	23	2	24	1
14	7	44	27	17	5	20	2
15	7	34	20	14	4	14	2
16	3	28	21	7	1	19	1
17	1	24	21	3	2	17	2
18	..	14	11	3	2	9	...
20	...	5	5	3	2
24	...	1	1	1	...
28	...	1	1	1
37	...	1	1	1
TOTALS	33	309	203	106	16	163	24

District of Inverness, 23·9 in Easter Ross District of Ross and Cromarty, 23·8 in Walls District of Orkney, and 23·6 in North Uist District of Inverness, to 9·5 in County District of Selkirk, 9·6 in Central District of Stirling, 9·9 in Kirkcaldy District of Fife, 10·2 in Dundee District of Forfar, and 10·6 in St. Andrews District of Fife. In them the corrected and adjusted death-rate varied from 18·7 in Thornhill District of Dumfries, 18·2 in South-Western District of Ross and Cromarty, 18·1 in Eastern District of Ross and Cromarty, 17·5 in Kelso District of Roxburgh, 17·2 in North Uist District of Inverness, and 17·1 in Western District of Dumbarton, to 9·4 in Dundee District of Forfar, 9·5 in County District of Selkirk, 9·8 in Central District of Stirling, 9·8 in Cupar District of Fife, 10·1 in Alford District of Aberdeen, and 10·3 in North Isles District of Shetland and in Kirkcaldy District of Fife. (*Table 6.*)

The corrected and adjusted death-rates of all burghs and county districts are collected in Table J., where the frequency of the rates of specified amounts is given. That table, *inter alia*, shows that the mean of the distribution in the case of burghs is 13·92, and in the case of county districts, 13·18; in the previous year these means were 15·80 and 13·65. The standard deviation of the mean in the case of burghs is found to be 3·48, and in the case of the county districts, 2·04; in the previous year these two figures were 3·71 and 2·18.

The Scottish death-rate of the first quarter of the year was 23·9; of the second quarter, 13·6; of the third quarter, 10·8; and of the fourth quarter, 13·1. Compared with the rate of the corresponding quarter of the previous year, that of the first quarter is 9·0 more, but those of the remaining three quarters are all less, that of the second quarter being 0·1 less, that of the third quarter 1·5 less, and that of the fourth quarter 10·2 less. Compared with the mean of the rates of the corresponding quarter of the preceding ten years, that of the first quarter is 6·2 more, but that of the second quarter

TABLE K.—Monthly Mortality and Mean Temperature in Scotland during 1919, compared with the mean of the Ten Years 1901-1910.

MONTHS.	YEAR 1919.			1901-1910.	
	Mean Temperature.	Actual Deaths.	Proportion to 12,000 per annum or 1000 per month.	Monthly Proportion of Deaths.	Mean Temperature.
January	36·8	7,438	1,188	1,177	38·0
February	34·3	11,185	1,786	1,079	37·7
March	35·9	10,336	1,650	1,149	39·9
April	43·7	6,428	1,026	1,096	43·2
May	52·1	5,515	881	1,036	48·7
June	54·0	4,669	745	916	54·0
July	55·5	4,579	731	873	56·8
August	56·3	4,170	666	863	55·8
September	52·2	4,576	731	830	53·1
October	46·2	4,763	761	889	47·6
November	35·8	5,346	854	976	41·2
December	38·4	6,144	981	1,116	38·5
YEAR	45·1	75,149	12,000	12,000	46·2

is 1·8 less; that of the third quarter, 2·0 less; and that of the fourth quarter, 2·8 less. The high death-rate in the first quarter was associated with a severe epidemic of influenza. (*Table 3.*)

The monthly Scottish death-rates of the year varied from 29·8 in February, 24·9 in March, and 17·9 in January, to 10·0 in August, and 11·0 in July. In April this rate was 16·0; in December, 14·8; in May, 13·3; in November, 13·3; in June, 11·6; in October, 11·5; and in September, 11·4. (*Table 48.*)

The death-rate in England and Wales (civilian) was 13·8, and in Ireland, 18·0. The former, which is not strictly comparable with the Scottish rate, is 1·6 less than the Scottish rate, but the latter is 2·6 higher.

AGES OF THOSE DYING.

Of the 75,149 persons whose deaths were registered during the year, 17,301, or 23·02 per cent., were aged less than 5 years; 33,623, or 44·74 per cent., more than 5 but less than 65; and 24,212, or 32·22 per cent., 65 and over. In 13 instances the age at death was not recorded. Deaths at ages under 5 are of approximately the same number as in each of the three years, 1918, 1917, and 1916, but are markedly less than in each of the years 1915 and 1914; they are 2161 less than the mean of the numbers of the preceding five years. Deaths at ages 5 to 65 are 5260 fewer than in the preceding year, but are 1039 more than the mean of the numbers of the five preceding years. Deaths at ages 65 and over are 2597 more than in the previous year, and 1545 more than the mean of the numbers of the preceding five years. This distribution, showing relatively few deaths at ages under 5, and relatively excesses at ages 5 to 65 and at ages 65 and over, is associated with two factors, the one the comparatively small number of children in the population—due to the recent low birth-rates—and the other the epidemic of influenza which occurred in the early part of the year.

Deaths of males, which numbered 37,500, are 1644 fewer than in the preceding year, and those of females, which numbered 37,649, are 1579 fewer than in that year. By comparing the number of deaths in each age-group of each sex it is found that those in age-groups under 5, 55 to 64, 65 to 74, and 75 and over of both sexes are more than in the preceding year, while those in the remaining age-groups of both sexes are fewer, the latter including all age-groups between 5 and 54. Compared with the figures of 1917, the last year in which influenza was not epidemic, it is found that the male deaths of this year outnumber those of that year by 2139, and that the female deaths outnumber those of that year by 4527, in both cases the excess being in all age-groups, age-group 1 to 4 of both sexes and age-group 10 to 14 of the male sex being excepted, the largest increase being found in age-group 25 to 34 of both sexes.

The age-group death-rates, both sexes included, varied from 169·3 per thousand in age-group 75 and over, 96·9 in age-group under 1, 61·0 in age-group 65 to 74, and 30·9 in age-group 55 to 64, to 2·5 in age-group 10 to 14, 3·7 in age-group 5 to 9, 4·5 in age-group 15 to 24, and 6·8 in age-group 25 to 34. Compared with the

corresponding rate in 1918, those of age-groups from 1 to 54 are found to be lower, while those of age-group under 1, and of age-group 55 and over are higher. (*Table 27.*)

All male age-group death-rates of the year are higher than those of the two sexes taken together and higher than the corresponding female rates, those of age-group 5 to 9 and 10 to 14 excepted, both of which are lower than those of the female sex and of the two sexes taken collectively.

The average age at death of all persons dying during the year was 43·1 years, that of all males being 40·8, and of all females 45·3. In the previous year these three averages were 40·4, 38·7, and 42·0, and thus the male average age at death of the year is 2·1 more than that of the previous year, the female average 3·3 more, and that of the two sexes taken collectively 2·7 more. In 1917, the last year unaffected by the recent influenza epidemic, these three averages were 42·4, 40·7, and 44·2, and comparison with them shows that the male average of this year is 0·1 more; the female average, 1·1 more; and the average of the two sexes in combination, 0·7 more.

The average age at death of unmarried males was 18·1, and of unmarried females 24·3, the former being 6·2 less than the latter. In the previous year these two averages were 17·9 and 22·5.

The average age at death of married males was 58·2 years, and of married females 52·7, the male average being 5·5 in excess of the female. In the previous year these two averages were 56·3 and 49·8.

The average age at death of widowers was 71·7 years, and of widows 73·3, the former being 1·6 less than the latter. In the previous year these two averages were 71·1 and 72·4.

The average age of married and widowed males taken collectively was 62·4, and of married and widowed females 63·0, the former being 0·6 less than the latter. In the previous year these two averages were 60·6 and 60·1.

Deaths of children of less than one year old numbered 10,795, and equalled an infantile mortality rate of 101·6 per thousand registered births. This rate is 1·8 more than in the previous year, but 6·7 less than the mean of those of the five preceding years, and 6·9 less than the mean of those of the ten preceding years. It is

TABLE L.—Age-group Death-rates per 1000 in 1919 and 1918.

	1919.		1918.		Difference, 1919 compared with 1918.		Difference per cent., 1919 compared with 1918.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
- 1	110·0	83·6	100·3	76·3	+ 9·7	+ 7·3	+ 9·7	+ 9·6
1- 4	15·1	14·7	18·6	18·2	- 3·5	- 3·5	-18·8	-19·2
5- 9	3·6	3·7	4·4	4·7	- 0·8	- 1·0	-18·2	-21·3
10-14	2·2	2·8	3·3	3·7	- 1·1	- 0·9	-33·3	-24·3
15-24	4·7	4·3	6·2	6·4	- 1·5	- 2·1	-24·2	-32·8
25-34	7·0	6·5	9·2	8·9	- 2·2	- 2·4	-23·9	-27·0
35-44	8·6	7·7	10·1	9·3	- 1·5	- 1·6	-14·9	-17·2
45-54	16·2	13·4	17·2	13·9	- 1·0	- 0·5	- 5·8	- 3·6
55-64	35·1	27·3	33·7	26·5	+ 1·4	+ 0·8	+ 4·2	+ 3·0
65-74	70·7	53·9	66·7	48·9	+ 4·0	+ 5·0	+ 6·0	+10·2
75—	181·0	162·5	158·7	139·6	+22·3	+22·9	+14·1	+16·4

lower than in all previous years since the institution of national registration, those of 1918 and 1916 excepted.

Deaths of male children of less than one year old numbered 6181, and equalled an infantile mortality rate of 112·9 per thousand registered male births, and deaths of female children of less than one year old numbered 4614, and equalled an infantile mortality rate of 89·6 per thousand registered female births. In the previous year these rates were 111·7 and 87·4, and thus the male rate was 1·2, and the female rate 2·2, more than in that year. The male infantile mortality rate of the year was 23·3 more than the female; in the previous year it was 24·3 more.

In the counties, burghs included, the infantile mortality rate of the year varied from 113 in Forfar, 111 in Lanark, 110 in Midlothian, 109 in Wigtown, and 107 in Aberdeen, to 33 in Peebles, 39 in Bute, 50 in Shetland, 64 in Nairn, and 71 in Sutherland and in Ross and Cromarty. In 8 counties this rate exceeded 100 per 1000; in 14 counties it was between 80 and 100; in 8, between 60 and 80; in 1, between 40 and 60; and in 2, less than 40. (*Table 7.*)

In the larger burghs taken collectively this rate was 110·9; in the smaller burghs, 95·7; and in the county districts, 90·3. Compared with the rate of the previous year, that of the larger burghs is 1·2 more, and that of the county districts is 3·3 more, but that of the smaller burghs is 1·1 less. The collective rate in the larger burghs is 9·3 more than the national rate. That in the smaller burghs is 3·9 less than the national rate and 15·2 less than the rate in the larger burghs; and that in the county districts is 11·3 less than the national rate, 20·6 less than in the larger burghs, and 5·4 less than in the county districts. (*Table 4.*)

In the larger burghs taken individually this rate varied from 126 in Dundee, 118 in Aberdeen, 117 in Edinburgh, and 114 in Glasgow, to 74 in Clydebank, 84 in Kirkcaldy, and 97 in Motherwell and in Falkirk. In Kilmarnock it was 109; in Leith, 107; in Coatbridge, 105; in Perth, 103; in Hamilton, 103; in Paisley, 100; in Greenock, 99; and in Ayr, 99. (*Table 4.*)

There are 53 of the smaller burghs in which at least 100 births were registered during the year, and in these the infantile mortality rate varied from 164 in Stranraer, 147 in Maxwelltown, 143 in Peterhead, 136 in Kirkintilloch, 133 in Borrowstounness, and 131 in Irvine, to 45 in Gourock, 51 in Ardrossan, 51 in Rothesay, 53 in Lanark, and 58 in Renfrew. (*Table 5.*)

There are 74 county districts in which at least 100 births were registered during the year, and in them the infantile mortality rate varied from 141 in Western District of Stirling, 136 in Suburban District of Midlothian, 130 in Lower Ward District of Lanark, 118 in Kilmarnock District of Ayr, and 117 in Gala Water District of Midlothian, and in Banff District of Banff, to 28 in Kintyre District of Argyll, 37 in Aird District of Inverness, 39 in Mid Ross District of Ross and Cromarty, 39 in Kelso District of Roxburgh, and 42 in Mainland District of Shetland.

Deaths among persons aged 70 and upwards numbered 18,547, 7721 being of males, and 10,826 of females. The deaths among males of these ages equal a death-rate of 127·2 per thousand of the estimated male population aged 70 and upwards, and these deaths

among females equal a death-rate of 112·2 per thousand of the estimated female population of these ages. That of the two sexes taken collectively is 118·0. In the previous year the death-rate of males of these ages was 115·0; among females, 97·2; and among the two sexes taken collectively, 104·1. The male death-rate at these ages was thus 12·2, the female 15·0, and the combined death-rate 13·9, more in this than in that year.

The deaths of 12 reputed centenarians were registered during the year, of whom 4 were men, and 8 were women. The ages of 2 of these male centenarians were recorded as 100, of 1 as 101, and of 1 as 103. Those of 5 of the female centenarians were recorded as 100, of 2 as 101, and of 1 as 102. The usual endeavour has been made to verify the age of each centenarian whose death was registered, with the result that in five instances attainment of age 100 was confirmed, and in two instances contradicted, while in the remaining five instances proof of age could not be found. These researches into the ages of reputed centenarians have now been made for ten years, and have dealt with 134 reputed centenarians, with the result that in 50 instances proof of attainment of age 100 has been found, and contradiction of that in 12 cases, while in the remaining 72 no satisfactory proof either in support or in contradiction of attainment of that age was found.

CAUSES OF DEATH.

Of the 75,149 deaths registered in Scotland during the year, 74,049, or 98·5 per cent., were certified as to cause either by a registered medical practitioner or by a procurator-fiscal, while 1100, or 1·5 per cent., were not so certified. The uncertified deaths of the year are 116 less than in the previous year, 226 less than the mean of the numbers of the preceding five years, and 248 less than the mean of those of the preceding ten years. The number of uncertified deaths in this year, 1100, is smaller than in all previous years, the previous minimum being 1135, which occurred in the year 1911. From 1881 to 1890 the number of uncertified deaths averaged 6061 annually; from 1891 to 1900, 3239; from 1901 to 1910, 1839; and from 1911 to 1919, 1292. (*Table M.*)

The number of deaths uncertified as to cause in the counties, burghs included, varied from 282 in Ross and Cromarty, 223 in Inverness, 148 in Midlothian, 81 in Shetland, 69 in Sutherland, 66 in Lanark, and 65 in Argyll, to 0 in Kincardine, in Kirkcudbright, in Peebles, and in Selkirk. In 22 counties the percentage of the registered deaths which were not certified as to cause was less than 1, while in 6 it was more than 5, the latter including Sutherland, where the uncertified deaths amounted to 19·3 per cent. of the total, Shetland (18·9 per cent.), Ross and Cromarty (18·1 per cent.), Inverness (13·5 per cent.), Orkney (8·3 per cent.), and Argyll (6·2 per cent.). (*Table 47.*)

Of the 75,149 deaths registered during the year, 73,735, or 98·11 per cent., were specified as to cause, while 1064, or 1·42 per cent., were imperfectly so specified, and 350, or 0·47 per cent., were not so specified or merely ascribed to "Natural Causes." The deaths imperfectly specified as to cause number 3 more than in 1919 but 95

less than in 1917, and those unspecified as to cause number 90 less than in 1918 and 46 less than in 1917.

Enteric Fever.—Deaths due to enteric fever numbered 83. This is the smallest number of deaths from this cause registered in any year since these deaths have been tabulated separately from those from typhus fever. They are 42 less than in the previous year, 70 less than the mean of the numbers of the preceding five years, and 113 less than the mean of those of the previous ten years. The smallest number of deaths from enteric fever previously recorded was 94, which occurred in 1917. In the years 1865 to 1882 and in the year 1884 these deaths numbered more than 1000 annually; in 1883 and in the years 1885 to 1903 the annual number was more than 500, and in the years 1904 to 1911 more than 200, but since 1911 it has been constantly under 200, except in 1914, being more than 100 five times, and less than 100 twice. Of the 83 deaths from enteric fever, 41 were of males, and 42 of females. Of them, 38 occurred in the larger burghs, 14 in the smaller burghs, and 30 in the county districts. The annual death-rate from this cause was 2 per 100,000, which is 1 less than that of the previous year, and 2 less than the mean of those of the ten preceding years. (*Tables 32-40.*)

Typhus Fever.—Deaths from typhus fever numbered 8. This number is 7 less than in the previous year, and 2 less than the mean of those of the preceding ten years. This number is in great contrast to what it was in the earlier days of registration; in 1865 these deaths numbered 3272, and in the years 1866 to 1871 constantly numbered more than 1000. Of the 8 deaths from this cause during the year, 7 occurred in Glasgow and 1 in Dundee. (*Tables 32-40.*)

Small-pox.—For the third year in succession there were no deaths from small-pox registered in Scotland. During the last 15 years there have been only 38, of which 17 occurred in 1912. (*Table 39.*)

Measles.—Deaths from measles numbered 899. This number

TABLE M.—Deaths from Uncertified Causes, 1881-1919.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881 . .	7863	10·9	1900 . .	2757	3·4
1882 . .	7220	9·9	1901 . .	2392	3·0
1883 . .	7278	9·5	1902 . .	2180	2·8
1884 . .	6487	8·6	1903 . .	2058	2·8
1885 . .	6204	8·3	1904 . .	1893	2·4
1886 . .	5932	8·1	1905 . .	1741	2·3
1887 . .	5466	7·3	1906 . .	1727	2·3
1888 . .	5029	7·1	1907 . .	1796	2·3
1889 . .	4566	6·2	1908 . .	1654	2·1
1890 . .	4569	5·8	1909 . .	1552	2·1
1891 . .	4691	5·6	1910 . .	1396	1·9
1892 . .	4267	5·6	1911 . .	1135	1·6
1893 . .	3729	4·7	1912 . .	1362	1·9
1894 . .	3290	4·6	1913 . .	1401	1·9
1895 . .	3222	3·9	1914 . .	1220	1·7
1896 . .	2509	3·6	1915 . .	1514	1·9
1897 . .	3041	3·8	1916 . .	1294	1·8
1898 . .	2459	3·1	1917 . .	1387	2·0
1899 . .	2425	3·0	1918 . .	1216	1·6
			1919 . .	1100	1·5

is 299 less than that of the previous year, 758 less than the mean of those of the five preceding years, and 666 less than the mean of those of the ten preceding years. A maximum number of these deaths occurred in 1893 and was 3639, and compared with it that of this year is 2740, or 75·3 per cent., less. The annual death-rate from this cause was 18 per 100,000. It is 7 less than that of the previous year, 16 less than the mean of those of the five preceding years, and 15 less than the mean of those of the ten preceding years. It equals the death-rate from this cause in 1886, but is smaller than all others. Of the deaths from measles, 477 were among males, and 422 among females, the male death-rate being 20, and the female death-rate 17. Of these deaths, 593 occurred in the larger burghs, 115 in the smaller burghs, and 191 in the county districts. In the larger burghs this death-rate was 25 per 100,000; in the smaller burghs, 12; and in the county districts, 13. The highest measles death-rates in the larger burghs occurred in Kilmarnock (43), in Leith (37), in Greenock (34), and in Hamilton (33). In Glasgow it was 29; in Edinburgh, 18; in Dundee, 28; and in Aberdeen, 2. Of the 899 deaths from this cause, 200, or 22·3 per cent., were among children of less than one year old; 607, or 67·5 per cent., among children of more than 1 but less than 5 years old; 66, or 7·3 per cent., among children of more than 5 but less than 10 years old; and 26, or 2·9 per cent., among persons of 10 and over. The months in which deaths from measles were most frequent were May, March, and April. (*Tables 32-40 and p. 70.*)

Scarlet Fever.—Deaths ascribed to scarlet fever numbered 222. They are 54 more than in the previous year, but 325 less than the mean of the numbers of the five preceding years, and 314 less than the mean of those of the ten preceding years. The only previous years in which fewer deaths from this cause were returned were 1918, 1917, and 1905, the numbers in them being 168, 212, and 211 respectively. A maximum number of deaths from scarlet fever occurred in 1874, and was 6321. The death-rate from this cause was 5 per 100,000; it is 2 more than that of the previous year, but is 6 less than the mean of those of the preceding five years, and the same amount less than the mean of those of the preceding ten years. In 1874 the death-rate from this cause was 186. Of the 222 deaths from scarlet fever, 104 were of males, and 118 of females, the male death-rate being 4, and the female 5. Of them, 129 occurred in the larger burghs, 39 in the smaller burghs, and 54 in the county districts; in the larger burghs the death-rate was 5; in the smaller burghs, 4; and in the county districts, 4. Those of the larger burghs in which the death-rate from this cause was relatively high were Edinburgh (12), Leith (9), and Coatbridge (9). In Glasgow this rate was 4; in Dundee, 2; and in Aberdeen, 2. Of these 222 deaths, 107 occurred among children of less than 5 years old; 68 among those of more than 5 but less than 10; 37 among those of more than 10 but less than 25; and only 10 among persons of 25 or over. (*Tables 32-40.*)

Whooping-cough.—In all, 1573 deaths were attributed to whooping-cough during the year. This number is 30 less than that of the previous year, 149 less than the mean of those of the preceding five years, and 383 less than the mean of those of the pre-

ceding ten years. The death-rate from this cause was 32 per 100,000; it is 1 less than that of the previous year, and 4 less than the mean of those of the preceding five years, and also 4 less than the mean of those of the preceding ten years. The male death-rate from this cause was 30, and the female 34. In the larger burghs taken together the whooping-cough death-rate was 45 per 100,000; in the smaller burghs, 19; and in the county districts, 21. In the larger burghs relatively high death-rates from this cause occurred in Coatbridge (137), in Falkirk (92), in Leith (70), in Glasgow (57), and in Edinburgh (57). In Dundee this rate was 1 per 100,000, and in Aberdeen 19. Of those dying from whooping-cough, 582, or 37·0 per cent., were less than one year old; 887, or 56·4 per cent., were more than 1 but less than 5 years old; 96, or 6·1 per cent., were more than 5 but less than 10; and only 8 were more than 10 years old. The months in which deaths from whooping-cough were most numerous were March, April, February, and May. (*Tables 32-40 and p. 70.*)

Diphtheria.—Deaths from diphtheria, including those certified as due to membranous laryngitis or to croup, numbered 727. This number is 29 less than that of the previous year, and 109 less than the mean of those of the preceding ten years, and is 36 more than the mean of those of the preceding five years. The annual death-rate from this cause was 15 per 100,000; it is the same as that of the previous year, but is 1 less than the mean of those of the five preceding years, and 3 less than the mean of those of the preceding ten years. In 1917 the diphtheria death-rate was 13 per 100,000, and it is the only annual rate less than that now recorded. In the larger burghs taken collectively this death-rate was 16; in the smaller burghs, 17; and in the county districts, 12. In the larger burghs taken individually relatively high diphtheria death-rates occurred in Leith (40), in Kirkcaldy (32), in Ayr (30), and in Edinburgh (24). In Glasgow this rate was 15, in Dundee 13, and in Aberdeen 19. Of the 727 persons dying from this cause, 354 were male, and 373 were female; both the male and female death-rates were 15 per 100,000. Deaths from diphtheria were more numerous in the months of January, February, and March, and in October, November, and December, than in the months April to September. (*Tables 32-40 and p. 70.*)

Principal Epidemic Diseases Death-Rate.—Enteric fever, measles, scarlet fever, whooping-cough, and diphtheria are, for statistical purposes, grouped along with diarrhoea in children of less than two years old as the principal epidemic diseases, and the death-rate due to them collectively is called the principal epidemic diseases death-rate. These deaths in all numbered 4519, and this death-rate was 0·92 per thousand. This death-rate is 0·08 less than that of the previous year, 1918, 0·34 less than that of 1917, 0·22 less than that of 1916, and 0·90 less than that of 1915. It is also lower than each of those of the years 1911 to 1914. In the larger burghs taken collectively it was 1·17; in the smaller burghs, 0·68; and in the county districts, 0·67; in the previous year these three rates were 1·10, 0·98, and 0·85 respectively. In the larger burghs taken individually this rate varied from 2·27 in Coatbridge, 1·73 in Leith, 1·43 in Falkirk, 1·37 in Glasgow, and 1·31 in Ayr, to 0·50 in Perth, 0·59 in Kirkcaldy, 0·60 in Aberdeen, 0·68 in Paisley, and 0·69 in

Dundee. In those of the smaller burghs which had censal populations of more than 1000 it varied from 3·63 in Kilwinning, 2·85 in Whitburn, 2·61 in Maybole, 2·45 in Banff, and 2·20 in Fort-William, to 0 in 45 burghs. In the counties, burghs included, this rate varied from 1·29 in Lanark, 1·25 in Midlothian, 1·17 in Linlithgow, and 1·03 in Dumbarton, to 0 in Kinross, 0·15 in Shetland, and 0·19 in Berwick. In the county districts it varied from 2·05 in Lews District of Ross and Cromarty, 1·53 in Suburban District of Midlothian, and 1·46 in Western District of Dumbarton, to 0 in 18 of these districts. (*Tables 4-7.*)

Other Epidemic Diseases.—Deaths due to epidemic or infectious disease other than those already named, and exclusive of influenza, included 121 from erysipelas, 27 from malaria, 32 from dysentery, 10 from chicken-pox, 6 from German measles, 3 from cholera nostras, 3 from mumps, and 1 each from actinomycosis, blackwater fever, mycosis fungoides, pallagra, and paratyphoid fever.

Influenza.—As previously reported, there was a severe epidemic of influenza in Scotland commencing in the year 1918 and extending into the year 1919. The mortality resulting from this epidemic was collectively reported in a Supplement to the Registrar-General's Annual Reports (Cmd. 282), and the mortality due to it in the year 1918 was commented on in the Annual Report of that year.

In the year now under review, 1919, deaths from influenza numbered 7215, 3489 being of males, and 3726 of females. In 1918 deaths from this cause numbered 11,111, and thus influenza deaths of this year number 3896 fewer than those of last year. Of the 7215 deaths, 1245, or 17·3 per cent., were attributed to influenza solely, while 5970, or 82·7 per cent., were attributed partly to influenza and partly to some complicating disease. In the previous year 16·9 per cent. of the total influenza deaths were

TABLE N.—Deaths from Influenza in Scotland in each month, 1919.

MONTHS.	INFLUENZA.			MONTHS.	INFLUENZA.		
	TOTAL.	Sole Named Cause.	Named with other Causes.		TOTAL.	Sole Named Cause.	Named with other Causes.
1918.				1919.			
January .	47	19	28	January .	781	155	626
February .	27	13	14	February .	3039	451	2588
March .	47	21	26	March .	2530	434	2096
April .	66	32	34	April .	441	99	342
May .	77	23	54	May .	143	38	105
June .	52	21	31	June .	63	17	46
July .	768	172	596	July .	39	4	35
August .	232	63	169	August .	22	4	18
September .	240	57	183	September .	21	5	16
October .	3714	557	3157	October .	35	7	28
November .	4272	644	3628	November .	49	14	35
December .	1569	256	1313	December .	52	17	35
YEAR .	11,111	1878	9233	YEAR .	7215	1245	5970

ascribed solely to influenza, while 83·1 per cent. were ascribed jointly to influenza and some other cause of death.

The Scottish death-rate from influenza in 1919 was 147 per 100,000, that due to uncomplicated influenza being 25, and to influenza complicated by other disease 122. In the previous year these three rates were 227, 38, and 189. The male influenza death-rate of the year was 147, and the female 148, per 100,000; in 1918 these two rates were 223 and 231. The age-group death-rates varied from 616 per 100,000 in age-group 75 and upwards, 377 in age-group 65 to 74, 332 in age-group under 1, and 243 in age-group 55 to 64, to 35 in age-group 10 to 14, 40 in age-group 5 to 9, and 99 in age-group 15 to 24. A comparison with the age-group death-rates of the previous year shows that those of the three age-groups 55 to 64, 65 to 74, and 75 and over, are each higher in this than in that year, while those in all age-groups under 55 are lower; the death-rates of age-groups 1 to 4, 5 to 9, 10 to 14, 15 to 24, and 25 to 34 being markedly so; in age-groups 5 to 9, and 10 to 14, the rate was fully 60 per cent., and in age-groups 15 to 24 and 25 to 34 approximately 50 per cent., less than in that year. In age-group 65 to 74 the influenza death-rate was 22·0 per cent. more than in 1918, and in age-group 75 and over it was 20·8 per cent. more.

In this, as in the previous year, the disease most frequently named along with influenza in death certificates was pneumonia, this having occurred in 4352 instances, and that is in 60·3 per cent. of the total instances in which influenza was named in these certificates; in the previous year deaths attributed to the complica-

TABLE O.—Deaths from Influenza at various Age Periods, 1919.

INFLUENZA.	ALL AGES.			AGE.											
	Both • Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Only Named Cause	1245	543	702	95	87	32	33	98	132	98	116	147	185	222	
<i>Named along with—</i>															
Other Epidemic Diseases	40	19	21	4	16	10	2	4	3	1	—	—	—	—	
Pulmonary Tuberculosis	160	73	87	—	1	3	14	37	47	28	19	11	—	—	
Other Forms of Tuberculosis	28	12	16	1	4	4	7	5	4	—	1	2	—	—	
Meningitis (not Tuberc. or Cerebro-spinal)	115	52	63	8	35	14	7	15	10	11	12	2	1	—	
Heart Disease	156	70	86	—	1	1	6	10	17	17	28	30	32	14	
Bronchitis	634	269	365	62	29	7	4	16	40	33	74	121	163	85	
Pneumonia	4352	2254	2098	189	443	136	88	669	1100	507	484	367	267	102	
Other Diseases of Respiratory System	155	74	81	9	13	3	4	12	17	16	14	27	22	18	
All Dis. and Acc. of Pregnancy and Parturition	87	—	87	—	—	—	—	8	53	26	—	—	—	—	
All Other Causes	243	123	120	2	7	1	10	20	29	35	41	33	47	18	
TOTAL	7,215	3489	3726	370	636	211	175	894	1452	772	789	740	717	459	
Death-rates per 100,000	147	147	148	332	146	40	35	99	191	125	172	243	377	616	

NOTE.—Those deaths included in the first line under the heading “Only Named Cause” are alone included under the heading “Influenza” in the principal death tabulation, all other deaths included in this Table being classed in that tabulation to the other named Cause, *e.g.*, “Pneumonia,” “Pulmonary Tuberculosis,” etc.

tion of influenza with pneumonia numbered 7084, and constituted 63·8 per cent. of the total influenza deaths. In this, as in the previous year, the majority of these deaths from influenza complicated by pneumonia occurred among the population aged between 15 and 44, these including 2276 deaths, and that is 52·3 per cent. of the total deaths from influenza and pneumonia; in the previous year the corresponding percentage was 60·5.

Other causes of death relatively frequently associated with influenza during the year were bronchitis (634), phthisis (160), heart disease (156), and meningitis other than tuberculous or cerebro-spinal (115). Deaths certified as due to diseases and accidents of pregnancy and childbirth complicated by influenza numbered 87, which is markedly less than in the previous year, when they numbered 185.

Influenza deaths were most numerous in the months of January, February, and March, a maximum of 3039 being returned in February, but were also more than normal in April and in May.

Tuberculosis.—Deaths from all forms of tuberculous disease, including those certified as due to phthisis, numbered 6326. This number is 1374 less than that of the previous year, 1376 less than the mean of those of the preceding five years, and 1758 less than the mean of those of the preceding ten years. It is the smallest number of deaths from tubercle registered in Scotland in any year since the institution of national registration, the previous minimum being that of the year 1917, which was 7625. A maximum number of deaths from this cause occurred in 1870 and was 13,027, and compared with it this year's number is 6701, or 51·4 per cent., less. In 1870 and in 1871 deaths from tuberculous diseases numbered more than 13,000 annually, and in the years 1872 to 1883 constantly more than 11,000; this number fell below 10,000 in 1888, below 9000 in 1910, below 8000 in 1914, and for the first time below 7000 in 1919, the year now under review. (*Table 39.*)

Deaths of males from tuberculosis numbered 3137, and of females 3189, the former being 640, and the latter 734, less than in 1918. (*Table 35.*)

The general death-rate from tuberculosis was 129 per 100,000. This rate is 29 less than that of the previous year, 31 less than the mean of those of the five preceding years, and 41 less than the mean of those of the ten preceding years. It is the lowest Scottish tuberculosis death-rate yet recorded, being 28 less than that of 1917, which is the previous minimum. A maximum tuberculosis death-rate occurred in 1870 and was 404 per 100,000, and compared with it that of this year is 275, or 68·1 per cent., less. The male tuberculosis death-rate of the year was 132, and the female death-rate 127, per 100,000; in the previous year these rates were 159 and 156. (*Tables 36 and 40.*)

In the larger burghs the tuberculosis death-rate was 141 per 100,000; in the smaller burghs, 117; and in the county districts, 108. Compared with that of the previous year, the rate in the larger burghs is 31 less; that in the smaller burghs, 24 less; and that in the county districts, 19 less. (*Table 4.*)

In the larger burghs taken individually this rate varied from 153 in Leith and in Greenock, 152 in Ayr, and 151 in Glasgow, to 91 in Kirkcaldy, 92 in Coatbridge, 112 in Paisley, and 119 in Clyde-

bank. In Edinburgh this rate was 140; in Dundee, 134; and in Aberdeen 127. (*Table 4.*)

In the counties, burghs included, this rate ranged from 199 in Shetland, 186 in Kinross, 174 in Inverness, and 172 in Ross and Cromarty, to 66 in Selkirk, 72 in Bute, 81 in Berwick, and 83 in Linlithgow. (*Table 7.*)

In burghs with populations of between 1000 and 30,000 the tuberculosis death-rate varied from 413 per 100,000 in Kirkcudbright, 401 in Kingussie, 377 in Rothes, 371 in Inverbervie, and 340 in Tain, to 0 in 10 burghs. (*Table 5.*)

In the county districts this rate varied from 379 in Harris District of Inverness, 360 in Walls District of Orkney, 298 in South Ronaldshay District of Orkney, 273 in North Uist District of Inverness, 267 in Liddesdale District of Roxburgh, and 261 in Lews District of Ross and Cromarty, to 25 in County District of Selkirk, 32 in Western District of Perth, 32 in Central District of Perth, 34 in Dundee District of Forfar, and 38 in Black Isle District of Ross and Cromarty. (*Table 6.*)

Of the 6326 deaths from tuberculous disease, 4189 were ascribed to phthisis, 105 to acute phthisis, 70 to acute miliary tuberculosis, 653 to tuberculous meningitis, 568 to abdominal tuberculosis, 151 to tuberculous disease of the spine, 47 to tuberculous disease of joints, and 543 to other tuberculous disease. With one exception, that of acute miliary tuberculosis, each of these numbers is less than in the previous year. Deaths from phthisis are 864 fewer than in 1918; from acute phthisis, 59 fewer; from tuberculous meningitis, 181 fewer; from abdominal tuberculosis, 170 fewer; from tuberculosis of the spine, 21 fewer;

TABLE P.—Death-rate from Tuberculosis in 1919.

	Estimated Population	Death-rate per 100,000 from				
		All Tuber- culosis.	Pulmon. Tuberc.	Tuberc. Meningitis	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,894,077	129	88	13	12	17
Males . . .	2,373,422	132	89	14	11	18
Females . . .	2,520,655	127	87	13	12	15
Larger Burghs . . .	2,414,483	141	95	16	13	17
Smaller Burghs . . .	959,114	117	78	11	11	17
County Districts . . .	1,520,480	108	72	11	10	15
Glasgow	1,113,454	151	104	16	14	17
Edinburgh	338,060	140	95	13	10	22
Dundee	185,388	134	89	14	12	19
Aberdeen	167,146	127	86	19	7	16
Paisley	89,425	112	77	12	12	10
Leith	84,281	153	108	17	12	17
Greenock	79,613	153	94	25	11	23
Coatbridge	44,513	92	63	13	16	...
Motherwell	42,130	121	76	28	12	5
Kirkcaldy	40,615	91	44	15	7	25
Hamilton	39,531	137	78	28	20	10
Clydebank	48,025	119	83	8	19	8
Perth	36,214	146	94	17	22	14
Kilmarnock	37,604	146	88	11	19	29
Falkirk	34,881	120	80	14	6	20
Ayr	33,603	152	104	24	12	12

from tuberculosis of joints, 8 fewer; and from other forms of tuberculosis, 76 fewer; but deaths from acute miliary tuberculosis are 5 more. (*Page 42.*)

Deaths from phthisis, including those certified as due to acute phthisis, numbered 4294. This is the smallest number of such deaths registered in Scotland in any year since the introduction of national registration, and that is since 1855. It is 923 less than that of the previous year, 831 less than the mean of the numbers of the five preceding years, and 995 less than the mean of those of the ten preceding years. During the 22 years, 1862 to 1883, with only 3 exceptions, deaths from phthisis numbered more than 8000 annually, and attained a maximum of 9148 in 1870, and the number recorded this year is little more than one-half of the annual average during that period, and this is so notwithstanding the great increase of population there has been. (*Table 39.*)

The phthisis death-rate of the year was 88 per 100,000. This is much the lowest Scottish phthisis death-rate on record; it is 19, or 17·8 per cent., less than that of the previous year; 18, or 17·0 per cent., less than the mean of those of the preceding five years; and 23, or 20·7 per cent., less than the mean of those of the preceding ten years. A maximum phthisis death-rate of 283 per 100,000 occurred in Scotland in 1870 and in 1860, and compared with it that of this year is 195, or 68·9 per cent., less; it is less than one-third of that maximum rate. The phthisis death-rate of the year now under review, 1919, is 67·2 per cent. less than the mean of the rates of the ten years 1861 to 1870, 63·9 per cent. less than the mean of those of the years 1871 to 1880, 56·4 per cent. less than the mean of those of the years 1881 to 1890, 48·5 per cent. less than the mean of those of the years 1891 to 1900, and 36·7 per cent. less than the mean of those of the years 1901 to 1910. (*Table 40.*)

Of the 4294 deaths from phthisis, 2107 were of males, and 2187 of females, the former being 447, and the latter 476, less than in the previous year. The male phthisis death-rate of the year was 89 per 100,000, and the female phthisis death-rate was 87. In the previous year these two rates were 108 and 106. (*Tables 35 and 36.*)

In the larger burghs taken collectively the phthisis death-rate of the year was 95; in the smaller burghs, 78; and in the county districts, 72. This rate in the larger burghs is 20 lower than in the previous year; in the smaller burghs, 14 lower; and in the county districts, 15 lower. (*Table 4.*)

In the larger burghs taken individually this rate ranged from 108 in Leith, 104 in Glasgow, 104 in Ayr, and 95 in Edinburgh, to 44 in Kirkcaldy, 63 in Coatbridge, 76 in Motherwell, 77 in Paisley, and 78 in Hamilton. In Greenock this rate was 94; in Perth, 94; in Dundee, 89; in Kilmarnock, 88; in Aberdeen, 86; in Clydebank, 83; and in Falkirk, 80. (*Table 4.*)

In the smaller burghs which have populations of over 1000 the phthisis death-rate ranged from 401 in Kingussie, 289 in Kilrenny, 235 in Wigtown, 213 in Lerwick, and 207 in Kirkcudbright, to 0 in twenty of these burghs. (*Table 5.*)

In the county districts this rate ranged from 360 in Walls District of Orkney, 322 in Harris District of Inverness, 248 in South Ronaldshay District of Orkney, and 209 in Lews District of Ross

and Cromarty, to 21 in Western District of Perth, 22 in Central District of Perth, 23 in Dundee District of Forfar and in Jedburgh District of Roxburgh, and 25 in County District of Selkirk and in Western District of Ross and Cromarty. (*Table 6.*)

The largest number of deaths from phthisis, nearly one-half, were in age-groups 15 to 24 and 25 to 34, the former numbering 1015, and the latter 1039, but the highest death-rate, one of 137 per 100,000, is found in age-group 35 to 44. In age-group 25 to 34 the phthisis death-rate was 136; in age-group 45 to 54, 132; in age-group 15 to 24, 112; and in age-group 55 to 64, 104. In age-groups under 1, 1 to 4, and 5 to 9, this death-rate was 17 or less. Comparing the phthisis age-group death-rates of the year with those of the previous year it is found that all are lower, excepting that of age-group 65 to 74, which is of the same amount. In the previous year a maximum phthisis age-group death-rate of 165 per 100,000 occurred in age-group 35 to 44.

The monthly number of deaths from phthisis averaged 358, and varied from 502 in March, 448 in February, 432 in January, and 412 in April and in May, to 264 in September, 273 in August, and 286 in October. (*Page 70.*)

Deaths from tuberculous meningitis numbered 653 and equal a death-rate of 13 per 100,000. This number is the smallest within recent years; in the years 1911 to 1914 it was constantly over 1000, and in the years 1915 to 1918 varied between 834 and 999. The male death-rate from this cause was 14 per 100,000, and the female 13; in the previous year both these rates were 17. In the larger burghs taken collectively this death-rate was 16; in the smaller burghs, 11; and in the county districts, 11; in the previous year these three rates were 21, 15, and 13. Of these deaths the majority, 398, were among children of less than 5 years old, while 172 were among children of between 5 and 15, 73 were among persons of between 15 and 35, and only 10 were among persons of 35 and over. (*Tables 32-36.*)

Deaths from abdominal tuberculosis numbered 568, and equalled a death-rate of 12 per 100,000. This number also is the smallest within recent years, for in the years 1911 to 1914 it was constantly over 800, and in the years 1915 to 1918 constantly over 700. In the larger burghs taken collectively this death-rate was 13 per 100,000; in the smaller burghs, 11; and in the county districts, 10. (*Tables 32-36.*)

Malignant Disease.—Deaths from cancer and other forms of malignant disease numbered 5657. This is the largest number of such deaths registered in Scotland in any one year. It is 185 more than that of the previous year, 232 more than the mean of those of the five preceding years, and 444 more than the mean of those of the ten preceding years. It is 113 more than that of the year 1917, which number is the previous maximum. (*Table 39.*)

The cancer death-rate of the year was 116 per 100,000. This rate is the highest yet recorded. It is 4 more than that of the previous year, 3 more than the mean of those of the preceding five years, and 7 more than the mean of those of the preceding ten years. Previous to 1878 the cancer death-rate of Scotland was constantly less than 50 per 100,000; the first year in which it was 60 or more was 1886; 70 or more, 1894; 80 or more, 1898; 90 or more, 1905;

100 or more, 1909; and 110 or more, 1912. In the earlier years of registration the phthisis death-rate was several times as large as the cancer death-rate, but with a falling phthisis death-rate and an increasing cancer death-rate the reverse has been the case in recent years; 1913 was the first year in which the cancer death-rate was the higher, and the same has occurred in each subsequent year, 1915 excepted, when the two rates were of the same amount. In 1919, the year now under review, the cancer death-rate exceeded the phthisis death-rate by 28, and that is by nearly one-third, while as a contrast it may be mentioned that the phthisis death-rate of 1869, that is of fifty years ago, was approximately six times as large as the cancer rate. (*Table 40.*)

The cancer death-rate among the male population was 99 per 100,000, and among the female population 131. In the previous year these figures were 96 and 126. In the larger burghs taken collectively this rate was 113; in the smaller burghs, 124; and in the county districts, 112; these three rates in the previous year being 111, 123, and 103. (*Table 36.*)

The age-group death-rates from cancer was, as is always the case, highest at the older ages and lowest in the younger ages. In age-group 75 and over it was 1116 per 100,000; in age-group 65 to 74, 811; in age-group 55 to 64, 531; and in age-group 45 to 54, 234. In all age-groups under 45 it was less than 70 per 100,000, and in age-groups under 25 less than 10. (*Table 33.*)

Of the 5657 deaths from malignant disease, 3538 were ascribed to carcinoma, 231 to sarcoma, and 1888 to other or unspecified form of malignant disease. In the previous year these three figures were 3213, 251, and 2008, and thus, while the number of deaths from carcinoma is found to be greater in this than in that year, those of sarcoma and of other or unspecified form of malignant disease are both found to be less. (*Page 42.*)

The most frequent sites of fatal malignant disease among males during the year were stomach (602), intestine (342), liver (234), rectum (159), œsophagus (112), and tongue (91), and the most frequent sites among females were stomach (644), breast (501), uterus (485), intestine (468), liver (321), and rectum (164). Grouping together cancers of stomach, liver, intestine, and rectum, it is found that those of males numbered 1337, which is 6 less than in the previous year, while those in females numbered 1597, which is 61 more than in the previous year. Deaths from cancers of uterus and breast among females collectively numbered 986, and are 52 more than in the previous year. (*Table 42.*)

Syphilis.—Syphilis was the stated cause of death in 193 instances. This number is 16 more than that of the previous year, and 3 more than the mean of those of the preceding five years, but 11 less than the mean of those of the preceding ten years. The death-rate from this cause was 4 per 100,000. Of the 193 deaths ascribed to syphilis, 149 were of children of less than one year old, while 44 were of persons of more than one year old; in the previous year those figures were 130 and 47, and thus, while there was some increase in the number of deaths from this cause in infancy, there was no such increase at older ages. (*Tables 32-40.*)

In addition to these 193 deaths from syphilis, there were 417 from parasyphilitic diseases, including 223 from general paralysis of the

insane, 106 from aneurysm, and 88 from locomotor ataxia; these collectively number 60 fewer than in the previous year, those from general paralysis of the insane being 50 fewer, and those from aneurysm being 17 fewer, while those from locomotor ataxia are 7 more. (*Pages 42 and 43.*)

Other General Diseases.—The foregoing causes of death are of a general rather than of a local anatomical distribution, and in addition to them deaths ascribed to general diseases included, among others, 215 from chronic rheumatism, gout, or osteo-arthritis, 143 from acute rheumatism, 461 from diabetes, 65 from exophthalmic goitre, 59 from leucocythæmia, 42 from lymphadenoma, 560 from anæmia and chlorosis, and 72 from alcoholism. Compared with the numbers in the previous year, deaths from chronic rheumatism, gout, and osteo-arthritis are 68 more, from acute rheumatism 8 fewer, from diabetes 21 more, from leucocythæmia 18 more, from lymphadenoma 3 fewer, from anæmia 97 more, and from alcoholism 24 more, while those from exophthalmic goitre number the same. Deaths from encephalitis number 54 more than in the previous year, and 101 more than in 1917. (*Page 42.*)

Diseases of the Nervous System.—During the year the number of deaths ascribed to diseases of the nervous system, including those from diseases of the eye and ear, was 8819, which number is 83 more than that of the previous year. Among others these deaths included 150 from encephalitis, 128 from cerebro-spinal meningitis, 832 from meningitis other than cerebro-spinal or tuberculous, 5203 from apoplexy, deaths certified as due to hemiplegia included, 259 from epilepsy, 636 from convulsions other than puerperal, 106 from cerebral tumour, and 112 from diseases of the ear. Of these numbers the only one materially larger than in the previous year was that of deaths from apoplexy, it being 201 more, while those of deaths from meningitis, epilepsy, and convulsions each show a diminution, deaths from meningitis being 159 fewer, those from convulsions 36 fewer, and those from epilepsy being 35 fewer than in that year. (*Page 43.*)

Diseases of the Circulatory System.—Deaths from these causes collectively numbered 8175, and included 6829 from diseases of the heart, 1285 from diseases of blood vessels, and 61 others. These deaths collectively are 377 more than in the previous year, those from heart disease being 253 more, those from diseases of the blood vessels being 114 more, and the others being 10 more. The deaths from diseases of the heart included 44 from pericarditis, 176 from acute endocarditis, 3529 from valvular disease of the heart, 239 from fatty degeneration of the heart, 236 from angina pectoris, and 2605 from other or unspecified diseases of the heart. Deaths from valvular heart disease number 269 more than in the previous year, but those from other diseases of the heart show little change. Deaths ascribed to diseases of the blood vessels included 106 from aneurysm, 548 from arterio-sclerosis, 518 from cerebral embolism or thrombosis, 91 from other embolism or thrombosis, and 22 from other diseases of blood vessels; of these the only group showing any marked difference from what it was in the previous year is that of deaths ascribed to arterio-sclerosis, which numbered 123 more. Deaths from diseases of the circulatory system other than from diseases of the heart and blood vessels included 18 from status

lymphaticus, 8 from other diseases of the lymphatic system, and 35 from hæmorrhage of an unspecified nature or cause. (*Page 43.*)

Diseases of the Respiratory System.—These deaths collectively numbered 18,059, which is 2722 less than in the previous year. They included 5823 from bronchitis, 4906 from broncho-pneumonia, 6188 from pneumonia other than broncho-pneumonia, 325 from pleurisy, 451 from pulmonary congestion, 131 from diseases of the larynx, 9 from diseases of the nose, 37 from diseases of the thyroid, and 189 others. Comparison with the corresponding figures of the previous year shows that deaths from pleurisy are 3 more, while those from pulmonary congestion are 56 fewer, and those from diseases of the larynx are 13 fewer. (*Page 43.*)

Bronchitis was the stated cause of death in 5823 instances. This is the largest number in any one year since 1902, 1915 excepted. It is 606 more than that of the previous year, 684 more than the mean of those of the preceding five years, and 852 more than the mean of those of the preceding ten years. These 5823 deaths equal a death-rate of 119 per 100,000, which is 12 more than that of the previous year, the same amount more than the mean of those of the preceding five years, and 15 more than the mean of those of the preceding ten years. The male death-rate from bronchitis was 117, and the female 121; in the previous year these two rates were both 107. In the larger burghs taken collectively this death-rate was 134; in the smaller burghs, 117; and in the county districts, 95; in the previous year these three rates were 117, 106, and 90 respectively. In the larger burghs taken individually this death-rate varied from 167 in Paisley, 166 in Coatbridge, 148 in Glasgow, 143 in Greenock, and 135 in Edinburgh, to 68 in Ayr, 77 in Clydebank, and 99 in Perth. Of the total deaths from bronchitis, 1196, or 20·5 per cent., were of children of less than 5 years old; 1790, or 30·8 per cent., were of persons of over 5 but under 65 years old; and 2837, or 48·7 per cent., were of persons of 65 and over. Comparing these figures with those of the previous year it is found that deaths from bronchitis at ages under 5 are 174 more, and those at ages 65 and over are 528 more, but that those at ages 5 to 64 are 96 fewer. The age-group bronchitis death-rates varied from 1908 per 100,000 in age-group 75 and over, 797 in age-group under 1, and 745 in age-group 65 to 74, to less than 10 in age-groups 5 to 9, 10 to 14, and 15 to 24. The months of the year in which deaths from bronchitis were most numerous were February, March, and January, when they numbered 1375, 1065, and 794, and least numerous in August, September, and July, when they numbered 141, 158, and 182 respectively. Deaths from bronchitis associated on death certificates with influenza numbered 634. (*Tables 34-40 and page 71.*)

Pneumonia.—The total number of deaths ascribed to pneumonia during the year was 11,094, of which 4906 were ascribed to broncho-pneumonia, and 6188 to lobar pneumonia or to pneumonia not otherwise specified. The total number of deaths from pneumonia, all forms, is 3250 less than in the previous year, when a maximum of such deaths was recorded, but is 3487 more than the mean of the numbers of the preceding five years, and 4201 less than the mean of those of the preceding ten years. The previous year, 1918, is the only year in which a larger number of deaths from pneumonia was

recorded, and the large number in this year as in that year was associated with the recent severe epidemic of influenza. Compared with the number in the previous year, deaths from broncho-pneumonia were 157 fewer, and those from other forms of pneumonia were 3093 fewer, but compared with the number in the year 1917, the last year before the influenza epidemic of 1918 to 1919, the deaths of the year from broncho-pneumonia were 2497 more, and those from other forms of pneumonia were 3244 more. (*Page 43.*)

The death-rate from pneumonia, all forms included, was 227 per 100,000. This rate is 66 less than in the previous year, but is 70 more than the mean of those of the preceding five years, and 83 more than the mean of those of the preceding ten years. It is higher than those of all preceding years, with the exception of that of the previous year, 1918. The pneumonia death-rate in the male population was 253, and in the female 202; in the previous year these two rates were 318 and 270. In the larger burghs taken collectively this rate was 270; in the smaller burghs, 169; and in the county districts, 184; in the previous year these three rates were 316, 261, and 255. In the larger burghs taken individually this rate varied from 316 in Glasgow, 312 in Coatbridge, 286 in Greenock, 282 in Leith, and 277 in Edinburgh, to 89 in Kirkcaldy, 143 in Ayr, and 146 in Kilmarnock. In Dundee this rate was 214, and in Aberdeen 194. (*Tables 32-40.*)

Of the 11,094 persons dying from pneumonia, 3505, or 31·6 per cent., were less than 5 years old; 6086, or 54·9 per cent., were more than 5 but less than 65 years old; and 1503, or 13·5 per cent., were aged 65 or over. Deaths from pneumonia among children of less than 5 years old numbered 265 less than in the previous year, but 1060 more than in 1917, the last year unaffected by the recent influenza epidemic, those at ages over 5 but under 65 are 3302 less than in 1918, but 4207 more than in 1917, and those at ages 65 and over are 317 more than in 1918 and 474 more than in 1917. (*Table 32.*)

The age-group death-rates of the year from pneumonia varied from 1408 per 100,000 in age-group under 1, 764 in age-group 75 and upwards, 491 in age-group 65 to 74, and 444 in age-group 1 to 4, to 35 in age-group 10 to 14, and 69 in age-group 5 to 9. By comparison with the age-group death-rates of the previous year, it is found that those of age-groups under 1, 55 to 64, 65 to 74, and 75 and over, are all higher, while those of all age-groups between 1 and 55 are lower. All the age-group death-rates of this year are higher than those of 1917. (*Table 33.*)

Deaths from all diseases of the respiratory system, including those from bronchitis and pleurisy, constituted 24·0 per cent. of the total deaths of the year; in 1918 this percentage was 26·5, and in 1917, 16·1. The total deaths from respiratory diseases are 2722 fewer than in 1918, but 6875 more than in 1917, and these differences largely account for the differences between the total deaths from all causes in these years, those of 1919 being 3223 less than those of 1918, but 5666 more than those of 1917.

Diseases of the Digestive System.—Deaths attributed to diseases of the digestive system during the year in all numbered 4056, which is 84 less than in the previous year. They included 99 from diseases

of the mouth, pharynx, and œsophagus, 789 from diseases of the stomach, 2649 from diseases of the intestines, 383 from diseases of the liver, and 136 others, these last including 5 deaths from diseases of the spleen, and 109 from peritonitis, the cause of which was unspecified. Compared with the number in the previous year, deaths from diseases of the mouth, pharynx, and œsophagus are 9 more; from diseases of the stomach, 102 fewer; from diseases of the intestine, 2 more; and from diseases of the liver, 9 fewer. Of the deaths from diseases of the stomach, 324 were ascribed to gastric ulcer, this number being 43 less than in the previous year. Of the 2649 deaths from diseases of the intestines, 1534 were ascribed to diarrhœa or enteritis, of which 1015 were among children of less than two years old, and 519 among persons of over that age; the former are 31 fewer, but the latter are 76 more, than in the previous year. Deaths attributed to appendicitis numbered 426; to hernia, 193; and to intestinal obstruction, 330. Deaths from appendicitis numbered 24 more than in the previous year, and those from intestinal obstruction numbered 16 more, but those from hernia numbered 29 fewer. The 383 deaths from diseases of the liver included 5 from acute yellow atrophy, 159 from cirrhosis, and 88 from gallstones; in the previous year these three figures were 14, 139, and 92. Attention in the Report dealing with the statistics of the year 1918 was drawn to a decided diminution in the number of deaths from cirrhosis of the liver in recent years; in 1919 these deaths, though 20 more than in 1918, are less than in any other recent year; in the years 1911 to 1913 they averaged 250 annually, and in the years 1914 to 1916 they averaged 239; in 1917 they numbered 190; in 1918, 139; and in this year, 159. (*Page 44.*)

Diarrhœa.—Deaths from all forms of diarrhœas, including those certified as due to enteritis, to gastro-enteritis, to dysentery, and to cholera nostras, numbered 1569. This number is 62 more than that of the previous year, but is 579 less than the mean of those of the preceding five years, and 734 less than the mean of those of the preceding ten years. The year 1918 is the only year in which fewer deaths were attributed to diarrhœas in Scotland. The death-rate from these causes was 32 per 100,000. It is 1 more than that of the previous year, but 13 less than the mean of those of the preceding five years, and 16 less than the mean of those of the preceding ten years. (*Tables 39 and 40.*)

Diseases of the Genito-Urinary System.—Deaths from these causes in all numbered 2761, which is 95 less than in the previous year. They included 2040 from diseases of the kidney, 287 from diseases of the bladder and urethra, 266 from diseases of the male reproductive organs, and 168 from diseases of the female reproductive organs. Compared with the number in the previous year, deaths from diseases of the kidney are 129 fewer, but those from diseases of the bladder and urethra are 2 more, from diseases of the male reproductive organs 21 more, and from diseases of the female reproductive organs 11 more. The 2040 deaths from diseases of the kidney included 313 from acute nephritis, 1541 from chronic nephritis or Bright's disease, 93 from uræmia, and 93 others. Those from diseases of the bladder and urethra included 36 from urinary calculus, 217 from diseases of the bladder, and 34 from diseases of the urethra or from urinary abscess. Deaths from

diseases of the male reproductive organs included 264 from diseases of the prostate and 2 others. Those from diseases of the female reproductive organs included 61 from non-cancerous uterine tumour, 40 from cystic and other non-cancerous tumours of the ovary, and 67 others. (*Page 44.*)

Diseases and Accidents of Pregnancy and Childbirth.—These collectively number 661, and include 112 from diseases and accidents of pregnancy, 125 from accidents at childbirth, and 424 from diseases of the puerperium. Collectively these deaths are 27 fewer than in the previous year, but 87 more than in 1917. Deaths from diseases and accidents of pregnancy numbered 32 fewer than in the previous year, and those from accidents at childbirth numbered 13 fewer, but those from diseases of the puerperium numbered 18 more. The 112 deaths from diseases and accidents of pregnancy included 66 from abortion, 12 from uncontrollable vomiting, 13 from ectopic gestation, and 21 others. Deaths from abortion are 36 fewer than in the previous year, when they amounted to the exceptional number of 102; they, however, are more than in other recent years, being 25 more than in 1917, 23 more than in 1916, 28 more than in 1915, and 11 more than in 1914. In the Report dealing with the statistics of the previous year, 1918, attention was drawn to the fact that the excess of deaths due to abortion was concurrent with the epidemic of influenza; the same is again found; influenza was prevalent in the months of February and March of this year, and in them 30 of the 66 deaths from this cause occurred, while only 36 took place in the remaining ten months. Deaths from accidents of childbirth included 71 from puerperal hæmorrhage; in the previous year there were 83. Those from diseases and accidents of the puerperium included 150 from puerperal sepsis, 108 from puerperal albuminuria or convulsions, and 40 from puerperal phlegmasia alba dolens, phlebitis or embolism; in the previous year these three figures were 113, 100, and 20, and thus both the number of deaths from puerperal sepsis and that of deaths from puerperal affections of veins were decidedly higher in this than in that year. (*Page 44.*)

Births registered during the year numbered 106,268, and as the deaths from diseases and accidents of pregnancy and childbirth numbered 661, they equal a death-rate of 6·2 per thousand registered births. This rate is 0·8 less than that of the previous year, but 0·3 higher than that of 1917, the last year without severe influenza. In the larger burghs taken collectively this rate was 6·4; in the smaller burghs, 5·9; and in the county districts, 6·2; in the previous year these three rates were 7·2, 7·2, and 6·5 respectively. In the larger burghs taken individually this rate varied from 10·3 in Perth, 8·2 in Edinburgh, and 7·2 in Kirkcaldy, to 1·4 in Hamilton, 2·8 in Ayr, and 3·3 in Motherwell. In Glasgow this rate was 6·9; in Dundee, 5·5; and in Aberdeen, 6·8. (*Table 41.*)

Diseases of the Skin and Cellular Tissue.—Deaths from these causes numbered 474, which is 65 more than in the previous year, but is only 20 more than in 1917. These deaths include 255 from gangrene, of which 220 were ascribed to senile gangrene, 9 to cancrum oris, and 26 to other forms of gangrene. Those from senile gangrene numbered 41 more than in the previous year. (*Page 44.*)

Diseases of the Locomotor System.—These collectively numbered 123, and included 90 from diseases of bones, those of the mastoid excluded, 29 from diseases of joints, and 4 others. In the previous year these deaths in all numbered 97. (*Page 45.*)

Congenital Malformations.—Deaths ascribed to congenital malformations numbered 496, which is 61 more than in the previous year. Of those dying from these causes 256 were males, and 240 were females, the former, as is usual, outnumbering the latter. Of the 496 dying from these causes, 447 were children of less than one year old. (*Page 45.*)

Diseases peculiar to Early Infancy.—Deaths from these diseases in all numbered 4023, which is 458 more than in the previous year. They equal a death-rate of 37·9 per 1000 registered births, which is 1·7 more than that of the previous year. Deaths from these causes among male children numbered 2315, and equalled a death-rate of 42·3 per 1000 registered male births, and those among female children numbered 1708, and equalled a death-rate of 33·2 per 1000 registered female children. These deaths included 2180 ascribed to premature birth, 1224 being of male and 956 of female children; 1529 ascribed to congenital debility, 900 being of male and 629 of female children; and 313 ascribed to other diseases peculiar to early infancy, 191 being of male and 122 of female children. In one instance a death in infancy was ascribed to lack of care. (*Pages 45-53.*)

Old Age.—Deaths attributed to old age numbered 4061, and included 108 ascribed to senile dementia, and 3953 ascribed to senile decay. In all, these deaths number 488 more than in the previous year. (*Page 45.*)

Violence.—Deaths attributed to violent causes during the year numbered 2986. This number is 123 more than that of the previous year, but is 164 less than the mean of those of the five preceding years, and 29 less than the mean of those of the ten preceding years. The annual death-rate from these causes taken collectively was 61 per 100,000, which rate is 2 more than that of the previous year, but 4 less than the mean of those of the preceding five years, and 2 less than the mean of those of the preceding ten years. Deaths from violence among the male population numbered 2228, and among the female population 758, the male death-rate from this cause being 94, and the female 31, per 100,000. In the previous year the male rate was 89, and the female 30. (*Tables 35-40.*)

The 2986 deaths attributed to violent causes included those of 67 soldiers and sailors dying in Scotland from war injuries received outwith Scotland, and if these be excluded the general death-rate of the year from violence would be reduced to 60 per 100,000, and the male death-rate to 91.

In the larger burghs taken collectively the death-rate of the year from violence was 55; in the smaller burghs, 48; and in the county districts, 60—these rates being calculated on the number of deaths from violence exclusive of those from war injuries received outwith Scotland. In the previous year these three rates were 51, 49, and 58. In the larger burghs taken individually this death-rate varied from 78 per 100,000 in Coatbridge, 73 in Clydebank, 69 in Dundee, 66 in Ayr, and 65 in Greenock, to 29 in Paisley, 37 in Falkirk, 44

in Aberdeen, and 47 in Motherwell. In Glasgow this rate was 53, and in Edinburgh 54. (*Tables 35-38.*)

Of the 2986 deaths from violence registered during the year, 234 were attributed to suicide, 32 to homicide, 67 to war casualties, and 2653 to accident. Compared with the number in the previous year, deaths by accident are 228 more, those by suicide are 44 more, and those by homicide are 9 more, but those from war injuries are 158 fewer. Of the deaths by accident 1971 were of males and 682 of females, of those by suicide 170 were of males and 64 of females, of those by homicide 20 were of males and 12 of females, and of those by war injuries all were of males. (*Pages 45-53.*)

Of the 2653 deaths by accident, 619 were by drowning, 391 by burns or scalds, 230 by falls, and 79 by poisoning, these last including 48 fatal accidents caused by poisonous vapours, 10 by food poison, and 21 by other poisons. Deaths by drowning are 185 more than in the previous year, those by burning are 16 more, those by falls are 33 more, and those by poisons are 11 more. The excess of deaths by drowning is attributable to a large loss of life caused by the loss of a ship when entering Stornoway harbour. Deaths due to fatal accidents in coal and other mines and in quarries numbered 141; on railways, 134; with motor-cars, 141; with horses and horse-drawn vehicles, 57; and with tramcars, 32. Those due to motor-car accidents are 62 more than in the previous year, accidents on railways are 25 more, and accidents with horses and horse-drawn vehicles are 10 more, but those due to accidents with tramcars are of the same number, while those due to accidents in mines and quarries are 6 fewer. Deaths attributed to crushing accidents numbered 27, and included 7 caused by aeroplane accidents; in the previous year these numbered 137, and included 97 from aeroplane and 4 from airship accidents. Deaths of children of less than one year old by overlaying or by suffocation numbered 78; they are 13 more than in the previous year, but 17 less than in 1917, and 39 less than in 1916. (*Page 45.*)

Of the 21 deaths from accidental poisoning other than by poisonous vapours or food, 5 were caused by carbolic acid, 2 each by strychnine, hydrochloric acid, and ammonia, and 1 each by morphia, belladonna, corrosive sublimate, carbon disulphide, copper, bromide, opium, Jeyes Fluid, vegetable irritant, and a disinfectant of unstated composition. (*Table 44.*)

Of the 48 accidental deaths due to exposure to poisonous vapours, 12 were caused by carbon monoxide, 32 by coal gas, and 1 each by carbonic acid gas, sewer gas, phosphorus smoke, and a mixture of sulphuric and nitric acid fumes. (*Table 44.*)

In addition to the above-mentioned 48 deaths from exposure to poisonous vapours, there were 43 cases in which death occurred during or after the administration of an anæsthetic for therapeutic purposes, and of which the anæsthetic may, or may not, have been a contributory cause. In the previous year there were 70 such deaths. These 48 cases included 23 in which chloroform was the anæsthetic administered, 5 in which it was ether, 1 in which it was chloride of ethyl, and 14 in which it was a mixture of chloroform and ether. (*Table 44.*)

Deaths due to suicide numbered 234, 170 being of males, and 64 of females. The male death-rate from this cause was 7, and the female 3, and that of the two sexes in combination was 5, per

100,000. These deaths included 72 by hanging, 69 by cut-throat or by other cutting or stabbing, 42 by drowning, 30 by poison, 12 by gunshot, 5 by precipitation, and 4 on railways. Compared with the number in the previous year, deaths by hanging were 22 more, those by drowning 14 more, those by cutting 12 more, and those by poisoning 6 more, but those by precipitation were 5 fewer, on railways 2 fewer, and by gunshot 1 fewer. (*Table 43.*)

Of the 30 suicidal deaths by poisoning, 18 were by coal gas, 3 by opium, 3 by carbolic acid, 2 by hydrocyanic acid, and 1 each by cyanide of potassium, cresol, cocaine, and by unstated means. (*Table 44.*)

The means of suicide most frequently adopted by males were cutting, including cut-throat (58), hanging (55), drowning (22), poisoning (19), and gunshot (11), and those most frequently adopted by females were drowning (20), hanging (17), cutting, including cut-throat (11), and poisoning (11). (*Table 43.*)

Relative Frequency of Causes of Death.—The following shows in order of frequency those causes of death which during the year were the prescribed cause of at least one per cent. of the total deaths of the year, the figures given being those of the actual number of deaths, and the percentage of the total deaths caused by each:—

<i>Cause of Death.</i>	<i>Number.</i>	<i>Per Cent. of Total.</i>
Pneumonia, all forms	11,094	14·76
Heart Disease, all forms	6,829	9·09
Tuberculosis, all forms	6,326	8·42
Bronchitis	5,823	7·75
Apoplexy, Hemiplegia, Cerebral Thrombosis, and Embolism	5,721	7·61
Cancer	5,657	7·53
Congenital Debility, Malforma- tions, Premature Birth	4,205	5·59
Senile Decay, Senile Dementia	4,061	5·40
Violence	2,986	3·97
Diseases of Kidney	2,040	2·71
Whooping-cough	1,573	2·09
Influenza, uncomplicated	1,245	1·66
Infantile Diarrhœa	1,015	1·35
Measles	899	1·20
Meningitis other than tuberculous or cerebro-spinal	832	1·11

The foregoing include the causes of 60,306 deaths, and that is 80·25 per cent. of the total.

Deaths of which influenza was named either as a sole cause (referred to above as “uncomplicated”) or as a contributing cause numbered 7215, and constituted 9·60 per cent. of the total. Deaths from influenza complicated by pneumonia numbered 4352, and constituted 5·79 per cent. of the total, and deducting them from the total deaths from pneumonia registered during the year it is found that deaths from other forms of pneumonia numbered 6742 and are 8·97 per cent. of the total of the year. The percentage of the total deaths ascribed to phthisis was 5·71; to tuberculous meningitis, 0·87; to abdominal tuberculosis, 0·76; and to other forms of tuberculous disease, 1·08. (*Table 34.*)

Infant Deaths.—Deaths of children of less than one year old in all numbered 10,795, and as already stated equalled an infantile mortality rate of 101·6 per thousand registered births. Of these deaths, 6181 were of male children, and 4614 of female.

Of these 10,795 children, 6250, or 57·90 per cent., were less than three months old; 1675, or 15·51 per cent., were more than three but less than six months old; 1450, or 13·43 per cent., were more than six but less than nine months old; and 1420, or 13·16 per cent., were more than nine but less than twelve months old. Compared with the number in the previous year, deaths under three months are 736 more; over three but less than six months, 5 more; over six but less than nine months, 116 more; and over nine but less than twelve months, 102 more. Deaths of children of less than one month numbered 4573, and constituted 42·36 per cent. of the total infantile deaths; in the previous year they numbered 3973, and constituted 40·39 per cent. of the total. (*Table 45.*)

The most frequent causes of death among infants during the year, the number of deaths caused by each, and the percentage of the total infantile deaths of the year caused by them, were:—Premature birth, 2180, or 20·19 per cent.; pneumonia, including deaths ascribed to broncho-pneumonia and to congestion of the lungs, 1645, or 15·24 per cent.; congenital debility, including icterus and sclerema, 1529, or 14·16 per cent.; bronchitis, 888, or 8·23 per cent.; diarrhoeal diseases, 833, or 7·72 per cent.; whooping-cough, 582, or 5·39 per cent.; convulsions, 457, or 4·23 per cent.; congenital malformations, 447, or 4·14 per cent.; meningitis, other than tuberculous or cerebro-spinal, 247, or 2·29 per cent.; tuberculosis, all forms, 237, or 2·20 per cent.; measles, 200, or 1·85 per cent.; diseases of the stomach, 150, or 1·39 per cent.; and syphilis, 149, or 1·38 per cent. Compared with the numbers in the preceding year, deaths of infants from premature birth, from congenital debility, from pneumonia, and from bronchitis each show a considerable increase, these being 281, 118, 253, and 215 respectively, while those from whooping-cough, measles, and tuberculosis each show a considerable diminution, these being 38, 36, and 20 respectively. (*Table 45.*)

Deaths among infants from tuberculous disease in all numbered 237. They included 118 from tuberculous meningitis, 59 from abdominal tuberculosis, 19 from phthisis, 6 from miliary tuberculosis, 2 from tuberculosis of the spine, and 33 from other or disseminated tuberculosis. (*Page 42.*)

The total number of deaths of infants from all forms of meningitis, from encephalitis, and from convulsions taken collectively was 857. In the previous year they numbered 848. They included 118 from tuberculous meningitis, 12 from encephalitis, 23 from cerebro-spinal meningitis, 247 from other forms of meningitis, and 457 from convulsions. (*Pages 42 and 43.*)

The daily average number of deaths of children during the year was 29·6. This average varied from 50·6 in February, 44·8 in March, and 38·6 in January, to 18·5 in July, 20·2 in June and in August, and 23·3 in October. In December this average was 32·5; in April, 29·6; in November, 27·3; in September, 26·4; and in May, 24·4. The relatively high averages of February and March were concurrent with the influenza epidemic. (*Table 46.*)

APPENDIX I.

FIFTY-FIFTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND.

This Report deals more especially with the vaccination of children whose births were registered during the year 1918, and who in ordinary course should have been vaccinated in that year or in 1919.

The registered births of the year 1918 amounted to 98,558, but of these children 8523 are known to have died before reaching the age of statutory vaccination—six months—and the difference, 90,035, represents the number of children to be here accounted for. Of these 90,035 children, 49,059, or 54·5 per cent., are known to have been successfully vaccinated; and 36,780, or 40·9 per cent., to be unvaccinated; while the condition as to vaccination of 4196, or 4·7 per cent., is unknown. The vaccinated children of the year number 1170 less than those of the previous year, but the unvaccinated children number 1051 more, and those whose vaccination is unknown number 522 more. The percentage which the vaccinated children constitute of the total is 1·5 less than in the previous year, while that constituted by unvaccinated children is 1·0 more, and that constituted by children whose vaccination is unknown is 0·6 more. (*Tables 50 and 51.*)

The vaccinated children of the year 1918, as above stated, amount to 54·5 per cent. of the children of the year surviving at the time of statutory vaccination, while the remainder, which consists of unvaccinated children and of children whose vaccination is unknown, amounts to 45·5 per cent. The percentage constituted by the former has greatly declined during recent years. From 1865 to 1883 this percentage was constantly over 96, being at a maximum of 96·9 in the year 1872, in the years 1884 to 1886, and in the year 1888 it was over 95, and in the years 1889 to 1906 it was between 91·9 and 94·9. In 1907 this proportion fell below 90; in 1908, below 80; in 1910, below 70; and in 1913, below 60, attaining a minimum of 54·5 in the year now under review, 1918. Conversely the proportion of surviving children constituted by children known to be unvaccinated or whose vaccination was unknown has greatly increased during the period. From 1865 to 1883 these children constituted less than 4 per cent. of the total, and from 1864 to 1906 less than 9 per cent., but this percentage in 1907 increased to 16·5, in 1908 to 23·2, in 1910 to 32·4, and since 1913 has been over 40, attaining a maximum of 45·5 in 1918. (*Table 51.*)

The vaccinated children of the year include 48,833 certified as having been successfully vaccinated, and also 226 certified as insusceptible of vaccination by reason of previous vaccination,

these latter being children who though vaccinated in ordinary course were not so reported. The former number is 1197 less than in the previous year, and 19,722 less than the mean of those of the preceding ten years. The latter number is 27 more than that of the previous year, but 290 less than the mean of those of the preceding ten years. (*Table 50.*)

The unvaccinated children of the year include 540 certified to be unvaccinated by reason of constitutional insusceptibility, 2748 whose vaccination was postponed for medical reasons, and 33,492 unvaccinated by reason of parental conscientious objection. (*Table 50.*)

Certificates of constitutional insusceptibility, which numbered 540, were more numerous in 1918 than in the years 1917, 1916, 1915, 1913, and 1912, but less than the mean of the numbers of the ten preceding years. They are 96 more than in the previous year, and 211 more than in 1915, but are 83 less than the ten-year average, and 603 less than those of 1911. The percentage which children thus certified constitute of the total surviving children was 0·6, which closely approximates to the mean of those percentages during the preceding ten years. The counties in which these constitutionally insusceptible children were most numerous were Shetland (1·9 per cent. of the surviving children), Bute (1·9 per cent.), Nairn (1·4 per cent.), Argyll (1·4 per cent.), Dumbarton (1·2 per cent.), Kincardine (0·9 per cent.), Orkney (0·8 per cent.), Kirkcudbright (0·8 per cent.), and Wigtown (0·8 per cent.). In the counties of Caithness, Kinross, Berwick, and Peebles no certificates of constitutional insusceptibility were received. In the larger burghs this percentage varied from 2·0 in Clydebank, and 0·9 in Glasgow and in Edinburgh, to 0 in Coatbridge, in Motherwell, and in Falkirk. (*Tables 50 and 51.*)

No cases of exemption from vaccination on account of having had small-pox were reported during the year.

Children exempted from vaccination on account of parental conscientious objection numbered 33,492, and constituted 37·2 per cent. of all children surviving at the time of statutory vaccination. This number is 676 more than in the previous year, and 2787 more than the mean of those of the preceding ten years. It is less than those of the years 1913 to 1916, but in those years the total number of children registered was greater. The percentage which these children constituted of the total surviving at the time of statutory vaccination is the highest yet recorded; it is 0·6 higher than that of 1917, which was the previous highest, and 9·0 more than the mean of those of the ten preceding years. In the counties this percentage varied from 82·4 in Shetland, 59·5 in Orkney, 58·2 in Dumbarton, 52·9 in Forfar, 52·2 in Stirling, and 51·3 in Fife, to 12·9 in Wigtown, 13·5 in Moray (Elgin), 16·3 in Bute, 17·3 in Aberdeen, 18·8 in Kincardine and in Nairn, and 19·9 in Argyll. In the larger burghs this percentage varied from 73·8 in Falkirk, 64·2 in Dundee 63·0 in Clydebank, and 61·7 in Hamilton, to 10·6 in Aberdeen, 21·0 in Edinburgh, 21·7 in Ayr, and 29·5 in Glasgow. In 19 of the less populous registration districts all surviving children whose births were registered during the year were exempted from vaccination by reason of parental conscientious objection, the children registered in these 19 districts in all numbering 97. Since the

passing of the amending Act of 1907, by which the conscientious objection of parents became a ground for exemption from statutory vaccination, 348,049 children in Scotland have been exempted from vaccination for this reason. (*Tables 50 and 51.*)

Children whose births were registered during 1918 and who at the end of 1919 were still unvaccinated by reason of postponement on medical grounds numbered 2748. They constituted 3·1 per cent. of the total surviving. This proportion is 0·3 more than that of the previous year, 0·5 more than the mean of those of the ten preceding years, and is larger than those of all preceding years since 1908, when the percentage was the same as now found. (*Tables 50 and 51.*)

Children whose vaccination is unaccounted for, whether through removal from the district of registration or otherwise, numbered 4196, and constituted 4·7 per cent. of those surviving at the time of vaccination. This number is 522 more than that of the previous year, but 1445 less than the mean of those of the ten preceding years. This percentage is 0·6 more than that of the previous year, but 0·5 less than the mean of those of the preceding ten years. (*Tables 50 and 51.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1918.

A statement regarding marriages registered in Scotland during the year 1918 was incorporated in the Sixty-Fourth Annual Report of the Registrar-General, that dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the Report was prepared, the statement then made is now supplemented by a more detailed one. The statement of marriage statistics relative to the year 1918 already published dealt only with the numbers registered and with marriage-rates, while in this additional statement facts regarding method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying and the method of signing the marriage schedules, mark or writing, are included.

In the Sixty-Fourth Annual Report it was stated that the marriages of the year 1918 in all numbered 34,600. By a complete examination of the marriage registers of the year this number is found to be 34,529, and as the difference is small, only 2 per thousand, the rates given in that Report may be accepted as substantially correct.

The number of marriages registered in 1918, and the marriage-rate of the year, were both above average. The number, 34,529, is greater than in all previous years, 1914 and 1915 excepted, in which years marriages numbered 35,028 and 36,233 respectively. The marriage-rate of the year, 7·07, is correspondingly high, being 0·10 more than the mean of those of the preceding five years, and 0·28 more than the mean of those of the preceding ten years. (*Table 9.*)

Regular and Irregular Marriages.—Of the 34,529 marriages registered during the year, 28,586, or 82·8 per cent., were regular, *i.e.*, solemnised by a minister of religion after proclamation by banns or proclamation by public notice at a registrar's office, while 5943, or 17·2 per cent., were irregular. (*Table 13.*)

The number of regular marriages registered during the year was 3147 more than in the previous year, and 394 more than the mean of the numbers of the five preceding years, but is 46 less than the mean of those of the preceding ten years.

The irregular marriages registered during the year numbered 961 more than in the previous year, 780 more than the mean of the numbers of the preceding five years, and 2201 more than the mean of those of the preceding ten years. They number more than in all preceding years, 1915 and 1916 excepted, when they numbered

7420 and 5962 respectively. From 1855 to 1870 these marriages numbered less than 100 annually, and from 1871 to 1889 more than 100 but less than 1000 annually. In 1890 they for the first time numbered more than 1000; in 1902, more than 2000; in 1913, more than 3000; and in 1914 more than 4000. In 1915 they attained a maximum of 7420, in 1916 the number fell to 5962, and in 1917 to 4982, but in the year now under review, 1918, they again rose to 5943. (*Table 9.*)

The percentage which irregular marriages constituted of the total registered was 17·2. This is 0·8 more than in the previous year, 1·7 more than the mean of the percentages of the preceding five years, and 5·8 more than the mean of those of the preceding ten years, but it is 3·3 less than in the year 1915, when irregular marriages constituted 20·5 per cent. of the total. (*Table 10.*)

Of the 5943 irregular marriages, 5490, or 92·4 per cent., were registered in one or other of the larger burghs, those with populations of over 30,000, while only 453, or 7·6 per cent., were registered elsewhere in Scotland; the former number is 895, and the latter 66, more than in the previous year. Of the 5490 irregular marriages registered in the larger burghs, 5166, or 86·9 per cent. of the total registered in Scotland, were registered in the four largest burghs—Glasgow, Edinburgh, Dundee, and Aberdeen. The number registered in Glasgow was 3205; in Edinburgh, 1220; in Dundee, 270; and in Aberdeen, 471. In Glasgow these marriages constituted 30·8 per cent. of the total registered; in Edinburgh, 32·5 per cent.; in Dundee, 20·0 per cent.; and in Aberdeen, 29·1 per cent. In Perth, Kilmarnock, Ayr, and Falkirk irregular marriages were relatively numerous, constituting 18·0 per cent. of the total registered in Perth, 17·4 in Kilmarnock, 15·4 in Ayr, and 14·0 in Falkirk. The counties in which this proportion was high included those containing the four largest burghs, and also Inverness (14·1 per cent.), Moray (Elgin) (12·3), Dumfries (9·4), and Orkney (9·0). In the counties of Berwick, Kinross,

TABLE Q.—Regular Marriages in Scotland in 1918, following Proclamation of Banns or Publication at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, etc.		
	Total.	Banns.	Publication.	Banns and Publication.	Banns.	Publication.	Banns and Publication.
Established Church . .	13299	10911	2173	215	82·1	16·3	1·6
United Free „ . .	7790	5156	2480	154	66·2	31·8	2·0
Free „ . .	273	169	98	6	61·9	35·9	2·2
Roman Catholic „ . .	3789	876	2856	57	23·1	75·4	1·5
Episcopal „ . .	1243	687	527	29	55·3	42·4	2·3
Congregational „ . .	873	504	353	16	57·8	40·4	1·8
Baptist „ . .	436	263	166	7	60·3	38·1	1·6
Wesleyan Methodist Church	269	156	110	3	58·0	40·9	1·1
Jews	27	4	23	—	14·8	85·2	—
All other Regular Marriages	587	289	288	10	49·2	49·1	1·7
All Regular Marriages	28,586	19,015	9074	497	66·5	31·8	1·7

Peebles, Shetland, and Sutherland no irregular marriages were registered during the year. (*Table 13.*)

Of the 5943 irregular marriages registered during the year, 5934 were registered by Sheriff's warrant, and 9 by extract decree of declarator.

Method of Proclamation.—Of the 28,586 regular marriages, 19,015, or 66·52 per cent., were celebrated after proclamation by banns in respect of both persons; 9074, or 31·74 per cent., after proclamation by public notice at a registrar's office in respect of both parties; and 497, or 1·74 per cent., by banns in respect of one party and public notice in respect of the other. Compared with the number in the previous year, marriages after proclamation by banns in respect of both parties were 2347, or 14·08 per cent., more, and those after proclamation by public notice in respect of both parties were 819, or 9·92 per cent., more, and those after banns in respect of one party and public notice in respect of the other are 19 fewer. Of the total marriages of the year, irregular marriages included, 55·1 per cent. were celebrated after banns in respect of both parties, 26·3 per cent. after public notice in respect of both parties, 17·2 per cent. without banns or public notice (*i.e.*, irregular), and 1·4 per cent. after banns in respect of one party and public notice in respect of the other. In 11 counties more than 90 per cent. of all marriages were celebrated after banns; in 7 counties more than 80 but less than 90; in 8, more than 70 but less than 80; in 3, more than 60 but less than 70; in 2, more than 50 but less than 60; in 1, more than 40 but less than 50; and in 1, more than 30 but less than 40. The counties in which the percentage of marriages after banns was highest were Berwick (99·3 per cent.), Shetland (99·2), Wigtown (97·4), and Kinross (97·0). Marriages after public notice in respect of both parties ranged from 35·2 per cent. in Dumbarton and in Lanark, and 33·0 per cent. in Forfar, to less than 1 per cent. in Berwick, Shetland, and Wigtown. (*Table 13.*)

The frequency of each method of proclamation in marriages in the principal churches is shown in Table Q. Of the Church of Scotland marriages, 82·1 per cent. were celebrated after banns in respect of both parties, and 17·9 per cent. after other proclamation; of United Free Church marriages, 66·2 per cent. were after banns;

TABLE R.—Regular and Irregular Marriages in 1918.

		Number.			Percentage of Total Marriages.		
		SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.	{ Established Church .	13,299	6,437	6,862	38·5	30·2	52·1
	{ United Free Church	7,790	4,442	3,348	22·6	20·8	25·4
	{ Free Church	273	68	205	0·8	0·3	1·6
	{ Roman Catholic Ch.	3,789	2,586	1,203	11·0	12·1	9·1
	{ Episcopal Church .	1,243	856	387	3·6	4·0	2·9
	{ Other Denominations	2,192	1,467	725	6·3	6·9	5·5
Irregular Marriages		5,943	5,490	453	17·2	25·7	3·4
Total Marriages		34,529	21,346	13,183	100·0	100·0	100·0

of Free Church marriages, 61·9 per cent.; of Baptist Church marriages, 60·3 per cent.; of Wesleyan Methodist Church marriages, 58·0 per cent.; of Congregational Church marriages, 57·8 per cent.; of Episcopal Church marriages, 55·3 per cent.; of Roman Catholic Church marriages, 23·1 per cent.; and of Jewish Church marriages, 14·8 per cent. Marriages after public notice in respect of both parties amounted to 85·2 per cent. of all celebrated in the Jewish Church, to 75·4 per cent. of those celebrated in the Roman Catholic Church, and to 42·4 per cent. of those celebrated in the Episcopal Church. Of those celebrated in the Church of Scotland only 16·3 per cent. were after proclamation by public notice in respect of both parties. (*Table 13.*)

Church of Celebration.—Of the 28,586 regular marriages celebrated during the year, 13,299, or 46·5 per cent., were celebrated according to the rites of the Church of Scotland; 7,790, or 27·3 per cent., according to those of the United Free Church; 3,789, or 13·3 per cent., according to those of the Roman Catholic Church; 1,243, or 4·3 per cent., according to those of the Episcopal Church; 273, or 1·0 per cent., according to those of the Free Church; and 2,192, or 7·6 per cent., according to those of other religious denominations. Compared with the number in the previous year, those celebrated in the Church of Scotland are 1,377, or 11·6 per cent., more; in the United Free Church, 932, or 13·6 per cent., more; in the Roman Catholic Church, 360, or 10·5 per cent., more; in the Episcopal Church, 173, or 16·2 per cent., more; in the Free Church, 26, or 10·5 per cent., more; and in the churches of other denominations, 279, or 14·6 per cent., more. (*Table 14.*)

Marriages celebrated according to the rites of the three large

TABLE S.—Marriages in Scotland in 1918 by Denominations in Order of Frequency.

1. Established Church	13,299	25. Christadelphian	7
2. United Free	7,790	26. Church of God	5
3. Roman Catholic	3,789	27. Gilfillan Memorial	5
4. Episcopal*	1,258	28. Christian Church	4
5. Congregational	873	29. Gospel Mission	4
6. Baptist	436	30. Trinity Protestant	3
7. Free Church	273	31. Hope Hall Mission	2
8. Wesleyan Methodist	269	32. Norwegian Lutheran	2
9. Primitive Methodist	91	33. Disciples of Christ	1
10. Christian Brethren (including Plymouth Brethren	83	34. International Bible Students' Association	1
11. Free Presbyterian	76	35. Church of Baptized Believers	1
12. Original Secession	55	36. Seventh Day Adventists	1
13. Evangelical Union	51	37. Presbyterian Church of England	1
14. Unitarian	33	38. Hallelujah Mission	1
15. Salvation Army	31	49. Independent City Mission	1
16. Jews	27	40. Society of Friends	1
17. Pentecostal	24		
18. Gospel Temperance Mission	18		
19. Christian Union	15		
20. Free Church of England	14	All Religious Denominations	28,586
21. Catholic Apostolic	13	Irregular Marriages	5,943
22. Church of Christ	10		
23. Reformed Presbyterian	10		
24. Church of New Jerusalem	8	All Marriages	34,529

Including Scottish Episcopal Church and Church of England.

Presbyterian churches, the Church of Scotland, the United Free Church, and the Free Church, in all numbered 21,362, and constituted 74·7 per cent. of the total regular marriages, and 61·9 per cent. of the total marriages registered, irregular marriages included. In the previous year these two percentages were 74·8 and 62·5. (*Table 14.*)

The counties in which marriages according to the rites of the Church of Scotland were relatively most numerous were Kinross, where they constituted 81·8 per cent. of the total marriages registered; in Berwick, 73·9 per cent.; in Kincardine, 68·6 per cent.; in Kirkcudbright, 67·8 per cent.; in Haddington, 64·5 per cent.; and in Roxburgh, 60·6 per cent. In the larger burghs these marriages were relatively most numerous in Ayr, 50·0 per cent.; in Motherwell, 48·4 per cent.; in Leith, 48·0 per cent.; and in Kirkcaldy, 45·1 per cent. (*Table 14.*)

United Free Church marriages were relatively most numerous in the counties of Sutherland, 44·9 per cent.; in Bute, 41·1; in Caithness, 39·9; in Orkney, 38·7; in Nairn, 35·3; in Shetland, 34·1; and in Selkirk, 32·0. (*Table 14.*)

Free Church marriages were relatively most numerous in the counties of Ross and Cromarty, where they constituted 34·4 per cent. of the total marriages registered; in Sutherland, 24·1 per cent.; in Inverness, 7·3 per cent.; in Bute, 7·1 per cent.; and in Nairn, 4·2 per cent. (*Table 14.*)

Roman Catholic Church marriages were relatively most numerous in the counties of Dumbarton, 22·0 per cent.; in Renfrew, 19·1 per cent.; in Lanark, 16·3 per cent.; in Linlithgow, 14·8 per cent.; in Haddington, 12·7 per cent.; and in Forfar, 10·1 per cent. In the counties of Caithness, Kinross, and Orkney no Roman Catholic Church marriages were registered during the year. (*Table 14.*)

Episcopal Church marriages were relatively most frequent in Peebles, 10·0 per cent.; in Dumfries, 8·4 per cent.; in Kincardine, 8·2; in Forfar, 7·6; in Selkirk, 7·2; in Roxburgh, 6·3; in Midlothian, 6·1; and in Bute, 5·4. In Caithness, in Orkney, and in Sutherland no Episcopal Church marriages were registered during the year. (*Table 14.*)

In all, 40 different religious denominations were named in marriage registers of the year; in the previous year this number was 38, and in 1916 it was 40. These 40 denominations include the five churches named above, but exclusive of them there are 8 in which 50 or more marriages were celebrated during the year, these, and the number of marriages celebrated in each, being Congregational (873 marriages), Baptist (436), Wesleyan Methodist (269), Primitive Methodist (91), Christian Brethren (including Plymouth Brethren) (83), Free Presbyterian (76), Original Secession (55), and Evangelical Union (51). Other churches in which 10 or more marriages were celebrated were Unitarian (33), Salvation Army (31), Jews (27), Pentecostal (24), Gospel Temperance Mission (18), Christian Union (15), Free Church of England (14), Catholic Apostolic Church (13), Church of Christ (10), and Reformed Presbyterian (10). This is the fifth year in which a complete tabulation of all religious denominations named in the marriage registers has been made, and by comparison it is found that all the 40 denominations named this

year were named in the preceding four years with one exception, that exception being the Hope Hall Mission, which was named for the first time in the registers.

Conjugal Condition of those Marrying.—Of the 69,058 persons marrying during the year, 62,930 were previously unmarried, while 6120 were widowers or widows. In 4 instances the conjugal condition of the spouses was unstated. Of the men marrying during the year, exclusive of the 4 whose conjugal condition was not recorded in the registers, 31,346, or 90·8 per cent., were bachelors, and 3179, or 9·2 per cent., were widowers, and of the women marrying 31,584, or 91·5 per cent., were spinsters, and 2941, or 8·5 per cent., were widows. Compared with the number in the previous year, marriages of bachelors were 3730, or 13·5 per cent., more; those of widowers, 375, or 13·4 per cent., more; those of spinsters, 3539, or 12·6 per cent., more; and those of widows were 566, or 23·8 per cent., more. (*Table 11.*)

Of the 34,525 marriages of which the conjugal condition of the spouses was recorded in the registers, 29,542, or 85·6 per cent., were between bachelors and spinsters; 1804, or 5·2 per cent., between bachelors and widows; 2042, or 5·9 per cent., between widowers and spinsters; and 1137, or 3·3 per cent., between widowers and widows. Marriages between bachelors and spinsters are 3342 more than in the previous year, 1917, and 2085 more than in 1916, but are 2973 fewer than in 1915. Marriages between widowers and spinsters are more than in all years 1908 to 1917, but are of the same number as in 1907, and 13 fewer than in 1904. Marriages between bachelors and widows are more than in any previous year; they are 388 more than in 1917, 516 more than in 1916, 772 more than in 1915, and fully 1000 more than in either 1914 or in 1913. The largest number of marriages between bachelors and widows in any year previous to the declaration of the recent war occurred in 1902 and was 921, and compared with that number this year's figure is nearly double; it is 95·9 per cent. more. The number of marriages between widowers and widows is the largest yet recorded; it is 178 more than in 1917, 251 more than in 1916, 290 more than in 1915, 329 more than in 1914, and 324 more than in 1913. In the ten years (1904-1913) preceding the declaration of the recent war the average number of widows marrying

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1918.

Age.	Men.	Women.	Both Sexes.
17	—	1	1
18	1	3	4
19	2	7	9
20-29	64	41	105
30-39	40	52	92
40-49	28	61	89
50-59	38	51	89
60-69	16	22	38
70 and over	2	3	5
All Ages	191	241	432

annually was 1512, 775 marrying bachelors and 737 marrying widowers. The total number of widows marrying in the year now under review was 2941, and compared with that pre-war average this number is 1429, or 94·5 per cent., more. (*Table 11.*)

Method of Signature.—Of the 69,058 persons married during the year, 69,626, or 99·4 per cent., signed the marriage registers, or marriage schedules, by writing, while only 432, or 0·6 per cent., did so by mark. Men signing by mark numbered 191, and women doing so numbered 241, both of which figures are smaller than in all previous years. In the years 1855 to 1882 more than 5000 persons annually signed the marriage registers or schedules by mark; in 1883 this number fell below 5000; in 1885, below 4000; in 1888, below 3000; in 1893, below 2000; in 1908, below 1000; and in 1915 below 500. (*Table 11.*)

Of the 432 persons using the mark, 304 were married in one of the larger burghs, and 128 elsewhere in Scotland. In the previous year these two figures were 318 and 152, both figures being greater in that year than in this. (*Table 16.*)

There were 149 instances in which the man signed by mark while the woman signed by writing, 199 in which the man signed by writing while the woman signed by mark, and 42 in which both the man and the woman signed by mark.

Of the 432 persons using the mark, 123 were married in the Roman Catholic Church, 111 in the Church of Scotland, 40 in the United Free Church, and 44 in other churches, while 114 were married irregularly. By comparing these numbers with those of the previous year it is found that all are less except that of persons

TABLE U.—Church of Celebration of Persons Marrying who Signed by Mark in 1918.

	Entries in which Mark was Used by			Persons Using Mark.		
	Men only.	Women only.	Both.	Men.	Women.	Both Sexes.
Irregular Marriages . . .	40	58	8	48	66	114
Established	42	45	12	54	57	111
United Free	11	19	5	16	24	40
Free	1	3	—	1	3	4
Roman Catholic	41	54	14	55	68	123
Episcopal	6	5	1	7	6	13
Congregational	3	3	2	5	5	10
Baptist	1	—	—	1	—	1
Wesleyan Methodist	—	3	—	—	3	3
Jews	1	2	—	1	2	3
Primitive Methodist	—	1	—	—	1	1
Salvation Army	1	—	—	1	—	1
Free Presbyterian	—	1	—	—	1	1
Pentecostal	1	—	—	1	—	1
Gospel Temperance Mission	—	2	—	—	2	2
Unitarian	1	1	—	1	1	2
Church of God	—	2	—	—	2	2
TOTAL	149	199	42	191	241	432

using the mark and irregularly married, which is 4 more than in that year.

Ages of Persons Marrying.—The average age of all persons marrying during the year was 28·69 years, of all men 30·25, and of all women 27·13, all three averages being slightly more than in the previous year, that of all persons being 0·11 more, of all men 0·13 more, and of all women 0·09 more. (*Tables 17 and 18.*)

In the larger burghs the average age of all persons marrying was 28·80 years, and in the rest of Scotland 28·51; in the previous year these averages were 28·65 and 28·47. In the larger burghs the average age at marriage of men was 30·36, and of women 27·24, while these averages in the rest of Scotland were 30·08 and 26·94; these four averages differ but slightly from those of the previous year. (*Tables 17 and 18.*)

The average age of all bachelors marrying was 28·7 years, of those marrying spinsters 28·3, and of those marrying widows 35·1, that of all bachelors being 0·1 more than in the previous year, and of bachelors marrying widows 0·7 more, but that of bachelors marrying spinsters was of the same amount as in the previous year. (*Tables 22 and 23.*)

The average age at marriage of widowers was 45·6 years, of those marrying spinsters 44·2, and of those marrying widows 48·2. In the previous year these three figures were 45·5, 44·3, and 47·8. (*Tables 24 and 25.*)

The average age of spinsters at marriage was 26·2 years, of those marrying bachelors 25·7, and of those marrying widowers 34·3. The first of these averages is the same as in the previous year, but the second is 0·1 more, while the third is 0·6 less. (*Tables 22 and 24.*)

The average age of all widows marrying during the year was 36·9 years, of those marrying bachelors 33·6, and of those marrying widowers 42·1. In the previous year these three averages were 37·1, 33·7, and 43·1. Of the three the last only, that of widows marrying widowers, shows any material difference, it being one year less in this than in the previous year. (*Tables 23 and 25.*)

TABLE W.—Average Age at Marriage in 1918.

Conjugal Condition.		Average Age.					
Bridegroom.	Bride.	Bridegrooms.		Brides.		Excess of average age of Bridegroom over that of Bride.	
		1918	1917	1918	1917	1918	1917
*All Bridegrooms.	†All Brides	30·3	30·1	27·1	27·0	3·2	3·1
„	Spinsters	29·3	29·3	26·2	26·2	3·1	3·1
„	Widows only	40·1	39·8	36·9	37·1	3·2	2·7
Bachelors only	†All Brides	28·7	28·6	26·1	26·0	2·6	2·6
„	Spinsters	28·3	28·3	25·7	25·6	2·6	2·7
„	Widows	35·1	34·4	33·6	33·7	1·5	0·7
Widowers only	†All Brides	45·6	45·5	37·1	37·4	8·5	8·1
„	Spinsters only	44·2	44·3	34·3	34·9	9·9	9·4
„	Widows only	48·2	47·8	42·1	43·1	6·1	5·7

* Bachelors and Widowers taken collectively.

† Spinsters and Widows taken collectively.

The average difference of age between bridegrooms and brides was 3·2 years, which difference in the previous year was 3·1. In all marriages of bachelors this difference was 2·6, and in all marriages of widowers 8·5. When bachelors married spinsters this difference averaged 2·6, and when they married widows 1·5. When widowers married spinsters this difference was 9·9, and when they married widows 6·1. In all marriages of spinsters the average age of the husband exceeded that of the wife by 3·1, and in all marriages of widows by 3·2. As in previous years, the greatest difference of age between the persons marrying occurred when widowers married spinsters, and the least difference when bachelors married widows.

The youngest bridegrooms of the year were 5 aged 16, 111 aged 17, 369 aged 18, and 621 aged 19, these collectively numbering 1106. Of these bridegrooms of under 20, 21 married widows and the remainder spinsters. The oldest bridegrooms of the year were 42 aged 70 but less than 80, and 5 aged 80 and over; all the latter, and all except 5 of the former, were widowers. The oldest widower married was one aged 84, and the oldest bachelor was one aged 75. (*Tables 21-25.*)

The youngest brides of the year were 2 aged 15, 49 aged 16, 304 aged 17, 1056 aged 18, and 1826 aged 19, in all 3237 being aged less than 20. These 3237 brides aged less than 20 include 7 widows, of whom 1 was aged 18, and 6 aged 19. The oldest brides of the year were four widows each aged 71, a spinster and a widow each aged 72, and two widows, the one aged 75 and the other 77. (*Tables 17 and 18.*)

The difference between the average age of bridegrooms and of the brides during the year was 3·2 years, but in a considerable number of marriages this difference was greatly exceeded. For instance, 4 widowers and 2 bachelors of 50 or over married girls of under 21, 2 bachelors and 1 widower of over 60 married brides of under 25, and 1 bachelor and 1 widower of over 70 married brides of under 30. One bachelor of 18 and one of 19 married brides of over 30, 6 bachelors of 20 married spinsters of over 30, and 1 bachelor of that age married a widow of over 30. The 5 bridegrooms of the year who were aged 80 and over married brides of ages ranging from 37 to 52. (*Tables 21-25.*)

In the counties, burghs included, the average age at marriage among men varied from 33·62 in Inverness, 33·53 in Kirkcudbright, 33·13 in Shetland, 33·01 in Ross and Cromarty, 32·83 in Kinross, and 32·72 in Sutherland, to 27·56 in Linlithgow, 28·72 in Clackmannan, 28·97 in Haddington, 29·10 in Ayr, 29·15 in Fife, 29·34 in Renfrew, and 29·41 in Dumbarton, while that of women varied from 30·23 in Shetland, 29·48 in Selkirk, 29·11 in Roxburgh, 29·04 in Kirkcudbright, and 29·00 in Peebles, to 24·66 in Linlithgow, 25·95 in Nairn, 26·17 in Haddington, 26·42 in Ayr, 26·49 in Dumbarton, and 26·57 in Stirling. (*Tables 17 and 18.*)

In the larger burghs taken collectively the average age of men marrying was 30·36, and in the rest of Scotland 30·08; that of women in the larger burghs was 27·24, and in the rest of Scotland 26·94.

In the larger burghs taken individually the average age of men at marriage varied from 30·87 in Dundee, 30·86 in Edinburgh,

30·69 in Perth, 30·62 in Glasgow, and 30·10 in Falkirk, to 27·95 in Hamilton, 28·23 in Clydebank, 28·51 in Coatbridge, 28·74 in Greenock, and 28·98 in Motherwell, while that among women ranged from 28·09 in Dundee, 27·88 in Perth, 27·77 in Edinburgh, 27·30 in Glasgow, and 27·15 in Paisley, to 25·39 in Coatbridge, 25·55 in Clydebank, 25·57 in Motherwell, 25·72 in Hamilton, and 25·90 in Greenock. (*Tables 17 and 18.*)

APPENDIX III.

REPORT ON THE WEATHER OVER SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1919.

By A. WATT, M.A., F.R.S.E., under the direction of the Council
of the Scottish Meteorological Society.

This report consists of a description of the weather for each month of 1919 and detailed statistics for 77 stations. In preparing the descriptive matter additional sources of information have been utilized, including numerous rainfall records and meteorological returns from The Northern Lighthouses.

January 1919.—The month was characterised by an abnormally low mean pressure; a slightly low mean temperature, with a slightly low mean daily range; a mean rainfall practically equal to the normal; and an excess of winds from an easterly quarter.*

Pressure conditions were at first very variable with some low readings of the barometer, whilst towards the end of the month an anticyclone over the North Sea was the dominant influence, although on 26th-27th a depression moved rapidly from Iceland across the British Isles to France. In spite of some high readings during the last ten days the mean of the month was abnormally low (29·621 in., or 0·232 in. below the normal). At Leith, at sea-level, pressure was above 30 in. on 18th and 19th, from 22nd to 25th, and from 29th to 31st; and the extremes at that place were 30·48 in. on 23rd and 28·78 in. on 6th.

Except on 1st and around 19th temperature until 25th was as a rule fairly high by night though moderate by day, whilst a cold easterly type of weather which prevailed during the last week was much less rigorous in Scotland than in England. On the whole temperature fluctuations were moderate for midwinter, though Kingussie reported a minimum of 4° on night of 27th-28th. The mean for the month was at Aberdeen fully equal to the normal, but in most districts rather below it. The mean of the reporting stations was 36°·8, or 0°·5 below the normal, the days being 0·9 and the nights 0°·1 below their respective averages. The highest reading was 51° at Nairn on 24th.

Rain, sleet or snow fell heavily in most districts on 1st,—as much as 1·57 in. at Rothesay,—and at many places a quarter or a third of the month's total was accounted for on that day. Towards north-east there were again rather heavy falls on 2nd. Thereafter fair to fine and moderately wet periods alternated,—as much as 1·63 in. at Gruline (Mull) on 13th,—though rain was seldom general in all districts. After 26th precipitation hardly occurred except in east and

* See Appendix I., p. 458.

south-east. Aggregates were as a rule in excess in the east,—at Gordon Castle nearly twice the normal; deficient towards the north-west,—little more than half the normal at Fort-William; and rather variable elsewhere. The mean of the reporting stations was 3·69 in., or 103 per cent. of the normal. In England the month was a wet one, and towards the south very wet.

Wind force was high on 1st and around 9th and 13th. In some districts where snow fell on 1st it lay on the ground for three or four days; there were some unimportant snowfalls during the third week, and a rather heavy fall in many districts on 26th and 27th,—as much as one foot at West Linton,—though but little, and here and there none, on the fringe of the east coast. At Braemar there was “snow lying” throughout the month.

Thunder, or thunderstorms, occurred at Gordon Castle on 5th; at points in the Clyde area on 10th; at Roshven on 13th; and at Rothesay and Portree on 25th.

Fog occurred rather widely during the week ending 25th, and at Edinburgh and elsewhere no sunshine was recorded during that week. Sunshine aggregates were fully equal to the normal in extreme north and in north-west, but deficient in eastern districts.

Aurora was noted at one or more points on as many as ten nights, displays on 3rd, 16th, 18th, and 31st being widely observed.

February 1919.—The month was characterised by a slightly low mean pressure; an abnormally low temperature, with a slightly low mean daily range; a very low mean rainfall; and a very large excess of north-westerly and north-easterly or easterly winds.

During the second week conditions were controlled by an anti-cyclone which spread southwards from the North Sea, whilst later various depressions moved eastwards across the south of England. The mean pressure of the month was slightly deficient (29·802 in., or 0·024 in. below the normal); at Leith, at sea-level, readings were above 30 in. from 1st to 3rd and from 7th to 12th; and the extremes at that place were 30·63 in. on 9th and 29·05 in. on 20th. There was a complete inversion of the normal south-westerly gradient over our Islands, and the mean pressure was decidedly higher in the north of Scotland than over the south of England.

The cold easterly to north-easterly type of weather which had developed during the last week of January persisted practically unbroken throughout the whole of February, and judged by its mean temperature the month ranks as a very cold one. The historic February of 1895 was much colder in every respect, and that of 1900 slightly colder, but with these exceptions a February as cold has been experienced in Scotland during the last fifty years only in 1902. Moderately high day temperatures rarely occurred (54° at Colmonell on 11th), and the days were on the whole colder than in any February except that of 1895. The nights, on the other hand, were distinctly less cold than those of 1900 and 1902. On night of 4th-5th Kingussie recorded 2° and Braemar 3°, as compared with readings below zero in both 1900 and 1902, and -17° at Braemar on 11th February 1895. The mean of the reporting stations was 34°·3, or 3°·6 below the normal, the days being 4°·0 and the nights 3°·3 below their respective averages. Con-

ditions were in striking contrast to those of the very mild February of 1918.

Precipitation of any importance occurred only on 15th, between 18th and 22nd, and on 25th or 26th, and many "rain days" had only nominal amounts. Except towards the south-east, where there was a moderate excess, aggregates were below the normal and over wide areas the deficiency was remarkable. Thus Fort-William (0·64 in. as compared with about 13 in. in February 1918) had hardly one-tenth of the average, and the month there was the driest February on record. Over practically the whole of the west and south of Scotland aggregates represented barely one-third or less of the average. At Edinburgh more than half the month's total was accounted for on 15th and 20th, and at Glasgow fully two-thirds of the small total of 0·90 in. was accounted for on 15th and 19th. The mean of the reporting stations was 1·46 in., or 47 per cent. of the normal. Over a great part of England the month was a wet one, and in the south again very wet.

Wind force was as a rule very light. On 15th and around 19th there were moderate falls of snow, in many districts quickly giving place to rain, and some extremely light falls early in the month and on the last day or two.

Thunder was not reported.

A good deal of fog and mist occurred at times, and the third week of the month was very gloomy in nearly all parts of our Islands. Sunshine aggregates were good in northern and in some western districts, but deficient elsewhere,—*e.g.*, 87 hours at Oban and 77 hours at Gordon Castle; but 48 hours at Edinburgh and 43 at Marchmont.

A fine display of aurora was widely observed on 27th, and others less widely on 4th, 21st, 23rd, and 28th.

March 1919.—The month was characterised by a slightly low mean pressure; an abnormally low mean temperature, with a mean daily range all but equal to the normal; a mean rainfall practically equal to the normal; and an excess of north-westerly winds.

After anticyclonic conditions around the middle of the month a deep disturbance developed to the north of Ireland on 18th; on 27th a very deep disturbance moved eastwards from the north of Scotland, with violent fluctuations of pressure; and on 28th-29th a depression moving eastwards along the English Channel had an unusually widespread influence. The mean pressure of the month was 29·756 in., or 0·035 in. below the normal; at Leith, at sea-level, readings were above 30 in. from 14th to 18th and on 25th; and the extremes at that place were 30·56 in. on 17th and 28·90 in. on 27th.

Following an abnormally cold February, the month was one of quite exceptional coldness, relieved only on 2nd, on 11th, and around 17th, and then only in a spasmodic manner. From 18th onwards there was a steady fall of temperature; in various districts the mean of the fourth week was as much as 8° or 9° below the normal; judged by its mean temperature the month was the coldest March experienced in Scotland for at least sixty years; and, if we may generalize from records available for Edinburgh, it was the coldest March for at least a century. The cold was more

remarkable for its persistence, both by day and night, than for any extremely low individual readings recorded. The lowest reading reported was 7° at Braemar on 23rd, but this compares with, *e.g.*, 3° below zero at that place on 9th March 1917. On the other hand, the highest reading was 54° at Leith on 2nd, and never before during the last sixty years at least has the thermometer failed to reach an appreciably higher level in March. The mean of the reporting stations was $35^{\circ}\cdot9$, or $3^{\circ}\cdot7$ below the normal, the days being $3^{\circ}\cdot8$ and the nights $3^{\circ}\cdot6$ below their respective averages.

Much of the month's precipitation consisted of snow, and relatively to the normal aggregates varied irregularly. Heavy falls of snow, sleet, and rain on 18th and 19th, (at Greenock 0·76 in. followed by 2·11 in.), brought about an excess in some southern and western districts. On 26th fairly heavy falls were general, with considerable amounts in north-east and north on 27th and later days. On the eastern sea-board there was in general a moderate shortage; whilst Braemar and Grantown-on-Spey had an excess of about 50 per cent., and Cally (Gatehouse) of fully 40 per cent., but Fort-William only three-fifths of the normal. The mean of the reporting stations was 3·07 in., or 102 per cent. of the normal.

There was snow in considerable amounts more or less widely around 7th and 13th; on 19th very stormy weather was general, with heavy falls of snow, giving place on low ground to sleet and rain; and thereafter conditions were almost continuously wintry, with a gale from between south-west and north-west on 27th, followed by another severe snowstorm in many districts. In some hilly districts disastrous drifting occurred, and in the far north railway traffic was interrupted.

Thunder occurred at Castlebay (Barra) on 2nd; at Kelso on 18th; and in the extreme north on 30th and 31st.

Sunshine aggregates varied greatly,—at Edinburgh only 79 hours, considerably below the normal, as compared with 133 hours at Fortrose, 131 hours at Rothesay, and 129 hours at Aberdeen.

Aurora was observed on various occasions,—very widely on 27th.

April 1919.—The month was characterised by a slightly low mean pressure; a slightly low mean temperature, with a rather low mean daily range; a fairly high mean rainfall; and a considerable excess of westerly and northerly winds.

The range of fluctuation of atmospheric pressure was very great. Thus, at Leith, at sea-level, a reading of 28·70 in. on the evening of 14th, when a deep depression was moving slowly eastwards from the north-west of Ireland, was the lowest recorded in April since 1874; whilst a reading of 30·74 in. on the morning of 20th, when an anticyclone had spread northwards from the Bay of Biscay, was the highest noted in April for at least sixty years, though it was all but equalled in 1906. The extreme range of pressure at Leith was thus fully 2 in. against an average for April of about 1·2 in. The mean pressure for the month was 29·857 in., or 0·024 in. below the normal, and at Leith readings above 30 in. occurred from 2nd to 4th, from 17th to 24th, and on 29th.

A March with an unprecedentedly low mean temperature had followed an abnormally cold February, and the first two days or so of April were also cold, with 16° at Braemar on night of 1st-2nd. Thereafter, with minor fluctuations, temperature was for the most part at least equal to the normal until 19th, with highest readings for the month very widely on 18th,—as high as 72° at Crathes and 71° at Aberdeen, but only 60° at Glasgow and 59° at Edinburgh. Two days later, on 20th, the thermometer at Aberdeen did not rise above 51° . From 26th to 28th, in association with the movements of a secondary depression, wintry weather was experienced, with a reading at West Linton of 22° on night of 27th-28th. The mean of the reporting stations was $43^{\circ}\cdot7$, or $0^{\circ}\cdot4$ below the normal, the days being $1^{\circ}\cdot0$ below and the nights $0^{\circ}\cdot3$ above their respective averages.

From 1st to 9th there was little or no precipitation over wide areas, but rather wet conditions towards north-west, and on 10th Kinlochquoich had as much as 4.18 in. and Fort-William 2.57 in. In east there were heavy falls of rain on 14th and 15th, and of snow, sleet, and rain on 27th, and at Edinburgh four-fifths of the month's total was accounted for on these three days. In west and south amounts at the most unsettled times were less heavy than in east. The period from 16th or 17th until about 24th was almost everywhere continuously fine. Aggregates for the month were greatly in excess in Midlothian and East Lothian, and in north-west and north-east. In sheltered central and south-eastern districts, on the other hand, and around the western and southern sea-boards, they were deficient. Thus Edinburgh had 222 per cent. and Glencarron 191 per cent. of the normal; but Crieff only 42 per cent., Colmonell 68 per cent., and Marchmont 72 per cent. The mean of the reporting stations was 2.99 in., or 130 per cent. of the normal.

There were moderate falls of snow in some districts on 1st and about the middle of the month, with hail at times. On 27th a severe snowstorm developed, and after a lull overnight it was renewed with great violence on 28th. With strong, squally, and bitterly cold winds from the north conditions amounted to those of a "blizzard", with much drifting in hilly districts and serious mortality amongst lambs. In western districts there was, however, but little snow except on the hills. In recent years, the severe snowstorms of mid-April 1917 and of 23rd April 1908 may be recalled. On the latter date temperature at Perth fell to 9° .

Thunder occurred in the far north early on 1st, and here and there on 9th, 13th, and 16th.

There were a few very sunny days, but with many cloudy ones sunshine aggregates were below the normal. At Aberdeen the month was the cloudiest April for twenty years.

Aurora was observed here and there on various days.

May 1919.—The month was characterised by a high mean pressure; a very high mean temperature, with a slightly high mean temperature, with a slightly high mean daily range; an abnormally low mean rainfall; and a large excess of south-easterly winds.

After the first three or four days pressure maintained a high

level with but slight fluctuations, and conditions were for the most part controlled by an anticyclone extending westwards from the Continent. The mean pressure (30·028 in., or 0·085 in. above the normal) was the highest recorded in any month since December, 1917. At Leith, at sea-level, readings hardly fell below 30 in. from 6th onwards, and the extremes were 30·31 in. on 27th and 29·32 in. on 1st.

Temperature remained at a moderate to rather low level during the first week or so, but thereafter the weather was almost continuously warm except on the east coast during the last three days. Lowest readings occurred everywhere between 2nd and 4th,—as low as 23° at Balmoral and Braemar, whilst on 27th Ford reached 83°, and on 15th Turnberry and on 28th Stirling and Perth reached 80°. The mean for the month was everywhere above the normal, but in east the excess was moderate, whilst in west and south it was large,—as much as 5°·0 at Fort William, but 1°·9 at Aberdeen. At Glasgow during the last sixty years a warmer May has been experienced only in 1896, but at Edinburgh the month had a mean temperature slightly below that of May 1918. The mean of the reporting stations was 52°·1, or 3°·0 above the normal, the days being 3°·4 and the nights 2°·5 above their respective averages.

The stable pressure distribution resulted in an extremely low rainfall. Until 11th there were some moderate falls, more especially on 5th, 6th, and 11th, but thereafter conditions of drought were practically uninterrupted except towards south-east on 17th and towards north on 23rd or 24th. Wide areas had less than 1 in. for the entire month; considerable areas only about half-an-inch or less; Grantown-on-Spey only 0·23 in.; and Gordon Castle only 0·28 in. The aggregate at Grantown represented only 10 per cent. of the normal rainfall for May, Gordon Castle 13, Glasgow 24, Aberdeen 25, Dumfries 27, Fort William 36, and Edinburgh 38 per cent. The month of May was slightly drier at Edinburgh in 1905, and at Fort William in 1915; but at Grantown and Nairn, for example, the month was the driest May on record, whilst at Glasgow during the last sixty years the aggregate for May has been smaller only in 1895. The mean of the reporting stations was 1·00 in., or 38 per cent. of the normal.

Wind force was for the most part low or very low.

There was a little hail and slight snow in some districts early in the month, and thunderstorms here and there on 10th, 11th, 17th, 24th, or 30th, though over wide areas none occurred. At Crathes on afternoon of 24th a thunderstorm was accompanied by hailstones half-an-inch in diameter, and in twenty minutes the “rainfall” was nearly one-third of an inch.

After some cloudy weather early in the month there was much brilliant sunshine especially in the west, and aggregates were everywhere above the normal. In the east there was fog at times, especially in the Firth of Forth from 27th to 30th.

Aurora was observed at some points on 1st, 2nd, or 3rd.

June 1919.—The month was characterised by a slightly high mean pressure; a slightly low mean temperature, with a rather low mean daily range; a somewhat high mean rainfall; and a large excess of westerly winds.

At the beginning and towards the end of the month pressure stood for the most part at a fairly high level, and fluctuations were most important between 11th and 13th, when a depression crossed our Islands. The mean value was 29·986 in., or 0·021 in. above the normal, and at Leith, at sea-level, the extremes were 30·37 in. on the morning of 10th and 29·61 in. on the evening of 12th.

Except for one or two rather cold nights the early part of the month was decidedly warm, as had been the last three weeks of May; but after 12th, with frequent winds from north-west, the weather became steadily colder, at many places the 29th or 30th was the coldest day of the month, and everywhere the last week had a mean temperature much below the normal. Highest temperatures were in most districts recorded on 7th, (80° at Smeaton in East Lothian), and lowest on 3rd or 26th, (29° at West Linton on 3rd). The mean of the reporting stations was 54°·0, or 0°·7 below the normal, the nights being equal to the normal and the days 1°·4 below.

After a prolonged spell of dry weather conditions became rather unsettled on 3rd, but in most eastern and some southern districts aggregates for the month were below the normal and largely accounted for between 9th and 12th. On the other hand, amounts in north-west, west, and south-west were largely in excess, mainly on account of fairly heavy falls between 7th and 10th and during the third week, and very heavy falls in west and south-west during a thunderstorm on 12th. The aggregate at Aberdeen represented 77 per cent. of the normal rainfall for June, Perth 58, and Marchmont 67; but Stornoway 234, Fort-William 189, Kilmarnock 233, and Colmonell 194 per cent.. At Stornoway the month was the wettest June on record, but at Glasgow the total of 4·52 in. was only half of that recorded in June, 1872. The thunder rains of 12th were of extraordinary intensity, Benwhat, near Dalmellington, recording as much as 3·07 in. during the storm; Colmonell 2·70 in.; and Glasgow (Observatory) 2·35 in. between 3.15 p.m. and 8 p.m. (G.M.T.),—more than fell at Edinburgh during the entire month. The mean of the reporting stations was 2·90 in., or 121 per cent. of the normal.

Winds were at times squally and of considerable force.

During the severe thunderstorm of 12th some heavy hail fell and considerable damage was done by lightning; the torrential rains were followed by serious flooding in many districts. In Ayrshire the storm lasted for several hours and was at its greatest intensity about noon; it penetrated in a modified form to the East Coast in the late afternoon, but was not experienced at, *e.g.*, Aberdeen. Thunderstorms of minor importance occurred at Glasgow and elsewhere on both 11th and 13th, and here and there between 2nd and 5th.

There were a few very sunny days, but a good deal of cloudy weather. In most eastern districts sunshine aggregates were below the normal; at Glasgow rather above it.

July 1919.—The month was characterised by a very high mean pressure; a low mean temperature, with a high mean daily range; an abnormally low mean rainfall; and a considerable excess of winds from a northerly quarter.

Anticyclonic conditions were dominant, except during the first few days, on 18th, and on 31st, and at Leith, at sea-level, readings were above 30 in. from 4th to 10th, from 13th to 16th, on 21st, and from 23rd to 30th. The extremes at that place were 30·25 in. on 29th and 29·62 in. on 19th. The mean for the month was 30·020 in., or 0·122 in. above the normal. As indicating the exceptionally stable character of pressure conditions during May to July 1919, it may be noted that in each of the three months the mean pressure (at Leith) was above 30 in., and that this has occurred only once before (in 1899) for at least 100 years.

The cold north-westerly type of weather which had characterised the latter part of June continued throughout the early days of July and the first week was unusually cold for midsummer. Thereafter there were a few fairly warm days,—more especially 10th and 25th,—but the general level of temperature was moderate, and around 14th the nights were very cold, with ground frost in some districts and a reading in screen at Balmoral as low as 29°. The highest reading reported was 81° at Dundee on 10th. The mean of the reporting stations was 55°·5, or 1°·8 below the normal, the days being 1°·0 and the nights 2°·5 below their respective averages.

The rainfall was seriously deficient in all districts; conditions of drought were hardly broken except during the first few days, on night of 18th, and on 31st when there were some fairly heavy falls in west and south,—as much as 1·27 in. at Greenock; and at many places aggregates were almost entirely accounted for on 18th and 31st. The trifling aggregate of 0·34 in. at Balmoral represented only 13 per cent. of the normal rainfall for July, Marchmont 20, Edinburgh 24, Kilmarnock 26, and Fort-William, Glasgow, and Dumfries 32 per cent. At Glasgow the month was the driest July since 1878, and in Berwickshire and Morayshire the driest since 1868, but in most districts actually smaller amounts were recorded in the very dry July of 1913. The cumulative rainfall for May, June, and July 1919 was alarmingly low in all districts, and, *e.g.*, Gordon Castle, Aberdeen, Edinburgh, and Marchmont had less than half the normal rainfall for the three-month period. The mean of the reporting stations was 1·01 in., or 31 per cent. of the normal.

Towards the end of the month the wind was at times squally.

There was a remarkable absence of thunderstorms, though thunder was reported in isolated districts on 10th, 17th, 19th, and 31st.

In Orkney much fog occurred, and sunshine was deficient. Elsewhere generally sunshine amounts were rather above the normal, and at Glasgow the month was the sunniest July on record.

August 1919.—The month was characterised by a mean pressure practically equal to the normal; a mean temperature all but equal to the normal, with a mean daily range practically equal to the normal; a low mean rainfall; and a very large excess of winds from a westerly quarter.

During the first two weeks or so anticyclonic conditions were more or less in evidence, but thereafter a definitely cyclonic type

of weather became established, with a rapid fall of the barometer on 25th-26th and very unsettled conditions during the last week of the month. The mean pressure (29·858 in., or 0·002 in. above the normal) was much lower than that of each of the three preceding months. At Leith, at sea-level, readings were above 30 in. from 7th to 12th, and on 14th, 15th, 17th, and 24th, the extremes at that place being 30·18 in. on 11th and 29·03 in. on 26th.

Temperature was at first moderate, but between 4th and 17th there were some very warm days,—as high as 83° at Crathes on 12th,—and from 11th to 13th the nights were unusually warm. The last week of the month was very cold, with a mean temperature in some districts as much as 10° below that of the week ending 16th. The coldest night was very widely that of 27th-28th (32° at Eskdalemuir), but towards the north that of 24th-25th (29° at Balmoral). The mean of the reporting stations was 56°·3, or 0°·3 below the normal, the days being 0°·3 and the nights 0°·2 below their respective averages.

During the first few days conditions were rather unsettled in west and north, and on 12th and 13th there were some fairly general rains. Some eastern and inland districts, however, had no rain of importance until 17th, when moderate to heavy falls were widely experienced except in north-east. On 21st Poltalloch had fully 1 in., and around that date conditions were again unsettled, whilst on 25th various places, such as Rothesay and Dundee, had more than 1 in., and on 26th some northern districts falls of great intensity,—no less than 3·85 in. at Kirkwall and 3·80 in. at Tongue. The month closed with an unstable type of weather. In Orkney aggregates were considerably more than twice the normal, and the month proved the wettest August on record for at least eighty years, though it was all but equalled in wetness in 1861. Except in northern districts aggregates were more or less below the normal, Edinburgh having only about half the normal and Braemar and Perth less than half. The mean of the reporting stations was 3·05 in., or 78 per cent. of the normal.

During the latter half of the month winds were often strong and squally, reaching gale force at places on 17th, 18th, and on 26th.

A thunderstorm occurred at various points on 16th and here and there on 20th or 21st. As in July, none was experienced in Edinburgh.

Sunshine amounts were much above the normal in more southerly districts, and at Edinburgh the month was the sunniest August for at least thirty years.

Aurora was observed at Deerness on 8th and 14th, and at Balta-sound on 28th and 30th.

September 1919.—The month was characterised by a low mean pressure; a slightly low mean temperature, with a mean daily range practically equal to the normal; a mean rainfall practically equal to the normal; and an excess of southerly and south-westerly winds.

Pressure conditions were more often of an unstable than of a stable type, and were very disturbed around 18th and on some later days. The mean pressure was 29·838 in., or 0·101 in. below

the normal. At Leith, at sea-level, readings were above 30 in. from 7th to 10th, from 12th to 17th, and on 28th, the extremes at that place being 30·40 in. on 15th and 29·17 in. on 22nd.

Generally speaking, temperature was above the normal during the earlier part of the month, (76° at Crathes on 10th), and below it during the second half with ground frost at times. There were some extremely rapid fluctuations; at Leith the highest reading on 10th was 71° , but on 12th only 50° ; and on 19th, with northerly or north-westerly winds, there was an unusually sharp fall of temperature, a maximum of 47° at Aberdeen comparing with one of 67° for the preceding day. The 28th was also very cold, with minimum readings at West Linton of 24° in screen and 18° on a thermometer exposed on the grass. The mean of the reporting stations was $52^{\circ}\cdot2$, or $0^{\circ}\cdot6$ below the normal; the days being $0^{\circ}\cdot6$ and the nights $0^{\circ}\cdot7$ below their respective averages.

Moderate to fairly heavy rains occurred widely on 1st and 4th, and in north-west on other days until 10th; and on 11th and 12th, with an easterly wind, there were considerable falls in the Lothians and some southern districts. After a brief fine spell conditions became almost continuously unsettled towards the north, with rain on every day at many places from 16th or 17th onwards, —fully 1 in. at Balmoral on 20th, at Gordon Castle on 22nd; and at Glenquoich 1·60 in. on 24th, followed by 2·65 in. on 25th. Elsewhere there were in a few districts no rains of much importance after 12th, though in many there were fairly heavy falls around 24th and on 29th. In north and north-west aggregates were in general above the normal, and at Edinburgh and in some western and southern districts there was a moderate excess. On the other hand, there was a very decided shortage in Forfarshire, Perthshire, and in Berwickshire. The mean of the reporting stations was 3·34 in., or 104 per cent. of the normal.

Winds were often strong and squally, with gales locally at times. On 19th conditions were quite wintry, with snow and hail in up-land districts.

A thunderstorm of some severity occurred at some points on 12th, and thunder here and there on 1st and 26th.

Sunshine amounts were in general above the normal, and at Aberdeen a sunnier September has been recorded only in 1906 and 1907.

Aurora of greater or less intensity was witnessed at Aberdeen on as many as 10 days. Displays on 19th and 20th were fairly widely observed.

October 1919.—The month was characterised by an abnormally high mean pressure; a slightly low mean temperature, with a slightly low mean daily range; an abnormally low mean rainfall; and a considerable excess of winds from a northerly quarter.

The mean pressure of the month (30·135 in., or 0·294 in. above the normal) was not only unprecedentedly high, but considerably above the highest previously recorded in October during the last sixty years. There was a rapid recovery from a rather low level at the beginning of the month, and at Leith, at sea-level, pressure was above 30 in. from 3rd to 11th, from 16th to 22nd, and from 24th to 31st, the extremes at that place being 30·61 in. on 7th and 29·37 in.

on 13th. Conditions were very unsettled around 12th, and on 23rd a long shallow “ V-shaped depression ” extended from the coast of Norway to the south-west of Ireland.

Rather warm days were experienced from 5th to 8th, especially towards north-east (73° at Gordon Castle on 5th), and low, or rather low, temperatures during the next ten days or so were followed by a brief return of mild conditions. The last week of the month was everywhere cold, with easterly to north-easterly winds. Lowest readings occurred generally around 14th or on 28th, but at Braemar (20°) on night of 6th-7th. Ground frost was frequent, perhaps more especially in southern districts. The mean of the reporting stations was $46^{\circ}\cdot2$, or $0^{\circ}\cdot4$ below the normal, the days being $0^{\circ}\cdot7$ and the nights $0^{\circ}\cdot1$ below their respective averages.

There was some rain on 1st, but thereafter none of much importance until around 12th, except in north-eastern districts, where conditions were unsettled from 9th to 15th. After a rainless spell rather heavy rains were general on 22nd, and in many places on 23rd also, followed by a return of dry weather in west and south. In eastern and northern districts, on the other hand, the last few days were decidedly wet. Aggregates were above the normal in the Moray Firth area, and approached it at points along the fringe of the east coast and in the Border counties. In general, however, there was a large to abnormally large deficiency; considerable areas had only one-third or less of the normal; and Crieff and Paisley hardly one-fifth. In South Ayrshire the month was the driest October for at least forty years, and in the Glasgow area a drier October has been experienced during the last sixty years only in 1880. Nearly everywhere there were many rainless days, and at many places more than two-thirds of the month's aggregate was accounted for on 22nd and 23rd. The mean of the reporting stations was $2\cdot20$ in., or 56 per cent. of the normal.

During the last few days the weather was squally along the east coast, with a thunderstorm of local severity in Aberdeenshire on 26th.

The distribution of sunshine varied greatly. At Glasgow the month was the sunniest October on record, whilst at Edinburgh there was a decided deficiency.

A brilliant auroral display was widely observed throughout our Islands on night of 1st-2nd, and minor displays at Aberdeen on as many as seven other nights.

November 1919.—The month was characterised by a rather low mean pressure; an abnormally low mean temperature, with a slightly low mean daily range; a rather high mean rainfall; and a large excess of northerly winds.

Conditions during the greater part of the month were dominated by a high-pressure system over the Icelandic region, with various primary or secondary depressions crossing our Islands. The mean pressure ($29\cdot746$ in.) was $0\cdot064$ in. below the normal, nearly $0\cdot4$ in. below the very high mean for October. At Leith, at sea-level, pressure was above 30 in. from 1st to 3rd, on 10th, and from 14th to 16th, the extremes at that place being $30\cdot55$ in. on 1st and $29\cdot11$ in. on 25th.

Except for brief spells of mild weather from 17th to 19th and around 23rd, the weather was of a very wintry character, with cold of quite abnormal intensity between 11th and 16th. The month indeed was decidedly colder than an average January, and, judged by its mean temperature, it was the coldest November experienced in Scotland during the last fifty years,—approached only by November 1915 and November 1910. Some remarkably low minimum readings occurred on night of 13th-14th, when Braemar recorded 10° below zero F., Perth 7° below, Balmoral and West Linton 6° below, and Kettins 3° below. The previous “record” for November was 0° (in 1904 and 1912), and a reading as low or lower than -10° F. has been recorded in Scotland at any time in winter during the last fifty years only in January 1881, in February 1892, in February 1895, and in January 1910. The mean of the reporting stations was $35^{\circ}\cdot8$, or $5^{\circ}\cdot4$ below the normal, the days being $5^{\circ}\cdot6$ and the nights $5^{\circ}\cdot2$ below their respective averages.

With winds largely from an easterly or north-easterly quarter the precipitation for the month threw eastern districts and the west and south of Scotland into striking contrast. In west aggregates generally either differed little from the normal or were slightly deficient, and in south-west and south there was a decided shortage. In east, on the other hand, and for some distance inland there was a decided excess which was very pronounced towards the south-east. Thus the Forth area had more than twice the normal, and in Berwickshire so heavy a November “rainfall” has not been experienced since 1888. In east rain or snow fell on every day from 1st to 12th, with an aggregate of fully 2 in. at Crathes for 7th and 8th; during the two brief mild spells there were some heavy rains, fully 1 in. at Fort-William on 17th and at Glasgow on 18th, and 1.75 in. at Kirkcaldy on 23rd; and on 30th there were fairly heavy falls towards north-west. The mean of the reporting stations was 4.91 in., or 123 per cent. of the normal.

After moderate snowfalls in various districts from 8th to 11th, a severe snowstorm became general on 12th, with further falls in some districts on 13th. The storm appears to have been most severe in north-east and east, with a level fall of snow at Balmoral of 17 in. and at Edinburgh of 6-8 in. In general, the snow quickly disappeared with the rains of 17th, but at, *e.g.*, Balmoral there was snow on the ground continuously from 8th to 30th. There were some further falls of snow around 20th and towards the end of the month.

Wind force was high on 9th and 23rd, and between 14th and 16th dense fog occurred in the Clyde area and elsewhere.

Between 18th and 20th there were thunderstorms in some widely scattered districts, with very heavy hail in Mull on 19th.

Sunshine was slightly above the normal, except towards south-east.

Aurora was observed at Aberdeen on 16th, and in Orkney on 16th, 17th, 20th, and 21st.

December 1919.—The month was characterised by a very low mean pressure; a mean temperature practically equal to the normal, with a slightly low mean daily range; a high mean rainfall; and an excess of southerly winds.

Conditions were almost continuously of a disturbed type, with an Icelandic “ low ” in control and various disturbances crossing our Islands, and on nights of 18th and 26th there were unusually large fluctuations of pressure. The mean (29·537 in., or 0·190 in. below the normal) was lower than in any month since October 1917. At Leith, at sea-level, pressure was above 30 in. only on 8th, 9th, and 20th, the extremes at that place being 30·20 in. on the evening of 8th and 29·02 in. on morning of 27th.

There was a good deal of mild weather, especially during the third week, and the only cold of much importance was experienced with shifts of the wind from the prevailing southerly direction to some northerly point around 10th, 25th, and 30th. Highest readings occurred very generally on 19th or 20th (54° at Fortrose and Kettins), but here and there early in the month; and lowest on night of 25th-26th (11° at Braemar). The mean of the reporting stations was 38°·4 or 0°·1 above the normal, the days being 0°·3 below and the nights 0°·5 above their respective averages. It is noteworthy that the mean for the month was above that for November 1919 by as much as 2°·6, and that only on two occasions during the last sixty years has December been milder than November (in 1862 and 1915).

Except in the West Highlands and at points around the Moray Firth, the month's precipitation was much above the normal, and at some places in west, south-west, and south the excess was very large. At Rothesay the aggregate of 11·10 in. was more than twice the normal, and apparently the greatest rainfall registered at that place in any month for at least 120 years; in South Ayrshire only in 1911 was December a wetter month; and at Gatehouse the aggregate of 9·70 in. has been approached in December only in 1876 and 1911. The number of wet days was large, and there was much rain from 1st to 5th, and from 9th to 15th, with some heavy falls on 10th,—as much as 2·63 in. at Leadhills. Later, heavy falls were general on 26th and 28th, and again on night of 30th-31st, when fully one-third of the month's aggregate at Edinburgh was accounted for in about 12 hours by a downpour of rain and sleet. During the latter half of the month, however, the weather in eastern districts was often fair to fine. The mean of the reporting stations was 6·15 in., or 146 per cent. of the normal.

There was much stormy weather, with gales more especially on 13th, on 18th, and 19th, and on 26th. In Shetland there was a severe gale continuously for three days from the evening of 26th, with very heavy seas. About 10th, from 21st-26th, and on night of 30th-31st there was a good deal of snow and sleet in some districts.

Thunder or thunderstorms were rather frequent in the west,—at Rothesay on 4th, 6th, 18th, 19th, and at Glasgow on 4th and 21st, with hail on several occasions.

Fog occurred at times, but sunshine aggregates were fully equal to the normal.

Aurora was observed here and there on 7th; at Baltasound (Shetland) on 18th, 21st, and 22nd; and in Orkney on 12th, 14th, 18th, 21st, 22nd, 23rd, and 25th.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1919.

YEAR	Estimated Population.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.		Males.	Fem.	Total.		
1855	2,978,065	47804	45545	93349	7357	19680	30626	31378	62004	31345	1855
1856	2,995,771	52239	49582	101821	8695	1267	12	20740	29418	29111	58529	43292	1856
1857	3,012,310	53158	50257	103415	8859	1300	*16	21369	30937	30969	61906	41509	1857
1858	3,027,665	53694	50324	104018	9354	1262	17	19655	31652	31887	63539	40479	1858
1859	3,041,812	54628	51915	106543	9715	1335	11	21201	30588	31126	61714	44829	1859
1860	3,054,738	54409	51220	105629	9736	1247	23	21225	33610	34560	68170	37459	1860
1861	3,069,403	54606	52403	107009	9929	1249	18	20896	30890	31451	62341	44668	1861
1862	3,098,008	55257	51812	107069	10376	1279	18	20597	33179	34016	67195	39874	1862
1863	3,126,879	56226	53115	109341	10948	1267	6	22234	35631	35850	71481	37860	1863
1864	3,156,023	57374	54959	112333	11197	1332	12	22725	37010	37406	74416	37917	1864
1865	3,185,439	58220	54850	113070	11262	1364	9	23611	35190	35701	70891	42179	1865
1866	3,215,130	58360	55307	113667	11673	1366	12	23688	35355	35993	71348	42319	1866
1867	3,245,101	58517	55527	114044	11148	1365	*13	22618	34363	34705	69068	44976	1867
1868	3,275,353	59222	56292	115514	11354	1443	15	21855	34662	34754	69416	46098	1868
1869	3,305,889	58321	55033	113354	11066	1407	15	22144	37868	38007	75875	37479	1869
1870	3,336,712	58959	56431	115390	11108	1384	9	23854	36866	37299	74165	41225	1870
1871	3,368,926	60029	56099	116128	11077	1299	17	24019	36827	37885	74712	41416	1871
1872	3,404,799	61293	57472	118765	10927	1383	11	25641	37939	37855	75794	42971	1872
1873	3,441,057	61467	58233	119700	10925	1410	15	26748	39037	37909	76946	42754	1873
1874	3,477,704	63602	60109	123711	10991	1512	13	26390	40678	40042	80720	42991	1874
1875	3,514,744	63432	60146	123578	10786	1477	9	25974	40323	41444	81767	41811	1875
1876	3,552,182	64819	61715	126534	11029	1463	20	26579	37404	36725	74129	52405	1876
1877	3,590,021	65089	61733	126822	10568	1429	12	25817	37173	36764	73937	52885	1877
1878	3,628,268	65200	61573	126773	10641	1367	12	24358	38389	38404	76793	49980	1878
1879	3,666,923	64346	61384	125730	10727	1452	20	23519	36296	37051	73347	52383	1879
1880	3,705,994	63786	60784	124570	10589	1438	8	24505	38055	37748	75803	48767	1880
1881	3,742,564	64720	61451	126171	10484	1418	13	26004	36097	36228	72325	53846	1881
1882	3,770,656	64505	61653	126158	10546	1415	7	26596	36325	36664	72989	53169	1882
1883	3,798,961	63879	60579	124458	10114	1370	18	26869	38296	38595	76891	47567	1883
1884	3,827,476	66379	62778	129157	10439	1457	19	26106	37556	37612	75168	53989	1884
1885	3,856,207	64543	61557	126100	10680	1423	14	25304	36932	37675	74607	51493	1885
1886	3,885,154	65910	61980	127890	10506	1331	10	24515	36432	37208	73640	54250	1886
1887	3,914,318	63842	60576	124418	10380	1335	18	24876	36805	37741	74546	49872	1887
1888	3,943,701	63129	60140	123269	9968	1380	12	25305	34953	36221	71174	52095	1888
1889	3,973,304	63303	59480	122783	9770	1423	10	26344	36328	36910	73238	49545	1889
1890	4,003,131	62187	59339	121526	9241	1421	13	27469	39130	39874	79004	42522	1890
1891	4,036,245	64769	61217	125986	9647	1372	14	27969	41122	42451	83573	42413	1891
1892	4,078,910	64356	60687	125043	9248	1468	17	28670	37463	38082	75545	49498	1892
1893	4,122,029	65010	62100	127110	9467	1469	10	27145	39585	40085	79670	47440	1893
1894	4,165,606	63857	60510	124367	9064	1450	13	27604	35153	35960	71113	53254	1894
1895	4,209,645	64799	61695	126494	9204	1342	12	28422	40663	41189	81852	44642	1895
1896	4,254,153	66214	62958	129172	9393	1493	21	30270	35321	35356	70677	58495	1896
1897	4,299,132	65817	63060	128877	9068	1375	15	31050	39506	39638	79144	49733	1897
1898	4,344,589	66814	64047	130861	8870	1450	14	32112	39344	39053	78397	52464	1898
1899	4,390,530	66778	63955	130733	8486	1463	15	32978	39903	39690	79593	51140	1899
1900	4,436,958	67147	64254	131401	8534	1544	15	32444	41276	41020	82296	49105	1900

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Population.	BIRTHS.						MARRIAGES.	DEATHS.			Excess of Births over Deaths.	YEAR.
		Males.	Fem.	Total.	Illegit.	Twin Births	Triplet Births.		Males.	Fem.	Total.		
1901	4,479,104	67753	64439	132192	8359	1547	13	31387	40213	39894	80107	52085	1901
1902	4,507,220	67442	64825	132267	8300	1620	25	31913	39183	38758	77941	54326	1902
1903	4,535,513	68087	65438	133525	8295	1604	*13	32351	38136	37866	76002	57523	1903
1904	4,563,985	67794	64809	132603	9010	1603	18	32271	38851	39130	77981	54622	1904
1905	4,592,636	66750	64660	131410	9082	1619	17	31270	37196	37340	74536	56874	1905
1906	4,621,466	67461	64544	132005	9306	1524	21	33142	37731	37904	75635	56370	1906
1907	4,650,478	65901	62939	128840	8791	1676	*14	33298	38240	39056	77296	51544	1907
1908	4,679,671	66826	64536	131362	9111	1675	15	31606	38864	38974	77838	53524	1908
1909	4,709,048	65725	62944	128669	9370	1627	12	30108	37094	37538	74632	54037	1909
1910	4,738,611	63144	60915	124059	9049	1541	8	30902	36049	36219	72268	51791	1910
1911	4,751,132	62274	59576	121850	9200	1552	11	31844	35823	35909	71732	50118	1911
1912	4,741,077	62931	59859	122790	8989	1524	13	32506	36072	36268	72340	50450	1912
1913	4,728,132	61464	59052	120516	8548	1527	21	33676	36504	36565	73069	47447	1913
1914	4,747,167	62974	60960	123934	8879	1634	16	35028	36757	36800	73557	50377	1914
1915	4,785,598	58392	55789	114181	7875	1451	15	36233	41110	40521	81631	32550	1915
1916	4,824,308	56471	53471	109942	7797	1419	6	31419	35649	34991	70640	39302	1916
1917	4,854,738	50011	47430	97441	7295	1274	7	30421	35361	34122	69483	27958	1917
1918	4,886,274	50373	48181	98554	7854	1357	10	34529	39144	39228	78372	20182	1918
1919	4,894,077	54771	51497	106268	8424	1584	*14	44137	37500	37649	75149	31119	1919

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1919.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1855	31·346	6·608	20·820	21·62	20·03	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	9·63	104·4	1·22	122·8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.					Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Births.	Mar- riages.	Deaths.							
			Total.	Males.	Fem.					
1871	34·470	7·130	22·177	22·90	21·51	9·54	107·0	1·15	130·3	1871
1872	34·882	7·531	22·261	23·33	21·00	9·20	106·6	1·19	123·9	1872
1873	34·786	7·773	22·361	23·72	21·11	9·13	105·5	1·20	124·9	1873
1874	35·573	7·588	23·211	24·44	22·08	8·88	105·8	1·25	124·9	1874
1875	35·160	7·390	23·264	23·94	22·63	8·73	105·5	1·22	132·1	1875
1876	35·621	7·482	20·869	21·96	19·86	8·72	105·0	1·19	121·2	1876
1877	35·326	7·191	20·595	21·57	19·69	8·33	105·4	1·15	114·9	1877
1878	34·940	6·713	21·165	22·02	20·37	8·39	105·9	1·10	123·0	1878
1879	34·288	6·414	20·002	20·58	19·47	8·53	104·8	1·18	107·9	1879
1880	33·613	6·612	20·454	21·33	19·64	8·50	104·9	1·17	124·6	1880
1881	33·712	6·948	19·325	20·02	18·68	8·31	105·3	1·15	112·5	1881
1882	33·458	7·053	19·357	19·98	18·77	8·36	104·6	1·14	118·0	1882
1883	32·761	7·073	20·240	20·90	19·61	8·13	105·4	1·13	119·0	1883
1884	33·745	6·821	19·639	20·32	18·97	8·08	105·7	1·16	117·9	1884
1885	32·700	6·562	19·347	19·83	18·87	8·47	104·9	1·15	120·5	1885
1886	32·918	6·310	18·954	19·40	18·50	8·21	106·3	1·06	115·7	1886
1887	31·785	6·355	19·044	19·44	18·63	8·34	105·4	1·10	122·2	1887
1888	31·257	6·417	18·048	18·32	17·75	8·09	105·0	1·14	113·1	1888
1889	30·902	6·630	18·433	18·88	17·96	7·96	106·4	1·18	121·3	1889
1890	30·358	6·862	19·736	20·26	19·25	7·60	104·8	1·19	130·6	1890
1891	31·214	6·929	20·706	21·11	20·33	7·66	105·8	1·11	127·9	1891
1892	30·656	7·029	18·521	19·01	18·06	7·40	106·0	1·20	117·5	1892
1893	30·837	6·585	19·328	19·87	18·82	7·45	104·7	1·18	136·0	1893
1894	29·856	6·627	17·071	17·45	16·72	7·29	105·5	1·19	116·7	1894
1895	30·049	6·752	19·444	19·95	18·96	7·28	105·0	1·08	133·4	1895
1896	30·364	7·115	16·614	17·14	16·12	7·27	105·2	1·19	115·5	1896
1897	29·977	7·222	18·409	18·96	17·89	7·04	104·4	1·09	137·9	1897
1898	30·120	7·391	18·045	18·67	17·46	6·78	104·3	1·13	134·2	1898
1899	29·776	7·511	18·128	18·72	17·57	6·49	104·4	1·14	131·0	1899
1900	29·615	7·312	18·548	19·15	17·98	6·49	104·5	1·20	128·5	1900
1901	29·513	7·007	17·885	18·47	17·33	6·32	105·1	1·19	129·4	1901
1902	29·346	7·080	17·292	17·89	16·73	6·28	104·0	1·26	113·4	1902
1903	29·440	7·133	16·757	17·31	16·24	6·21	104·0	1·23	117·5	1903
1904	29·054	7·071	17·086	17·53	16·67	6·79	104·6	1·24	123·1	1904
1905	28·613	6·809	16·229	16·68	15·81	6·91	103·2	1·26	116·2	1905
1906	28·563	7·171	16·366	16·82	15·94	7·05	104·5	1·18	115·0	1906
1907	27·705	7·160	16·621	16·94	16·32	6·82	104·7	1·33	109·7	1907
1908	28·071	6·754	16·633	17·11	16·18	6·94	103·5	1·30	121·0	1908
1909	27·324	6·394	15·849	16·24	15·48	7·28	104·4	1·29	107·7	1909
1910	26·180	6·521	15·251	15·68	14·84	7·29	103·7	1·26	108·3	1910
1911	25·647	6·702	15·098	15·55	14·67	7·55	104·5	1·30	112·5	1911
1912	25·899	6·856	15·258	15·69	14·85	7·32	105·1	1·27	105·5	1912
1913	25·489	7·122	15·454	15·92	15·02	7·09	104·1	1·30	109·6	1913
1914	26·107	7·379	15·495	15·97	15·05	7·16	103·3	1·35	110·6	1914
1915	23·859	7·571	17·058	17·71	16·44	6·90	104·7	1·30	126·5	1915
1916	22·789	6·513	14·643	15·24	14·08	7·09	105·6	1·31	97·1	1916
1917	20·071	6·266	14·312	15·02	13·65	7·49	105·4	1·33	107·5	1917
1918	20·170	7·067	16·039	16·52	15·59	7·97	104·5	1·41	99·8	1918
1919	21·714	9·018	15·355	15·80	14·94	7·93	106·4	1·53	101·6	1919

TABLE 3.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each Year, during each Quarter of the Years 1909 to 1919 inclusive.

	1909.		1910.		1911.		1912.		1913.		1914.		1915.		1916.		1917.		1918.		1919.	
	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.	No.	Per 1000 of Pop.
FIRST QUARTER.																						
Births,	32373	27·9	30422	26·1	30710	26·1	30272	25·6	29825	25·6	30656	26·3	30999	26·3	27352	22·8	25371	21·2	23221	19·3	22507	18·6
Deaths,	21469	18·5	20605	17·7	19794	16·9	20698	17·5	21270	18·2	20654	17·7	24990	21·2	19508	16·3	21789	18·2	17885	14·9	28959	23·9
Marriages,	7111	6·1	7317	6·3	6758	5·8	6994	5·9	7841	6·7	8631	7·4	7996	6·8	8604	7·2	7260	6·1	8240	6·8	8811	7·3
SECOND QUARTER.																						
Births,	34671	29·6	33812	28·6	32935	27·7	32221	27·3	32198	27·3	33009	28·0	30793	25·8	29931	25·0	26198	21·6	26054	21·4	23856	19·5
Deaths,	18478	15·8	18593	15·8	18029	15·2	17693	15·0	18143	15·4	18169	15·4	20413	17·1	18272	15·2	18612	15·3	16680	13·7	16612	13·6
Marriages,	8171	7·0	7928	6·7	8567	7·2	8209	7·0	8503	7·2	9088	7·7	9245	7·8	7636	6·4	7334	6·0	8048	6·6	11642	9·5
THIRD QUARTER.																						
Births,	31186	26·3	30061	25·2	29653	24·7	30166	25·3	29487	24·7	30336	25·5	26804	22·2	27144	22·4	23096	18·8	24700	20·1	25424	20·5
Deaths,	14964	12·6	15331	12·8	16149	13·4	15228	12·8	16194	13·6	16219	13·6	15932	13·2	15026	12·4	13735	11·2	15188	12·3	13325	10·8
Marriages,	7777	6·6	7975	6·7	8434	7·0	8778	7·4	9037	7·6	9358	7·9	9645	8·0	7766	6·4	7827	6·4	9404	7·6	12268	9·9
FOURTH QUARTER.																						
Births,	30352	25·6	29705	24·9	28513	23·7	30057	25·2	29006	24·3	29933	25·1	25585	21·2	25515	21·0	22776	18·6	24579	20·0	34481	27·9
Deaths,	19683	16·6	17716	14·8	17760	14·8	18721	15·7	17462	14·6	18515	15·5	20296	16·8	17834	14·7	15347	12·5	28619	23·3	16253	13·1
Marriages,	7033	5·9	7646	6·4	8052	6·7	8529	7·1	8310	7·0	7972	6·7	9386	7·8	7477	6·2	8065	6·6	8908	7·2	11416	9·2
YEAR.																						
Population,	4709048		4738611		4751132		4741077		4728132		4747167		4785598		4824308		4854738		4886274		4894077	
Births,	128582	27·3	124000	26·2	121811	25·6	122716	25·9	120516	25·5	123934	26·1	114181	23·9	109942	22·8	97441	20·1	98554	20·2	108268	21·7
Deaths,	74594	15·8	72245	15·3	71732	15·1	72340	15·3	73069	15·5	73557	15·5	81631	17·1	70640	14·6	69483	14·3	78372	16·0	75149	15·4
Marriages,	30092	6·4	30866	6·5	31811	6·7	32510	6·9	33691	7·1	35049	7·4	36272	7·6	31483	6·5	30486	6·3	34600	7·1	44137	9·0

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1919.

RATES PER 1000 OF POPULATION.										Illegitimate Births per 100 of Total Births.	Infantile Mortality.
Estimated Population.	Births.	Marriages.	Deaths.					*Principal Epidemic Diseases.			
			Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution	All Tuberculosis.	Phthisis.				
SCOTLAND	4,894,077	21·71	9·02	15·35	15·35	15·35	1·29	0·88	0·92	7·93	101·6
LARGER BURGHS	2,414,483	21·97	11·19	16·07	15·72	16·79	1·41	0·95	1·17	7·93	110·9
SMALLER BURGHS	959,114	21·15	8·88	14·33	14·87	14·49	1·17	0·78	0·68	7·67	95·7
COUNTY DISTRICTS	1,520,480	21·66	5·66	14·87	14·52	13·58	1·08	0·72	0·67	8·09	90·3
Glasgow	1,113,454	23·2	11·7	16·7	16·4	18·0	1·51	1·04	1·37	7·5	114
Edinburgh	338,060	16·6	13·9	17·9	16·5	17·1	1·40	0·95	1·20	10·2	117
Dundee	185,388	18·7	10·6	14·9	14·7	15·2	1·34	0·89	0·69	11·1	126
Aberdeen	167,146	20·2	13·4	15·9	14·8	15·0	1·27	0·86	0·60	10·6	118
Paisley	89,425	21·8	8·0	13·4	14·2	15·7	1·12	0·77	0·68	7·0	100
Leith	84,281	22·5	9·1	12·9	16·1	16·8	1·53	1·08	1·73	7·1	107
Greenock	79,613	28·7	8·9	17·7	17·3	17·5	1·53	0·94	1·07	5·6	99
Coatbridge	44,513	28·9	7·4	16·5	16·8	18·2	0·92	0·63	2·27	5·1	105
Motherwell	42,130	28·7	6·8	11·1	12·5	14·2	1·21	0·76	0·81	5·3	97
Kirkcaldy	40,615	20·5	8·4	12·4	13·5	13·8	0·91	0·44	0·59	7·3	84
Hamilton	39,531	29·8	6·6	12·1	13·1	14·2	1·37	0·78	1·01	5·6	103
Clydebank	48,025	26·0	6·7	8·4	11·5	13·3	1·19	0·83	0·77	4·2	74
Perth	36,214	16·2	10·6	18·1	15·1	14·8	1·46	0·94	0·50	12·0	103
Kilmarnock	37,604	22·2	8·8	14·9	14·0	15·2	1·46	0·88	0·98	5·9	109
Falkirk	34,881	21·3	8·9	14·4	13·6	14·9	1·20	0·80	1·43	8·8	97
Ayr	33,603	21·1	11·0	16·1	14·4	14·6	1·52	1·04	1·31	9·3	99

*Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1919.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.		
Aberchirder	915	25.1	5.5	18.6	19.7	15.1	2.19	1.09	0.00	21.7	87.7
Aberfeldy	1,565	15.3	9.6	14.1	13.4	11.6	0.64	0.00	0.00	12.5	83.4
Aberlour (<i>vide</i> Charles-town of Aberlour)											
Abernethy	535	15.0	11.2	16.8	20.6	15.7	0.00	0.00	0.00	0.0	0.0
Airdrie	24,618	27.9	8.5	13.6	15.7	17.3	1.02	0.69	0.69	6.0	102.2
Alloa	11,471	23.5	7.6	15.3	16.5	17.8	1.83	1.48	0.70	7.4	107.7
Alva	3,856	20.5	10.4	13.7	15.6	14.4	1.56	0.78	0.78	5.1	139.9
Alyth	1,671	9.0	10.8	18.6	22.1	18.2	1.80	1.80	0.00	6.7	133.2
Annan	3,906	25.3	10.2	13.1	14.8	14.2	1.28	0.77	0.26	6.1	40.6
Anstruther-Easter	1,047	6.7	7.6	10.5	11.5	10.8	0.96	0.96	0.00	0.0	286.2
Anstruther-Wester	560	14.3	8.9	7.1	7.1	6.0	0.00	0.00	0.00	0.0	0.0
Arbroath	18,097	19.9	9.1	18.2	18.5	16.9	1.44	1.05	0.39	10.3	97.7
Ardrossan	5,183	37.8	7.7	15.4	16.6	17.5	1.74	1.35	0.00	5.6	51.1
Armadales	5,102	28.2	4.7	7.8	10.2	11.1	0.78	0.59	0.59	2.8	83.8
Auchterarder	2,152	19.1	6.5	14.4	16.3	13.6	0.93	0.46	0.00	12.2	98.3
Auchtermuchty	1,326	10.6	8.3	15.8	15.1	10.8	1.51	1.51	0.00	0.0	0.0
Ballater	1,164	13.7	3.4	8.6	11.2	10.0	0.00	0.00	0.00	6.3	63.3
Banchory	1,662	10.8	9.6	13.2	15.6	14.0	1.20	1.20	0.00	11.1	111.1
Banff	3,670	17.7	15.8	26.7	19.9	17.3	1.36	1.09	2.45	12.3	138.8
Barrhead	11,923	22.6	7.0	11.8	13.6	15.2	1.09	0.92	0.34	4.1	104.4
Bathgate	8,872	23.8	6.9	10.1	12.4	13.5	0.79	0.23	0.79	7.1	76.6
Biggar	1,219	17.2	6.6	20.5	21.3	17.2	2.46	1.64	0.82	14.3	48.8
Blairstown	2,962	16.2	7.8	20.6	18.2	14.8	0.34	0.34	0.00	12.5	63.3
Bonnyrigg	2,996	16.4	1.3	12.3	15.4	15.2	1.34	1.34	0.67	2.0	102.2
Borrowstouness	11,447	21.0	5.4	10.2	12.0	13.2	1.05	0.35	1.49	5.4	133.3
Brechin	7,562	12.8	9.7	16.3	16.9	15.0	1.98	1.32	0.66	16.5	103.3
Bridge-of-Allan	2,849	10.9	6.7	17.9	23.2	20.7	1.76	1.40	0.35	12.9	129.9
Buckhaven, Methil, and Innerleven	19,352	21.3	5.2	8.1	9.4	10.4	0.72	0.52	0.83	6.8	100.8
Buckie	9,484	24.8	6.2	8.4	9.4	9.3	0.53	0.21	0.53	5.5	60.5
Burghead	1,503	21.3	3.3	10.6	12.6	11.5	0.67	0.67	0.00	12.5	63.3
Burntisland	4,576	21.4	8.5	14.6	17.9	17.7	0.66	0.66	1.31	8.2	112.2
Callander	1,453	16.5	6.2	8.9	9.6	8.5	0.00	0.00	1.38	8.3	83.3
Campbeltown	6,672	21.3	8.7	16.3	17.1	15.8	1.65	1.05	0.75	19.0	106.6
Carnoustie	5,169	14.5	5.2	15.1	17.2	14.7	2.13	1.74	0.77	1.3	93.3
Castle-Douglas	2,841	18.0	6.0	19.4	19.0	17.4	0.35	0.35	1.76	9.8	98.8
Charlestown of Aberlour	1,273	12.6	5.5	8.6	11.0	11.9	2.36	0.79	0.00	18.8	0.0
Cockenzie and Port-Seton	2,817	24.1	4.6	7.8	9.6	9.4	0.35	0.00	0.35	2.9	103.3
Coldstream	1,213	15.7	4.1	23.9	24.7	20.1	0.82	0.82	0.00	5.3	263.3
Coupar-Angus	1,999	18.0	6.0	9.0	12.0	9.6	0.50	0.50	0.00	5.6	139.9
Cove and Kilcreggan	748	12.0	5.3	13.4	16.0	12.9	2.67	0.00	0.00	0.0	0.0
Cowdenbeath	17,653	21.2	4.1	6.2	8.5	9.5	0.62	0.51	0.34	4.3	72.2
Crail	987	23.3	14.2	24.3	25.3	20.1	1.01	1.01	1.01	21.7	174.7
Crieff	5,533	13.4	6.3	13.2	14.5	12.8	0.36	0.36	0.36	9.5	41.5
Cromarty	1,712	23.4	4.1	15.2	12.3	14.3	1.75	1.17	0.00	5.0	25.5
Cullen	1,921	19.8	9.9	14.1	13.5	11.3	0.52	0.52	0.52	2.6	153.3
Culross	514	13.6	1.9	5.8	9.7	6.7	0.00	0.00	1.95	0.0	143.3
Cumnock and Holmhead	3,476	26.5	10.1	13.8	14.1	13.0	1.15	0.86	0.00	5.4	120.2
Cupar	4,026	11.2	9.4	14.4	17.1	13.5	0.50	0.50	0.00	15.6	22.2
Dalbeattie	3,076	20.2	9.1	14.0	15.3	13.9	0.98	0.98	0.33	14.5	48.5
Dalkeith	6,823	25.6	6.6	15.8	16.7	16.0	1.32	1.03	0.59	7.4	69.9
Darvel	3,788	14.0	7.7	8.4	9.2	10.3	0.00	0.00	0.00	3.8	38.8
Denny and Dunipace	4,771	30.4	6.7	14.3	15.1	16.4	1.68	0.84	0.84	6.2	110.2
Dingwall	2,580	15.5	18.2	21.7	15.5	13.9	1.94	1.94	0.00	12.5	75.5
Dollar	1,316	10.6	9.9	15.2	16.7	14.6	0.00	0.00	0.00	7.1	214.2

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Dornoch	789	13·9	6·3	10·1	10·1	9·2	0·00	0·00	0·00	9·1	0
Doune	813	29·5	6·2	14·8	14·8	13·7	2·46	1·23	0·00	12·5	42
Dufftown	1,380	17·4	12·3	21·7	21·0	15·4	1·45	0·72	0·00	29·2	42
Dumbarton	22,282	24·7	6·1	15·0	14·3	15·3	1·62	0·72	1·48	4·4	93
Dumfries	15,474	22·2	14·7	20·0	17·3	17·8	1·55	1·23	0·65	15·1	125
Dunbar	2,971	17·2	14·1	11·8	13·5	12·7	2·36	1·68	0·00	21·6	20
Dunblane	3,167	15·2	4·4	9·8	9·8	9·1	0·95	0·95	0·00	10·4	83
Dunfermline	29,974	31·6	13·0	18·8	16·3	16·7	1·80	1·27	0·70	5·4	90
Dunipace (<i>vide</i> Denny and Dunipace)											
Dunoon	6,527	13·9	6·7	21·6	20·1	16·5	0·61	0·46	0·92	16·5	110
Duns	1,844	15·2	11·9	15·7	16·8	13·6	0·00	0·00	0·00	17·9	71
Dysart	4,449	29·0	13·7	13·5	15·1	14·8	6·90	0·00	0·90	12·4	85
Earlsferry	307	6·5	3·3	16·3	16·3	14·0	3·26	3·26	0·00	0·0	0
East Linton	799	13·8	1·3	27·5	23·8	17·9	2·50	2·50	0·00	0·0	182
Elgin	8,351	16·0	20·7	18·6	15·3	13·3	1·20	0·60	0·84	11·2	104
Elie, Liberty, and Williamsburgh	656	7·6	4·6	15·2	15·2	12·5	0·00	0·00	0·00	20·0	0
Ellon	1,061	22·6	32·0	18·9	18·9	15·5	0·00	0·00	0·94	12·5	125
Eyemouth	2,362	22·9	8·0	15·2	16·9	16·6	2·12	0·85	0·42	7·4	130
Falkland	799	10·0	3·8	8·8	13·8	10·4	1·25	1·25	0·00	12·5	0
Findochty	1,895	32·2	9·0	13·2	13·7	14·2	1·06	1·06	0·53	9·8	98
Forfar	9,799	16·7	10·1	15·5	15·2	14·2	1·02	0·82	0·00	7·3	91
Forres	3,978	20·4	10·6	18·9	20·4	17·0	0·75	0·75	1·01	16·0	111
Fortrose	841	17·8	10·7	27·3	22·6	16·1	1·19	1·19	0·00	26·7	0
Fort-William	1,821	12·1	4·9	21·4	18·7	17·1	3·29	1·65	2·20	13·6	91
Fraserburgh	11,105	24·0	7·7	10·0	10·4	10·8	0·72	0·45	0·45	9·4	90
Galashiels	14,407	12·8	9·0	12·6	13·1	13·4	0·76	0·62	0·35	10·3	97
Galston	5,317	25·8	10·3	10·3	11·3	12·5	0·38	0·38	0·38	8·8	117
Gatehouse	987	19·3	2·0	12·2	12·2	8·6	1·01	1·01	0·00	5·3	0
Girvan	4,564	23·7	6·4	15·1	15·1	13·2	0·00	0·00	0·22	3·7	74
Gourock	8,710	23·2	5·5	11·7	12·7	12·9	1·72	1·03	0·23	4·5	45
Grangemouth	10,580	18·8	5·9	11·8	13·2	14·7	0·85	0·38	1·42	6·0	111
Grantown-on-Spey	1,277	21·9	7·0	12·5	13·3	12·1	0·78	0·78	0·78	14·3	36
Greenholm (<i>vide</i> Newmilns and Greenholm)											
Haddington	4,016	11·7	7·5	18·9	14·2	13·2	0·75	0·25	1·00	12·8	64
Hawick	15,574	15·4	10·2	17·8	18·2	18·3	1·03	0·58	0·45	11·3	129
Helensburgh	8,018	16·7	6·6	16·3	17·5	16·2	2·00	1·37	0·87	9·0	82
Holmhead (<i>vide</i> Cumnock and Holmhead)											
Huntly	4,058	18·2	12·6	15·3	15·3	13·1	0·99	0·99	0·74	21·6	108
Innerleithen	2,685	8·2	8·6	9·7	10·8	10·4	1·12	1·12	0·74	13·6	0
Innerleven (<i>vide</i> Buckhaven, Methil, and Innerleven)											
Inveraray	389	2·6	5·1	15·4	18·0	12·8	0·00	0·00	0·00	0·0	0
Inverbervie	1,079	34·3	8·3	16·7	18·5	16·2	3·71	0·93	0·93	18·9	135
Invergordon	993	43·3	11·1	19·1	18·1	14·8	3·02	1·01	1·01	11·6	47
Inverkeithing	4,133	20·6	4·6	10·9	13·5	13·6	0·97	0·73	0·73	3·5	176
Inverness	20,270	22·9	20·4	20·8	18·7	17·3	1·28	0·94	0·59	14·2	101
Inverurie	4,434	16·2	11·3	8·8	9·5	8·5	0·23	0·00	0·23	15·3	111
Irvine	10,030	28·8	8·0	14·3	16·6	16·8	0·80	0·40	1·00	6·2	131
Jedburgh	2,295	19·6	13·5	17·4	17·9	17·0	0·87	0·44	0·00	8·9	44
Johnstone	12,044	27·5	9·8	12·5	15·8	17·5	0·91	0·66	0·83	5·7	103

TABLE 5—continued.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Keith	4,043	20·0	10·9	15·6	16·1	13·7	0·74	0·74	0·00	16·0	49
Kelso	3,732	15·8	6·2	15·8	13·9	12·1	0·54	0·54	0·00	11·9	85
Kilcreggan and Cove (vide Cove and Kilcreggan)											
Kilrenny	2,421	18·2	6·6	10·7	13·2	12·0	2·89	2·89	0·41	6·8	68
Kilsyth	8,272	26·6	7·7	11·6	13·7	14·5	0·60	0·24	0·97	5·5	68
Kilwinning	4,954	32·5	10·3	16·1	18·2	18·9	0·81	0·40	3·63	1·9	106
Kinghorn	1,459	26·0	5·5	9·6	12·3	11·8	1·37	1·37	0·69	2·6	53
Kingussie	1,246	8·0	4·8	17·7	14·4	14·3	4·01	4·01	0·00	10·0	0
Kinross	2,810	18·5	6·4	15·7	17·8	15·7	1·78	0·71	0·00	7·7	96
Kintore	794	13·9	7·6	23·9	25·2	20·8	2·52	2·52	1·26	9·1	273
Kirkcudbright	1,937	10·8	11·4	21·2	20·1	16·8	4·13	2·07	0·00	14·3	286
Kirkintilloch	12,358	25·0	8·0	16·9	15·9	16·4	1·29	0·65	1·29	5·2	136
Kirkwall	3,667	16·6	23·2	21·8	20·5	16·6	1·36	1·09	1·09	11·5	148
Kirriemuir	3,310	10·6	11·8	16·9	16·0	13·6	1·51	0·91	0·60	14·3	114
Ladybank and Monkston	1,136	13·2	7·9	14·1	14·1	11·7	1·76	1·76	0·88	6·7	0
Lanark	5,982	18·9	12·2	13·7	14·2	13·9	1·84	1·00	0·17	8·8	53
Langholm	2,596	13·9	3·9	16·6	16·2	14·1	1·16	1·16	0·00	8·3	83
Largs	3,805	7·9	6·3	13·4	12·1	10·5	0·79	0·79	0·00	13·3	133
Lasswade	838	20·3	14·3	14·3	16·7	17·1	1·19	0·00	0·00	5·9	0
Lauder	570	17·5	12·3	22·8	35·1	28·0	1·75	0·00	0·00	0·0	0
Laurencekirk	1,298	13·9	9·2	23·1	25·4	16·8	0·00	0·00	0·77	22·2	111
Lerwick	4,694	16·8	30·0	23·6	22·2	18·2	2·98	2·13	0·43	8·9	63
Leslie	2,313	19·5	9·5	15·1	16·4	14·1	0·86	0·86	0·00	4·4	44
Leven	7,076	21·3	8·9	10·2	11·4	12·1	0·42	0·28	0·85	5·3	99
Liberty (vide Elie, Liberty, and Wil- liamsburgh)											
Linlithgow	3,557	24·5	9·6	16·0	17·4	17·1	0·84	0·28	1·41	4·6	80
Loanhead	3,650	22·5	11·0	9·0	10·4	11·1	0·27	0·27	1·37	3·7	98
Lochgelly	12,772	23·5	6·0	8·5	9·9	10·7	0·70	0·39	0·70	3·3	110
Lochgilphed	563	28·4	10·7	44·4	49·7	37·1	0·00	0·00	0·00	6·3	125
Lochmaben	999	21·0	5·0	15·0	15·0	12·1	2·00	2·00	0·00	4·8	95
Lockerbie	2,388	16·8	5·4	14·2	15·5	13·8	0·84	0·84	0·42	10·0	50
Lossiemouth	4,201	26·7	9·5	13·1	14·0	13·5	0·24	0·00	1·43	7·1	107
Macduff	3,202	24·0	4·1	16·6	20·6	16·6	0·62	0·62	0·31	9·1	78
Markinch	1,658	16·9	10·9	13·3	15·1	13·0	1·21	0·60	0·00	3·6	71
Maybole	3,827	23·8	9·1	21·2	18·8	18·2	2·87	1·31	2·61	8·8	165
Maxwelltown	6,157	17·7	6·0	14·9	16·6	16·9	2·11	1·30	0·81	4·6	147
Melrose	2,019	10·9	5·0	29·7	12·4	10·5	1·98	1·98	0·00	9·1	0
Methil (vide Buckhaven, Methil, and Inner- leven)											
Millport	1,478	15·6	2·0	18·3	15·6	12·8	0·68	0·68	0·68	13·0	0
Milngavie	4,927	17·5	4·9	9·3	9·7	10·2	0·81	0·61	0·20	2·3	47
Moffat	1,902	17·9	8·9	15·8	13·1	11·1	0·53	0·00	0·00	17·6	29
Monifieth	3,669	12·5	4·9	10·4	10·9	10·3	0·27	0·00	0·27	8·7	65
Monkston (vide Lady- bank and Monkston)											
Montrose	9,213	18·1	9·7	19·6	18·6	15·6	1·74	1·09	0·33	11·4	96
Musselburgh	18,186	23·2	8·9	11·6	12·0	12·7	0·82	0·49	0·77	2·9	105
Nairn	4,523	20·8	10·4	15·2	15·7	14·2	1·55	0·66	0·00	12·8	64
Newburgh	1,921	12·5	7·3	17·2	16·7	12·7	1·04	0·52	0·00	12·5	42
New Galloway	313	12·8	6·4	12·8	12·8	10·6	0·00	0·00	0·00	0·0	0
Newmilns and Green- holm	4,792	12·1	9·6	8·6	9·4	10·0	0·42	0·21	0·00	1·7	86

TABLE 5—continued.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epidemic Diseases.		
Newport . . .	3,267	10·7	5·8	12·2	15·0	12·8	1·53	1·22	0·31	11·4	114
Newton-Stewart . .	1,834	16·4	10·9	13·1	15·3	13·5	1·09	1·09	0·55	10·0	100
North Berwick . .	3,327	13·2	6·9	8·7	12·0	12·4	1·20	0·90	0·30	15·9	68
Oban . . .	5,338	16·7	11·4	19·9	15·9	15·4	1·50	1·31	0·94	14·6	112
Old Meldrum . .	979	21·5	4·1	13·3	14·3	10·4	0·00	0·00	0·00	19·0	95
Peebles . . .	5,502	14·2	6·0	10·9	11·8	11·6	2·18	1·45	0·18	5·1	13
Penicuik . . .	2,527	22·2	11·9	10·7	13·1	13·0	0·40	0·40	0·00	7·1	71
Peterhead . . .	14,243	26·0	9·1	13·0	14·2	14·1	1·12	0·84	0·56	6·8	143
Pittenweem . . .	1,799	16·7	5·6	13·3	13·9	12·5	2·78	1·67	0·00	0·0	33
Port-Glasgow . . .	18,415	32·6	9·3	15·6	17·3	18·9	1·95	1·47	1·25	6·2	92
Portknockie . . .	1,762	23·3	6·2	15·3	15·9	16·7	1·70	1·70	1·14	4·9	171
Port-Seton (<i>vide</i> Cockenzie and Port-Seton)											
Portsoy . . .	1,896	21·6	9·0	17·9	19·0	15·2	1·58	1·58	0·53	14·6	73
Prestonpans . . .	1,970	31·5	5·6	14·2	17·3	16·8	1·52	0·51	1·02	9·7	145
Prestwick . . .	5,895	16·6	3·9	11·4	13·6	12·9	1·53	1·02	0·34	2·0	41
Queensferry . . .	3,425	17·2	2·3	17·2	7·9	11·6	0·29	0·29	1·17	8·5	51
Rattray . . .	1,406	14·2	7·8	16·4	24·2	20·0	0·71	0·00	0·71	20·0	0
Renfrew . . .	14,402	21·7	5·5	8·6	10·6	12·0	0·62	0·56	1·04	2·6	58
Rosehearty . . .	1,329	26·3	8·3	10·5	11·3	9·5	0·00	00·0	0·75	11·4	143
Roths . . .	1,061	25·4	7·5	13·9	17·9	14·2	3·77	0·94	0·94	22·2	74
Rothsay . . .	8,703	13·6	7·4	14·8	14·5	13·0	0·34	0·23	0·23	10·2	51
Rutherglen . . .	27,371	17·3	7·5	11·1	14·1	15·5	1·21	0·80	0·58	3·2	99
St. Andrews . . .	7,624	10·6	7·6	11·7	11·6	11·7	0·66	0·26	0·26	11·1	62
Saltcoats . . .	8,453	33·0	9·2	14·7	16·6	16·3	1·77	1·06	0·47	3·9	75
Sanquhar . . .	1,525	19·7	11·8	11·8	12·5	12·2	1·31	1·31	0·66	0·0	67
Selkirk . . .	5,727	10·3	9·3	10·5	11·3	11·0	0·70	0·70	0·17	5·1	34
Stewarton . . .	2,617	17·2	11·1	15·3	18·0	17·1	0·38	0·38	1·15	6·7	222
Stirling . . .	22,154	19·9	10·4	18·5	16·6	16·8	1·22	0·63	1·04	10·4	104
Stonehaven . . .	3,778	17·2	13·5	24·9	23·0	17·1	0·53	0·26	1·06	10·8	108
Stornoway . . .	3,526	18·4	13·0	19·3	19·3	18·1	1·70	1·13	0·85	7·7	77
Stranraer . . .	6,390	19·1	10·0	18·5	17·5	15·7	1·41	0·78	0·10	13·1	164
Stromness . . .	1,566	24·9	9·6	23·0	23·0	18·6	1·92	0·00	0·00	5·1	128
Tain . . .	1,471	21·8	34·0	19·7	22·4	17·9	3·40	2·04	0·00	3·1	94
Tayport . . .	3,042	19·1	8·2	14·1	14·1	12·3	0·99	0·66	0·00	8·6	69
Thurso . . .	2,842	22·5	12·7	20·1	19·7	15·5	0·35	0·00	1·76	12·5	203
Tillicoultry . . .	2,744	16·4	6·9	15·7	20·4	18·4	2·19	1·82	0·00	8·9	67
Tobermory . . .	786	16·5	5·1	10·2	10·2	7·6	0·00	0·00	0·00	0·0	0
Tranent . . .	5,364	26·7	8·8	12·9	14·0	14·7	1·31	0·56	1·68	3·5	91
Troon . . .	7,696	17·4	5·7	8·7	10·9	11·8	0·39	0·39	0·52	3·0	75
Turriff . . .	2,268	18·5	9·7	15·9	16·3	12·5	0·44	0·44	0·88	16·7	95
Whitburn . . .	2,105	29·5	10·9	8·6	11·4	12·2	0·00	0·00	2·85	9·7	81
Whithorn . . .	1,089	5·5	8·3	11·9	12·9	9·6	1·84	0·92	0·92	16·7	167
Wick . . .	9,252	19·1	8·2	14·5	15·1	13·8	1·30	0·86	0·86	11·3	107
Wigtown . . .	1,278	14·1	8·6	27·4	29·0	24·3	2·35	2·35	0·78	16·7	222
Williamsburgh (<i>vide</i> Elie, Liberty, and Williamsburgh)											
Wishaw . . .	27,223	28·4	8·9	11·9	13·3	14·4	1·21	0·92	1·03	7·4	119

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1919.

COUNTY DISTRICTS.	Estimated Population	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.		
ABERDEEN COUNTY—											
Aberdeen	22,462	17·0	4·1	15·9	13·8	12·1	1·11	0·89	0·31	12·3	87
Alford	8,338	20·6	5·5	10·4	11·6	10·1	1·32	0·84	0·00	11·0	81
Deer	25,708	24·6	5·2	14·4	15·2	12·9	0·62	0·39	0·31	13·8	93
Deeside	11,153	14·6	4·4	13·4	14·9	12·6	1·08	0·81	0·27	19·0	67
Ellon	12,341	23·7	3·9	11·9	12·6	11·0	0·57	0·49	0·32	17·1	51
Garioch	12,608	21·2	4·0	13·4	14·7	12·9	0·79	0·63	0·63	16·5	101
Huntly	6,035	22·0	3·8	14·6	15·7	13·3	1·16	0·50	0·00	11·3	75
Turriff	9,974	23·5	4·6	13·9	15·3	13·2	1·00	0·90	0·60	18·8	85
ARGYLL COUNTY—											
Ardnamurchan	2,342	11·1	2·1	14·9	17·9	13·1	1·28	0·85	0·43	3·8	77
Cowal	6,656	12·9	3·2	13·2	12·8	10·8	1·05	0·90	0·30	7·0	12
Islay	6,195	12·4	1·8	15·2	16·3	13·0	0·97	0·97	0·65	23·4	78
Kintyre	5,906	17·9	6·1	14·4	15·9	14·2	1·52	1·19	0·51	14·2	28
Lorn	9,387	15·8	2·8	13·0	15·4	12·9	1·70	1·49	0·21	2·0	81
Mid-Argyll	6,273	9·9	3·8	24·4	17·7	14·4	0·96	0·80	0·48	9·7	113
Mull	4,494	13·1	2·2	17·1	17·4	12·4	1·11	0·89	0·22	1·7	34
AYR COUNTY—											
Ayr	42,115	26·2	7·1	12·4	12·3	12·7	0·64	0·45	0·69	7·3	87
Carrick	12,580	19·2	6·1	10·1	11·6	11·1	0·95	0·64	0·16	10·3	79
Kilmarnock	22,275	24·3	7·2	13·6	15·1	15·5	1·44	0·90	1·26	5·9	118
Northern	44,721	23·9	6·6	16·1	15·2	15·3	1·01	0·54	0·89	5·5	109
BANFF COUNTY—											
Banff	15,630	22·5	3·9	13·8	12·9	12·3	0·90	0·77	0·32	10·3	117
Keith	10,732	18·0	4·7	14·6	15·7	13·2	1·77	1·40	0·00	17·6	78
BERWICK COUNTY—											
East	8,229	15·8	6·7	13·9	15·6	13·7	0·85	0·61	0·12	9·2	54
Middle	7,663	16·8	5·7	10·8	11·9	10·6	0·65	0·65	0·13	10·1	47
West	5,138	16·2	6·8	14·8	15·6	14·2	0·58	0·39	0·39	4·8	72
BUTE COUNTY—											
Arran	4,200	10·2	5·0	17·4	16·7	13·1	1·43	0·71	0·24	4·7	47
Bute	2,210	18·6	5·0	15·4	15·4	13·3	0·91	0·45	0·45	2·4	24
Cumbræ†	83	—	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY—											
Caithness	16,628	19·6	4·6	19·1	19·5	13·8	1·56	0·96	0·42	12·3	80
CLACKMANNAN COUNTY—											
Clackmannan	9,236	27·1	7·0	15·2	15·9	16·0	1·62	0·65	0·43	8·4	92
DUMBARTON COUNTY—											
Eastern	23,641	21·9	5·2	17·3	12·8	13·3	1·18	0·72	0·76	8·1	91
Western	27,364	21·8	8·1	14·6	16·2	17·1	1·17	0·66	1·46	6·7	87
DUMFRIES COUNTY—											
Annan	9,673	33·5	9·8	17·7	17·9	16·4	1·76	1·34	0·52	13·0	80
Dumfries	8,293	19·9	4·1	21·5	14·5	12·2	1·33	1·09	0·48	16·4	109
Langholm	2,906	18·6	6·5	13·8	13·8	11·7	0·69	0·69	0·34	7·4	56
Lockerbie	7,784	21·2	7·1	14·6	15·9	14·4	1·41	1·41	0·64	12·1	109
Thornhill	11,382	24·5	10·4	19·4	20·7	18·7	2·28	1·32	0·88	10·0	90
EDINBURGH (Midlothian) COUNTY—											
Calder	17,533	26·4	7·6	12·2	15·0	15·6	1·20	0·74	1·43	8·6	78
Gala-Water	6,376	21·5	9·1	14·4	16·3	15·5	0·78	0·47	0·94	9·5	117
Lasswade	25,782	21·8	4·8	13·7	13·1	13·2	1·16	0·66	0·70	5·5	92
Suburban	26,080	16·7	5·0	31·1	15·5	15·3	1·11	0·65	1·53	7·4	136

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

† The population of this District is too small for the calculation of significant rates.

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
ELGIN (MORAY) COUNTY— Moray (Elgin)	19,489	21·8	5·6	14·0	14·8	12·7	0·92	0·67	0·51	15·8	78
FIFE COUNTY— Cupar	15,033	15·8	4·9	16·3	12·1	9·8	0·67	0·40	0·20	5·9	67
Dunfermline	33,547	25·5	7·6	10·4	11·9	12·4	0·86	0·51	0·69	6·2	90
Kirkcaldy	48,363	23·8	4·7	10·3	9·9	10·3	0·87	0·45	0·43	6·7	91
St. Andrews	14,945	14·4	5·6	10·2	10·6	10·0	0·60	0·54	0·20	12·6	65
FORFAR COUNTY— Arbroath	7,564	18·4	6·3	13·5	15·2	13·4	0·53	0·26	0·79	13·7	79
Brechin	11,668	20·4	4·5	18·7	12·0	10·6	0·69	0·34	0·26	8·0	88
Dundee	8,879	16·4	3·3	16·6	10·2	9·4	0·34	0·23	0·56	9·6	48
Forfar	9,989	19·8	5·2	16·2	18·1	14·8	1·10	0·70	0·30	7·1	71
HADDINGTON COUNTY— Eastern	5,623	20·5	6·4	13·0	13·9	13·6	1·42	1·07	1·07	13·0	70
Western	17,448	21·8	5·7	11·2	12·8	13·2	0·57	0·46	0·57	8·1	108
INVERNESS COUNTY— Inverness	8,518	16·9	2·8	24·9	16·2	14·2	1·17	0·70	0·23	12·5	104
Aird	8,149	16·4	3·8	18·0	19·3	15·1	1·84	1·47	0·12	9·0	37
Badenoch	6,111	17·3	3·8	15·2	16·4	13·1	0·49	0·49	0·00	16·0	66
Lochaber	6,324	11·4	3·2	19·0	20·4	16·4	1·90	1·42	0·16	9·7	28
Skye	11,540	16·6	4·4	23·1	24·1	16·9	1·56	1·47	0·17	2·6	63
Harris	5,273	16·7	3·0	21·4	21·6	16·9	3·79	3·22	0·76	9·1	80
North Uist	3,300	12·4	1·2	23·9	23·6	17·2	2·73	1·82	0·00	12·2	24
South Uist	7,498	21·1	2·4	18·8	18·4	14·7	2·00	1·47	0·00	7·6	63
KINCARDINE COUNTY— Laurencekirk	4,214	28·2	4·3	14·5	16·8	14·3	0·47	0·47	0·24	15·1	76
Lower Deeside	3,497	15·4	9·7	13·4	13·4	12·6	1·14	0·86	0·00	9·3	93
St. Cyrus	4,273	18·7	7·5	11·0	12·2	10·5	0·70	0·47	0·47	13·8	100
Stonehaven	3,858	19·4	3·6	14·3	16·1	14·1	1·04	0·78	0·52	17·3	133
Upper Deeside	2,696	21·1	1·5	16·7	14·5	12·6	2·23	1·85	0·00	12·3	53
KINROSS COUNTY— Kinross	4,709	18·5	8·1	17·6	17·0	14·6	1·91	1·06	0·00	14·9	92
KIRKCUDBRIGHT C'NTY. Eastern	6,755	21·5	7·3	13·9	16·6	14·5	1·18	0·89	0·59	18·6	97
Northern	2,564	12·1	5·5	13·3	15·2	12·9	1·17	1·17	0·00	12·9	65
Southern	7,699	19·1	7·1	14·7	14·7	13·5	1·30	0·91	0·39	17·0	88
Western	3,038	13·8	5·9	11·8	13·5	12·8	0·99	0·99	0·00	4·8	24
LANARK COUNTY— Lower Ward	32,742	19·0	5·5	17·1	11·9	12·6	0·61	0·43	0·92	4·5	130
Middle Ward	209,678	30·1	6·8	13·6	14·0	14·9	1·10	0·69	1·20	5·0	104
Upper Ward	42,708	23·0	6·5	14·4	15·1	15·3	1·05	0·56	0·82	7·6	109
LINLITHGOW COUNTY— Bathgate	34,962	29·1	5·3	10·5	12·0	12·7	0·86	0·40	1·26	4·4	99
Linlithgow	16,132	22·6	6·0	14·1	11·7	12·0	0·87	0·56	0·87	5·2	88
NAIRN COUNTY— Nairn	4,276	14·5	3·7	17·8	18·2	15·8	0·94	0·70	1·17	8·1	65
ORKNEY COUNTY— Mainland	7,993	16·9	6·6	18·0	19·3	14·2	1·38	0·88	0·13	11·1	74
North Isles	6,103	16·2	5·1	17·9	18·5	13·0	0·49	0·49	0·33	2·0	40
South Ronaldshay . .	2,014	26·3	7·4	20·4	20·9	13·9	2·98	2·48	0·00	9·4	75
Walls	1,388	15·1	9·4	23·8	23·8	16·3	3·60	3·60	0·72	9·5	0

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality.
		Births.	Marriages.	Deaths.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	Principal Epi- demic Diseases.		
PEEBLES COUNTY— Peebles	6,344	17·8	6·3	13·1	15·4	14·7	1·10	0·63	0·16	9·7	53
PERTH COUNTY— Blairgowrie	9,161	16·9	4·3	10·4	12·1	10·6	0·65	0·44	0·22	8·4	52
Central	9,287	17·4	5·1	16·4	18·2	15·6	0·32	0·22	0·32	8·6	56
Highland	11,778	14·0	4·8	15·3	14·9	12·4	1·02	0·59	0·00	7·3	85
Perth	19,782	18·5	5·6	11·9	14·6	12·8	0·86	0·45	0·15	8·2	74
Western	9,511	11·8	4·6	12·0	12·2	11·6	0·32	0·21	0·32	7·1	80
RENFREW COUNTY— Upper Ward	39,802	16·7	5·5	15·6	12·1	13·0	1·03	0·68	0·40	6·5	84
Lower Ward	22,762	16·1	3·6	12·7	12·9	13·6	1·27	0·88	0·26	7·6	93
ROSS & CROMARTY C'NTY. Black Isle	7,953	12·3	2·1	11·4	13·3	14·8	0·38	0·38	0·00	9·2	61
Easter Ross	9,168	24·8	6·2	23·3	23·9	18·1	1·20	0·87	0·44	9·7	101
Lews	24,883	17·1	5·3	27·9	19·3	16·2	2·61	2·09	2·05	2·8	80
Mid-Ross	10,374	19·6	5·2	17·3	20·0	14·5	1·06	0·77	0·39	11·3	39
South-Western	3,037	10·9	2·0	26·0	27·7	18·2	1·98	1·65	0·00	6·1	121
Western	3,976	13·8	2·0	20·4	21·4	13·5	0·50	0·25	0·25	5·5	36
ROXBURGH COUNTY— Hawick	3,066	15·7	9·8	16·3	16·3	15·9	1·30	0·65	0·65	10·4	83
Jedburgh	4,263	21·1	8·9	13·1	14·3	14·0	0·47	0·23	0·00	18·9	33
Kelso	5,699	17·9	8·8	16·3	17·9	17·5	0·88	0·88	0·35	15·7	39
Liddesdale	1,872	18·2	9·6	15·0	17·1	13·7	2·67	1·60	0·00	14·7	118
Melrose	4,704	15·9	7·2	16·2	18·3	15·9	1·06	0·85	1·28	10·7	93
SELKIRK COUNTY— Selkirk	4,019	12·2	5·0	9·7	9·5	9·5	0·25	0·25	0·50	10·2	41
SHETLAND COUNTY— Mainland	17,036	14·0	2·9	15·1	16·6	11·4	1·82	1·53	0·00	7·1	42
North Isles	4,377	14·4	2·5	13·5	13·9	10·3	1·60	1·60	0·46	9·5	63
STIRLING COUNTY— Central	30,127	22·2	4·6	9·0	9·6	9·8	0·73	0·40	0·60	5·2	84
Eastern	41,109	24·5	6·2	11·4	12·1	12·9	0·78	0·44	0·92	6·3	88
Western	11,424	13·7	4·5	14·5	14·2	13·0	0·70	0·26	0·26	5·1	141
SUTHERLAND COUNTY— Sutherland	17,249	14·8	3·4	20·3	21·2	15·1	1·57	1·39	0·29	9·4	74
WIGTOWN COUNTY— Machars	8,084	20·9	4·8	16·6	17·2	15·0	1·86	0·62	0·49	14·8	107
Rhins	10,947	21·5	8·0	15·3	16·4	15·0	0·82	0·46	0·37	25·1	72

COUNTIES.	Births.		Fetimated Population.	Deaths.				RATES PER 1000 OF POPULATION.						Illegitimate Births per cent. of Total Births.	Infantile Mortality.		
	Total.	Illegitimate.		Marriages.	Total (Corrected for Transfers).	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.	Births.	Marriages.	Deaths.						
											Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Phthisis.	*Principal Epidemic Diseases.	
SCOTLAND	106,268	8,424	4,894,077	75,149	6,326	4,294	4,519	21.71	9.02	15.35	15.35	15.35	1.29	0.88	0.92	7.93	101.6
Aberdeen	6,292	772	305,074	4,470	334	235	155	20.6	10.0	15.0	14.7	13.8	1.09	0.77	0.51	12.3	107
Argyll	916	106	61,528	1,029	75	61	32	14.9	5.0	17.0	16.7	14.1	1.22	0.99	0.52	11.6	76
Ayr	6,268	400	267,295	3,760	293	185	234	23.4	8.0	14.0	14.1	14.4	1.10	0.69	0.88	6.4	100
Banff	1,246	141	57,803	856	64	50	25	21.6	6.5	14.5	14.8	13.1	1.11	0.87	0.43	11.3	91
Berwick	453	39	27,019	420	22	15	5	16.8	6.9	14.1	15.5	13.7	0.81	0.56	0.19	8.6	73
Bute	228	18	16,674	256	12	7	5	13.7	6.0	15.9	15.4	13.1	0.72	0.42	0.30	7.9	39
Caithness	567	68	28,722	520	39	24	20	19.7	6.6	17.7	18.1	13.8	1.36	0.84	0.70	12.0	102
Clackmannan	658	50	28,623	474	48	31	15	23.0	7.8	15.1	16.6	16.6	1.68	1.08	0.52	7.6	105
Dumbarton	3,452	189	147,363	2,012	191	113	152	23.4	6.7	13.2	13.7	14.6	1.30	0.77	1.03	5.5	87
Dumfries	1,591	193	68,828	1,156	106	81	38	23.1	9.5	17.8	16.8	15.6	1.54	1.18	0.55	12.1	92
Edinburgh	9,910	857	533,132	8,516	717	483	664	18.6	11.6	17.0	16.0	16.5	1.34	0.91	1.25	8.6	110
(Midlothian)																	
Elgin (Moray)	839	117	39,860	612	38	24	29	21.0	9.7	15.3	15.4	13.4	0.95	0.60	0.73	13.9	87
Fife	6,307	415	289,350	3,516	272	175	153	21.8	7.2	11.8	12.2	12.1	0.94	0.60	0.53	6.6	88
Forfar	5,131	546	280,307	4,215	358	239	167	18.3	9.5	15.5	15.0	14.5	1.28	0.85	0.60	10.6	113
Haddington	922	83	44,335	594	45	29	33	20.8	6.8	12.4	13.4	13.3	1.01	0.65	0.74	9.0	94
Inverness	1,431	154	80,050	1,564	139	108	26	17.9	7.7	20.7	19.5	15.9	1.74	1.35	0.32	10.8	75
Kincardine	815	94	38,431	531	35	23	14	21.2	6.5	13.2	13.8	12.5	0.91	0.60	0.36	11.5	93
Kinross	139	17	7,519	130	14	7	0	18.5	7.4	16.9	17.3	15.0	1.86	0.93	0.00	12.2	94
Kirkcudbright	631	81	35,367	563	50	36	18	17.8	6.9	14.8	15.9	14.4	1.41	1.02	0.51	12.8	95
Lanark	39,496	2,674	1,611,187	25,241	2,224	1,504	2,088	24.5	10.2	15.8	15.7	17.1	1.38	0.93	1.29	6.8	111
Linlithgow	2,184	111	85,602	1,020	71	34	100	25.5	5.8	11.4	11.9	12.8	0.83	0.40	1.17	5.1	95
Nairn	156	17	8,804	149	11	6	5	17.7	7.2	16.5	16.9	15.0	1.25	0.68	0.57	10.9	64
Orkney	408	33	22,731	453	33	24	8	17.9	9.3	19.5	19.9	14.5	1.45	1.06	0.35	8.1	78
Peebles	213	18	14,531	192	22	15	4	14.7	6.6	11.6	13.2	12.8	1.51	1.03	0.28	8.5	33
Perth	1,907	185	118,989	1,762	110	70	34	16.0	7.1	14.8	14.8	13.3	0.92	0.59	0.29	9.7	80
Renfrew	6,984	418	297,078	4,350	376	254	222	23.5	7.5	15.0	14.6	15.6	1.27	0.85	0.75	6.0	94
Ross and Cromarty	1,276	93	70,514	1,381	121	93	64	18.1	6.3	22.1	19.6	15.9	1.72	1.32	0.91	7.3	71
Roxburgh	715	91	43,224	733	45	31	17	16.5	9.1	17.1	17.0	16.1	1.04	0.72	0.39	12.7	84
Selkirk	293	27	24,153	292	16	14	8	12.1	8.4	11.6	12.1	12.2	0.66	0.58	0.33	9.2	75
Shetland	381	30	26,107	447	52	43	4	14.6	7.7	16.4	17.1	12.2	1.99	1.65	0.15	7.9	50
Stirling	3,612	255	166,167	2,185	158	89	160	21.7	7.0	13.0	13.1	13.7	0.95	0.54	0.96	7.1	95
Sutherland	267	25	18,038	374	27	24	5	14.8	3.5	19.8	20.7	14.8	1.50	1.33	0.28	9.4	71
Wigtown	580	107	29,622	510	40	21	18	19.6	7.8	16.6	17.2	15.2	1.35	0.71	0.61	18.4	109

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Croup, Diarrhoea under 2 years.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1919.

	Estimated Number of		Births.		Birth Rates.		
	Married Women aged 15-45.	Un-married Women and Widows aged 15-45.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-45.	Legiti-mate Births per 1000 Married Women aged 15-45.	Illegiti-mate Births per 1000 Un-married Women aged 15-45.
SCOTLAND . .	501,689	676,105	97,844	8,424	90·2	195	12·5
LARGER BURGHS . .	263,216	350,816	48,847	4,205	86·4	186	12·0
SMALLER BURGHS . .	95,922	137,181	18,734	1,556	87·0	195	11·3
COUNTY DISTRICTS . .	142,551	188,108	30,263	2,663	99·6	212	14·2
Counties.							
Aberdeen	29,123	42,811	5,520	772	87·5	190	18·0
Argyll	4,494	9,065	810	106	67·6	180	11·7
Ayr	26,944	36,192	5,868	400	99·3	218	11·1
Banff	5,105	7,205	1,105	141	101·2	216	19·6
Berwick	2,468	4,096	414	39	69·0	168	9·5
Bute	1,387	2,838	210	18	54·0	151	6·3
Caithness	2,182	3,870	499	68	93·7	229	17·6
Clackmannan	2,772	4,494	608	50	90·6	219	11·1
Dumbarton	15,896	19,255	3,263	189	98·2	205	9·8
Dumfries	6,063	10,107	1,398	193	98·4	231	19·1
Edinburgh (Midlothian)	55,406	86,279	9,053	857	69·9	163	9·9
Elgin (Moray)	3,334	5,600	722	117	93·9	217	20·9
Fife	31,550	35,348	5,892	415	94·3	187	11·7
Forfar	27,851	44,809	4,585	546	70·6	165	12·2
Haddington	4,447	5,837	839	83	89·7	189	14·2
Inverness	5,667	11,524	1,277	154	83·2	225	13·4
Kincardine	3,771	4,732	721	94	95·8	191	19·9
Kinross	698	1,007	122	17	81·5	175	16·9
Kirkcudbright	3,054	5,344	550	81	75·1	180	15·2
Lanark	179,822	207,830	36,822	2,674	101·9	205	12·9
Linlithgow	9,515	7,632	2,073	111	127·4	218	14·5
Nairn	697	1,431	139	17	73·3	199	11·9
Orkney	1,759	3,127	375	33	83·5	213	10·6
Peebles	1,346	2,573	195	18	54·4	145	7·0
Perth	10,466	18,669	1,722	185	65·5	165	9·9
Renfrew	31,682	43,454	6,566	418	93·0	207	9·6
Ross and Cromarty	4,699	9,694	1,183	93	88·7	252	9·6
Roxburgh	3,897	7,590	624	91	62·2	160	12·0
Selkirk	2,229	4,369	266	27	44·4	119	6·2
Shetland	1,907	3,915	351	30	65·4	184	7·7
Stirling	17,727	18,714	3,857	255	99·1	189	13·6
Sutherland	1,153	2,400	242	25	75·1	210	10·4
Wigtown	2,578	4,294	473	107	84·4	183	24·9
Larger Burghs.							
Glasgow	124,043	157,312	23,903	1,932	91·8	193	12·3
Edinburgh	33,991	61,213	5,040	572	58·9	148	9·3
Dundee	19,665	30,408	3,080	386	69·2	157	12·7
Aberdeen	17,560	24,978	3,021	358	79·4	172	14·3
Paisley	9,199	14,330	1,812	136	82·8	197	9·5
Leith	9,743	10,878	1,765	135	92·1	181	12·4
Greenock	8,666	10,044	2,161	127	122·3	249	12·6
Coatbridge	4,956	4,111	1,221	65	141·8	246	15·8
Motherwell	5,149	3,632	1,144	64	137·6	222	17·6
Kirkcaldy	4,520	5,596	773	61	82·4	171	10·9
Hamilton	4,658	3,705	1,111	66	140·7	239	17·8
Clydebank	6,066	4,512	1,196	53	118·1	197	11·7
Perth	3,595	6,119	515	70	60·2	143	11·4
Kilmarnock	3,990	5,274	785	49	90·0	197	9·3
Falkirk	3,970	3,439	677	65	100·1	171	18·9
Ayr	3,445	5,265	643	66	81·4	187	12·5

TABLE 9.—Method of Celebration etc., of Marriages in Scotland, 1855–1918.
Numbers.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	19680	6·608	8879	4665	2952	1826	350	923	76	9
1856	20740	6·923	9863	4645	2875	1953	360	984	24	36
1857	21369	7·094	10194	4789	2926	1919	416	1017	101	7
1858	19655	6·492	9104	4650	2707	1697	379	1034	57	27
1859	21201	6·969	9769	4861	2936	1822	378	1175	243	17
1860	21225	6·948	9705	4870	2837	1857	414	1217	309	16
1861	20896	6·808	9332	4969	2925	1806	386	1290	163	25
1862	20597	6·651	9307	4930	2846	1778	371	990	348	27
1863	22234	7·160	9929	5242	3249	2119	487	1113	76	19
1864	22725	7·200	9907	5507	3198	2276	459	1231	115	22
1865	23611	7·412	10177	5636	3345	2399	476	1516	30	32
1866	23688	7·367	10392	5570	3385	2259	516	1483	41	42
1867	22618	6·970	10066	5347	3247	2039	488	1323	65	43
1868	21855	6·673	9736	5015	3244	1872	467	1403	58	60
1869	22144	6·698	9761	5095	3277	2043	450	1393	56	69
1870	23854	7·149	10678	5465	3422	2121	538	1496	60	74
1871	24019	7·130	10985	5404	3325	2087	551	1498	64	105
1872	25641	7·531	11794	5661	3312	2461	579	1681	5	148
1873	26748	7·773	12187	5806	3596	2451	648	1853	10	197
1874	26390	7·588	11820	5922	3586	2267	643	1923	13	216
1875	25974	7·390	11587	5889	3443	2254	658	1899	9	235
1876	26579	7·482	11996	5944	3603	2279	719	1703	37	298
1877	25817	7·191	11773	5833	3313	2368	651	1477	47	355
1878	24358	6·713	11330	5431	3013	2181	653	1350	12	388
1879	23519	6·416	10744	5314	2878	2171	653	1415	18	326
1880	24505	6·612	11275	5287	2981	2337	700	1529	33	363
1881	26004	6·948	12179	5402	3088	2537	695	1638	46	419
1882	26596	7·053	12356	5481	3128	2697	746	1678	59	451
1883	26369	7·073	12384	5478	3252	2726	728	1699	11	591
1884	26106	6·821	12000	5499	3001	2606	705	1678	0	617
1885	25304	6·562	11692	5344	2915	2443	700	1642	0	568
1886	24515	6·310	11507	5036	2821	2241	723	1597	0	590
1887	24876	6·355	11689	4866	2928	2422	685	1655	2	629
1888	25305	6·417	11647	5052	2876	2464	783	1724	0	759
1889	26344	6·630	11846	5263	3004	2653	791	1943	3	841
1890	27469	6·862	12408	5347	3097	2791	768	2025	0	1033
1891	27969	6·929	12698	5415	3207	2692	788	2050	0	1119
1892	28670	7·029	12865	5677	3284	2850	809	1981	0	1204
1893	27145	6·585	12371	5259	3048	2489	813	1920	0	1245
1894	27604	6·627	12650	5313	3074	2608	801	1992	0	1166
1895	28422	6·752	12832	5496	3051	2855	870	2075	0	1243
1896	30270	7·115	13694	5552	3316	2991	981	2268	0	1468
1897	31050	7·222	14002	5729	3467	3026	980	2316	0	1530
1898	32112	7·391	14567	6033	3486	3091	949	2118	0	1568
1899	32978	7·511	14687	6080	3567	3419	1033	2372	0	1820
1900	32444	7·312	14600	{ 4705 Un. Free Ch. * 1768 }		3322	964	2402	0	1914

*The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE 9—continued.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to the Rites of							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1901	31387	7·000	14167	Un. Free Ch.*		3184	942	2473	0	1952
1902	31913	7·043	14267	8669		3337	969	2446	0	2091
1903	32351	7·065	14692	8803		3487	876	2592	0	1926
1904	32271	6·974	14803	8778		3328	925	2577	0	1862
1905	31270	6·686	14245	8776		3376	946	2601	0	1862
1906	33142	7·013	14983	8240		3644	983	2913	0	1985
1907	33298	6·972	15116	8634		3536	1005	2750	0	2224
1908	31606	6·548	14238	8667		3272	934	2645	0	2246
1909	30108	6·395	13753	8271		2975	908	2636	0	2015
1910	30902	6·523	13871	7821		3171	867	2703	0	2180
1911	31844	6·702	14032	8110		3404	984	2734	0	2607
1912	32506	6·856	14168	8083		3607	964	2772	0	2555
1913	33676	7·122	14328	8440		3960	1111	2746	0	3051
1914	35028	7·379	14644	8480		3951	1032	2742	0	4399
1915	36233	7·571	13414	8260		3907	1155	2436	0	7420
1916	31419	6·513	11632	7901		3612	985	2191	0	5962
1917	30421	6·266	11922	7037		3429	1070	2160	0	4982
1918	34529	7·067	13299	6858		3789	1243	2465	0	5943
				7790						

*See Note on previous page.

TABLE 10.—Method of Celebration, etc., of Marriages in Scotland, 1855–1918. Percentages.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·04
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·17
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·64	1·85	6·17	0·78	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31

TABLE 10—continued.

YEAR.	PERCENTAGE of MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Episcopal Church.	Other Denominations	Denomination not stated.	
1871	45.73	22.50	13.85	8.69	2.29	6.24	0.26	0.44
1872	46.00	22.08	12.92	9.60	2.26	6.55	0.02	0.57
1873	45.56	21.71	13.44	9.16	2.42	6.93	0.04	0.74
1874	44.79	22.44	13.59	8.59	2.44	7.29	0.05	0.81
1875	44.61	22.67	13.26	8.68	2.53	7.31	0.03	0.91
1876	45.13	22.36	13.56	8.57	2.71	6.41	0.14	1.12
1877	45.60	22.59	12.83	9.17	2.53	5.72	0.18	1.33
1878	46.51	22.30	12.37	8.96	2.68	5.54	0.05	1.59
1879	45.68	22.59	12.24	9.23	2.78	6.02	0.08	1.38
1880	46.02	21.58	12.17	9.53	2.85	6.24	0.13	1.48
1881	46.83	20.77	11.88	9.76	2.67	6.30	0.18	1.61
1882	46.46	20.61	11.76	10.14	2.80	6.31	0.22	1.70
1883	46.09	20.39	12.10	10.15	2.71	6.32	0.04	2.20
1884	45.97	21.06	11.50	9.98	2.70	6.43	0.00	2.36
1885	46.21	21.12	11.52	9.65	2.77	6.49	0.00	2.24
1886	46.94	20.54	11.51	9.14	2.95	6.51	0.00	2.41
1887	46.99	19.56	11.77	9.74	2.75	6.65	0.01	2.53
1888	46.03	19.96	11.37	9.74	3.09	6.81	0.00	3.00
1889	44.97	19.98	11.40	10.07	3.00	7.38	0.01	3.19
1890	45.17	19.47	11.27	10.16	2.80	7.37	0.00	3.76
1891	45.40	19.36	11.47	9.62	2.82	7.33	0.00	4.00
1892	44.87	19.80	11.46	9.94	2.82	6.91	0.00	4.20
1893	45.57	19.38	11.23	9.17	2.99	7.07	0.00	4.59
1894	45.82	19.25	11.14	9.45	2.90	7.22	0.00	4.22
1895	45.15	19.34	10.73	10.05	3.06	7.30	0.00	4.37
1896	45.24	18.34	10.96	9.88	3.24	7.49	0.00	4.85
1897	45.09	18.45	11.16	9.75	3.16	7.46	0.00	4.93
1898	45.36	18.79	10.86	9.63	2.95	7.53	0.00	4.88
1899	44.53	18.44	10.82	10.37	3.13	7.19	0.00	5.52
1900	45.00	{ 14.50 8.54 United Free Ch.* 5.45 }		10.24	2.97	7.40	0.00	5.90
1901	45.14	27.62		10.14	3.00	7.88	0.00	6.22
1902	44.71	27.58		10.46	3.04	7.66	0.00	6.55
1903	45.42	27.13		10.78	2.71	8.01	0.00	5.95
1904	45.87	27.19		10.31	2.87	7.99	0.00	5.77
1905	45.55	26.35		10.80	3.03	8.32	0.00	5.95
1906	45.21	26.05		10.99	2.97	8.79	0.00	5.99
1907	45.39	26.03		10.62	3.02	8.26	0.00	6.68
1908	45.05	26.17		10.35	2.95	8.37	0.00	7.11
1909	45.68	25.98		9.88	3.02	8.75	0.00	6.69
1910	44.89	26.24		10.26	2.81	8.75	0.00	7.05
1911	44.06	25.38		10.69	3.09	8.59	0.00	8.19
1912	43.59	25.96		11.10	2.96	8.53	0.00	7.86
1913	42.55	25.18		11.76	3.30	8.15	0.00	9.06
1914	41.81	23.58		11.28	2.94	7.83	0.00	12.56
1915	37.02	21.81		10.78	3.19	6.72	0.00	20.48
1916	37.02	22.40		11.50	3.13	6.97	0.00	18.98
1917	39.19	22.54		11.27	3.52	7.10	0.00	16.38
1918	38.52	22.56		10.97	3.60	7.14	0.00	17.21

* See Note on page lxxxvii.

TABLE 11.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1918. Numbers.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between				
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women					
1855	?	?	7724	11118	11955	8561	17436	15174	2244	4506	15251	557	1863	619	
1856	?	?	8433	12033	12307	8707	18285	15772	2455	4968	17035	536	1721	605	
1857	1593	4568	8974	12453	12395	8916	18781	16064	2588	5305	17030	521	1648	601	
1858	1448	4172	8096	11492	11559	8163	17328	14929	2327	4726	16196	492	1624	533	
1859	1571	4565	8726	12425	12475	8776	18992	16494	2209	4707	17536	567	1864	603	
1860	1561	4607	8666	12459	12559	8766	19036	16616	2189	4609	18157	508	1738	558	
1861	1480	4403	8550	12235	12346	8661	18679	16439	2217	4457	17431	441	1768	517	
1862	1569	4496	8663	12205	11934	8392	18535	16405	2062	4192	17392	464	1747	501	
1863	1756	4897	9731	13304	12503	8930	19819	17319	2415	4915	19142	348	1856	584	
1864	1695	4989	9662	13547	13063	9178	20120	17298	2605	5427	19383	497	1922	631	
1865	1690	5010	9859	13864	13752	9747	20914	18364	2697	5247	20158	593	2055	642	
1866	1706	4896	9923	13843	13765	9845	21032	18483	2656	5205	20080	601	2094	715	
1867	1532	4611	9180	12991	13438	9627	20224	17931	2394	4687	19067	578	2075	689	
1868	1459	4463	8668	12439	13187	9416	19712	17701	2143	4154	18609	484	1966	671	
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651	
1870	1744	5175	9657	13723	14197	10131	21403	19194	2451	4660	20262	653	2132	759	
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778	
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889	
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851	
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855	
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837	
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896	
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778	
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752	
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725	
1880	1769	5393	10220	14628	14285	9877	22696	20777	1809	3728	20848	764	2122	750	
1881	1815	5792	10818	15522	15186	10482	24168	22380	1836	3924	22320	700	2151	826	
1882	2062	5994	11131	15987	15465	10609	24774	23097	1822	3499	22984	684	2134	791	
1883	2026	5935	11137	16010	15732	10859	25159	23617	1710	3252	23112	757	2224	765	
1884	1925	5821	10631	15376	15475	10730	24498	23149	1608	2957	22354	745	2186	808	
1885	1825	5430	10183	14782	15121	10522	23936	22854	1368	2450	21761	681	2063	794	
1886	1687	5039	9505	14182	15010	10333	23374	22485	1141	2030	20917	659	2178	758	
1887	1661	5063	9555	14137	15321	10739	23758	22836	1118	2040	21271	677	2166	758	
1888	1664	5168	9708	14536	15597	10769	24305	23437	1030	1868	21807	672	2078	741	
1889	1632	5154	10009	14869	16335	11475	25211	24401	1133	1943	22621	724	2176	808	
1890	1713	5428	10520	15641	16949	11828	26391	25706	1078	1763	23715	747	2178	816	
1891	1734	5450	10565	15683	17404	12286	27014	26385	955	1584	24183	740	2248	782	
1892	1785	5641	10761	16036	17909	12634	27743	27244	927	1426	24873	769	2234	790	
1893	1702	5224	10023	14948	17122	12197	26411	25940	734	1205	23575	705	2066	799	
1894	1680	5185	10150	15130	17454	12474	26638	26360	766	1244	23964	721	2118	796	
1895	1672	5293	10385	15721	18037	12701	27675	27211	747	1211	24745	769	2118	780	
1896	1886	5669	11030	16490	19240	13780	29585	29125	685	1145	26460	775	2186	839	
1897	1917	5801	11530	17284	19520	13766	30380	30036	670	1014	27329	844	2087	785	
1898	1917	5916	11832	17810	20280	14302	31528	31146	584	966	28371	761	2153	819	
1899	2009	6019	12214	18224	20764	14754	32349	32046	629	932	29198	863	2097	814	
1900	2006	6039	12040	11763	20404	14681	31744	31547	700	897	28685	908	2044	801	

TABLE 11.—continued.

YEARS.	Number who Married—Aged						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		25 years and over.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1901	1927	5788	11429	16842	19958	14545	30769	30548	618	839	27702	892	1998	794
1902	1917	5608	11399	16801	20514	15112	31337	31099	576	814	28186	921	1988	805
1903	1983	5902	11747	17341	20604	15010	31787	31607	564	744	28602	920	2039	772
1904	1937	5922	11328	17191	20943	15080	31717	31529	554	742	28949	794	2055	752
1905	1895	5846	10901	16614	20369	14656	30765	30592	505	678	27669	820	1996	761
1906	2022	6107	11425	17643	21717	15497	32661	32489	481	653	29557	807	1986	773
1907	1902	5905	11396	17460	21899	15835	32860	32716	438	582	29684	805	2042	735
1908	1872	5604	10915	16475	20691	15131	31284	31099	322	507	28233	752	1962	638
1909	1693	5168	10097	15399	20011	14709	29761	29662	347	446	29846	722	1884	632
1910	1690	5267	10164	15443	20738	15459	30600	30489	302	413	27529	712	1910	743
1911	1723	5489	10388	15824	21456	16020	31606	31447	238	397	28325	785	1944	772
1912	1846	5766	10771	16348	21735	16158	32287	32187	219	319	29212	752	1773	754
1913	2076	6379	11343	17345	22333	16331	33406	33298	270	378	30107	803	1923	813
1914	2286	6730	12184	18063	22844	16965	34795	34656	233	372	31561	797	1853	808
1915	2111	6655	12479	18533	23754	17700	36011	35957	222	276	32515	1032	1834	847
1916	1679	5445	9935	15475	21484	15944	31163	31124	256	295	27457	1288	1781	886
1917	1900	5215	9348	14869	21073	15552	30200	30172	221	249	26200	1416	1845	959
1918	2081	5609	10425	16513	24104	18016	34338	34288	191	241	29542	1304	2042	1137

TABLE 12.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1918. Percentages.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	39·25	56·50	60·75	43·50	86·60	77·10	11·40	22·90	83·38	3·05	10·19	3·38
1856	?	?	40·66	58·02	59·34	41·98	88·16	76·05	11·84	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·00	58·28	58·00	41·72	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·19	58·47	58·81	41·53	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·16	58·61	58·84	41·39	89·11	77·80	10·89	22·20	85·25	2·76	9·06	2·93
1860	7·37	21·78	40·83	58·70	59·17	41·30	89·69	78·29	10·31	21·71	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·92	58·55	59·08	41·45	89·39	77·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·06	59·26	57·94	40·74	89·99	79·65	10·81	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·06	43·77	59·84	56·23	40·16	89·14	77·90	10·86	22·10	87·29	1·59	8·46	2·66
1864	7·47	22·00	42·52	59·61	57·48	40·39	88·54	76·13	11·46	23·87	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·76	58·72	58·24	41·28	88·58	77·78	11·42	22·22	85·97	2·53	0·77	2·73
1866	7·20	20·69	41·89	58·44	58·11	41·56	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·59	57·44	59·41	42·56	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·66	56·92	60·34	43·08	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·35	60·30	42·65	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·48	57·53	59·52	42·47	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19

TABLE 12.—continued.

YEARS.	Percentage who Married—Aged						Percentage who Signed				Proportion in every 100 Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·95	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09
1879	7·64	22·06	42·11	59·00	57·89	41·00	92·37	84·69	7·63	15·31	84·68	3·32	8·86	3·08
1880	7·22	22·01	41·71	59·69	58·29	40·31	92·62	84·79	7·38	15·21	85·07	3·12	8·66	3·06
1881	6·98	22·27	41·60	59·69	58·40	40·31	92·94	86·06	7·06	13·94	85·83	2·69	8·27	3·18
1882	7·75	22·54	41·85	60·11	58·15	39·89	93·15	86·84	6·85	13·16	86·42	2·57	8·02	2·97
1883	7·54	22·09	41·45	59·59	58·55	40·41	93·64	87·90	6·36	12·10	86·02	2·82	8·28	2·85
1884	7·37	22·30	40·72	58·90	59·28	41·10	93·84	88·67	6·16	11·33	85·63	2·85	8·37	3·10
1885	7·21	21·46	40·24	58·42	59·76	41·58	94·59	90·32	5·41	9·68	86·08	2·69	8·15	3·14
1886	6·88	20·55	38·77	57·85	61·21	42·12	95·35	91·72	4·65	8·28	85·32	2·69	8·88	3·09
1887	6·68	20·35	38·41	56·83	61·59	43·17	95·91	91·80	4·49	8·20	85·51	2·72	8·71	3·06
1888	6·58	20·42	38·36	57·44	61·64	42·56	96·05	92·62	3·95	7·38	86·18	2·66	8·21	2·93
1889	6·19	19·56	34·20	56·44	65·80	43·56	95·70	92·62	4·30	7·38	85·87	2·75	8·26	3·06
1890	6·24	19·76	38·30	56·94	61·70	43·06	96·08	93·58	3·92	6·42	86·33	2·72	7·93	2·97
1891	6·19	19·49	37·77	56·07	62·23	43·93	96·59	94·34	3·41	5·66	86·46	2·65	8·94	2·80
1892	6·23	19·68	37·53	55·93	62·47	44·07	96·77	95·03	3·23	4·97	86·76	2·68	7·79	2·76
1893	6·27	19·24	36·92	55·07	63·08	44·93	97·30	95·56	2·70	4·44	86·85	2·60	7·61	2·94
1894	6·09	18·78	36·31	54·15	63·23	45·19	97·23	95·49	2·77	4·51	86·81	2·61	7·67	2·88
1895	5·88	18·62	39·54	55·31	63·46	44·69	97·37	95·74	2·63	4·26	87·06	2·71	7·45	2·74
1896	6·23	18·72	36·44	54·48	63·56	45·52	97·74	96·22	2·26	3·78	87·41	2·56	7·22	2·77
1897	6·17	18·68	37·13	53·11	62·87	44·33	97·84	96·73	2·16	3·27	88·01	2·72	6·72	2·53
1898	5·97	18·42	36·85	55·46	63·15	44·54	98·18	96·99	1·82	3·01	88·35	2·37	6·70	2·55
1899	6·09	18·25	37·04	55·26	62·96	44·74	98·09	97·17	1·91	2·83	88·54	2·62	6·36	2·47
1900	6·18	18·61	37·11	54·75	62·89	45·25	97·84	97·24	2·16	2·76	88·41	2·80	6·30	2·47
1901	6·14	18·44	36·41	53·66	63·59	46·34	98·03	97·33	1·97	2·67	88·26	2·84	6·37	2·53
1902	6·01	17·57	35·72	52·65	64·28	47·35	98·20	97·45	1·80	2·55	88·36	2·89	6·23	2·52
1903	6·13	18·24	36·31	53·60	63·69	46·40	98·26	97·70	1·74	2·30	88·46	2·84	6·31	2·39
1904	6·00	18·35	35·10	53·27	64·90	46·73	98·28	97·70	1·72	2·30	88·84	2·46	6·37	2·33
1905	6·06	18·70	34·86	53·13	65·14	48·87	98·39	97·83	1·61	2·17	88·55	2·62	6·39	2·44
1906	6·10	18·43	34·47	53·24	65·53	46·76	98·55	98·03	1·45	1·97	89·23	2·44	6·00	2·33
1907	5·71	17·73	34·23	52·44	65·77	47·57	98·68	98·25	1·32	1·75	89·23	2·42	6·14	2·21
1908	5·92	17·73	34·53	52·13	65·47	47·87	98·98	98·40	1·02	1·60	89·39	2·38	6·21	2·02
1909	5·62	17·16	33·54	51·15	66·46	48·85	98·85	98·52	1·15	1·48	89·24	2·40	6·26	2·10
1910	5·47	17·04	32·89	49·97	67·11	50·03	99·02	98·66	0·98	1·34	89·11	2·30	6·18	2·41
1911	5·42	17·26	32·66	49·75	67·34	50·25	99·25	98·75	0·75	1·25	89·00	2·47	6·11	2·42
1912	5·68	17·74	33·14	50·29	66·86	49·71	99·33	99·02	0·67	0·98	89·91	2·31	5·46	2·32
1913	6·16	18·94	33·68	51·51	66·32	48·49	99·20	98·88	0·80	1·12	89·50	2·38	5·71	2·41
1914	6·53	19·21	34·78	51·57	65·22	48·43	99·33	98·94	0·67	1·06	90·12	2·28	5·29	2·31
1915	5·83	18·37	34·44	51·15	65·56	48·85	99·39	99·24	0·61	0·76	89·75	2·85	5·06	2·34
1916	5·34	17·33	31·62	49·25	68·38	50·75	99·19	99·06	0·81	0·94	87·41	4·10	5·67	2·82
1917	6·25	17·14	30·73	48·88	69·27	51·12	99·27	99·18	0·73	0·82	86·13	4·65	6·07	3·15
1918	6·03	16·24	30·19	47·82	69·81	52·18	99·45	99·30	0·55	0·70	85·57	5·23	5·91	3·29

TABLE 13.—Regular and Irregular Marriages in Scotland, 1918.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	34,529	19,015	9,074	497	5,934	9	55·1	26·3	1·4	17·2	0·0
LARGER BURGHs	21,346	8,826	6,756	274	5,483	7	41·3	31·7	1·3	25·7	0·0
OTHER DISTRICTS	13,183	10,189	2,318	223	451	2	77·3	17·6	1·7	3·4	0·0
Counties.											
Aberdeen	2,263	1,232	521	35	474	1	54·5	23·1	1·5	20·9	0·0
Argyll	251	232	8	1	10	—	92·4	3·2	0·4	4·0	—
Ayr	1,660	1,242	275	44	99	—	74·8	16·6	2·7	5·9	—
Banff	280	250	11	4	15	—	89·3	3·9	1·4	5·4	—
Berwick	138	137	1	—	—	—	99·3	0·7	—	—	—
Bute	56	48	4	2	2	—	85·7	7·1	3·6	3·6	—
Caithness	148	137	2	2	7	—	92·5	1·4	1·4	4·7	—
Clackmannan	198	163	30	2	3	—	82·3	15·2	1·0	1·5	—
Dumbarton	804	503	283	15	3	—	62·6	35·2	1·8	0·4	—
Dumfries	595	463	72	4	56	—	77·8	12·1	0·7	9·4	—
Edinburgh	4,888	2,437	1,135	67	1,247	2	49·9	23·2	1·4	25·5	0·0
(Midlothian)											
Elgin (Moray)	301	235	29	—	37	—	78·1	9·6	—	12·3	—
Fife	1,533	1,101	290	26	115	1	71·8	18·9	1·7	7·5	0·1
Forfar	1,925	981	635	21	287	1	50·9	33·0	1·1	14·9	0·1
Haddington	197	184	7	3	3	—	93·4	3·6	1·5	1·5	—
Inverness	504	364	57	12	71	—	72·2	11·3	2·4	14·1	—
Kincardine	159	118	38	—	3	—	74·2	23·9	—	1·9	—
Kinross	33	32	1	—	—	—	97·0	3·0	—	—	—
Kirkcudbright	180	169	4	4	3	—	93·9	2·2	2·2	1·7	—
Lanark	13,155	5,055	4,637	196	3,264	3	38·5	35·2	1·5	24·8	0·0
Linlithgow	402	339	56	4	3	—	84·3	14·0	1·0	0·7	—
Nairn	71	65	4	—	2	—	91·6	5·6	—	2·8	—
Orkney	155	139	2	—	14	—	89·7	1·3	—	9·0	—
Peebles	60	57	1	2	—	—	95·0	1·7	3·3	—	—
Perth	674	483	115	16	60	—	71·6	17·1	2·4	8·9	—
Renfrew	1,926	1,244	598	21	62	1	64·6	31·0	1·1	3·2	0·1
Ross and Cromarty	334	216	98	3	17	—	64·7	29·3	0·9	5·1	—
Roxburgh	284	254	21	2	7	—	89·4	7·4	0·7	2·5	—
Selkirk	125	103	20	1	1	—	82·4	16·0	0·8	0·8	—
Shetland	126	125	1	—	—	—	99·2	0·8	—	—	—
Stirling	892	703	114	9	66	—	78·8	12·8	1·0	7·4	—
Sutherland	58	54	3	1	—	—	93·1	5·2	1·7	—	—
Wigtown	154	150	1	—	3	—	97·4	0·7	—	1·9	—
Larger Burghs.											
Glasgow	10,403	3,408	3,651	139	3,202	3	32·8	35·1	1·3	30·8	0·0
Edinburgh	3,754	1,693	791	50	1,218	2	45·1	21·1	1·3	32·4	0·1
Dundee	1,355	502	572	11	269	1	37·0	42·2	0·8	19·9	0·1
Aberdeen	1,617	613	505	28	471	—	38·0	31·2	1·7	29·1	—
Paisley	659	423	197	7	32	—	64·2	29·9	1·1	4·8	—
Leith	613	298	280	6	29	—	48·6	45·7	1·0	4·7	—
Greenock	544	362	153	1	27	1	66·5	28·1	0·2	5·0	0·2
Coatbridge	243	85	152	2	4	—	35·0	62·6	0·8	1·6	—
Motherwell	219	154	56	4	5	—	70·3	25·6	1·8	2·3	—
Kirkcaldy	262	209	25	3	25	—	79·8	9·5	1·2	9·5	—
Hamilton	242	196	29	5	12	—	81·0	12·0	2·1	4·9	—
Clydebank	277	175	99	3	—	—	63·2	35·7	1·1	—	—
Perth	322	159	97	8	58	—	49·4	30·1	2·5	18·0	—
Kilmarnock	281	133	94	5	49	—	47·3	33·5	1·8	17·4	—
Falkirk	243	191	17	1	34	—	78·6	7·0	0·4	14·0	—
Ayr	312	225	38	1	48	—	72·1	12·2	0·3	15·4	—

TABLE 14.—Church of Celebration of Regular Marriages in Scotland, 1918.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.						PERCENTAGE TO TOTAL MARRIAGES.					
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.	Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Episcopal Church.	Other Denominations.
SCOTLAND . . .	34,529	13,299	7,790	273	3,789	1,243	2,192	38·5	22·6	0·8	11·0	3·6	6·3
LARGER BURGHS . .	21,346	6,437	4,442	68	2,586	856	1,467	30·0	20·7	0·3	12·3	4·0	6·8
OTHER DISTRICTS . .	13,183	6,862	3,348	205	1,203	387	725	52·1	25·4	1·6	9·1	2·9	5·4
Counties.													
Aberdeen	2,263	1,026	491	—	43	77	151	45·3	21·7	—	1·9	3·5	6·7
Argyll	251	141	61	6	15	11	7	56·1	24·3	2·4	6·0	4·4	2·8
Ayr	1,660	854	445	—	127	37	98	51·5	26·8	—	7·7	2·2	5·9
Banff	280	157	74	—	11	4	19	56·1	26·4	—	3·9	1·4	6·8
Berwick	138	102	31	—	1	1	3	73·9	22·5	—	0·7	0·7	2·2
Bute	56	18	23	4	5	3	1	32·1	41·1	7·1	8·9	5·4	1·8
Caithness	148	66	59	8	—	—	8	44·6	39·9	5·4	—	—	5·4
Clackmannan	198	114	53	—	13	5	10	57·6	26·8	—	6·6	2·5	5·0
Dumbarton	804	350	191	6	177	38	39	43·5	23·8	0·7	22·0	4·7	4·9
Dumfries	595	322	99	1	44	50	23	54·1	16·6	0·2	7·4	8·4	3·9
Edinburgh (Midlothian)	4,888	1,761	1,056	13	301	297	211	36·0	21·6	0·3	6·2	6·1	4·3
Elgin (Moray)	301	160	85	4	2	3	10	53·2	28·2	1·3	0·7	1·0	3·3
Fife	1,533	778	406	2	74	62	95	50·8	26·5	0·1	4·8	4·0	6·2
Forfar	1,925	742	427	1	195	146	126	38·5	22·2	0·1	10·1	7·6	6·5
Haddington	197	127	32	—	25	9	1	64·5	16·2	—	12·7	4·6	0·5
Inverness	504	198	117	37	35	17	29	39·3	23·2	7·3	6·9	3·4	5·8
Kincardine	159	109	28	—	4	13	2	68·6	17·6	—	2·5	8·2	1·2
Kinross	33	27	5	—	—	1	—	81·8	15·2	—	—	3·0	—
Kirkcudbright	180	122	35	—	10	3	7	67·8	19·4	—	5·5	1·7	3·9
Lanark	13,155	3,801	2,613	54	2,145	301	974	28·9	19·9	0·4	16·3	2·3	7·4
Linlithgow	402	221	104	—	60	4	10	55·0	25·9	—	14·8	1·0	2·6
Nairn	71	32	25	3	3	2	4	45·1	35·3	4·2	4·2	2·8	5·6
Orkney	155	74	60	—	—	—	7	47·8	38·7	—	—	—	4·5
Peebles	60	31	13	—	5	6	5	51·7	21·7	—	8·3	10·0	8·3
Perth	674	351	175	3	30	27	28	52·1	26·0	0·4	4·5	4·0	4·1
Renfrew	1,926	732	504	2	363	78	179	38·0	26·2	0·1	19·1	4·0	9·3
Ross and Cromarty	334	77	100	115	2	1	22	23·1	29·9	34·4	0·6	0·3	6·6
Roxburgh	284	172	72	—	6	18	9	60·6	25·4	—	2·1	6·3	3·1
Selkirk	125	63	40	—	5	9	7	50·4	32·0	—	4·0	7·2	5·6
Shetland	126	47	43	—	1	3	32	37·3	34·1	—	0·8	2·4	25·4
Stirling	892	419	249	—	77	15	66	47·0	27·9	—	8·6	1·7	7·4
Sutherland	58	14	26	14	1	—	3	24·1	44·9	24·1	1·7	—	5·2
Wigtown	154	91	48	—	4	2	6	59·1	31·2	—	2·6	1·3	3·9
Larger Burghs.													
Glasgow	10,403	2,625	1,999	50	1,545	264	715	25·2	19·2	0·5	14·9	2·5	6·9
Edinburgh	3,754	1,125	782	11	196	255	165	30·0	20·8	0·3	5·2	6·8	4·4
Dundee	1,355	392	268	1	192	118	114	28·9	19·8	0·1	14·1	8·7	8·4
Aberdeen	1,617	574	361	—	34	64	113	35·5	22·3	—	2·1	4·0	7·0
Paisley	659	223	210	1	111	15	67	33·8	31·9	0·2	16·8	2·3	10·2
Leith	613	294	184	2	53	28	23	48·0	30·0	0·3	8·6	4·6	3·8
Greenock	544	214	84	—	116	31	71	39·3	15·4	—	21·3	5·7	13·1
Coatbridge	243	52	61	1	97	4	24	21·4	25·2	0·4	39·9	1·6	9·9
Motherwell	219	106	40	—	35	3	30	48·4	18·2	—	16·0	1·4	13·7
Kirkcaldy	262	118	71	1	9	14	24	45·1	27·1	0·4	3·4	5·3	9·2
Hamilton	242	101	48	—	47	8	26	41·8	19·8	—	19·5	3·3	10·7
Clydebank	277	113	62	—	65	11	26	40·8	22·4	—	23·4	4·0	9·4
Perth	322	126	78	1	23	13	23	39·1	24·2	0·3	7·2	4·0	7·2
Kilmarnock	281	114	85	—	21	5	7	40·6	30·2	—	7·5	1·8	2·5
Falkirk	243	104	52	—	27	5	21	42·8	21·4	—	11·1	2·1	8·6
Ayr	312	156	57	—	15	18	18	50·0	18·2	—	4·8	5·8	5·8

TABLE 15.—Civil Condition of Persons Marrying in Scotland, 1918.

	Total Marriages.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND	34,529	29,542	1,804	2,042	1,137	4	85·6	5·2	5·9	3·3	0·0
LARGER BURGHS	21,346	17,821	1,393	1,278	854	—	83·5	6·5	6·0	4·0	—
OTHER DISTRICTS	13,183	11,721	411	764	283	4	88·9	3·1	5·8	2·2	0·0
Counties.											
Aberdeen	2,263	1,991	92	117	63	—	87·9	4·1	5·2	2·8	—
Argyll	251	225	7	14	5	—	89·6	2·8	5·6	2·0	—
Ayr	1,660	1,463	60	92	45	—	88·2	3·6	5·5	2·7	—
Banff	280	253	6	17	4	—	90·4	2·1	6·1	1·4	—
Berwick	138	122	2	13	1	—	88·5	1·4	9·4	0·7	—
Bute	56	50	—	5	1	—	89·3	—	8·9	1·8	—
Caithness	148	128	5	11	4	—	86·5	3·4	7·4	2·7	—
Clackmannan	198	178	9	7	4	—	90·0	4·5	3·5	2·0	—
Dumbarton	804	732	18	36	18	—	91·1	2·2	4·5	2·2	—
Dumfries	595	506	16	57	16	—	85·0	2·7	9·6	2·7	—
Edinburgh	4,888	4,107	326	303	152	—	84·0	6·7	6·2	3·1	—
(Midlothian)											
Elgin (Moray)	301	266	6	21	8	—	88·4	2·0	7·0	2·6	—
Fife	1,533	1,334	68	75	56	—	87·0	4·4	4·9	3·7	—
Forfar	1,925	1,623	97	127	78	—	84·3	5·0	6·6	4·1	—
Haddington	197	174	10	8	5	—	88·3	5·1	4·1	2·5	—
Inverness	504	424	31	34	15	—	84·1	6·2	6·7	3·0	—
Kincardine	159	139	5	13	2	—	87·4	3·1	8·2	1·3	—
Kinross	33	28	—	2	2	1	84·8	—	6·1	6·1	3·0
Kirkcudbright	180	159	1	17	3	—	88·3	0·6	9·4	1·7	—
Lanark	13,155	10,960	889	760	545	1	83·3	6·8	5·8	4·1	0·0
Linlithgow	402	372	14	9	7	—	92·6	3·4	2·3	1·7	—
Nairn	71	68	—	2	1	—	95·8	—	2·8	1·4	—
Orkney	155	144	1	8	2	—	92·9	0·6	5·2	1·3	—
Peebles	60	54	—	6	—	—	90·0	—	10·0	—	—
Perth	674	593	21	49	11	—	88·0	3·1	7·3	1·6	—
Renfrew	1,926	1,711	52	107	56	—	88·8	2·7	5·6	2·9	—
Ross and Cromarty	334	305	7	20	2	—	91·3	2·1	6·0	0·6	—
Roxburgh	284	247	9	22	6	—	87·0	3·2	7·7	2·1	—
Selkirk	125	106	3	15	1	—	84·8	2·4	12·0	0·8	—
Shetland	126	112	3	9	2	—	88·9	2·4	7·1	1·6	—
Stirling	892	786	40	43	21	2	88·1	4·5	4·8	2·4	0·2
Sutherland	58	51	2	5	—	—	88·0	3·4	8·6	—	—
Wigtown	154	131	4	18	1	—	85·1	2·6	11·7	0·6	—
Larger Burghs.											
Glasgow	10,403	8,504	782	629	488	—	81·8	7·5	6·0	4·7	—
Edinburgh	3,754	3,127	261	239	127	—	83·3	6·9	6·4	3·4	—
Dundee	1,355	1,121	81	87	66	—	82·7	6·0	6·4	4·9	—
Aberdeen	1,617	1,396	80	83	58	—	86·4	4·9	5·1	3·6	—
Paisley	659	531	12	46	20	—	88·2	1·8	7·0	3·0	—
Leith	613	518	42	39	14	—	84·5	6·8	6·4	2·3	—
Greenock	544	484	23	23	14	—	89·0	4·2	4·2	2·6	—
Coatbridge	243	206	16	13	8	—	84·8	6·6	5·3	3·3	—
Motherwell	219	197	3	16	3	—	89·9	1·4	7·3	1·4	—
Kirkcaldy	262	224	13	11	14	—	85·5	5·0	4·2	5·3	—
Hamilton	242	214	15	9	4	—	88·4	6·2	3·7	1·7	—
Clydebank	277	258	5	11	3	—	93·1	1·8	4·0	1·1	—
Perth	322	280	10	28	4	—	87·0	3·1	8·7	1·2	—
Kilmarnock	281	239	16	13	13	—	85·1	5·7	4·6	4·6	—
Falkirk	243	208	15	11	9	—	85·6	6·2	4·5	3·7	—
Ayr	312	264	19	20	9	—	84·6	6·1	6·4	2·9	—

TABLE 16.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1918.

	Total Marriages.	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND . . .	34,529	34,338	191	34,288	241	99·4	0·6	99·3	0·7
LARGER BURGHS . . .	21,346	21,225	121	21,163	183	99·5	0·5	99·2	0·8
OTHER DISTRICTS . . .	13,183	13,113	70	13,125	58	99·5	0·5	99·6	0·4
Counties.									
Aberdeen	2,263	2,261	2	2,259	4	99·9	0·1	99·8	0·2
Argyll	251	251	—	249	2	100·0	0·0	99·2	0·8
Ayr	1,660	1,651	9	1,652	8	99·5	0·5	99·5	0·5
Banff	280	279	1	278	2	99·6	0·4	99·3	0·7
Berwick	138	138	—	137	1	100·0	0·0	99·3	0·7
Bute	56	56	—	56	—	100·0	0·0	100·0	0·0
Caithness	148	147	1	146	2	99·3	0·7	98·6	1·4
Clackmannan	198	198	—	197	1	100·0	0·0	99·5	0·5
Dumbarton	804	801	3	804	—	99·6	0·4	100·0	0·0
Dumfries	595	592	3	594	1	99·5	0·5	99·8	0·2
Edinburgh	4,888	4,865	23	4,868	20	99·5	0·5	99·6	0·4
(Midlothian)									
Elgin (Moray)	301	297	4	300	1	98·7	1·3	99·7	0·3
Fife	1,533	1,527	6	1,529	4	99·6	0·4	99·7	0·3
Forfar	1,925	1,911	14	1,902	23	99·3	0·7	98·8	1·2
Haddington	197	195	2	195	2	99·0	1·0	99·0	1·0
Inverness	504	494	10	495	9	98·0	2·0	98·2	1·8
Kincardine	159	159	—	159	—	100·0	0·0	100·0	0·0
Kinross	33	33	—	33	—	100·0	0·0	100·0	0·0
Kirkcudbright	180	180	—	180	—	100·0	0·0	100·0	0·0
Lanark	13,155	13,068	87	13,019	136	99·3	0·7	99·0	1·0
Linlithgow	402	399	3	401	1	99·3	0·7	99·8	0·2
Nairn	71	70	1	71	—	98·6	1·4	100·0	0·0
Orkney	155	155	—	155	—	100·0	0·0	100·0	0·0
Peebles	60	60	—	59	1	100·0	0·0	98·3	1·7
Perth	674	667	7	670	4	99·0	1·0	99·4	0·6
Renfrew	1,926	1,918	8	1,915	11	99·6	0·4	99·4	0·6
Ross and Cromarty	334	332	2	329	5	99·4	0·6	98·5	1·5
Roxburgh	284	284	—	284	—	100·0	0·0	100·0	0·0
Selkirk	125	125	—	125	—	100·0	0·0	100·0	0·0
Shetland	126	126	—	125	1	100·0	0·0	99·2	0·8
Stirling	892	887	5	890	2	99·4	0·6	99·8	0·2
Sutherland	58	58	—	58	—	100·0	0·0	100·0	0·0
Wigtown	154	154	—	154	—	100·0	0·0	100·0	0·0
Larger Burghs.									
Glasgow	10,403	10,338	65	10,283	120	99·4	0·6	98·8	1·2
Edinburgh	3,754	3,736	18	3,740	14	99·5	0·5	99·6	0·4
Dundee	1,355	1,344	11	1,334	21	99·2	0·8	98·5	1·5
Aberdeen	1,617	1,616	1	1,613	4	99·9	0·1	99·8	0·2
Paisley	659	658	1	655	4	99·8	0·2	99·4	0·6
Leith	613	610	3	609	4	99·5	0·5	99·3	0·7
Greenock	544	539	5	543	1	99·1	0·9	99·8	0·2
Coatbridge	243	242	1	242	1	99·6	0·4	99·6	0·4
Motherwell	219	219	—	219	—	100·0	0·0	100·0	0·0
Kirkcaldy	262	262	—	261	1	100·0	0·0	99·6	0·4
Hamilton	242	238	4	237	5	98·3	1·7	97·9	2·1
Clydebank	277	275	2	277	—	99·3	0·7	100·0	0·0
Perth	322	317	5	319	3	98·4	1·6	99·1	0·9
Kilmarnock	281	277	4	277	4	98·6	1·4	98·6	1·4
Falkirk	243	243	—	242	1	100·0	0·0	99·6	0·4
Ayr	312	311	1	312	—	99·7	0·3	100·0	0·0

TABLE 17.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1918.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1918.

TABLE 17.—AGES of MEN at Marriage in Scotland, 1918.

	All Ages.	Average Age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80 and over.	Not stated.
SCOTLAND	34,529	30·25	—	5	111	369	621	975	8,344	10,999	5,667	2,955	1,832	1230	644	436	207	87	33	9	5	—	—
LARGER BURGHS	21,346	30·36	—	5	85	259	411	589	5,166	6,630	3,458	1,841	1,166	814	409	293	133	60	17	6	4	—	—
COUNTY DISTRICTS	13,183	30·08	—	—	26	110	210	386	3,178	4,369	2,209	1,114	666	416	235	143	74	27	16	3	1	—	—
<i>Counties.</i>																							
Aberdeen . . .	2,263	29·99	—	1	11	37	52	57	566	726	357	164	127	57	41	35	18	10	2	1	1	—	—
Argyll . . .	251	32·17	—	—	1	—	—	3	42	84	46	33	15	16	5	3	2	1	—	—	—	—	—
Ayr . . .	1,660	29·10	—	—	2	13	46	57	446	562	260	116	59	55	14	18	7	3	2	—	—	—	—
Banff . . .	280	30·02	—	—	1	4	5	2	72	89	56	22	11	3	9	5	—	—	—	—	—	—	—
Berwick . . .	138	31·96	—	—	—	—	2	2	21	46	27	22	7	4	4	2	1	—	—	—	—	—	—
Bute . . .	56	32·63	—	—	—	—	—	—	7	22	13	6	1	2	2	2	1	—	—	—	—	—	—
Caithness . . .	148	32·31	—	—	—	—	3	—	31	43	23	14	19	3	1	5	—	—	3	—	—	—	—
Clackmannan . . .	198	28·72	—	—	1	2	6	11	51	64	30	16	5	8	2	1	—	—	—	—	—	—	—
Dumbarton . . .	804	29·41	—	—	2	2	10	15	191	319	128	72	26	21	6	8	3	—	1	—	—	—	—
Dumfries . . .	595	31·61	—	—	—	8	4	17	120	176	107	62	39	26	23	8	4	—	1	—	—	—	—
Edinburgh (Midlothian)	4,888	30·50	—	—	13	41	89	119	1,126	1,581	832	448	243	190	91	68	32	11	1	1	2	—	—
Elgin (Moray)	301	31·44	—	—	—	2	2	8	57	102	59	29	15	11	6	3	3	2	2	—	—	—	—
Fife . . .	1,533	29·15	—	—	5	19	21	50	417	532	226	108	74	37	23	12	7	1	1	—	—	—	—
Forfar . . .	1,925	30·90	—	2	14	21	23	47	437	609	314	162	112	81	49	32	11	9	1	1	—	—	—
Haddington . . .	197	28·97	—	—	—	3	5	6	57	65	30	11	6	7	3	3	—	1	—	—	—	—	—
Inverness . . .	504	33·62	—	—	—	1	2	9	95	125	89	61	48	36	19	12	5	2	—	—	—	—	—
Kincardine . . .	159	29·62	—	—	—	1	1	—	52	51	24	13	8	3	2	1	2	1	—	—	—	—	—
Kinross . . .	33	32·83	—	—	—	—	—	—	6	12	4	7	—	1	1	1	1	—	—	—	—	—	—
Kirkcudbright . . .	180	33·53	—	—	—	—	—	—	31	53	36	23	12	13	2	4	2	3	1	—	—	—	—

AGES of MEN at Marriage in Scotland, 1918.

Lanark	13,155	30·15	—	—	—	2	50	168	263	418	3,290	4,005	2,086	1,118	737	493	245	158	77	30	12	3	—	—
Linlithgow	402	27·56	—	—	—	—	1	6	10	21	126	144	49	19	16	5	3	—	1	1	—	—	—	—
Nairn	71	29·73	—	—	—	—	1	1	3	2	15	23	14	5	7	—	—	1	—	1	—	—	—	—
Orkney	155	30·85	—	—	—	—	2	2	3	4	34	43	28	16	7	9	5	—	2	—	—	—	—	—
Peebles	60	32·20	—	—	—	—	—	—	1	1	7	20	14	5	7	4	—	—	—	1	—	—	—	—
Perth	674	31·24	—	—	—	—	2	8	6	8	145	211	128	67	42	25	13	11	3	3	1	1	—	—
Renfrew	1,926	29·34	—	—	—	—	5	21	34	65	494	691	295	132	79	47	26	14	13	6	3	—	—	—
Ross & Cromarty	334	33·01	—	—	—	—	—	2	—	5	52	83	92	32	29	21	11	3	2	1	—	—	—	—
Roxburgh	284	31·75	—	—	—	—	—	—	6	7	43	103	56	27	12	10	12	5	1	—	1	—	—	—
Selkirk	125	31·74	—	—	—	—	—	—	—	1	30	29	29	17	8	7	2	2	—	—	—	—	—	—
Shetland	126	33·13	—	—	—	—	—	—	1	—	18	31	32	22	15	2	2	—	3	—	—	—	—	—
Stirling	892	29·87	—	—	—	—	—	6	21	32	216	298	137	82	39	29	15	13	4	—	—	—	—	—
Sutherland	58	32·72	—	—	—	—	—	—	1	2	8	15	13	11	3	1	2	2	—	—	—	—	—	—
Wigtown	154	30·92	—	—	—	—	—	1	1	3	41	42	33	14	5	3	5	4	2	—	—	—	—	—
<i>Larger Burghs.</i>																								
Glasgow	10,403	30·62	—	—	—	2	45	135	205	302	2,445	3,077	1,720	955	622	430	212	144	68	28	10	3	—	—
Edinburgh	3,754	30·86	—	—	—	—	11	24	63	83	848	1,185	652	355	203	158	74	56	28	10	1	1	—	—
Dundee	1,355	30·87	—	—	—	2	14	16	19	38	315	406	205	126	84	61	35	19	7	6	1	1	—	—
Aberdeen	1,617	29·85	—	—	—	1	8	28	36	30	433	516	255	110	79	40	30	26	14	8	2	—	—	—
Paisley	659	29·70	—	—	—	—	1	7	7	22	172	225	108	42	31	19	12	6	2	3	1	—	—	—
Leith	613	29·32	—	—	—	—	2	12	19	18	156	199	95	47	23	21	10	9	1	1	—	—	—	—
Greenock	544	28·74	—	—	—	—	2	6	14	25	145	197	71	38	17	12	7	4	4	1	—	—	—	—
Coatbridge	243	28·51	—	—	—	—	—	2	4	7	73	87	36	14	11	5	1	2	—	1	—	—	—	—
Motherwell	219	28·98	—	—	—	—	1	1	1	8	62	82	29	12	8	9	3	3	—	—	—	—	—	—
Kirkcaldy	262	29·21	—	—	—	—	1	7	3	13	64	90	37	15	17	8	4	2	1	—	—	—	—	—
Hamilton	242	27·95	—	—	—	—	—	6	3	9	84	79	28	15	6	6	4	2	—	—	—	—	—	—
Clydebank	277	28·23	—	—	—	—	—	—	5	3	86	110	35	21	10	5	2	—	—	—	—	—	—	—
Perth	322	30·69	—	—	—	—	—	7	5	3	74	108	57	22	15	13	7	7	2	1	—	1	—	—
Kilmarnock	281	29·81	—	—	—	—	—	2	8	9	69	91	46	24	14	9	3	4	—	1	—	—	—	—
Falkirk	243	30·10	—	—	—	—	—	1	10	6	62	78	37	16	14	9	3	5	—	1	—	—	—	—
Ayr	312	29·46	—	—	—	—	—	5	9	13	78	100	47	29	12	9	2	4	4	—	—	—	—	—

TABLE 19.—Age Distribution of Persons at Marriage in Scotland, 1918.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	3·20	3·56	2·62	9·37	9·55	9·09
20—24	26·99	26·96	27·04	38·45	38·18	38·88
25—29	31·85	31·06	33·14	27·35	26·80	28·24
30—34	16·41	16·20	16·76	12·24	12·34	12·06
35—39	8·56	8·63	8·44	6·16	6·23	6·05
40—44	5·31	5·46	5·05	3·04	3·14	2·87
45—49	3·56	3·81	3·16	1·84	2·05	1·51
50 and above	4·12	4·32	3·79	1·55	1·71	1·30
Not stated	—	—	—	—	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 20.—Age Distribution of Persons at Marriage in Scotland, 1855–1918.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	47,506	2·72	204,279	11·71
20—24	614,900	35·27	764,782	43·86
25—29	557,600	31·98	446,241	25·59
30—34	243,393	13·96	166,844	9·57
35—39	120,026	6·88	81,455	4·67
40—44	65,734	3·77	40,904	2·35
45—49	40,499	2·32	21,723	1·25
50 and above	53,117	3·05	16,034	0·92
Not stated	823	0·05	1,336	0·08
TOTAL	1,743,598	100·00	1,743,598	100·00

TABLE 21.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1918.

AGES OF WIVES.																				Total Husbands.	AGES OF HUSBANDS.									
Under 15	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	Not Stated		Total Wives									
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		34,529								
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	{ Tl. Husbands and Wives. }									
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										

Average age—Husbands, 30.25; Wives, 27.13.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at Marriage :—Thus, of 2,372 *Wives* at the age of 20, *thirteen* married *Husbands* aged 17, *fifty-two* married *Husbands* aged 18, etc.
Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage :—Thus, of 621 *Husbands* at the age of 19, *one* married a *Wife* aged 15, *seven* married *Wives* aged 16, etc.

TABLE 24.—AGES in Combination of the WIDOWERS and SPINSTERS at Marriage in Scotland, 1918.

AGES OF SPINSTERS.														Total Widowers.	AGES OF WIDOWERS.										Total Widowers and Spinsters.
15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	Not stated							
19- 20- 21-	- - -	- - -	2 - -	- - -	- - -	1 - -	5 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	19 - -							
25- 30- 35-	- - -	- - -	1 - -	8 - -	4 6 4	10 19 7	46 86 110	5 60 74	2 23 55	2 2 19	- - 4	- - -	- - -	- - -	- - -	- - -	- - -	140 281 339							
40- 45- 50-	- - -	- - -	- - -	3 - 1	4 2 -	5 3 1	36 24 8	76 55 38	83 85 61	58 61 55	20 37 31	1 7 19	13 5 5	2 6 -	- 1 -	- - -	- - -	365 323 238							
55- 60- 65-	- - -	- - -	- - -	- - -	2 - -	- - -	15 9 2	16 1 4	37 10 3	41 13 7	36 21 11	26 14 8	1 1 1	1 1 -	1 - -	1 - -	- - -	190 81 40							
70- 75- 80-	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	3 - -	- - 1	3 2 -	2 - 2	3 1 1	1 2 -	1 1 -	1 - -	1 - -	- - -	16 6 4							
85- Not stated	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -							
Total Spinsters														2,042	Total Widowers and Spinsters.										

Average age—Husbands, 44·18; Wives, 34·28.

TABLE 25.—AGES in Combination of the WIDOWERS and WIDOWS at Marriage in Scotland, 1918.

AGES OF WIDOWS.															Total Widow- ers.	AGES OF WIDOWERS.
19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated		
18-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18-
19-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20-
21-	-	1	2	2	7	-	-	-	-	-	-	-	-	-	-	21-
25-	-	-	8	16	35	9	1	-	-	-	-	-	-	-	-	25-
30-	-	-	12	26	35	9	-	-	-	-	-	-	-	-	-	30-
35-	-	-	-	-	-	27	2	-	1	-	-	-	-	-	-	35-
40-	-	-	2	26	35	51	19	7	-	2	-	-	-	-	-	40-
45-	-	-	3	12	31	57	59	21	4	2	-	-	-	-	-	45-
50-	-	-	-	5	11	25	40	34	12	2	2	-	-	-	-	50-
55-	-	-	1	1	7	17	21	25	27	7	1	-	-	-	-	55-
60-	-	-	-	-	1	3	12	21	19	13	4	-	-	-	-	60-
65-	-	-	-	-	-	-	8	4	9	3	3	2	2	-	-	65-
70-	-	-	-	-	-	-	1	-	4	2	1	1	2	-	-	70-
75-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	75-
80-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	80-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Not stated
Total Widows }	-	1	29	111	170	189	202	196	113	76	32	12	4	2	-	1,137 { TotalWidowers and Widows.

Average age—Husbands, 48·19; Wives, 42·05.

Note.—34,525 Marriages are accounted for in Tables 22-25, the condition of one or other of the contracting parties in the remaining 4 cases not having been accounted for in the Marriage Register.

TABLE 26.—Ages at Death in 1919.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.	Unallocated Deaths.*
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.	
-1 - -	10,795	6,181	4,614	5,882	1,941	2,972	-
1- - -	6,506	3,313	3,193	3,995	950	1,561	-
5- - -	1,928	958	970	1,034	347	547	-
10- - -	1,258	559	699	668	194	396	-
15- - -	4,078	2,085	1,993	1,974	657	1,164	283
25- - -	5,151	2,546	2,605	2,603	831	1,393	324
35- - -	5,030	2,583	2,447	2,644	870	1,334	182
45- - -	6,767	3,564	3,203	3,773	1,212	1,724	58
55- - -	9,411	5,011	4,400	5,066	1,855	2,482	8
65- - -	11,601	5,688	5,913	5,603	2,463	3,533	2
75- - -	12,611	5,000	7,611	4,700	2,942	4,969	-
Not stated -	13	12	1	2	-	2	9
ALL AGES -	75,149	37,500	37,649	37,944	14,262	22,077	866

* Deaths of British and Foreign Soldiers and Sailors from causes originating at sea or outwith Scotland.

TABLE 27.—Death-rate per 1000 in each Age-group in 1919.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
-1 - - -	96·9	110·0	83·6	105·3	93·4	85·3
1- - - -	14·9	15·1	14·7	18·7	11·5	11·2
5- - - -	3·7	3·6	3·7	4·1	3·4	3·2
10- - - -	2·5	2·2	2·8	2·8	2·0	2·4
15- - - -	4·5	4·7	4·3	4·2	3·9	4·3
25- - - -	6·8	7·0	6·5	6·6	5·4	6·4
35- - - -	8·1	8·6	7·7	8·3	7·3	7·3
45- - - -	14·7	16·2	13·4	16·6	13·3	12·3
55- - - -	30·9	35·1	27·3	35·5	29·5	25·5
65- - - -	61·0	70·7	53·9	70·8	59·5	52·3
75- - - -	169·3	181·0	162·5	193·1	171·3	159·3
Not stated -	-	-	-	-	-	-
ALL AGES -	15·4	15·8	14·9	15·7	14·9	14·5

TABLE 28.—Percentage of Deaths in each Age-group in 1919.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
-1 - - -	14·37	16·48	12·26	15·50	13·61	13·46
1- - - -	8·66	8·84	8·48	10·53	6·66	7·07
5- - - -	2·57	2·56	2·58	2·73	2·43	2·48
10- - - -	1·67	1·49	1·86	1·76	1·36	1·79
15- - - -	5·43	5·56	5·29	5·20	4·61	5·27
25- - - -	6·85	6·79	6·92	6·86	5·83	6·31
35- - - -	6·69	6·89	6·50	6·97	6·10	6·04
45- - - -	9·00	9·50	8·51	9·94	8·50	7·81
55- - - -	12·52	13·36	11·69	13·35	13·00	11·24
65- - - -	15·44	15·17	15·70	14·77	17·27	16·01
75- - - -	16·78	13·33	20·21	12·38	20·63	22·51
Not stated -	0·02	0·03	0·00	0·01	-	0·01
ALL AGES -	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **29.**—DEATHS, MALE AND FEMALE, AT EACH YEAR OF
AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOT-
LAND, 1919.

TABLE 29.—Deaths, Male and Female, at each year of Age,

MALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	6181	6181	-	-	-	52 ...	400	96	259	43	2
1 ...	1651	1651	-	-	-	53 ...	405	98	255	51	1
2 ...	792	792	-	-	-	54 ...	409	78	274	57	-
3 ...	504	504	-	-	-	55 ...	441	82	274	79	6
4 ...	366	366	-	-	-	56 ...	463	97	309	56	1
5 ...	304	304	-	-	-	57 ...	424	83	281	58	2
6 ...	216	216	-	-	-	58 ...	498	94	326	75	3
7 ...	185	185	-	-	-	59 ...	488	103	306	76	3
8 ...	142	142	-	-	-	60 ...	512	87	305	115	5
9 ...	111	111	-	-	-	61 ...	465	81	294	90	-
10 ...	127	127	-	-	-	62 ...	550	91	346	112	1
11 ...	116	116	-	-	-	63 ...	571	86	354	129	2
12 ...	103	103	-	-	-	64 ...	599	84	360	155	-
13 ...	98	98	-	-	-	65 ...	591	91	327	165	8
14 ...	115	115	-	-	-	66 ...	571	82	336	152	1
15 ...	166	166	-	-	-	67 ...	532	63	309	159	1
16 ...	159	158	1	-	-	68 ...	610	95	323	192	-
17 ...	199	198	1	-	-	69 ...	663	79	361	221	2
18 ...	227	225	2	-	-	70 ...	605	96	309	195	5
19 ...	238	233	5	-	-	71 ...	498	74	259	165	-
20 ...	235	228	6	1	-	72 ...	556	66	288	200	2
21 ...	197	187	10	-	-	73 ...	540	64	238	237	1
22 ...	236	215	20	-	1	74 ...	522	63	236	221	2
23 ...	204	182	18	1	3	75 ...	553	55	253	244	1
24 ...	224	186	34	2	2	76 ...	546	59	246	239	2
25 ...	239	171	57	4	7	77 ...	476	47	205	224	-
26 ...	271	190	72	3	6	78 ...	481	48	195	237	1
27 ...	275	168	102	4	1	79 ...	463	41	163	259	-
28 ...	276	157	110	4	5	80 ...	369	40	127	202	-
29 ...	259	142	113	2	2	81 ...	330	33	121	176	-
30 ...	226	117	101	4	4	82 ...	341	38	112	190	1
31 ...	225	101	118	4	2	83 ...	260	22	94	144	-
32 ...	283	142	136	5	-	84 ...	248	29	82	137	-
33 ...	234	93	134	7	-	85 ...	217	19	66	132	-
34 ...	258	104	144	9	1	86 ...	188	21	50	116	1
35 ...	239	96	130	9	4	87 ...	126	13	39	74	-
36 ...	223	89	128	5	1	88 ...	103	10	29	64	-
37 ...	254	77	167	10	-	89 ...	66	8	21	37	-
38 ...	268	85	171	11	1	90 ...	65	11	13	41	-
39 ...	245	80	155	10	-	91 ...	42	4	9	29	-
40 ...	256	69	171	14	2	92 ...	41	5	10	26	-
41 ...	255	79	158	17	1	93 ...	22	3	2	17	-
42 ...	289	89	184	16	-	94 ...	19	2	4	13	-
43 ...	270	86	171	13	-	95 ...	14	2	-	12	-
44 ...	284	75	197	11	1	96 ...	11	-	-	11	-
45 ...	277	79	170	23	5	97 ...	6	1	1	4	-
46 ...	303	91	191	18	3	98 ...	6	-	2	4	-
47 ...	347	91	234	21	1	99 ...	3	1	-	1	1
48 ...	341	79	239	23	-	100 and over	4	-	-	4	-
49 ...	367	87	245	35	-	Not Stated	12	2	2	-	8
50 ...	362	93	227	35	7	Total ...	37,500	18,236	13,133	6,008	123
51 ...	353	70	236	47	-						

and by Condition as to Marriage, in Scotland, 1919.

FEMALES.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	4614	4614	-	-	-	52 ...	348	84	217	47	-
1 ...	1548	1548	-	-	-	53 ...	360	77	213	70	-
2 ...	775	775	-	-	-	54 ...	398	100	219	79	-
3 ...	506	506	-	-	-	55 ...	358	70	208	80	-
4 ...	364	364	-	-	-	56 ...	420	87	240	93	-
5 ...	322	322	-	-	-	57 ...	399	80	209	110	-
6 ...	237	237	-	-	-	58 ...	450	94	247	109	-
7 ...	153	153	-	-	-	59 ...	424	79	226	119	-
8 ...	122	122	-	-	-	60 ...	434	94	209	130	1
9 ...	136	136	-	-	-	61 ...	422	78	194	150	-
10 ...	125	125	-	-	-	62 ...	496	93	234	169	-
11 ...	121	121	-	-	-	63 ...	468	93	182	193	-
12 ...	142	142	-	-	-	64 ...	529	97	229	203	-
13 ...	147	147	-	-	-	65 ...	535	105	218	211	1
14 ...	164	164	-	-	-	66 ...	497	102	211	183	1
15 ...	155	155	-	-	-	67 ...	552	97	192	261	2
16 ...	177	177	-	-	-	68 ...	556	108	192	256	-
17 ...	197	194	3	-	-	69 ...	558	106	179	273	-
18 ...	177	173	4	-	-	70 ...	660	135	185	338	2
19 ...	187	175	12	-	-	71 ...	487	88	126	273	-
20 ...	190	164	25	1	-	72 ...	693	143	173	377	-
21 ...	204	163	41	-	-	73 ...	687	144	141	402	-
22 ...	230	170	57	3	-	74 ...	688	140	136	412	-
23 ...	220	146	71	3	-	75 ...	755	167	115	472	1
24 ...	256	156	96	4	-	76 ...	710	135	155	419	1
25 ...	238	117	119	2	-	77 ...	648	106	105	437	-
26 ...	283	138	136	9	-	78 ...	676	128	150	398	-
27 ...	247	108	132	7	-	79 ...	584	111	68	405	-
28 ...	266	114	147	5	-	80 ...	586	137	70	379	-
29 ...	261	109	145	7	-	81 ...	492	108	43	341	-
30 ...	258	99	143	13	3	82 ...	520	102	40	378	-
31 ...	256	85	164	6	1	83 ...	414	93	28	291	2
32 ...	257	83	164	10	-	84 ...	437	101	29	307	-
33 ...	281	77	191	12	1	85 ...	331	85	20	226	-
34 ...	258	86	158	14	-	86 ...	281	58	18	205	-
35 ...	221	56	152	11	2	87 ...	246	60	9	177	-
36 ...	239	71	161	7	-	88 ...	206	45	6	155	-
37 ...	218	53	149	16	-	89 ...	178	39	6	133	-
38 ...	242	52	172	17	1	90 ...	147	31	5	111	-
39 ...	259	74	166	19	-	91 ...	89	18	2	69	-
40 ...	258	61	174	23	-	92 ...	87	16	4	67	-
41 ...	240	73	145	22	-	93 ...	58	13	2	43	-
42 ...	252	63	174	15	-	94 ...	50	11	-	39	-
43 ...	254	54	188	12	-	95 ...	37	8	-	29	-
44 ...	264	64	173	27	-	96 ...	32	6	-	26	-
45 ...	276	71	179	26	-	97 ...	19	6	-	13	-
46 ...	296	68	192	36	-	98 ...	9	4	-	5	-
47 ...	275	68	170	37	-	99 ...	11	2	-	9	-
48 ...	299	72	199	28	-	100 and over	8	2	-	6	-
49 ...	300	75	176	49	-	Not stated	1	-	-	-	1
50 ...	342	79	219	44	-	Total ...	37,649	17,165	10,254	10,210	20
51 ...	309	60	202	47	-						

TABLE 30.—Deaths at various Age-periods in the Larger Burghs in 1919.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	2937	654	438	399	195	204	226	135	117	70	121	93	60	91	72	7
1—	2263	437	193	158	114	190	151	136	52	30	51	64	21	49	38	48
5—	536	146	70	54	36	41	30	26	6	12	19	20	9	10	11	8
10—	321	90	42	49	30	24	27	5	7	7	14	13	9	11	6	13
15—	962	266	131	140	73	67	80	36	35	18	27	40	24	23	30	22
25—	1259	421	173	150	77	92	106	52	30	30	29	55	31	26	31	41
35—	1306	372	190	142	83	95	98	62	40	31	32	43	38	37	43	32
45—	1856	537	285	208	128	132	153	60	46	63	42	57	55	58	50	43
55—	2489	769	389	283	176	162	169	86	64	83	61	82	82	61	56	54
65—	2480	978	428	409	198	181	190	85	73	97	69	48	108	87	85	87
75 and over	1827	913	385	478	160	172	144	64	55	106	54	35	111	75	54	67
Not stated	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
All Ages	18237	5583	2724	2470	1270	1360	1374	747	525	547	519	551	548	528	476	485

TABLE 31.—Death-rate per 1000 of Population in the Larger Burghs at various Age-periods in 19

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Under 1 Year	112·2	106·8	105·1	106·9	98·3	98·0	104·0	106·4	95·0	76·2	100·7	65·0	83·3	114·3	85·0	87·1
1—	22·9	17·8	12·6	10·5	14·6	24·3	20·3	29·0	11·0	8·3	11·6	11·8	7·7	14·8	10·9	11·8
5—	4·6	4·8	3·7	2·9	3·8	4·4	3·6	4·8	1·2	2·8	3·7	3·4	2·7	2·4	2·7	2·8
10—	3·0	3·0	2·3	2·7	3·3	2·8	3·4	1·0	1·5	1·7	3·2	2·6	2·7	2·6	1·6	2·8
15—	4·5	4·1	3·7	4·4	4·0	4·4	5·4	4·5	4·5	2·4	3·7	4·5	3·5	3·1	4·9	3·8
25—	6·5	7·3	6·0	6·2	5·3	6·8	7·9	7·1	4·2	4·7	4·5	6·5	5·3	4·6	5·4	7·1
35—	8·8	7·9	7·8	6·9	7·6	8·7	9·7	11·1	7·7	6·0	6·6	6·7	7·8	7·9	9·6	7·1
45—	17·7	15·2	15·2	13·6	15·2	16·6	21·6	15·7	13·9	16·5	14·3	15·4	14·7	16·3	15·8	14·1
55—	39·0	32·8	31·9	27·4	34·0	32·1	36·4	40·5	37·4	31·9	34·7	47·0	32·0	26·8	30·1	26·1
65—	74·9	72·1	59·7	63·7	69·7	61·8	66·6	74·0	87·6	64·2	72·8	58·3	68·5	72·3	88·1	68·1
75 and over	205·2	187·1	174·8	191·7	210·0	205·3	171·0	220·7	265·7	198·5	198·5	189·2	176·8	187·5	196·4	144·1
All Ages	16·4	16·5	14·7	14·8	14·2	16·1	17·3	16·8	12·5	13·5	13·1	11·5	15·1	14·0	13·6	14·1

TABLE 32.—Deaths in each Age-group from various Diseases in Scotland in 1919.
(Both Sexes.)

Causes of Death.	All Ages.	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	83	-	2	3	12	19	18	13	9	5	1	1
Typhus Fever - - - - -	8	-	-	-	-	1	1	2	4	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	899	200	607	66	9	8	4	-	2	3	-	-
Scarlet Fever - - - - -	222	8	99	68	18	19	8	1	-	1	-	-
Whooping-cough - - - - -	1573	582	887	96	4	2	1	1	-	-	-	-
Diphtheria and Croup - - - - -	727	44	380	236	31	18	9	4	3	1	1	-
Influenza - - - - -	1245	95	87	32	33	98	132	98	116	147	185	222
Erysipelas - - - - -	121	27	1	-	1	4	7	12	19	17	19	14
Phthisis, Pulmonary Tuberculosis -	4294	19	74	83	164	1015	1039	845	605	317	117	16
Tuberculous Meningitis - - -	653	118	280	112	60	54	19	5	4	1	-	-
Abdominal Tuberculosis - - -	568	59	178	88	64	62	46	24	29	8	7	3
Other Tuberculous Diseases - - -	811	41	92	68	86	159	97	92	70	56	38	12
Cancer, Malignant Disease - - -	5657	7	16	4	3	31	107	427	1074	1615	1542	831
Rheumatic Fever - - - - -	143	-	2	15	14	34	17	19	24	10	6	2
Meningitis - - - - -	832	247	265	76	50	72	43	32	29	11	7	-
Organic Heart Disease - - -	6829	23	7	29	63	211	301	390	740	1364	1899	1802
Bronchitis - - - - -	5823	888	308	44	16	42	122	181	434	951	1416	1421
Pneumonia (all forms) - - -	11094	1569	1936	362	178	1005	1639	919	976	1007	934	569
Other Diseases of Respiratory Organs	1142	118	138	25	11	46	62	74	112	149	193	214
Diarrhoea and Enteritis (under 2 years)	1015	833	182	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - -	426	-	19	59	81	107	37	39	36	32	12	4
All Liver Diseases (not Malignant) -	383	4	4	1	2	7	13	32	70	99	98	53
Other Diseases of Digestive System	2232	262	200	105	53	94	123	188	248	331	313	315
Nephritis and Bright's Disease - -	1947	27	37	28	31	83	125	170	327	459	411	249
Puerperal Sepsis - - - - -	150	-	-	-	-	25	86	38	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	511	-	-	-	-	90	244	174	3	-	-	-
Congenital Debility and Malformation, including Premature Birth	4205	4156	32	6	4	5	-	2	-	-	-	-
Violent Deaths, excluding Suicide -	*2752	115	250	167	115	380	343	369	325	266	198	212
Suicide - - - - -	234	-	-	-	-	12	37	58	58	43	22	4
Other Defined Diseases - - -	17156	1195	351	152	146	355	441	741	1317	2248	3847	6363
Diseases Ill-defined or Unknown -	†1414	158	72	3	9	20	30	80	132	270	335	304
Total - - - - -	†75149	10795	6506	1928	1258	4078	5151	5030	6767	9411	11601	12611

* Including 12 of unstated age.

† " 1 " " 13 " "

TABLE 33.—Death-rate per 100,000 of Population in each Age-group from various Causes in Scotland in 1919.

Causes of Death.	All Ages	AGE										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
Enteric Fever	2	-	0	1	2	2	2	2	2	2	1	1
Typhus Fever - - - -	0	-	-	-	-	0	0	0	1	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	18	179	139	12	2	1	1	-	0	1	-	-
Scarlet Fever - - - -	5	7	23	13	4	2	1	0	-	0	-	-
Whooping-cough - - -	32	522	203	18	1	0	0	0	-	-	-	-
Diphtheria and Croup -	15	39	87	45	6	2	1	1	1	0	1	-
Influenza - - - - -	25	85	20	6	7	11	17	16	25	48	97	298
Erysipelas - - - - -	2	24	0	-	0	0	1	2	4	6	10	19
Phthisis, Pulmonary Tuberculosis -	88	17	17	16	33	112	136	137	132	104	62	21
Tuberculous Meningitis - - -	13	106	64	21	12	6	2	1	1	0	-	-
Abdominal Tuberculosis - - -	12	53	41	17	13	7	6	4	6	3	4	4
Other Tuberculous Diseases - - -	17	37	21	13	17	18	13	15	15	18	20	16
Cancer, Malignant Disease - - -	116	6	4	1	1	3	14	69	234	531	811	1116
Rheumatic Fever - - - -	3	-	0	3	3	4	2	3	5	3	3	3
Meningitis - - - - -	17	222	62	14	10	8	6	5	6	4	4	-
Organic Heart Disease - - -	140	21	2	5	13	23	39	63	161	448	999	2420
Bronchitis - - - - -	119	797	71	8	3	5	16	29	95	313	745	1908
Pneumonia (all forms) - - -	227	1408	444	69	35	111	215	149	213	331	491	764
Other Diseases of Respiratory Organs	23	106	32	5	2	5	8	12	24	49	101	287
Diarrhoea and Enteritis (under 2 years)	21	748	42	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	9	-	4	11	16	12	5	6	8	11	5	5
All Liver Diseases (not Malignant) -	8	4	1	0	0	1	2	5	15	33	52	71
Other Diseases of Digestive System	46	235	46	20	11	10	16	30	54	109	165	423
Nephritis and Bright's Disease - -	40	24	8	5	6	9	16	28	71	151	216	334
Puerperal Sepsis - - - -	3	-	-	-	-	3	11	6	0	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	10	-	-	-	-	10	32	28	1	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	86	3730	7	1	1	1	-	0	-	-	-	-
Violent Deaths, excluding Suicide -	56	103	57	32	23	42	45	60	71	74	104	285
Suicide - - - - -	5	-	-	-	-	1	5	9	13	14	12	5
Other Defined Diseases - - - -	351	1073	80	29	29	39	58	120	287	739	2023	8544
Diseases Ill-defined or Unknown -	29	142	17	1	2	2	4	13	29	89	176	408
Total - - - - -	1536	9688	1491	365	250	450	676	815	1474	3094	6100	16934

TABLE 35.—Deaths from various Causes in Scotland and its Groups of Public Health Districts, in 1919.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts	Unallocated Deaths.*
	Both Sexes.	Males.	Females.				
Enteric Fever - - - - -	83	41	42	38	14	30	1
Typhus Fever - - - - -	8	4	4	8	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-
Measles - - - - -	899	477	422	593	115	191	-
Scarlet Fever - - - - -	222	104	118	129	39	54	-
Whooping-cough - - - - -	1,573	718	855	1,081	180	312	-
Diphtheria and Croup - - - - -	727	354	373	386	163	177	1
Influenza - - - - -	1,245	543	702	525	220	490	10
Erysipelas - - - - -	121	66	55	63	24	34	-
Phthisis, Pulmonary Tuberculosis - -	4,294	2,107	2,187	2,301	749	1,098	146
Tuberculous Meningitis - - - - -	653	332	321	385	102	163	3
Abdominal Tuberculosis - - - - -	568	262	306	303	107	154	4
Other Tuberculous Diseases - - - - -	811	436	375	413	160	223	15
Cancer, Malignant Disease - - - - -	5,657	2,355	3,302	2,719	1,193	1,709	36
Rheumatic Fever - - - - -	143	71	72	63	30	48	2
Meningitis - - - - -	832	435	397	387	163	277	5
Organic Heart Disease - - - - -	6,829	3,241	3,588	3,078	1,526	2,195	30
Bronchitis - - - - -	5,823	2,769	3,054	3,247	1,124	1,444	8
Pneumonia (all forms) - - - - -	11,094	6,014	5,080	6,521	1,619	2,801	153
Other Diseases of Respiratory Organs -	1,142	582	560	524	229	381	8
Diarrhoea and Enteritis (under 2 years)	1,015	623	392	610	145	260	-
Appendicitis and Typhlitis - - - - -	426	213	213	216	81	124	5
All Liver Diseases (not Malignant) -	383	171	212	168	87	128	-
Other Diseases of Digestive System -	2,232	1,082	1,150	1,026	464	730	12
Nephritis and Bright's Disease - - -	1,947	1,058	889	1,027	367	533	20
Puerperal Sepsis - - - - -	150	-	150	82	21	47	-
Other Diseases and Accidents of Pregnancy and Parturition	511	-	511	257	98	156	-
Congenital Debility and Malformation, including Premature Birth	4,205	2,380	1,825	2,205	809	1,191	-
Violent Deaths, excluding Suicide - -	2,752	2,058	694	1,196	413	830	313
Suicide - - - - -	234	170	64	109	44	77	4
Other Defined Diseases - - - - -	17,156	8,069	9,087	7,665	3,718	5,684	89
Diseases Ill-defined or Unknown - - -	1,414	765	649	619	258	536	1
Total - - - - -	75,149	37,500	37,649	37,944	14,262	22,077	866

* Vide Note—Table 26.

TABLE 36.—Death-rates from various Causes per 100,000 of the Population in Scotland and its Groups of Public Health Districts in 1919.

Causes of Death.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts
	Both Sexes.	Males.	Females.			
Enteric Fever - - - - -	2	2	2	2	1	2
Typhus Fever - - - - -	0	0	0	0	-	-
Small-pox - - - - -	-	-	-	-	-	-
Measles - - - - -	18	20	17	25	12	13
Scarlet Fever - - - - -	5	4	5	5	4	4
Whooping-cough - - - - -	32	30	34	45	19	21
Diphtheria and Croup - - - - -	15	15	15	16	17	12
Influenza - - - - -	25	23	28	22	23	32
Erysipelas - - - - -	2	3	2	3	3	2
Phthisis, Pulmonary Tuberculosis -	88	89	87	95	78	72
Tuberculous Meningitis - - - -	13	14	13	16	11	11
Abdominal Tuberculosis - - - -	12	11	12	13	11	10
Other Tuberculous Diseases - - -	17	18	15	17	17	15
Cancer, Malignant Disease - - -	116	99	131	113	124	112
Rheumatic Fever - - - - -	3	3	3	3	3	3
Meningitis - - - - -	17	18	16	16	17	18
Organic Heart Disease - - - -	140	137	142	127	159	144
Bronchitis - - - - -	119	117	121	134	117	95
Pneumonia (all forms) - - - -	227	253	202	270	169	184
Other Diseases of Respiratory Organs	23	25	22	22	24	25
Diarrhoea and Enteritis (under 2 years)	21	26	16	25	15	17
Appendicitis and Typhlitis - - -	9	9	8	9	8	8
All Liver Diseases (not Malignant) -	8	7	8	7	9	8
Other Diseases of Digestive System	46	46	46	42	48	48
Nephritis and Bright's Disease - -	40	45	35	43	38	35
Puerperal Sepsis - - - - -	3	-	6	3	2	3
Other Diseases and Accidents of Pregnancy and Parturition	10	-	20	11	10	10
Congenital Debility and Malformation, including Premature Birth	86	100	72	91	84	78
Violent Deaths, excluding Suicide -	56	87	28	50	43	55
Suicide - - - - -	5	7	3	5	5	5
Other Defined Diseases - - - -	351	340	361	317	388	374
Diseases Ill-defined or Unknown -	29	32	26	26	27	35
Total - - - - -	1536	1580	1494	1572	1487	1452

TABLE 37.—Deaths from various Causes in the Larger Burghs, 1918.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever - - - - -	16	-	7	5	-	-	-	2	-	-	3	-	5	-	-	-
Typhus Fever - - - - -	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	328	62	51	3	18	31	27	11	8	1	13	14	-	16	2	8
Scarlet Fever - - - - -	49	4	4	4	3	8	5	4	2	2	1	2	-	1	2	2
Whooping-cough - - - - -	630	193	2	31	15	59	13	61	5	1	8	9	-	10	32	12
Diphtheria and Croup - - - - -	164	82	24	31	6	34	4	1	4	13	3	3	1	2	4	10
Influenza - - - - -	249	112	18	31	22	14	17	7	5	9	6	11	5	5	5	9
Erysipelas - - - - -	36	9	2	2	2	2	1	1	2	1	1	-	2	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	1,159	320	165	143	69	91	75	28	32	18	31	40	34	33	28	35
Tuberculous Meningitis - - - - -	177	44	26	31	11	14	20	6	12	6	11	4	6	4	5	8
Abdominal Tuberculosis - - - - -	153	33	22	12	11	10	9	7	5	3	8	9	8	7	2	4
Other Tuberculous Diseases - - - - -	189	75	35	26	9	14	18	-	2	10	4	4	5	11	7	4
Cancer, Malignant Disease - - - - -	1,244	432	211	200	99	98	92	42	38	42	29	41	45	44	23	39
Rheumatic Fever - - - - -	26	9	5	5	3	2	1	1	1	1	2	4	-	2	1	-
Meningitis - - - - -	199	25	28	11	19	9	23	17	6	6	6	12	4	8	5	9
Organic Heart Disease - - - - -	1,221	517	298	237	118	115	123	44	37	82	44	41	72	36	51	42
Bronchitis - - - - -	1,643	455	209	175	149	96	114	74	44	48	52	37	36	49	43	23
Pneumonia (all forms) - - - - -	3,513	937	397	325	206	238	228	139	86	36	71	90	77	55	75	48
Other Diseases of Respiratory Organs - - - - -	255	97	34	29	10	20	25	8	4	9	4	10	7	7	5	-
Diarrhoea and Enteritis (under 2 years) - - - - -	341	27	40	26	19	14	36	22	15	7	12	9	12	8	10	12
Appendicitis and Typhlitis - - - - -	103	25	14	17	17	4	11	1	3	4	5	3	2	3	-	4
All Liver Diseases (not Malignant) - - - - -	83	18	13	11	6	7	3	5	5	4	3	1	1	4	2	2
Other Diseases of Digestive System - - - - -	494	130	79	97	41	29	24	20	16	16	6	18	12	17	12	15
Nephritis and Bright's Disease - - - - -	553	135	55	55	34	24	33	11	28	12	14	17	11	16	13	16
Puerperal Sepsis - - - - -	53	8	6	2	-	4	-	2	2	3	1	-	1	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	125	38	13	21	9	8	12	5	2	3	1	5	5	3	5	2
Congenital Debility and Malformation, including Premature Birth - - - - -	1,025	256	193	185	81	68	86	48	38	34	49	30	22	37	24	29
Violent Deaths, excluding Suicide - - - - -	557	163	109	66	24	39	45	34	19	21	18	33	16	19	13	20
Suicide - - - - -	35	19	19	9	2	8	6	1	1	2	1	2	2	-	-	2
Other Defined Diseases - - - - -	3,278	1,280	574	644	255	282	295	139	94	143	102	97	152	117	97	116
Diseases Ill-defined or Unknown - - - - -	332	42	70	36	12	18	28	6	9	10	10	5	5	13	9	14
Total - - - - -	18,237	5,583	2,724	2,470	1,270	1,360	1,374	747	525	547	519	551	548	528	476	485

TABLE 38.—Death-rates per 100,000 from various Causes in the Larger Burghs in 1919.

Causes of Death.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Leith.	Greenock.	Coatbridge.	Motherwell.	Kirkcaldy.	Hamilton.	Clydebank.	Perth.	Kilmarnock.	Falkirk.	Ayr.
Enteric Fever - - - - -	1	-	4	3	-	-	-	4	-	-	8	-	14	-	-	-
Typhus Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	29	18	28	2	20	37	34	25	19	2	33	29	-	43	6	24
Scarlet Fever - - - - -	4	12	2	2	3	9	6	9	5	5	3	4	-	3	6	6
Whooping-cough - - - - -	57	57	1	19	17	70	16	137	12	2	20	19	-	27	92	36
Diphtheria and Croup - - - - -	15	24	13	19	7	40	5	2	9	32	8	6	3	5	11	30
Influenza - - - - -	22	33	10	19	25	17	21	16	12	22	15	23	14	13	14	27
Erysipelas - - - - -	3	3	1	1	2	2	1	2	5	2	3	-	6	3	3	-
Phthisis, Pulmonary Tuberculosis - - - - -	104	95	89	86	77	108	94	63	76	44	78	83	94	88	80	104
Tuberculous Meningitis - - - - -	16	13	14	19	12	17	25	13	28	15	28	8	17	11	14	24
Abdominal Tuberculosis - - - - -	14	10	12	7	12	12	11	16	12	7	20	19	22	19	6	12
Other Tuberculous Diseases - - - - -	17	22	19	16	10	17	23	-	5	25	10	8	14	29	20	12
Cancer, Malignant Disease - - - - -	112	128	114	120	111	116	116	94	90	103	73	85	124	117	66	116
Rheumatic Fever - - - - -	2	3	3	3	3	2	1	2	2	2	5	8	-	5	3	-
Meningitis - - - - -	13	7	15	7	21	11	29	38	14	15	15	25	11	21	14	27
Organic Heart Disease - - - - -	110	153	161	142	132	136	154	99	88	202	111	85	199	96	146	125
Bronchitis - - - - -	148	135	113	105	167	114	143	166	104	118	132	77	99	130	123	68
Pneumonia (all forms) - - - - -	315	277	214	194	230	282	286	312	204	89	180	187	213	146	215	143
Other Diseases of Respiratory Organs - - - - -	23	29	18	17	11	24	31	18	9	22	10	21	19	19	14	-
Diarrhoea and Enteritis (under 2 years) - - - - -	31	8	22	16	21	17	45	49	36	17	30	19	33	21	29	36
Appendicitis and Typhlitis - - - - -	9	7	8	10	19	5	14	2	7	10	13	6	6	8	-	12
All Liver Diseases (not Malignant) - - - - -	7	5	7	7	7	8	4	11	12	10	8	2	3	11	6	6
Other Diseases of Digestive System - - - - -	44	38	43	58	46	34	30	45	38	39	15	37	33	45	34	45
Nephritis and Bright's Disease - - - - -	50	40	30	33	38	28	41	25	66	30	35	35	30	43	37	48
Puerperal Sepsis - - - - -	5	2	3	1	-	5	-	4	5	7	3	-	3	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	11	11	7	13	10	9	15	11	5	7	3	10	14	8	14	6
Congenital Debility and Malformation, including Premature Birth - - - - -	92	76	104	111	91	81	108	108	90	84	124	62	61	98	69	86
Violent Deaths, excluding Suicide - - - - -	50	48	59	39	27	46	57	76	45	52	46	69	44	51	37	60
Suicide - - - - -	3	6	10	5	2	9	8	2	2	5	3	4	6	-	-	6
Other Defined Diseases - - - - -	294	379	310	385	285	335	371	312	223	352	258	202	420	311	278	345
Diseases Ill-defined or Unknown - - - - -	30	12	38	22	13	21	35	13	21	25	25	10	14	35	26	42
Total - - - - -	1638	1651	1469	1478	1420	1614	1726	1678	1246	1347	1313	1147	1513	1404	1365	1443

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1919.

YEAR	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis	Pneumonia.	Bronchitis.	Violence.
1855	1309	1180	2138	873	1903	3017	2419	}	79	871	10,007	7129	2094	3036	1913
1856	1306	1033	3011	1020	2331	2425	2363		81	908	9,077	6247	1970	2762	2003
1857	845	1028	2235	1148	1539	4132	3087		90	960	10,326	7184	1890	2867	2068
1858	332	1538	2671	1494	1963	3169	2790		86	963	10,265	7264	2355	3935	1980
1859	682	972	3614	1336	2660	2736	2436		90	1004	9,951	7172	1900	3228	2054
1860	1495	1587	2927	1485	1812	2379	2344	96	1014	11,212	8165	2416	5400	2186	
1861	766	971	1764	1571	2204	2416	2579	122	1165	10,582	7571	1974	5017	2089	
1862	426	1404	1281	2393	2799	2350	3021	126	1152	11,429	8211	1932	5764	2057	
1863	1646	2212	3413	3615	1649	2493	3441	139	1162	10,981	7614	2212	5484	2260	
1864	1741	1102	3411	3156	1993	2581	4804	125	1300	11,445	8083	2268	6383	2291	
1865	383	1195	2244	2010	2318	3180	3272	1048	158	1257	11,417	8089	1969	6194	2382
1866	200	1038	2706	1588	1860	3954	2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811	1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267	1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103
1875	76	1022	4720	1842	2431	3604	615	1625	212	1672	12,450	8699	3685	9864	2908
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794
1890	—	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859
1891	—	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	-	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	-	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	824	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	-	1829	591	794	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1342	2753	6	225	227	5388	7,696	4917	5703	4729	3127
1915	2	2221	950	836	2820	2348	5	171	173	5291	7,819	5291	7393	6495	3457
1916	1	1603	588	813	718	2305	8	149	175	5431	7,672	5126	5243	4477	3335
1917	-	1804	212	648	2128	1827	2	94	199	5544	7,625	5073	5353	4776	2968
1918	-	1198	168	756	1603	1507	15	125	177	5472	7,700	5217	14344	5217	2863
1919	-	899	222	727	1573	1569	8	83	193	5657	6,326	4294	11094	5823	2986

TABLE 40.—DEATH-RATE per 100,000 in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1919.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855-1860	35	43	98	44	72	106	91		3	34	360	255	75	126	72
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	73
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	68	70	95	†65	†42	5	42	379	268	71	210	73

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrheal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tubercle.	Phthisis.	Pneumonia.	Bronchitis.	Violence.
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	0	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	0	39	29	43	61	72	3	23	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891-1900	1	47	19	29	52	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	68
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	58	0	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	0	9	5	93	211	139	145	116	66
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	-	28	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	28	58	0	5	5	113	162	104	120	100	65
1915	0	46	20	17	59	49	0	4	4	111	163	111	154	136	72
1916	0	33	12	17	15	48	0	3	4	113	158	106	109	93	70
1917	-	37	4	13	44	38	0	2	4	114	157	104	110	98	61
1918	-	25	3	15	33	31	0	3	4	112	158	107	293	107	59
1919	-	18	5	15	32	32	0	2	4	116	129	88	227	119	61

TABLE 41.—Deaths and Death-rate from Puerperal Conditions in 1919.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	106,268	661	6·2
LARGER BURGHS .	53,052	339	6·4
SMALLER BURGHS .	20,290	119	5·9
COUNTY DISTRICTS .	32,926	203	6·2
Glasgow . . .	25,835	178	6·9
Edinburgh . . .	5,612	46	8·2
Dundee . . .	3,466	19	5·5
Aberdeen . . .	3,379	23	6·8
Paisley . . .	1,948	9	4·6
Leith . . .	1,900	12	6·3
Greenock . . .	2,288	12	5·2
Coatbridge . . .	1,286	7	5·4
Motherwell . . .	1,208	4	3·3
Kirkcaldy . . .	834	6	7·2
Hamilton . . .	1,177	2	1·7
Clydebank . . .	1,249	5	4·0
Perth . . .	585	6	10·3
Kilmarnock . . .	834	3	3·6
Falkirk . . .	742	5	6·7
Ayr . . .	709	2	2·8

TABLE 42. Deaths from Malignant Disease in 1919.

LOCATION.	MALES.								FEMALES.							
	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75 and over
Lip	36	-	-	-	7	14	6	9	2	-	-	-	-	-	-	-
Mouth	31	-	-	-	6	14	8	3	5	-	-	-	-	2	-	-
Tongue	91	-	3	2	17	41	23	5	17	-	-	1	3	4	4	-
Jaw	76	1	-	1	12	23	28	11	20	-	-	2	3	7	3	-
Pharynx, Throat	64	2	2	1	7	21	27	4	19	3	-	3	5	2	4	-
Esophagus	112	1	1	3	19	39	40	9	55	-	1	10	10	15	13	-
Stomach	602	-	9	32	127	183	185	66	644	3	7	41	101	175	208	10
Intestine	342	-	4	28	54	103	104	49	468	2	10	21	49	126	150	11
Rectum	159	1	-	9	32	44	51	22	164	2	5	14	31	39	42	3
Salivary Glands	7	-	-	2	-	2	3	-	2	-	-	-	1	-	-	-
Liver	234	2	1	6	55	71	58	41	321	1	1	11	51	88	115	5
Pancreas	47	-	-	4	10	9	18	6	35	-	1	4	5	9	11	-
Peritoneum	11	1	1	-	3	3	3	-	32	3	1	4	5	10	7	-
Abdomen	49	4	3	3	8	13	13	5	95	-	3	7	12	21	31	2
Larynx	41	-	2	2	11	17	5	4	20	-	1	5	6	5	2	-
Lung	43	1	2	6	14	13	5	2	28	-	1	4	6	14	3	-
Pleura	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	-	-	3	-	-	-	1	1	1	-
Mediastinum	32	-	1	2	8	13	6	2	24	1	-	1	8	3	6	-
Thorax	9	1	-	-	1	3	3	1	6	-	-	-	2	2	1	-
Kidney	19	3	-	4	2	6	3	1	33	6	-	-	4	10	11	-
Bladder, Urethra	61	-	1	2	9	20	21	8	34	-	1	3	2	8	12	-
Testis, Penis, Scrotum	28	3	-	2	5	8	7	3	-	-	-	-	-	-	-	-
Prostate	44	-	-	1	3	16	15	9	-	-	-	-	-	-	-	-
Breast	9	-	-	1	3	2	-	3	501	-	15	58	137	129	101	6
Ovary	-	-	-	-	-	-	-	-	58	-	2	14	15	18	7	-
Uterus	-	-	-	-	-	-	-	-	485	3	16	82	140	139	68	3
Vagina, Vulva	-	-	-	-	-	-	-	-	36	-	-	2	6	10	13	-
Pelvis	11	2	-	-	2	3	3	1	26	-	3	3	7	7	5	-
Brain	1	-	-	-	-	-	1	-	4	-	-	1	1	2	-	-
Spinal Cord	5	-	1	-	2	1	1	-	2	-	-	-	-	-	1	-
Eye and Orbit	8	2	1	-	-	-	2	3	10	-	1	1	1	2	1	-
Ear	6	-	-	1	1	1	1	2	4	-	-	-	1	1	2	-
Nose	4	-	-	-	1	1	1	1	4	-	-	-	1	1	2	-
Skull and Spinal Column	7	1	1	-	2	2	1	-	9	1	-	2	-	3	3	-
Spleen	2	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
Thyroid	3	-	-	-	-	1	1	1	17	-	-	-	2	5	8	-
Lymphatic Glands	66	2	3	5	11	21	11	13	42	4	1	2	8	9	12	-
Rib and Sternum	4	-	-	1	1	1	1	-	6	1	-	-	1	3	-	-
Arm and Leg	26	3	-	2	2	8	4	7	28	1	1	3	3	6	4	10
Scalp and Face	49	-	-	3	4	10	15	17	28	-	-	2	2	4	7	13
Skin	4	-	-	2	-	-	2	-	7	-	-	-	1	3	1	-
Other Locations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	-	-	-	3	3	2	2	7	-	-	-	1	2	3	-
TOTAL	2355	30	36	125	442	730	680	312	3302	31	71	302	632	885	862	519

TABLE **43.**—DEATHS FROM SUICIDE IN 1919.

TABLE 43.—Deaths from

	TOTAL:		Cut ; Stab.		Drowning.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.
SCOTLAND - - - - -	170	64	58	11	22	20
COUNTIES.						
Aberdeen	8	8	1	3	2	2
Argyll	2	1	1	-	-	1
Ayr	6	4	4	-	1	2
Banff	4	-	1	-	-	-
Berwick	2	1	2	1	-	-
Bute	-	1	-	-	-	-
Caithness	1	-	-	-	-	-
Clackmannan	2	-	1	-	-	-
Dumbarton	6	2	2	-	1	1
Dumfries	7	3	3	-	-	2
Edinburgh (Midlothian)	27	6	11	1	3	3
Elgin (Moray)	2	-	-	-	-	-
Fife	6	3	2	1	1	1
Forfar	16	10	3	-	2	2
Haddington	1	1	1	-	-	-
Inverness	2	1	-	-	1	-
Kincardine	2	3	-	1	2	2
Kinross	1	-	-	-	-	-
Kirkcudbright	2	-	-	-	-	-
Lanark	33	11	13	3	5	1
Linlithgow	2	1	2	1	-	-
Nairn	-	-	-	-	-	-
Orkney	1	2	-	-	-	1
Peebles	3	-	-	-	-	-
Perth	7	-	2	-	2	-
Renfrew	9	3	3	-	-	2
Ross and Cromarty	3	1	1	-	1	-
Roxburgh	2	1	1	-	-	-
Selkirk	2	-	1	-	-	-
Shetland	1	-	-	-	-	-
Stirling	4	-	2	-	1	-
Sutherland	1	1	-	-	-	-
Wigtown	1	-	-	-	-	-
Unallocated	4	-	1	-	-	-
LARGER BURGHS.						
Glasgow	25	10	9	2	3	1
Edinburgh	15	4	5	-	1	3
Dundee	11	8	3	-	1	1
Aberdeen	4	5	-	3	2	1
Paisley	2	-	1	-	-	-
Leith	7	1	1	1	2	-
Greenock	3	3	2	-	-	2
Coatbridge	1	-	-	-	1	-
Motherwell	1	-	1	-	-	-
Kirkcaldy	1	1	-	-	1	-
Hamilton	1	-	-	-	-	-
Clydebank	2	-	-	-	-	-
Perth	2	-	-	-	1	-
Kilmarnock	-	-	-	-	-	-
Falkirk	-	-	-	-	-	-
Ayr	-	2	-	-	-	1
TOTAL, Larger Burghs	75	34	22	6	12	9

SUICIDE in 1919.

Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
11	1	55	17	19	11	2	3	3	1	-	-
1	-	4	1	-	1	-	-	-	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	-	-	-	-	-	-
-	-	2	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
1	-	2	-	-	1	-	-	-	-	-	-
-	-	3	1	1	-	-	-	-	-	-	-
1	-	8	2	4	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
-	-	3	1	-	-	-	-	-	-	-	-
2	-	2	-	6	7	-	1	1	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	-	-	-
1	-	8	4	5	1	1	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
2	-	3	-	-	1	1	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-
-	-	1	1	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	3	-	-	-	-	-	-	-	-	-
1	-	7	4	5	1	-	2	-	-	-	-
1	-	4	1	4	-	-	-	-	-	-	-
1	-	1	-	5	7	-	-	-	-	-	-
-	-	2	-	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	4	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-
5	-	21	7	14	10	1	2	-	-	-	-

TABLE 44.—Deaths from Poison in Scotland in 1919.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.
Carbolic Acid, - - - -	2	3	5
Strychnine, - - - -	2	—	2
Ammonia, - - - -	1	1	2
Hydrochloric Acid, - - - -	—	2	2
Jeyes Fluid, - - - -	1	—	1
"Vegetable Irritant," - - - -	1	—	1
Morphia, - - - -	1	—	1
Belladonna, - - - -	1	—	1
Perchloride of Mercury, - - - -	1	—	1
Carbon Disulphide - - - -	1	—	1
"Disinfectant," - - - -	1	—	1
Copper, - - - -	—	1	1
Bromide, - - - -	—	1	1
Opium, - - - -	—	1	1
Total, - - - -	12	9	21

POISONOUS VAPOURS.

Coal Gas, - - - -	17	15	32
Carbonic Oxide or Monoxide, - - - -	10	1	11
Sewer Gas, - - - -	1	—	1
Coke Oven Gas, - - - -	1	—	1
Carbonic Acid Gas, - - - -	1	—	1
Phosphorus Smoke, - - - -	1	—	1
Sulphur and Nitric Acid Fumes, - - - -	1	—	1
Total, - - - -	32	16	48

SUICIDAL POISONING.

Coal Gas, - - - -	11	7	18
Laudanum, Opium, - - - -	2	1	3
Carbolic Acid, - - - -	2	1	3
Hydrocyanic Acid, - - - -	2	—	2
Potassium Cyanide, - - - -	1	—	1
Cresol, - - - -	—	1	1
Cocaine, - - - -	—	1	1
Not Stated, - - - -	1	—	1
Total, - - - -	19	11	30

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform, - - - -	12	11	23
Chloroform and Ether, - - - -	6	8	14
Ether, - - - -	5	—	5
Ethyl Chloride, - - - -	1	—	1
Total, - - - -	24	19	43

TABLE 45.—Age in Completed Months of Children aged under One Year dying from Selected Causes in Scotland in 1919.

CAUSES OF DEATH.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.										
	Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles - - - - -	111	89	2	1	-	5	4	12	8	19	30	24	36	59
Whooping-cough - - - - -	287	295	24	51	38	45	46	52	51	55	51	45	58	66
Diphtheria (including Croup) - - - - -	29	15	3	-	4	1	2	1	1	8	3	6	5	10
Tuberculous Meningitis - - - - -	56	62	2	4	7	6	8	16	13	15	9	15	8	15
Abdominal Tuberculosis - - - - -	34	25	1	4	5	7	1	4	9	3	7	11	2	5
Other Tuberculous Diseases - - - - -	30	30	-	3	6	4	3	8	1	4	6	1	12	12
Syphilis - - - - -	83	66	54	38	19	16	9	2	-	5	1	3	1	1
Cerebro-spinal Meningitis - - - - -	12	11	-	-	2	4	3	2	2	2	1	3	1	3
Basal Meningitis - - - - -	140	107	19	16	14	33	16	27	25	20	24	19	16	18
Convulsions - - - - -	261	196	158	57	55	41	28	23	16	15	18	22	11	13
Bronchitis - - - - -	522	366	137	134	90	79	61	60	62	66	58	58	42	41
Broncho-pneumonia - - - - -	692	470	64	67	67	60	99	97	115	112	121	130	116	114
Pneumonia - - - - -	252	155	26	18	22	25	38	37	21	50	43	34	44	49
Pulmonary Congestion - - - - -	47	29	16	5	10	2	7	5	6	1	9	5	5	5
Other Diseases of Stomach, Gastritis	78	72	32	26	17	18	17	10	10	2	2	3	6	7
Diarrhœa, - - - - -	509	324	95	126	123	92	100	64	51	45	37	41	29	30
Congenital Malformations - - - - -	232	215	309	47	25	17	16	6	4	5	6	5	5	2
Premature Birth - - - - -	1224	956	2080	82	11	5	1	1	-	-	-	-	-	-
Congenital Debility, Icterus Sclerema	900	629	993	198	108	69	53	40	18	19	8	9	7	7
Other Infantile Diseases - - - - -	191	122	300	7	4	-	-	-	-	-	1	1	-	-
Overlying - - - - -	16	20	19	8	5	1	1	1	1	-	-	-	-	-
Suffocation (otherwise) - - - - -	23	19	22	8	2	4	2	2	-	1	1	-	-	-
All Other Causes - - - - -	452	341	217	82	61	61	52	43	56	47	50	43	47	34
Total - - - - -	10,795	4573	982	695	595	567	513	470	494	486	478	451	491	
Males - - - - -	6181	-	2637	582	405	334	314	281	280	294	284	250	261	259
Females - - - - -	-	4614	1936	400	290	261	253	232	190	209	202	228	190	232

TABLE 46.—Month of Registration of Deaths of Children aged under One Year from Selected Causes in Scotland in 1919.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	200	6	17	17	23	35	23	12	10	7	6	23	21
Whooping-cough - - - - -	582	47	95	106	95	77	45	27	24	21	11	13	21
Diphtheria - - - - -	44	6	10	4	3	-	1	2	2	-	4	3	9
Tuberculous Meningitis - - - - -	118	6	13	14	10	12	10	11	8	9	9	8	8
Abdominal Tuberculosis - - - - -	59	8	4	5	8	8	5	2	3	1	4	4	7
Other Tuberculous Diseases - - - - -	60	5	2	8	8	9	6	2	5	3	6	3	3
Syphilis - - - - -	149	14	21	9	7	13	1	15	14	6	14	15	20
Cerebro-spinal Meningitis - - - - -	23	2	3	1	2	6	5	2	-	1	-	-	1
Basal Meningitis - - - - -	247	19	32	25	35	18	21	14	17	18	10	21	17
Convulsions - - - - -	457	56	52	71	42	40	23	20	21	28	23	34	47
Bronchitis - - - - -	888	222	220	121	63	36	27	22	17	27	24	43	66
Broncho-pneumonia - - - - -	1162	188	278	303	101	54	31	29	21	26	22	34	75
Pneumonia - - - - -	407	47	120	100	33	17	11	6	3	13	11	15	31
Pulmonary Congestion - - - - -	76	10	19	13	6	6	-	4	2	2	3	4	7
Other Diseases of Stomach, Gastritis	150	10	12	9	9	12	14	9	12	17	11	12	23
Diarrhœa - - - - -	833	53	40	52	52	43	35	42	112	178	86	72	68
Congenital Malformations - - - - -	447	31	36	34	40	32	34	45	29	33	39	35	56
Premature Birth - - - - -	2189	176	179	191	140	152	152	151	165	187	201	225	261
Congenital Debility, Icterus Sclerema	1529	167	149	157	113	99	88	87	95	132	140	146	156
Other Infantile Diseases - - - - -	313	21	21	26	23	31	24	21	12	30	32	39	33
Overlying - - - - -	36	6	3	5	2	1	3	2	3	1	2	4	4
Suffocation (otherwise) - - - - -	42	7	3	4	3	1	1	3	2	3	6	3	6
All Other Causes - - - - -	793	88	87	114	69	55	46	46	48	50	59	63	68
Total - - - - -	10,795	1198	1416	1389	887	757	696	574	625	793	723	819	1008

TABLE 47.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1919.

	TOTAL DEATHS, (UNCORRECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTIFIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1919.	1918.	Mean of Five Years 1914-1918.
SCOTLAND,	75,149	74,049	1,100	1·5	1·6	1·8
NORTHERN DIVISION, . .	1,740	1,533	207	11·9	11·6	13·5
NORTH WESTERN Do. . .	3,215	2,710	505	15·7	16·2	17·8
NORTH-EASTERN Do. . .	6,684	6,661	23	0·3	0·4	0·6
EAST-MIDLAND Do. . .	10,088	10,050	38	0·4	0·4	0·7
WEST-MIDLAND Do. . .	5,417	5,345	72	1·3	1·2	1·6
SOUTH-WESTERN Do. . .	33,618	33,528	90	0·3	0·3	0·5
SOUTH-EASTERN Do. . .	11,408	11,250	158	1·4	2·9	2·4
SOUTHERN Do. . .	2,979	2,972	7	0·2	0·2	0·4
<hr/>						
<i>Counties.</i>						
Aberdeen,	4,585	4,576	9	0·2	0·2	0·4
Argyll,	1,049	984	65	6·2	4·9	5·8
Ayr,	3,755	3,747	8	0·2	0·3	0·2
Banff,	837	830	7	0·8	0·9	0·8
Berwick,	380	375	5	1·3	0·0	0·4
Bute,	265	262	3	1·1	1·2	1·6
Caithness,	509	489	20	3·9	2·8	3·1
Clackmannan,	432	430	2	0·5	0·6	0·4
Dumbarton,	1,945	1,944	1	0·1	0·2	0·7
Dumfries,	1,225	1,222	3	0·2	0·1	0·5
Edinburgh (Midlothian), . . .	9,055	8,907	148	1·6	3·8	3·0
Elgin (Moray),	609	604	5	0·8	0·6	0·9
Fife,	3,415	3,406	9	0·3	0·4	0·7
Forfar,	4,358	4,348	10	0·2	0·2	0·6
Haddington,	550	549	1	0·2	0·0	0·7
Inverness,	1,656	1,433	223	13·5	12·7	13·7
Kinross,	127	126	1	0·8	1·7	1·6
Kirkcudbright,	523	523	0	0·0	0·2	0·3
Lanark,	25,399	25,333	66	0·3	0·3	0·5
Linlithgow,	974	970	4	0·4	0·3	0·3
Nairn,	145	143	2	1·4	7·3	5·8
Orkney,	445	408	37	8·3	6·7	8·8
Peebles,	169	169	0	0·0	1·0	0·4
Perth,	1,756	1,740	16	0·9	0·5	1·0
Renfrew,	4,464	4,448	16	0·4	0·6	1·1
Ross and Cromarty,	1,559	1,277	282	18·1	20·7	22·7
Roxburgh,	739	738	1	0·1	0·1	0·2
Selkirk,	280	280	0	0·0	0·0	0·1
Shetland,	428	347	81	18·9	20·3	23·8
Stirling,	2,158	2,155	3	0·1	0·3	0·4
Sutherland,	358	289	69	19·3	21·1	22·3
Wigtown,	492	489	3	0·6	0·6	0·6

TABLE 48.—Meteorology of Scotland for 1919; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1919.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer(inch)	29·621	29·802	29·756	29·857	30·028	29·986	30·020	29·858	29·838	30·135	29·746	29·537	29·849
Mean of Max. Temp.	41°·0	39°·3	41°·8	50°·3	60°·4	61°·2	63°·7	63°·5	59°·2	51°·9	40°·8	42°·7	51°·3
„ „ Min. „	32°·6	29°·2	29°·9	37°·1	43°·7	46°·8	47°·3	49°·1	45°·1	40°·4	30°·8	34°·0	38°·8
Mean Temperature.	36°·8	34°·3	35°·9	43°·7	52°·1	54°·0	55°·5	56°·3	52°·2	46°·2	35°·8	38°·4	45°·1
Absolute Maximum.	51°·0	54°·0	54°·0	72°·0	83°·0	80°·0	81°·0	83°·0	76°·0	73°·0	57°·0	54°·0	83°·0
Absolute Minimum.	4°·0	2°·0	7°·0	16°·0	23°·0	29°·0	29°·0	29°·0	24°·0	20°·0	-10°·0	11°·0	-10°·0
Number of Rainy Days	22	12	17	18	10	18	8	17	17	15	21	24	199
Amount of Rain(inch)	3·69	1·46	3·07	2·99	1·00	2·90	1·01	3·05	3·34	2·20	4·91	6·15	35·77
Births	8076	6710	7721	7536	8145	8175	8396	8118	8910	11268	10720	12493	106268
Deaths	7438	11185	10336	6428	5515	4669	4579	4170	4576	4763	5346	6144	75149
Marriages	3695	2237	2879	4032	2129	5481	5124	3186	3958	3191	3174	5051	44137
Rates per 1000 of Estimated Population { Births .	19·4	17·9	18·6	18·7	19·6	20·3	20·2	19·5	22·2	27·1	26·6	30·1	21·7
{ Deaths .	17·9	29·8	24·9	16·0	13·3	11·6	11·0	10·0	11·4	11·5	13·3	14·8	15·4
{ Marriages	8·9	6·0	6·9	10·0	5·1	13·6	12·3	7·7	9·8	7·7	7·9	12·2	9·0

TABLE 49.—Deaths, Temperature, and Fall of Rain in the Larger Burghs of Scotland during each Week of 1919.

Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
			Maxi- mum.	Mini- mum.	Mean.						Maxi- mum.	Mini- mum.	Mean.	
January 4	775	16·7	45·0	16·5	35·4	1·38	27	July 5	457	9·9	70·8	43·0	53·4	0·25
11	862	18·6	46·0	28·5	38·8	0·41	28	12	509	11·0	80·5	40·5	57·4	0·03
18	789	17·0	48·0	25·7	37·8	0·59	29	19	491	10·6	75·8	38·0	57·8	0·25
25	837	18·1	46·7	21·5	38·0	0·94	30	26	515	11·1	79·0	41·5	58·1	0·07
February 1	855	18·4	42·2	23·5	35·4	0·35	31	2	492	10·6	75·0	41·5	57·3	0·44
8	1101	23·8	42·0	20·0	33·1	0·09	32	9	464	10·0	76·0	45·0	59·3	0·16
15	1485	32·0	44·0	16·5	33·0	0·38	33	16	457	9·9	79·5	40·5	58·7	0·18
22	1781	38·4	43·0	22·5	35·8	0·91	34	23	496	10·7	74·9	36·5	58·1	0·73
March 1	1854	40·0	48·2	23·5	36·6	0·28	35	30	507	10·9	66·3	36·5	51·9	0·90
8	1593	34·5	51·2	19·5	36·2	0·30	36	6	501	10·8	70·0	42·0	57·8	0·66
15	1302	28·1	50·0	27·0	39·4	0·69	37	13	475	10·2	73·0	40·1	57·0	0·45
22	1063	22·9	50·6	25·5	36·0	1·08	38	20	489	10·5	70·0	29·5	50·4	0·26
29	951	20·5	45·0	19·5	33·9	0·54	39	27	552	11·9	66·5	36·7	49·3	0·91
April 5	856	18·5	58·0	24·0	40·7	0·11	40	4	501	10·8	64·0	28·5	50·0	0·42
12	802	17·3	63·0	30·3	46·7	0·45	41	11	473	10·2	65·7	30·5	49·8	0·09
19	709	15·3	71·0	33·0	46·1	0·98	42	18	568	12·3	61·0	29·5	44·1	0·20
26	700	15·1	61·0	29·5	45·7	0·24	43	25	515	11·1	63·0	30·5	48·4	0·79
May 3	593	12·8	61·0	28·0	42·2	0·69	44	November 1	574	12·4	50·2	29·5	41·3	0·41
10	634	13·7	66·1	32·5	47·3	0·43	45	8	609	13·1	48·0	25·5	38·6	1·03
17	625	13·5	76·3	40·5	54·7	0·20	46	15	586	12·6	42·0	-6·5	28·7	0·44
24	595	12·8	74·6	34·5	54·8	0·05	47	22	864	18·6	54·9	1·5	38·0	1·69
31	595	12·8	80·0	37·5	56·5	0·00	48	29	695	15·0	55·0	27·5	38·4	1·35
June 7	570	12·3	78·1	34·5	57·9	0·49	49	December 6	709	15·3	50·0	19·5	39·6	1·18
14	574	12·4	73·0	39·5	56·1	1·39	50	13	624	13·5	47·0	25·5	39·1	0·99
21	508	11·0	66·9	40·5	54·8	0·70	51	20	613	13·2	51·0	30·5	42·5	0·99
28	532	11·5	74·0	37·5	53·8	0·21	52	27	686	14·8	45·9	17·5	35·2	1·07
							53	January 3	739	15·9	47·0	23·0	34·9	1·45

This Table is compiled from Weekly Returns for 1919. Deaths and Death-rates have been corrected by allocation to place of usual residence.

TABLE 50.—VACCINATIONS in SCOTLAND, 1908-1918.

Years		Success-fully Vaccinated.	Insusceptible of Vaccination.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
			From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox					
1908	Numbers .	90,374	820	796	0	12,689	15,846	3,722	7,159	131,406
1909	Numbers .	83,289	746	784	0	11,594	22,746	3,354	6,207	128,720
1910	Numbers .	76,068	647	739	0	10,662	26,954	3,054	5,990	124,114
1911	Numbers .	70,472	648	143	0	11,137	29,582	2,775	6,140	121,897
1912	Numbers .	69,179	476	1454	0	10,788	33,166	2,903	5,910	122,876
1913	Numbers .	63,952	460	424	0	10,826	36,479	2,712	5,769	120,622
1914	Numbers .	62,942	491	728	0	11,738	38,673	2,782	6,550	123,904
1915	Numbers .	61,072	384	329	0	10,159	35,231	2,317	4,757	114,249
1916	Numbers .	58,172	289	387	0	9,029	35,553	2,382	4,259	110,071
1917	Numbers .	50,030	199	444	0	7,848	32,816	2,469	3,674	97,480
10 Years	Average .	68,555	516	623	0	10,647	30,705	2,847	5,641	119,534
1918	Numbers	48,833	226	540	0	8,523	33,492	2,748	4,196	98,558
1908	Percentage	68·775	0·624	0·606	0·000	9·455	5·631	2·998	5·729	100·000
1909	Percentage	64·706	0·579	0·609	0·000	9·656	12·059	2·832	5·448	100·000
1910	Percentage	61·289	0·521	0·595	0·000	9·007	17·671	2·606	4·822	100·000
1911	Percentage	57·813	0·531	0·938	0·000	8·591	21·717	2·461	4·826	100·000
1912	Percentage	56·300	0·387	0·369	0·000	9·136	24·268	2·277	5·037	100·000
1913	Percentage	52·019	0·381	0·352	0·000	8·780	26·991	2·363	4·810	100·000
1914	Percentage	50·799	0·396	0·588	0·000	8·975	30·242	2·248	4·783	100·000
1915	Percentage	53·455	0·336	0·288	0·000	8·892	30·837	2·028	4·164	100·000
1916	Percentage	52·850	0·262	0·352	0·000	8·203	32·300	2·164	3·869	100·000
1917	Percentage	51·323	0·204	0·456	0·000	8·051	33·664	2·533	3·769	100·000
10 Years	Percentage	57·352	0·432	0·521	0·000	8·907	25·687	2·332	4·719	100·000
1918	Percentage	49·548	0·229	0·548	0·000	8·648	33·982	2·788	4·257	100·000

TABLE 51.—VACCINATIONS in SCOTLAND, 1908-1918, deducting from the Births those who died before they could be Vaccinated.

Years.		Successfully Vaccinated.	Insusceptible of Vaccination.			Statutory Declaration of Conscientious Objection.	Vaccination Postponed	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
			From Previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
1908	Numbers .	90,374	820	796	0	15,846	3,722	7,159	118,717
1909	Numbers .	83,289	746	784	0	22,746	3,354	6,207	117,126
1910	Numbers .	76,068	647	739	0	26,954	3,054	5,990	113,452
1911	Numbers .	70,472	648	1,143	0	29,582	2,775	6,140	110,760
1912	Numbers .	69,179	476	454	0	33,166	2,903	5,910	112,088
1913	Numbers .	63,952	460	424	0	36,479	2,712	5,769	109,796
1914	Numbers .	62,942	491	728	0	38,673	2,782	6,550	112,166
1915	Numbers .	61,072	384	329	0	35,231	2,317	4,757	104,090
1916	Numbers .	58,172	289	387	0	35,553	2,382	4,259	101,142
1917	Numbers .	50,030	199	444	0	32,816	2,469	3,674	89,632
10 Years	Average .	68,555	516	623	0	30,705	2,847	5,641	108,887
1918	Numbers	48,833	226	540	0	33,492	2,748	4,196	90,035
1908	Percentage	76·126	0·691	0·670	0·000	13·348	3·135	6·030	100·000
1909	Percentage	71·111	0·637	0·669	0·000	19·420	2·864	5·299	100·000
1910	Percentage	67·049	0·570	0·651	0·000	23·758	2·692	5·280	100·000
1911	Percentage	63·626	0·585	1·032	0·000	26·708	2·505	5·544	100·000
1912	Percentage	61·718	0·425	0·405	0·000	29·589	2·590	5·273	100·000
1913	Percentage	58·246	0·419	0·386	0·000	33·224	2·470	5·255	100·000
1914	Percentage	56·115	0·438	0·649	0·000	34·478	2·480	5·840	100·000
1915	Percentage	58·672	0·369	0·316	0·000	33·847	2·226	4·570	100·000
1916	Percentage	57·572	0·286	0·383	0·000	35·187	2·357	4·215	100·000
1917	Percentage	55·817	0·222	0·495	0·000	36·612	2·755	4·099	100·000
10 Years	Percentage	62·960	0·474	0·572	0·000	28·199	2·614	5·181	100·000
1918	Percentage	54·238	0·251	0·600	0·000	37·199	3·052	4·660	100·000

TABLE 52.—Deaths from Small-pox in Scotland, 1855-1918, with Vaccination Particulars, 1864-1918.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1918: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1918.					Deaths from Cow-pox and Effects of Vaccination, 1883-1918.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total.	0-5 Years..	5-24 Years.	25-64 Years.	65 Years and upwards.	
1855						1,309	933	224	99	2	
1856						1,306	932	218	99	5	
1857						845	657	123	65	.	
1858						332	249	53	28	2	
1859						682	473	130	78	1	
1860						1,495	991	301	194	6	
1861						1,766	535	139	89	2	
1862						426	305	79	41	1	
1863						1,646	1,036	377	227	5	
1864	95·8	0·7	0·8		2·7	1,741	933	435	313	9	
1865	96·3	0·7	0·5		2·5	383	199	107	73	4	
1866	96·5	0·6	0·3		2·6	200	128	45	27	..	
1867	96·8	0·6	0·2		2·4	100	62	25	13	..	
1868	96·5	0·9	0·3		2·3	15	12	2	1	..	
1869	96·2	0·9	0·2		2·7	64	33	16	15	..	
1870	96·6	0·8	0·2		2·4	114	46	39	29	..	
1871	96·4	0·8	0·4		2·4	1,442	307	659	462	14	
1872	96·9	0·7	0·2		2·2	2,448	552	1,005	864	26	
1873	96·4	1·0	0·2		2·4	1,126	263	486	367	9	
1874	96·2	1·1	0·2		2·5	1,246	291	551	395	8	
1875	96·4	1·1	0·2		2·3	76	17	33	23	3	
1876	96·7	0·9	0·2		2·2	39	7	13	18	1	
1877	96·7	1·1	0·2		2·0	38	4	22	12	..	
1878	96·7	1·0	0·2		2·1	4	1	2	1	..	
1879	96·6	1·1	0·2		2·1	8	1	1	6	..	
1880	96·6	1·2	0·1		2·1	10	2	6	2	..	
1881	96·3	1·4	0·1		2·2	19	2	10	6	1	
1882	96·0	1·5	0·2		2·3	3	3	..	
1883	96·0	1·6	0·2		2·2	11	2	3	6	..	
1884	95·7	1·7	0·2		2·4	14	2	6	5	1	1
1885	95·5	1·8	0·2		2·5	39	3	13	23	..	3
1886	95·2	2·0	0·2		2·6	24	4	10	9	1	3
1887	94·9	2·2	0·2		2·7	17	..	6	11	..	6
1888	95·0	2·1	0·2		2·7	3	1	1	1	..	2
1889	94·5	2·4	0·2		2·9	8	1	1	6	..	3
1890	94·6	2·5	0·2		2·7	4
1891	94·8	2·3	0·2		2·7	5
1892	94·8	2·2	0·3		2·7	11	2	2	7	..	3
1893	94·8	2·2	0·4		2·6	68	11	13	43	1	1
1894	94·9	2·3	0·4		2·4	129	19	31	75	4	3
1895	94·9	2·3	0·4		2·4	47	4	8	35	..	1
1896	94·2	2·4	0·5		2·9	2	1	..	1	..	1
1897	94·1	2·5	0·5		2·9	10	3	1	5	1	3
1898	93·4	2·7	0·5		3·4	2	..	1	1	..	1
1899	93·6	2·5	0·5		3·4	1	1
1900	94·5	2·0	0·4		3·1	53	10	7	36	..	1
1901	93·5	2·4	0·8		3·2	278	36	32	205	5	..
1902	93·9	2·4	0·4		3·3	80	11	13	53	3	..
1903	94·5	2·1	0·3		3·1	41	6	5	29	1	1
1904	93·9	2·4	0·4		3·3	185	35	18	128	4	..
1905	93·8	2·4	0·4		3·4	4	2	..	2	..	1
1906	91·9	2·6	0·5	0·2	4·8	1	1	..	1
1907	83·5	3·3	0·7	6·2	6·3	1	1
1908	76·8	3·1	0·7	13·4	6·0	6	..	1	5
1909	71·7	2·9	0·7	19·4	5·3	1
1910	67·6	2·7	0·6	23·8	5·3	2
1911	64·2	2·5	1·0	26·7	5·6	5	..	2	3
1912	62·1	2·6	0·4	29·6	5·3	17	1	3	12	1	..
1913	58·6	2·5	0·4	33·2	5·3
1914	56·6	2·5	0·6	34·5	5·8	1	1	..	1
1915	59·0	2·2	0·3	33·9	4·6	2	2
1916	57·8	2·4	0·4	35·2	4·2	1	1
1917	56·0	2·8	0·5	36·6	4·1
1918	54·5	3·0	0·6	37·2	4·7

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

‡ Including 1 of unstated age.

§ Including 2 of unstated age.

|| Including 3 of unstated age.

TABLE 53.—Deaths from Small-pox in Scotland in Decennial Periods since 1855.

AGES.	SMALL-POX DEATHS, 1915-1918.		SMALL-POX DEATHS, 1905-1914.		SMALL-POX DEATHS, 1895-1904.		SMALL-POX DEATHS, 1885-1894.		SMALL-POX DEATHS, 1875-1884.		SMALL-POX DEATHS, 1865-1874.		SMALL-POX DEATHS, 1855-1864.	
	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.	Number.	Percent-age at each age.
0-5	2	66·7	3	8·6	106	15·2	41	13·7	38	17·1	1893	26·5	7194	68·3
5-24	6	17·1	85	12·1	77	25·8	96	43·3	2935	41·1	2079	19·7
25-64	1	38·3	25	71·4	494	70·7	175	58·5	82	36·9	2246	31·5	1233	11·7
65 and above	1	2·9	14	2·0	6	2·0	6	2·7	61	0·9	33	0·3
Total.	3	100·0	35	100·0	699	100·0	299	100·0	222	100·0	*7138	100·0	†10548	100·0

* Including 3 of unstated age.

† Including 9 of unstated age.

1. EVENTS REGISTERED IN 1919. 2. VACCINATIONS OF CHILDREN REGISTERED IN 1918.

(Figures in this Table show actual numbers as registered, and are not "Corrected for Transfers.")

General Registration Summary.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1919.			VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.					On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	In respect of the children having already had Small-pox.			
1	1. SHETLAND.	686	641	4	0	9	1	0	0	0	1	2	0	0	12
2	Bressay,	1389	1338	30	3	15	3		0	0	0	0	0	0	14
3	Delting,														
	Dunrossness, etc.—														
	(1) Dunrossness,	1375	1381	12	0	15	1		0	0	0	1	0	0	13
	(2) Sandwick and Cunnings- burgh,	2116	2241	24	1	32	8		0	0	0	0	0	0	16
	(3) Fair Isle,	147	139	0	0	0	0		0	0	0	0	0	0	1
4	Fetlar,	347	279	3	1	4	2		0	0	0	0	0	0	2
5	Lerwick—(1) Lerwick,	5661	6402	102	9	150	157		5	0	79	0	2	2	99
	(2) Burra Isles,	858	894	27	0	11	0		0	0	21	0	4	4	27
6	Yell—(1) Mid and South Yell,	1792	1690	30	3	22	2		0	0	14	0	4	4	18
	(2) North Yell,	691	658	11	1	9	0		0	0	6	0	0	0	6
7	Nesting, etc.—(1) Nesting,	726	605	4	2	7	2		0	0	5	0	0	0	5
	(2) Lunnasting,	655	559	6	0	1	0		0	0	9	0	0	0	9
	(3) Whalsay,	975	1042	17	1	14	1		0	0	7	0	0	0	10
	(4) Whalsay Skerries,	124	144	0	0	1	0		0	0	0	0	1	1	1
8	Northmavine,	2014	1866	21	0	30	3		0	0	9	0	2	2	13
9	Sandsting and Aithsting,	2396	2100	27	2	32	3		0	0	15	1	0	0	17
10	Tingwall, etc.—(1) Tingwall,	1502	1406	13	3	19	5		0	0	17	0	1	1	21
	(2) Whiteness and Weisdale,	771	704	9	1	10	5		0	0	7	0	0	0	7
11	Unst,	1946	2077	19	1	24	7		0	0	14	6	0	0	21
12	Walls, etc.—(1) Walls,	990	852	12	0	8	2		0	0	5	0	0	0	5
	(2) Sandness,	503	497	4	1	12	0		0	0	3	0	0	0	6
	(3) Papa-Stour,	272	212	1	0	2	0		0	0	2	0	0	0	2
	(4) Foula,	230	184	1	0	1	0		0	0	2	0	0	0	2
	Total,	28166	27911	377	29	428	202		0	6	258	10	14	0	327

General Registration Summary.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.			
				Total.	Illegit- imate.										
													Insusceptible of Vaccine Disease.		
													On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.
13	2. ORKNEY.	1329	1164	10	0	19	8	6	1	5	0	14			
14	Birsay,	742	642	6	0	16	4	4	1	8	2	10			
15	Deerness,	643	559	8	0	10	4	4	0	4	0	8			
16	Eday and Pharay,	1084	955	18	4	15	9	6	0	15	0	24			
17	Evie and Rendall,	700	693	11	2	10	6	3	0	6	1	7			
	Firth and Stennes—(1) Firth,	570	517	2	0	11	3	5	2	1	0	5			
	(2) Stennes,	675	608	10	1	13	5	2	0	5	0	5			
18	Harray,	818	763	15	2	13	2	2	3	13	0	17			
19	Holm and Paplay,	485	393	4	0	6	6	6	0	0	0	1			
20	Hoy and Græmsay,	4522	4595	83	10	87	87	29	10	56	2	112			
21	Kirkwall and St. Ola,	442	436	3	0	7	1	0	0	1	0	1			
22	North Ronaldshay,	877	798	16	1	12	5	5	0	8	1	14			
23	Orphir,	829	710	14	0	11	3	7	0	7	0	14			
24	Rousay and Egilshay,	737	698	8	2	6	3	3	0	0	0	4			
25	St. Andrews,	1727	1529	21	2	18	9	9	1	12	0	15			
26	Sanday,	1071	986	10	0	16	6	6	1	6	0	17			
27	Sandwick,	769	718	14	0	12	5	5	0	11	0	13			
28	Shapinshay,	2707	2395	51	5	41	15	17	4	9	2	39			
29	South Ronaldshay and Burray,	3180	2348	48	2	44	15	8	5	32	1	49			
30	Stromness,	1184	1217	8	0	19	1	6	1	8	0	16			
31	Stronsay,	926	843	12	2	20	3	4	0	7	0	8			
32	Walls, etc.—(1) Walls,	431	404	4	0	7	4	7	0	3	0	7			
	(2) Flotta,	1956	1668	25	0	26	5	15	3	15	0	24			
33	Westray, etc.—(1) Westray,	295	258	3	0	6	1	3	0	3	0	3			
	(2) Papa-Westray,														
	Total,	28669	25897	404	33	445	212	115	32	235	17	427			

3. CAITHNESS.																
34	Bower, .	1453	1393	28	3	22	4	6	0	0	4	10	0	0	0	20
35	Canisbay, .	2006	1866	29	2	38	3	1	0	0	1	7	0	0	1	17
36	Dunnet, .	1232	1147	14	3	21	3	0	0	0	0	10	0	0	0	12
37 ^a	Halkirk, .	2355	2160	37	3	35	20	18	0	0	2	11	2	2	5	38
37 ^b	Keiss, .	1110	1001	7	1	10	4	2	0	0	0	5	2	2	0	9
38	Latheron, .	5223	4514	73	10	76	15	25	0	0	3	38	0	0	8	74
39	Olrig, .	1555	1450	20	0	27	3	3	0	0	1	8	7	0	0	19
40	Reay, .	974	920	16	3	5	3	5	0	0	1	2	1	0	0	9
41	Thurso, .	5406	4709	99	11	84	40	33	0	0	10	26	0	0	19	88
42	Watten, .	1230	1079	16	0	19	4	8	0	0	1	5	0	5	0	19
43	Wick, .	11326	11771	229	27	172	90	44	0	0	17	69	3	3	32	165
Total,		33870	32010	568	63	509	189	145	0	0	40	191	29	65	470	
4. SUTHERLAND.																
44	Assynt—(1) Kirkton, .	338	306	2	0	6	1	2	0	0	0	1	0	0	1	4
	(2) Stoer, .	2048	1805	15	0	41	1	8	0	0	1	1	0	0	6	16
45	Clyne, .	1724	1749	31	0	23	3	9	0	0	2	3	0	0	3	17
46	Creich—(1) Bonar, .	1355	1282	20	0	32	4	0	0	0	1	21	0	0	0	22
	(2) Rosehall, .	481	431	2	0	12	1	1	0	0	0	6	0	0	2	9
47	Dornoch, .	2794	2670	42	10	33	18	37	0	0	2	3	2	1	1	45
48	Durness, .	870	830	10	0	12	0	4	0	0	1	3	1	0	0	9
49	Eddrachillis—(1) Scourie, .	541	441	5	0	8	0	1	0	0	0	1	2	0	0	4
	(2) Kinlochbervie, .	877	809	15	1	9	2	2	0	0	1	10	0	0	0	13
50	Farr—(1) Kirkton, .	1025	1062	12	1	23	3	0	0	0	0	12	0	0	1	13
	(2) Strathay, .	1532	1406	14	0	32	2	5	0	0	0	6	1	0	0	12
51	Golspie, .	1665	1685	22	7	22	4	13	0	0	0	1	2	0	0	17
52	Kildonan, .	1772	1786	27	1	20	13	6	0	0	2	5	0	0	6	19
53	Lairg, .	1081	995	13	1	26	3	4	0	0	0	3	1	0	0	8
54	Loth, .	449	367	3	0	14	0	1	0	0	0	2	0	0	2	5
55	Rogart, .	1105	946	7	0	18	3	9	0	0	1	0	0	0	0	10
56	Tongue, .	1783	1609	21	3	27	5	13	0	0	0	6	0	0	0	19
Total,		21440	20179	261	24	358	63	115	0	1	11	84	9	22	242	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1919.			VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.			
				Total.	Illegit- imate.										
													Insusceptible of Vaccine Disease.		
			On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.										
57	5. ROSS AND CROMARTY. <i>Mainland.</i>	956	898	25	4	10	3	15	0	0	0	0	0	0	23
58	Alness,	813	703	5	1	13	1	0	0	0	0	0	0	0	4
59a	Applecross—(1) Applecross, (2) Sheldalig,	864	801	13	2	11	0	5	1	1	1	1	1	1	9
59b	Avoch,	1852	1782	33	2	18	4	10	0	0	0	0	0	0	21
60	Carnoch,	235	224	2	0	6	1	0	0	0	0	0	0	0	2
61	Contin—(1) Contin,	516	445	10	1	4	1	0	0	0	0	0	0	0	3
62	Contin—(2) Kinlochluichart, (2) Kinlochluichart,	589	512	9	1	5	1	2	0	0	0	0	0	0	4
63	Cromarty,	1848	5637	50	2	36	7	28	7	7	0	0	0	0	56
64	Dingwall,	2758	2898	43	5	59	47	20	7	7	0	0	0	0	55
65	Edderton,	577	545	7	1	12	1	2	0	0	0	0	0	0	3
66	Fearn,	1761	1785	40	2	20	9	19	1	1	0	0	0	0	38
67	Fodderty,	1787	1692	28	1	34	8	7	1	1	0	0	0	0	23
68	Gairloch—(1) Northern, (2) Southern,	1118	944	18	0	15	3	3	0	0	0	0	0	0	15
69	Glenshiel,	2617	2310	19	0	42	4	16	1	1	0	0	0	0	32
70	Killearnan,	343	339	4	0	8	0	2	0	0	0	0	0	0	4
71	Kilmuir-Easter,	933	782	10	0	15	2	6	0	0	0	0	0	0	15
72	Kiltearn,	985	887	19	3	13	7	7	0	0	0	0	0	0	17
73	Kincardine—(1) Kincardine, (2) Strathoykel,	1258	1138	32	4	5	6	6	2	2	0	0	0	0	16
74	Kintail,	1005	971	16	2	18	6	0	1	1	0	0	0	0	12
75	Knockbain,	260	227	2	0	4	0	0	0	0	0	0	0	0	5
76	Lochalsh,	491	414	1	0	10	0	1	0	0	0	0	0	0	9
77	Lochbroom—(1) Lochbroom, (2) Coigach,	1504	1356	24	2	25	6	10	1	1	0	0	0	0	16
78	Lochcarron,	1830	1761	14	0	35	4	4	1	1	0	0	0	0	13
79	Logie-Easter,	2322	2042	19	0	39	9	10	3	3	0	0	0	0	20
80		885	752	14	2	13	0	2	0	0	0	0	0	0	5
81		1442	1108	12	1	26	2	1	0	0	0	0	0	0	8
82		819	700	16	0	9	1	6	3	7	0	0	0	0	19

78	Nigg,	892	827	16	2	14	4	14	0	0	0	0	0	0	2	1	1	18
79	Resolis, .	1036	954	12	2	18	3	10	0	0	0	0	0	0	4	0	0	16
80	Rosemarkie, .	1465	1309	21	6	28	11	10	0	1	0	0	0	0	4	0	0	15
81	Roskeen, .	3460	3362	122	11	93	33	54	0	0	0	0	0	9	39	10	35	147
82	Tain, .	2756	2507	45	2	56	52	29	0	0	0	0	0	2	7	0	7	45
83	Tarbat, .	1358	1224	13	1	23	5	6	0	0	0	0	0	2	3	4	0	15
84	Urquhart and Logie-Wester, .	2102	2006	27	2	27	7	9	1	0	0	0	0	7	11	0	5	33
85	Urray, .	2064	1919	29	5	33	18	7	0	0	0	0	0	2	7	0	5	21
<i>Insular.</i>																		
86a	Barvas, .	5915	6040	83	2	132	32	16	0	0	0	0	0	1	38	0	22	77
86b	Carloway, .	3076	3022	51	0	50	14	7	0	0	0	0	0	3	10	0	21	41
87	Lochs, .	4768	4774	90	1	82	20	45	0	0	0	0	0	7	5	4	3	64
88	Stornoway, .	12983	13438	233	11	467	105	148	0	0	0	0	0	12	26	4	21	211
89	Uig, .	2207	2329	30	0	31	6	11	0	0	0	0	0	1	12	2	0	26
Total,																		
6. INVERNESS.																		
<i>Mainland.</i>																		
90a	Abernethy and Kincardine, .	1279	1228	17	3	20	2	12	0	0	0	0	0	2	1	0	0	16
90b	Alvie, .	533	590	10	2	7	0	4	0	0	0	0	0	2	5	0	0	11
91a	Ardersier, .	1594	1913	30	2	13	8	19	0	0	0	0	0	0	1	0	0	20
91b	Arisaig, .	1079	1009	7	0	16	4	4	0	0	0	0	0	0	1	2	0	7
91c	Ballachulish and Onich, .	466	481	4	0	9	2	2	0	0	0	0	0	0	1	0	1	4
92a	Boleskine, etc.— (1) Boleskine, .	838	1013	11	1	3	3	15	0	0	0	0	0	0	1	0	0	16
92b	(2) Fort-Augustus or Abertarff, .	1005	883	15	2	18	3	6	0	0	0	0	0	0	3	1	1	11
	Cannich, .	484	442	1	0	5	2	3	0	0	0	0	0	0	0	0	3	6
(93 <i>Cromdale and Inverallan.</i> — <i>Now 128 infra.</i>)																		
94	Croy and Dalcross— <i>Inverness</i> <i>portion,</i>	579	542	7	0	8	1	3	0	0	0	0	0	0	0	0	0	3
95	Daviot and Dunlichty, .	999	907	16	3	14	2	6	0	0	0	0	0	0	4	1	0	11
96a	Dores, .	835	781	11	0	12	3	4	0	0	0	0	0	1	1	0	0	6
96b	Duthil, etc.—(1) Duthil, .	1788	1700	31	6	22	9	19	0	0	0	0	0	2	7	2	0	30
97	(2) Rothiemurchus, .	207	243	7	1	1	4	5	0	0	0	0	0	1	0	0	0	6
	Glenelg—(1) Glenelg, .	543	481	3	1	11	0	1	0	0	0	0	0	0	0	0	0	1
	(2) Knoydart, .	309	308	1	0	6	0	2	0	0	0	0	0	0	0	0	1	3
	(3) North Morar, .	651	881	11	1	10	4	7	0	0	0	0	0	1	13	0	1	22

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		1901	1911	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccini- nation, or otherwise.	Total Births for 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Total.	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
													Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

115	Sleat,	1665	1373	11	138	1656	615	549	2	2	0	112	374	55	208	1302
116	Small Isles,	495	396	3	0	16	3	0	0	0	0	0	2	1	7	10
117	Snizort—(1) North,	614	634	12	1	14	2	1	0	0	0	1	6	0	2	5
	(2) South,	1035	1060	11	1	27	8	0	0	0	0	1	8	0	1	9
118	South Uist—(1) Benbecula,	1497	1384	14	1	30	8	4	0	0	0	2	12	0	2	11
	(2) Howmore,	1726	1639	29	2	30	3	7	0	0	0	1	6	13	0	18
	(3) Boistale,	2293	2360	58	3	47	3	13	0	0	0	4	1	0	0	27
119	Strath,	2152	1959	31	1	40	7	1	0	0	0	3	13	0	19	37
	Total,	90104	87272	1418	138	1656	615	549	2	2	0	112	374	55	208	1302
120	Ardclach,	772	759	9	0	11	1	6	0	0	0	1	1	0	0	8
121	Auldearn,	1292	1248	19	0	22	7	21	0	0	0	3	1	0	0	25
122	Cawdor,	925	847	13	1	9	5	13	1	0	0	0	4	0	0	18
123	Nairn,	5732	5906	110	16	97	47	62	1	0	0	12	18	1	4	98
94	Croy and Dalcross— <i>Nairn por- tion</i> ,	570	559	8	0	6	3	3	0	0	0	0	2	0	0	5
	Total,	9291	9319	159	17	145	63	105	2	2	0	16	26	1	4	154
125	Alves,	1025	1109	22	1	11	4	25	0	0	0	1	2	1	1	30
126	Bellie,	1801	1749	17	3	20	6	17	0	0	0	4	4	0	1	26
127	Birnie,	356	363	9	0	0	1	4	0	0	0	1	0	0	1	6
128	Cromdale, etc.— (1) Cromdale & Advie (2) Inverallan,	1048 2181	898 1989	9 41	1 8	6 27	7 9	8 22	0 0	0 0	0 0	0 2	0 2	0 2	0 1	8 29
129	Dallas,	738	656	11	2	9	5	10	1	0	0	0	1	0	2	14
130	Drainie,	4380	4700	125	9	57	44	49	0	0	0	11	24	15	0	99
131	Duffus—(1) Burghead,	2125	2056	41	2	30	7	20	0	0	0	3	11	5	0	39
	(2) Duffus,	1940	1949	49	7	21	9	28	0	0	0	3	0	6	0	37
	(132 <i>Duthil, etc.—Now 96b supra.</i>)															
133	Dyke,	1049	1020	21	2	7	5	11	0	0	0	1	4	3	1	20
134	Edinkillie,	869	832	13	1	7	5	17	0	0	0	1	1	0	1	20
135	Elgin,	11560	11692	188	19	189	183	106	1	1	0	12	15	1	46	181

7. NAIRN.

8. ELGIN (MORAY).
(124 *Abernethy and Kincardine.
—Now 90a supra.*)

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.									
		1901	1911	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.				
				Total.	Illegit- imate.											
													Insusceptible of Vaccine Disease.	In respect of the Children having already had Small-pox.	On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.
136	ELGIN (MORAY)—continued.	661	612	18	10	19	5	12	0	0	0	1	0	0	8	22
137	New Spynie,	5241	4932	92	12	86	43	69	0	1	0	8	9	0	13	102
138	Forres,	929	851	19	3	6	6	17	0	0	0	1	3	0	0	21
139	Kinloss,	1756	1488	36	9	24	16	14	0	0	0	0	5	0	1	20
140	Knockando,	934	895	22	3	8	2	14	0	0	0	0	4	2	1	21
141	Rafford,	2361	2016	37	6	30	11	28	0	0	0	2	6	0	3	39
142	Rothies,	1209	1155	20	3	11	7	7	0	0	0	0	0	1	2	10
143	St. Andrews-Lhanbryde,	619	595	10	1	8	0	12	0	0	0	0	1	0	2	15
144	Speymouth,	977	899	16	3	12	5	2	0	0	0	0	2	0	5	9
	Urquhart—(1) Urquhart,	740	690	15	3	16	3	10	0	0	0	2	1	0	0	13
152	(2) Garmouth,	301	281	4	0	5	3	1	0	0	0	0	3	0	0	4
	Enzie—Elgin (Moray) portion,															
	Total,	44800	43427	835	108	609	386	503	2	3	0	53	99	36	89	785
145	9. BANFF.															
146	Aberlour,	2538	2569	36	3	24	20	14	0	0	0	4	7	1	0	26
147a	Alvah,	1281	1200	26	1	20	2	15	0	0	0	1	3	0	0	19
147b	Banff,	4546	4570	86	13	107	61	38	0	0	0	11	26	1	0	76
148	Boharm,	1128	990	19	4	6	4	10	0	0	0	2	0	0	0	12
149a	Botriphnie,	754	732	11	3	7	0	10	0	0	0	0	1	0	0	11
149b	Boyndie,	2005	2178	43	2	41	7	22	0	0	0	7	19	1	0	49
150	Cabrach,	581	534	9	2	5	0	7	0	0	0	1	0	0	2	10
151	Cullen,	1936	1992	38	1	27	19	13	0	0	0	3	16	1	0	33
152	Deskford,	714	695	8	0	6	5	2	0	0	0	1	1	0	0	4
153	Enzie—Banff portion,	1976	2154	52	2	38	9	27	0	0	0	3	29	0	0	59
	Fordyce—(1) Fordyce,	1850	1808	33	3	24	9	28	0	0	0	2	4	0	0	38
	(2) Portsoy,	2091	2172	49	7	36	18	12	0	0	0	3	20	2	2	39
154	Forglen,	653	620	5	1	7	2	16	0	0	0	3	1	3	0	23

155 ^a	Gamrie—(1) Gamrie, (2) Macduff, . . .	2557	2462	57	5	24	10	22	0	0	0	0	3	15	0	5	45
155 ^b	Glenrinnes, . . .	3852	3798	84	7	63	13	34	0	0	0	0	5	38	2	0	79
156	Grange, . . .	337	280	7	1	2	1	4	0	0	0	0	0	0	0	0	4
157	Inveravon—(1) Inveravon, (2) Glenlivat, . . .	1673	1461	21	5	12	2	27	0	0	0	0	2	3	3	0	35
158	Inverkeithny, . . .	760	754	6	0	4	2	14	0	0	0	0	0	2	0	3	19
159	Keith, . . .	1441	1263	26	6	18	5	10	0	0	0	0	1	4	0	0	15
160	Kirkmichael, etc.— (1) Kirkmichael, . . . (2) Tomintoul, . . .	769 6828	725 6359	17 113	1 20	7 101	1 50	13 57	0	0	0	0	2 14	0 29	1 3	0 7	16 110
161	Marnoch, . . .	353	312	6	0	9	1	0	0	0	0	0	0	0	1	0	1
162	Mortlach, . . .	682	637	6	0	11	1	0	0	0	0	0	1	10	0	0	12
163	Ordiquhill, . . .	2851	2532	41	7	29	8	30	0	0	0	0	6	4	5	4	49
164	Rathven, . . .	3170	2816	38	8	46	18	23	2	0	0	0	3	6	0	7	41
165	Rothiemay, . . . (166 St. Fergus.—Now 237c infra.)	642 10133 1252	644 11767 1143	11 327 16	2 24 0	4 114 16	1 83 14	12 43 11	0	1	0	0	2 16 0	1 198 4	2 2 1	0	262 16
167	Seafield, . . .	2135	2235	48	2	29	12	14	0	0	0	0	3	25	14	0	56
	Total,	61488	61402	1239	130	837	378	528	3	1	0	0	99	466	45	32	1174
168	10. ABERDEEN. Aberdeen—(1) St. Nicholas, (2) St. Machar, . . . (3) Rubislaw (4) Woodside, . . . (5) Old Aberdeen, . . .	52053 38665 42335 8115 2949	50424 42436 47819 8714 3070	1476 668 788 173 58	267 39 65 21 5	1107 537 776 111 38	1206 563 320 48 39	756 453 498 102 36	25 2 6 4 0	0	0	0	0	177 47 74 18 5	48 19 19 4 2	14 10 10 1 1	1097 590 675 145 51
169	Aberdour, . . .	1496	1431	37	4	22	13	29	0	0	0	0	4	7	0	0	38
170	Aboyne, . . .	1477	1525	10	1	14	4	13	2	0	0	0	0	5	0	0	18
171 ^a	Alford, . . .	1486	1464	30	4	13	10	29	0	0	0	0	0	0	3	0	32
171 ^b	Ardallie, . . .	1080	896	13	3	9	3	14	0	0	0	0	1	3	0	1	19
172	Auchindoir, . . .	1216	1058	23	5	17	9	21	0	0	0	0	1	2	0	0	24
173	Auchterless, . . .	1623	1469	38	5	12	7	24	0	0	0	0	1	0	0	0	25
174	Belhelvie, . . .	1614	1491	27	4	13	8	13	0	0	0	0	2	9	0	2	26
175	Birse, . . .	1085	1047	17	1	10	4	16	0	0	0	0	0	1	1	0	18
176	Bourtie, . . . (177 Cabrach.—Now 149b supra.)	408	413	15	3	5	1	4	0	0	0	0	1	0	3	1	9
178	Cairney, . . .	1283	1212	25	2	14	3	11	0	0	0	0	1	1	0	2	15
179	Chapel of Garioch, . . .	1559	1492	29	2	17	1	19	0	0	0	0	1	2	1	2	25

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths	Marr- iages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.					On the ground of previous Successful Vaccination	Constitutional Insusceptibility.	On the ground already had Small-pox.			
180	ABERDEEN—continued.	425	434	5	0	2	1	0	2	2	0	0	0	0	6
181	Clatt,	1207	1132	21	2	17	6	2	1	1	0	0	0	0	16
182	Cluny,	684	606	4	1	12	0	1	3	1	0	0	0	0	15
183	Coull,	846	780	8	1	13	2	1	0	0	0	0	0	0	6
184	Crathie, etc.—(1) Braemar, (2) Crathie,	606	621	5	1	6	1	1	0	0	0	0	0	0	1
185	Crimond,	719	671	13	0	5	6	0	6	0	0	0	0	0	15
186	Cruden,	3060	2860	45	7	32	19	7	10	3	0	0	0	0	44
187	Culsamond,	683	607	11	1	7	1	2	0	0	0	0	0	0	10
188	Daviot,	568	581	8	2	10	0	0	0	1	0	0	0	1	10
189	Drumblade,	948	883	14	0	10	0	0	0	0	0	0	0	0	15
190	Drumoak,	865	843	8	2	13	6	0	0	0	0	0	0	0	10
191	Dyce,	1482	1319	25	1	13	11	2	20	1	0	0	0	0	25
192	Echt,	1249	1222	20	2	23	3	3	13	1	0	0	0	2	16
193	Ellon,	3395	3088	67	9	38	39	2	52	4	0	0	0	1	61
194	Fintray,	866	872	22	2	10	4	3	11	1	0	0	0	1	14
195	Forgue,	1107	1079	21	3	14	2	2	26	1	0	0	0	0	30
196	Foveran,	1793	1649	31	2	9	2	2	19	1	0	0	0	1	21
197	Fraserburgh,	9715	11151	280	28	122	85	2	79	97	25	10	12	228	228
198	Fyvie,	2774	2786	50	6	37	20	0	57	4	15	0	1	1	79
199	Gartly,	862	758	9	0	21	0	0	14	0	1	0	2	2	19
200	Glass,	809	703	14	0	11	4	0	10	0	2	0	0	0	15
201	Glenbuchat, and Glenmuick, Tullich,	403	340	5	1	1	1	0	2	1	0	0	0	0	3
202	Glengairn,	2347	2210	24	1	19	6	0	20	4	0	0	1	0	25
203	Huntly,	4899	4937	90	19	66	55	0	49	20	7	0	11	8	95
204	Insch,	1408	1340	31	3	17	3	0	21	3	7	0	0	2	33
205	Inverurie,	3491	4425	77	7	44	50	0	40	5	5	0	18	3	71
206	Keig,	626	574	5	0	5	2	0	6	0	4	0	1	0	11
	Keith-hall,	803	760	14	4	9	2	0	15	0	2	0	0	0	19

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.						
		1901	1911	Births.		Deaths.	Marr- iages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.								
237 ^c	ABERDEEN—continued.	1194	970	31	7	10	3	0	0	9	0	0	24
238	St. Fergus,	1546	1437	31	4	14	8	0	0	1	0	1	34
239	Skene,	936	846	23	7	14	1	0	0	4	0	0	26
240	Slains,	1096	1014	17	3	11	4	0	0	10	0	0	20
241	Strathdon,	2033	2085	36	5	23	10	0	0	6	0	1	43
242	Strichen,	733	741	14	2	8	3	0	0	5	0	0	13
243	Tarland,	2101	1946	40	7	23	8	0	0	0	0	0	41
244	Tarves,	675	613	14	4	6	3	0	0	2	0	0	14
245	Tough,	938	728	19	1	6	5	0	0	1	0	0	15
246	Towie,	903	872	18	0	7	4	0	0	2	0	0	8
247	Tullynessle and Forbes,	4139	4128	74	10	66	26	0	0	1	2	1	93
248	Turriff,	747	719	22	4	6	2	0	0	6	3	1	16
249 ^a	Tyrie,	1564	1469	28	1	11	5	0	0	2	0	0	33
249 ^b	Udny,	1005	895	20	3	6	2	0	0	0	1	0	21
	Ythan Wells,												
	Total,	304439	312177	6311	779	4585	3060	41	13	862	191	141	5548
250	11. KINCARDINE.												
251	Arbuthnot,	698	674	14	1	4	1	0	1	3	0	0	14
	Banchory-Devenick—												
	(1) Banchory-Devenick,	508	504	8	0	6	3	0	0	2	0	0	6
	(2) Portlethen,	1218	996	13	2	7	5	0	0	0	0	0	20
252	Banchory-Ternan,	3449	3377	45	4	52	18	0	0	3	0	3	51
253	Benholm,	1426	1276	11	3	9	7	0	0	11	0	0	21
254	Bervie,	2523	2391	55	7	33	23	0	0	32	1	0	42
255	Dunnottar,	2533	2255	42	8	30	16	0	1	19	5	0	45
256	Durris,	884	872	16	4	7	2	0	0	0	0	0	12
257	Fettercairn,	1390	1301	37	4	15	7	0	0	5	4	1	35

	3930	3683	51	3	82	41	27	0	6	6	2	0	7	129	17	25	743
Fetteresso—(1) Fetteresso, (2) Cookney,	1479	1278	16	4	19	6	20	0			0	0	2				
Fordoun, .	1809	1717	46	8	26	5	32	0			0	0	1				4
Garvock, .	368	371	10	0	3	0	3	0			0	0	0				4
Glenbervie, .	870	779	11	3	7	0	15	0			0	0	0				16
Kinnell and Catterline, .	899	835	17	3	11	2	9	0			2	0	0				18
Laurencekirk, .	2011	1921	33	6	34	12	25	0			0	0	3				31
Maryculter, .	951	861	6	1	7	2	5	0			0	0	0				5
Marykirk, .	1209	1167	19	0	16	6	30	0			0	0	2				37
Nigg, .	10914	13001	318	23	116	83	167	6			0	0	30				259
St. Cyrus, .	1228	1222	24	5	16	10	14	0			0	0	1				17
Strachan, .	626	527	11	0	8	0	7	0			0	0	0				7
Total,	40923	41008	803	89	508	249	503	6			6	0	57				
12. FORFAR.																	
Aberlemno, .	804	728	17	1	5	5	11	0			0	0	1				15
Airlie, .	698	723	17	2	4	2	10	0			1	0	1				13
Arbirlot, .	800	840	19	1	6	2	15	0			0	0	0				17
Arbroath, etc.—(1) Arbroath, .	22569	20821	378	38	353	181	96	0			0	0	25				279
(2) St. Vigeans, .	2108	1909	—	—	—	—	13	0			0	0	3				33
Auchterhouse, .	547	629	13	1	8	2	12	0			0	0	0				13
Barry, .	4652	4933	65	1	75	29	47	0			1	0	3				72
Brechin, .	10444	9836	120	19	139	78	59	0			0	0	13				132
Carmylie, .	1063	847	16	1	11	4	11	0			0	0	3				15
Careston, .	221	213	9	0	0	0	3	0			0	0	0				4
Cortachy and Clova, .	569	479	7	0	7	6	4	0			0	0	0				5
(279 Coupar-Angus.—Now 341b infra.)																	
Craig, .	2019	1883	49	3	21	14	14	0			0	0	5				31
Dun, .	526	498	4	0	6	1	8	0			0	0	2				14
Dundee, .	29343	29977	—	—	—	—	80	2			2	0	45				432
(2) St. Mary and St. Peter, .	29222	29115	793	81	510	449	139	0			3	0	96				720
(3) St. Clement, .	28077	27199	968	212	924	704	78	0			0	0	34				434
(4) St. Andrew, .	60403	61638	1120	97	877	528	197	0			3	0	80				997
(5) Lochee, .	14790	14846	473	29	286	179	49	0			2	0	14				199
Dunnichen, .	1132	1098	22	1	28	7	16	0			0	0	2				24
Fassie and Nevay, .	474	486	11	0	6	1	15	0			0	0	1				18
Edzell, .	822	878	17	1	18	5	7	0			0	0	0				9
Farnell, .	536	506	8	0	5	1	7	0			0	0	2				10
Fern, .	322	308	6	2	16	0	4	0			0	0	0				5

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.							
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Died before Vaccination.	Insusceptible of Vaccine Disease.			Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.					On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.		
288a	Forfar,	12879	12254	195	15	180	106	18	16	0	1	0	1	162
288b	Fowls-Easter,	254	249	6	0	1	1	4	0	0	0	0	0	8
289	Glamis,	1351	1159	19	1	14	10	0	1	0	0	0	0	14
290	Glenisla,	409	344	2	0	4	1	1	0	0	0	0	0	1
291	Guthrie,	264	257	6	0	4	0	1	0	0	0	0	0	4
292	Inverarity,	823	861	9	0	15	3	0	0	0	0	0	0	14
293	Inverkeillor,	1397	1377	27	5	14	3	10	0	0	0	0	0	32
294a	Kettins,	704	689	16	0	6	4	3	0	0	0	0	0	10
294b	Kilry,	324	278	6	0	3	1	0	0	0	0	0	1	5
295	Kingoldrum,	355	349	5	0	5	0	2	1	0	0	0	0	5
296	Kinnell,	574	589	13	1	2	1	1	2	0	0	0	0	9
297	Kinnettles,	323	310	6	1	1	3	1	0	0	0	0	0	7
298	Kirkden,	1491	1337	16	4	20	4	6	4	0	0	0	0	26
299	Kirriemuir,	5902	5391	69	7	83	40	8	4	0	3	0	0	53
300	Lethnott and Navar,	238	205	4	0	0	0	0	0	0	0	0	0	4
301	Liff, Benvie, and Invergowrie,	1834	1923	16	1	69	4	2	1	0	0	0	0	14
302	Lintrathen,	495	507	6	1	2	2	1	0	0	0	0	0	8
303	Lochlee,	326	295	1	0	3	2	0	0	0	0	0	0	0
304	Logie-Pert,	982	1002	14	1	10	2	0	1	0	1	1	1	15
305	Lunan,	302	312	10	1	4	1	0	0	0	0	0	0	3
306	Lundie,	268	256	8	1	4	0	2	1	0	0	0	0	9
307	Mains and Strathmartine,	5443	6631	79	4	72	56	35	3	10	1	1	10	90
308	Marytown,	278	262	7	0	1	0	2	0	0	0	0	0	7
309	Menmuir,	704	627	22	0	4	3	42	2	0	0	0	1	17
310	Monifieth—(1) East, (2) West,	2614	3546	55	4	42	18	133	0	0	0	0	0	37
311	Monikie,	9058	9599	118	10	8	60	8	13	0	1	0	0	131
312	Montrose,	1299	1184	0	0	21	91	276	5	0	0	0	0	25
313	Murroes,	14027	12669	188	21	1	0	12	20	0	2	0	1	166
		1041	898	24	1	12	0	1	1	0	0	0	0	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		1901	1911	Births.		Deaths	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				Total.	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
												Insusceptible of Vaccine Disease.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES, 1919.				VACCINATIONS, 1918.					
		1901	1911	Births.		Deaths.	Marr- riages.	Insusceptible of Vaccine Disease.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegitimate.								
		1901	1911					In respect of the Children having already had Small-pox.					
								On the ground of Constitutional Insusceptibility.					
		1901	1911					On the ground of previous Successful Vaccination.					
								Successfully Vaccinated.					
400	14. FIFE. (399 Abbotshall.—Merged in 442.)	664	647	7	1	9	3	0	1	3	0	1	15
401	Abdie,	1997	2147	54	2	22	10	0	6	23	2	3	57
402	Aberdour,	1190	1147	7	0	11	8	0	1	3	0	1	13
403	Anstruther-Easter,	558	613	10	1	6	5	0	0	2	0	0	7
404	Anstruther-Wester,												
405	(404 Arrgask.—Nov 328c supra.) Auchterderran— (1) Auchterderran, (2) Lochgelly,	3068	7351	229	13	63	51	1	20	142	7	2	232
406	Auchtermuchty,	5558	10196	309	11	102	64	0	20	168	3	4	284
407	Auchtertool,	1884	1893	23	0	28	14	0	1	2	0	0	14
408	Ballingry—(1) Lochore, (2) Lumphinnans,	742	781	18	0	8	1	0	1	13	0	0	24
409	Balmerino,	1218	5106	187	13	54	42	0	12	49	1	16	172
410	Beath—(1) Cowdenbeath, (2) Kely,	2938	4108	146	9	50	24	0	16	68	8	5	119
411	Burntisland,	576	568	7	1	4	3	0	2	2	0	0	11
412	Cameron,	9904	15509	426	18	124	111	0	34	254	9	2	385
413	Carnbee,	5908	8842	243	13	70	63	0	17	143	3	2	244
414	Carnock,	5599	5305	104	7	74	40	0	10	40	3	9	112
415	Ceres,	738	785	8	1	8	2	0	0	2	0	0	7
416	Collessie,	910	843	14	2	9	2	0	0	3	0	0	11
417	Crail,	1349	1315	46	5	15	11	0	2	6	2	1	45
418a	Creich,	1545	1467	20	0	11	5	0	0	9	3	0	24
418b	Culross,	2161	2215	25	3	27	14	0	2	3	0	0	32
419	Cults,	1534	1547	29	6	30	16	0	6	11	0	0	29
420	Cupar,	297	309	6	0	1	2	0	0	1	0	0	3
		1120	1499	90	4	28	9	0	7	46	4	2	102
		628	617	12	0	6	2	0	0	3	0	0	12
		6768	6736	72	6	164	45	0	2	32	0	2	71

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.				VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
459	FIFE—continued. Wemyss—(1) Wemyss, . (2) Buckhaven, . Total,	4587 10444 218840	6213 16891 267739	140 446 6229	7 27 361	69 169 3415	30 112 2088	47 94 2204	0 0 1	0 1 18	0 0 0	10 27 429	64 244 2690	2 11 145	1 11 181	124 388 5668
460	15. KINROSS.															
461	Cleish, .	631	546	9	0	5	5	3	0	0	0	2	5	0	0	10
462	Fossway and Tulliebole, .	1046	1059	13	2	9	5	6	0	0	0	0	7	0	3	16
463	Kinross, .	2655	3094	57	7	54	19	30	0	0	0	4	16	0	4	54
464	Orwell, .	1822	1983	29	5	40	20	16	0	0	0	0	6	1	2	25
	Portnoak, .	827	845	24	1	19	7	11	0	0	0	0	5	1	0	17
	Total,	6981	7527	132	15	127	56	66	0	0	0	6	39	2	9	122
465a	16. CLACKMANNAN.															
465b	Alloa, .	16858	17130	384	27	253	122	128	2	1	0	20	190	20	1	362
466	Alva, .	5641	5265	100	4	67	46	52	0	3	0	14	18	1	0	88
467	Clackmannan, .	2501	2203	53	5	26	19	25	0	0	0	3	12	0	1	41
468	Dollar, .	2042	1874	20	2	24	14	10	0	0	0	0	2	2	0	14
	Tillicoultry, .	4987	4649	90	4	62	23	58	0	0	0	6	22	3	0	89
	Total,	32029	31121	647	42	432	224	273	2	4	0	43	244	26	2	594

17. STIRLING.		1360	1515	49	4	19	9	29	0	0	0	0	4	14	3	0	50
469	Airth,																
	(470 <i>Alva</i> .— <i>Now 465b supra</i> .)																
471	Baldernock,	582	747	12	0	11	3	8	0	0	0	0	0	6	0	1	15
472	Balforn,	1092	1155	9	1	21	6	20	0	0	0	0	2	0	0	0	22
473	Benny bridge,	4264	5611	119	10	45	47	62	0	0	0	0	9	51	11	0	133
474	Buchanan—(1) Buchanan,	365	371	2	0	0	2	9	0	0	0	0	0	0	0	5	14
	(2) Inversnaid,	122	424	2	0	2	0	0	0	0	0	0	0	0	0	0	0
475	Campsie,	5424	5304	88	4	85	24	42	0	0	0	0	4	38	1	0	86
476	Denny—(1) Denny,	4710	4591	108	6	59	26	23	0	0	0	0	14	46	8	0	92
	(2) Hags,	2147	2882	74	3	32	15	19	0	0	0	0	3	50	2	0	74
477	Drymen,	1390	1269	15	1	16	4	13	0	0	0	0	0	3	0	2	18
478	Dunipace,	2010	1870	54	3	22	19	25	0	0	0	0	2	14	2	0	43
479	Falkirk,	33815	38571	860	68	550	336	174	0	0	0	0	54	530	13	14	785
480	Fintry,	314	280	7	1	3	2	3	0	0	0	0	1	1	0	0	5
481a	Gargunnoch,	633	573	8	0	5	1	6	0	0	0	0	0	2	0	0	8
481b	(Gargunnoch—(1) Bothkennar,	1964	1869	28	1	17	19	20	0	0	0	0	3	17	0	0	40
	(2) Grangemouth,	9146	10244	193	10	122	61	69	0	0	0	0	9	83	2	6	171
	(3) Polmont,	6353	7357	194	10	104	50	44	0	0	0	0	17	116	0	1	178
482	Killearn,	929	1085	9	0	17	5	7	0	0	0	0	0	2	1	0	10
483	Kilsyth,	9840	11052	284	12	124	80	115	1	3	0	0	25	143	0	6	293
484	Kippen,	1456	1365	22	1	6	6	9	0	0	0	0	0	4	0	0	13
485a	Larbert,	11684	12984	234	18	159	76	79	0	0	0	0	18	106	3	2	208
485b	Logie,	4432	4373	52	5	61	21	42	0	0	0	0	3	8	0	1	54
486	Muiravonside,	5332	5706	188	2	56	25	41	0	0	0	0	8	86	0	9	153
	(487 <i>Polmont</i> .— <i>Now 481b (3) supra</i> .)																
488	St. Ninians—(1) St. Ninians,	6611	12275	397	17	142	65	172	4	0	0	0	19	151	16	4	366
	(2) Cambusbarron,	1541	1593	32	3	16	8	15	0	0	0	0	4	11	1	0	31
489	Slamannan,	5286	3440	87	3	41	17	19	0	0	0	0	9	63	0	0	91
490	Stirling,	18609	21461	440	41	412	231	260	4	4	0	0	35	92	5	17	417
491	Strathblane,	880	1024	9	0	11	5	9	0	0	0	0	2	2	0	0	13
	Total,	142291	160991	3576	224	2158	1163	1334	10	19	0	0	245	1639	68	68	3383
492	Arrochar,	605	537	14	3	10	5	5	0	0	0	0	1	1	2	0	9
493	Bonhill,	14581	15969	378	20	203	144	114	0	1	0	0	24	199	18	14	370
494	Cardross—(1) Cardross,	1372	1520	35	6	24	5	23	0	0	0	0	3	2	1	0	29
	(2) Renton,	5114	4977	118	8	85	38	38	0	0	0	0	12	83	8	3	144

18. DUMBARTON.

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.									
		1901	1911	Births.		Deaths.	Marr- riages.	In- susceptible of Vaccine Disease.	On the ground of Constitutional Insusceptibility.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.	Total Births for 1918.	
				Total.	Illegit- imate.											
495	DUMBARTON—continued.															
496	Cumbernauld,	4905	5120	132	8	71	28	34	59	0	3	107	0	3	3	107
497	Dumbarton,	20205	22175	558	28	349	149	155	381	0	0	590	0	0	4	590
498	Kilmaronock,	874	847	11	1	16	5	7	1	0	0	8	0	0	0	8
499	Kirkintilloch,	14401	16530	387	16	401	112	98	209	0	0	351	0	0	16	351
500	Luss,	572	553	6	0	10	1	2	1	0	0	5	0	0	1	5
501	New or East Kilpatrick,	8389	10200	172	8	103	51	109	19	0	10	147	10	0	0	147
502	Old or West Kilpatrick,	27311	44911	1410	62	494	377	412	795	0	4	1413	4	61	0	1413
503	Roseneath—(1) Roseneath,	778	724	7	3	8	5	3	2	0	0	5	0	0	0	5
	(2) Kilcreggan and Cove,	1145	1059	10	1	12	5	6	1	0	3	11	0	1	1	11
	Row,	11187	11111	156	8	159	60	77	42	0	1	149	1	14	1	149
	Total,	111439	136233	3394	172	1945	985	1083	1795	2	38	3338	50	117		3338
504a	19. ARGYLL.															
504b	Mainland.															
505	Ardchattan,	841	704	4	0	14	1	2	0	0	2	5	2	1	1	5
	Ardgour and Kingairloch,	298	314	1	0	4	0	1	1	0	1	3	1	0	0	3
	Ardnamurchan—(1) Aharacle,	787	572	6	0	5	3	4	0	0	0	4	0	0	0	4
	Argyll portion.															
	(2) Arisaig (now 91b sup.)															
	(3) Sunart (or Strontian)															
	(4) Western Ardnamur- chan,	519	423	4	0	5	0	1	2	0	0	5	0	1	1	5
	(506) Ballachulish and Corran of Ardgour.—Now Balla- chulish and Onich, 91c supra.)	648	547	4	0	11	0	2	1	0	0	3	0	0	0	3

507	Campbeltown,	10236	9497	187	35	130	63	141	0	0	0	0	0	0	12	17	0	5	175
508	Craignish,	327	322	3	0	5	2	2	0	0	0	0	0	0	0	0	0	0	3
509	Cumlodden and Minard,	875	844	8	1	18	4	5	0	0	0	0	0	0	0	6	1	1	13
510	Dunoon & Kilmun—(1) Dunoon (2) Kilmun	8924	8836	118	16	167	48	32	0	0	0	0	0	0	8	19	9	8	80
511	Glassary,	1544	1391	12	1	14	2	4	0	0	0	0	0	0	0	6	0	0	10
512	Glenorchy and Inishail,	729	641	5	0	12	2	1	0	0	0	0	0	0	0	2	0	0	4
513	Inveraray,	827	760	9	0	6	3	3	0	0	0	0	0	0	0	2	0	6	12
514	Inverchaolain,	1118	919	3	1	11	4	7	0	0	0	0	0	0	0	3	0	0	10
515	Kilbrandon and Kilchattan,	334	371	2	1	2	1	1	0	0	0	0	0	0	1	1	0	0	4
516	Kilcalmonell,	1631	1431	9	0	14	2	2	0	0	0	0	0	0	0	2	3	2	9
517	Kilchrenan, etc.— (1) Kilchrenan, (2) Dalavich,	495	437	3	0	7	2	4	0	0	0	0	0	0	1	0	0	0	5
518	Kilfinan,	416	338	5	0	5	4	3	0	0	0	0	0	0	0	0	0	1	4
519	Killean and Kilchenzie, (520 <i>Kilmallie</i> .— <i>Now</i> 986 <i>supra</i> .)	138	144	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
521	Kilmartin,	1915	2709	26	2	26	6	20	0	0	0	0	0	0	2	3	3	1	29
522	Kilmodan,	1078	1019	13	0	7	2	15	0	0	0	0	0	0	2	0	0	3	20
523	Kilmore and Kilbride,	663	582	3	0	6	1	5	0	0	0	0	0	0	0	1	0	0	6
524	Kilninver, etc.—(1) Kilninver, (2) Kilmelford,	387	264	2	0	2	1	0	0	0	0	0	0	0	0	3	0	0	3
525	Lismore, etc.—(1) Lismore, (2) Appin,	6301	7298	101	13	119	63	30	0	0	0	0	0	0	7	5	12	37	91
526	Lochgillphhead,	172	170	0	0	0	0	3	0	0	0	0	0	0	0	0	1	0	4
527	Lochgillphhead, etc.— (1) Lochgillhead, (2) Kilmorich,	185	225	0	0	4	0	2	0	0	0	0	0	0	0	0	0	0	2
528	Morvern,	504	407	5	0	6	2	3	0	0	0	0	0	0	0	0	0	0	3
529	Muckkairn,	940	607	7	0	8	0	11	0	0	0	0	0	0	0	0	0	0	14
530	North Knapdale,	1700	1346	17	1	14	4	16	0	0	0	0	0	0	1	0	0	0	17
531	Saddell, etc.—(1) Saddell, (2) Skipness,	18	1189	49	0	13	3	16	0	0	0	0	0	0	1	18	1	0	36
532	Southend,	545	337	5	1	6	1	3	0	0	0	0	0	0	0	0	0	0	3
533	South Knapdale— (1) South Knapdale, (2) Kilberry,	3770	3156	34	2	107	12	20	0	0	0	0	0	0	4	6	2	0	32
534	South Knapdale,	430	540	1	0	8	3	3	0	0	0	0	0	0	0	3	0	0	6
535	South Knapdale,	241	242	5	0	3	0	0	0	0	0	0	0	0	0	1	0	0	1
536	South Knapdale,	730	694	7	0	6	0	7	0	0	0	0	0	0	1	2	0	1	12
537	South Knapdale,	1492	1749	14	0	17	4	13	0	0	0	0	0	0	1	2	2	1	19
538	South Knapdale,	768	656	6	1	10	3	5	0	0	0	0	0	0	0	2	0	0	7
539	South Knapdale,	754	692	12	0	9	5	3	0	0	0	0	0	0	0	0	1	1	6
540	South Knapdale,	321	272	4	0	5	0	1	0	0	0	0	0	0	1	0	2	1	5
541	South Knapdale,	732	767	13	2	7	6	10	0	0	0	0	0	0	1	0	0	0	11
542	South Knapdale,	390	375	1	0	2	0	2	0	0	0	0	0	0	0	1	0	0	3
543	South Knapdale,	343	378	8	1	7	1	2	0	0	0	0	0	0	1	0	0	0	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.				VACCINATIONS, 1918.					
		1901	1911	Births.			Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.	Births.							
534	ARGYLL—continued. Stralachlan, etc.— (1) Stralachlan, (2) Strachur, .	238 496	217 483	3 6	0 0	1 6	0 0	0 4	0 0	0 0	0 0	0 0	1 3
535	Tarbert, .	2128	1983	22	2	27	2	16	2	0	24	0	31
986	Kilmallie—Argyll portion, Insular.	249	272	2	0	4	0	2	0	2	1	0	3
536	Bowmore (or Kilarrow), .	1813	1765	13	4	26	1	1	1	3	3	0	12
537	Gigha, .	374	326	1	0	8	0	3	0	0	0	5	7
539	(538 Iona—Merged in 542.) Jura, etc.—(1) Jura, .	562	509	5	1	3	1	1	0	0	0	1	7
540	(2) Colonsay, .	313	273	3	0	6	0	0	1	1	0	1	3
541	Kilchoman, .	1632	1459	15	3	12	3	3	1	5	1	0	17
542	Kildalton and Oa, .	1872	1648	29	4	23	4	4	0	0	0	0	7
543	Kilfinichen and Kilvickeon, .	1529	1403	18	0	23	0	4	2	14	1	0	19
544	Kilmeny, .	822	787	9	3	13	3	1	1	3	0	0	9
	Kilninian and Kilmore— (1) Ulva, .	242	193	0	0	3	0	0	0	0	0	0	0
545	(2) Kilninian and Kilmore, Kinlochspelve, .	624 259	539 258	7 0	0 0	3 2	0 0	0 0	0 0	0 0	0 0	0 0	5 1
547	(546 Oa—Merged in 541.) Portnahaven, .	728	628	1	0	11	0	1	0	1	0	0	12
548	Salen, .	441	419	4	0	6	0	0	0	0	0	0	1
549	Tobermory, .	1301	1079	14	0	12	0	4	1	3	0	0	10
550	Torosay, .	316	282	1	0	3	0	1	0	0	0	0	1
551	Tyree, etc.—(1) Tyree, .	2195	1825	22	1	29	1	3	0	15	0	0	25
	(2) Coll, .	432	389	5	0	4	0	2	1	3	0	1	7
	Total,	73642	70902	900	96	1049	96	308	55	161	69	81	863

	20. BUTE.	1769	1707	28	3	29	4	9	0	0	0	0	1	5	1	0	16
552	Cumbræ,	1769	1707	28	3	29	4	9	0	0	0	0	1	5	1	0	16
553	Kilbride—(1) Brodiek,	1048	992	12	1	16	4	1	0	0	0	0	1	0	0	0	3
	(2) Kilbride,	1335	1323	12	0	21	7	7	0	0	0	0	0	1	2	0	10
554	Kilmory—(1) Kilmory,	978	954	11	0	17	3	2	0	0	0	0	0	0	0	2	4
	(2) Shiskine,	831	764	5	0	12	5	7	0	0	0	0	0	0	0	0	7
555	Kingarth,	1056	967	16	1	14	9	9	0	0	0	0	1	3	0	0	13
556	Lochranza,	645	595	3	0	7	2	1	0	0	0	0	0	1	0	0	2
557	North Bute,	1747	1585	25	0	20	2	15	0	0	0	0	0	5	0	0	20
558	Rothsay,	9378	9299	135	16	129	64	69	0	0	0	0	8	11	2	4	96
	Total,	18787	18186	247	21	265	100	120	0	3	0	0	11	26	5	6	171
	21. RENFREW.																
	(559a Abbey—Merged in 572 (2) and 573, infra.)																
559b	Bridge of Weir,	2316	2716	42	3	33	8	28	0	0	0	0	2	11	2	0	43
560	Cathcart—now 633b infra																
561	Faglesham,	1075	1138	29	4	28	3	20	0	0	0	0	0	1	1	0	22
562	Kastwood—Renfrew portion,	4183	5573	85	6	69	40	41	0	0	0	0	2	18	3	0	64
563	Krskine,	1519	1712	24	2	20	4	18	0	0	0	0	2	15	0	1	36
564	Greenock—(1) East,	34599	38027	1287	71	571	240	434	13	4	0	0	85	674	13	5	1228
	(2) West,	33618	36267	969	40	671	465	274	12	2	0	0	71	470	6	9	844
565	Houston and Killellan,	1402	1345	26	0	16	12	20	0	0	0	0	3	10	1	2	36
566	Inchinnan,	573	592	20	0	9	3	14	0	0	0	0	3	6	1	0	24
567	Inverkip—(1) Inverkip,	1151	1168	22	3	14	3	11	0	0	0	0	0	0	1	0	13
	(2) Gourrock,	6112	8458	214	19	268	50	90	3	6	0	0	24	93	1	19	236
568	Kilbarchan—(1) Kilbarchan,	3450	3462	55	1	47	18	27	0	0	0	0	7	13	0	2	49
	(2) Linwood,	2099	2055	51	4	65	4	15	0	1	0	0	5	20	5	0	46
569	Kilmacolm,	4420	5462	43	4	52	11	33	0	2	0	0	2	7	2	4	50
570	Lochwinnoch,	4402	4254	73	5	30	18	35	0	0	0	0	9	19	0	8	71
571	Mearns—(1) Busby,	1297	1058	17	1	17	11	14	0	0	0	0	1	8	1	0	24
	(2) Newton-Mearns,	2112	2143	38	1	22	13	15	0	1	0	0	6	7	6	1	36
572	Neilston—(1) Neilston,	4459	4616	94	6	52	30	51	0	1	0	0	4	15	5	0	76
	(2) Barrhead and Lavern,	12051	14210	339	16	186	104	132	1	5	0	0	34	124	2	10	308
573	Paisley—(1) Paisley,	83459	91001	2032	142	1547	758	768	0	6	0	0	149	821	61	30	1836
	(2) Johnstone & Elderslie,	13613	15132	390	21	201	128	162	0	2	0	0	26	150	16	4	365
574	Port-Glasgow,	17337	18555	592	27	288	174	278	9	0	0	0	48	213	17	12	577

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.									
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegitimate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
575	RENFREW—continued. Renfrew—(1) Renfrew, . . (2) Scotstoun and Yoker— Renfrew portion . . . Cathcart—Renfrew portion . .	9616 1619 1403	12902 4816 2404	305 116 44	4 2 0	128 84 46	79 22 28	141 42 32	0 0 0	5 1 0	0 0 0	19 4 3	158 55 9	0 6 0	6 5 0	329 113 44
	Total,	247918	279103	6907	382	4464	2223	2695	44	37	0	509	2917	150	118	6470
576	22. AYR. Ardrossan—(1) Old Ardrossan, (2) New Ardrossan,	5834 6054	6124 5627	167 189	4 9	89 77	71 39	77 58	1 0	0 1	0 0	9 23	64 77	1 1	8 3	160 163
577	Auchinleck—(1) Auchinleck, . . (2) Lugar, . . .	2828 3777	3616 3808	117 88	4 9	38 24	32 18	38 46	0 0	1 0	0 0	14 6	70 31	1 0	1 0	125 83
578	Ayr—(1) Ayr, . . . (2) St. Quivox, . . . (3) Alloway, . . .	28697 1219 2011	32986 1438 2221	724 41 29	62 7 3	543 11 93	371 12 9	382 21 18	10 0 0	4 0 0	0 0 0	64 5 1	119 5 2	30 4 0	4 1 0	613 36 21
579	Ballantrae, . . .	1124	1080	20	1	15	7	18	0	1	0	2	0	0	0	21
580	Barr, . . .	581	521	8	2	2	4	9	0	0	0	0	0	0	0	9
581	Beith, . . .	7523	6699	125	7	82	54	77	0	1	0	6	48	1	2	135
582	Colmonell—(1) Colmonell, (2) Barrhill, . . .	993 961	996 936	23 13	2 0	7 8	10 4	6 8	0 0	0 0	0 0	0 1	0 2	0 0	0 0	7 11
583	Coylton—(1) Coylton, . . . (2) Rankinston, . . .	1875 667	2112 931	49 21	3 1	15 11	14 2	38 19	0 0	0 0	0 0	2 0	6 0	1 8	0 1	47 28
584a	Craigie, . . .	509	538	11	1	2	0	9	0	0	0	0	2	0	0	12
584b	Crosshill, . . .	1108	1040	16	3	15	6	13	0	0	0	0	6	3	0	22
585	Dailly, . . .	1673	1940	35	3	14	12	35	0	0	0	3	9	1	0	48
586	Dalmellington— (1) Dalmellington, . . . (2) Waterside, . . .	2585 2533	3161 2853	102 67	4 5	57 37	27 22	32 43	0 0	0 0	0 0	5 10	44 10	1 3	2 0	84 66

587	Dalry,	8	107	51	75	0	0	0	11	63	2	0	152
588	Dalrymple,	2	12	10	19	0	0	0	0	2	1	0	23
589	Dreghorn,	4	60	22	19	0	0	0	9	89	6	0	123
590	Dundonald—(1) Dundonald, (2) Troon,	0	16	13	13	0	0	0	4	10	3	13	31
591	Dunlop,	3	68	47	65	0	0	0	6	43	0	0	127
592	Fenwick,	4	19	9	11	0	0	0	3	5	2	0	21
593	Galston,	0	10	9	8	0	0	0	1	2	0	0	11
594	Girvan,	11	79	64	46	0	0	0	10	73	1	0	133
595	Irvine,	8	73	30	71	0	0	0	10	22	4	1	108
596	Kilbirnie,	21	265	82	58	0	0	0	25	233	3	5	330
597	Kilmarnock,	7	97	73	110	0	0	0	21	69	0	3	203
598	Kilmaurs,	45	547	312	238	0	0	0	68	342	27	10	688
599	Kilwinning,	9	63	34	30	0	0	0	14	54	6	0	105
600	Kirkmichael,	3	120	65	91	0	0	0	15	105	0	1	212
601	Kirkoswald,	2	8	11	5	0	0	0	1	5	0	0	11
602	Largs—(1) Largs, (2) Skelmorlie,	2	20	4	20	0	0	0	1	13	0	1	35
603	Loudoun—(1) Newmilns, (2) Darvel,	5	69	29	28	0	0	0	2	12	1	0	43
604	Mauchline,	1	11	2	8	0	0	0	0	3	0	1	12
605	Maybole,	3	43	45	26	0	0	0	5	37	8	2	78
606	Monkton and Prestwick,	2	32	31	8	0	0	0	3	23	0	0	34
607	Muirkirk,	0	28	20	23	0	0	0	5	13	0	0	42
608	New Cumnock,	11	98	44	73	0	0	0	9	24	1	5	115
609	Ochiltree,	3	82	30	67	0	0	0	11	63	3	3	148
610a	Old Cumnock,	4	54	30	23	0	0	0	9	82	1	5	122
610b	Patna,	18	73	43	103	0	0	0	14	40	13	2	173
611	Riccarton—(1) Riccarton, (2) Hurlford, (612 St. Quivox.—Now 578 (2) supra.)	14	14	20	27	0	0	0	0	27	0	0	54
613	Sorn—(1) Sorn, (2) Catrine,	4	63	44	67	0	0	0	12	56	0	2	137
614	Stair,	2	16	7	23	0	0	0	0	7	0	0	31
615	Stevenston,	2	56	32	44	0	0	0	8	39	2	1	94
616	Stewarton,	4	56	24	29	0	0	0	11	60	1	0	101
617	Straiton,	0	56	24	29	0	0	0	0	0	0	0	0
618	Symington,	2	9	5	6	0	0	0	2	3	0	0	11
619		0	14	12	12	0	0	0	2	10	0	0	24
620		3	33	18	12	0	0	0	5	27	0	0	44
621		0	9	8	25	0	0	0	1	11	2	0	39
622		16	143	62	148	0	0	0	28	135	22	15	348
623		7	51	31	26	0	0	0	3	29	2	2	62
624		0	4	2	7	0	0	0	1	0	0	0	8
625		2	9	5	6	0	0	0	2	3	0	0	11

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.								
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1918.				
				Total.	Illegit- imate.										
												Insusceptible of Vaccine Disease.			
			On the ground of previous Successful Vaccination.			On the ground of Constitutional Insusceptibility.			In respect of the Children having already had Small-pox.			Died before Vaccination.	Successfully Vaccinated.		
619	Tarbolton,	3961	4593	128	4	43	35					14	13	0	135
620	West Kilbride,	2935	3133	42	5	50	7					11	1	2	34
	Total,	254468	268337	6255	369	3755	2131					2351	180	98	5893
621	AYR—continued. Avondale, (622 Barony—Now merged in 644 infra.)	5773	5033	109	3	70	32					20	8	8	99
623	Biggar,	1897	1931	28	4	34	11					3	2	1	18
624	Blantyre,	14145	16821	605	28	248	128					276	9	4	577
625	Bothwell—(1) Bothwell, (2) Holytown, (3) Bellshill,	16260 14660 14985	18956 17297 18638	510 595 664	13 20 42	260 242 285	143 89 111					168	29	6	557
626a	Cadder—(1) Western, (2) Eastern,	4743 5825	5585 9143	134 194	4 8	78 298	32 28					29	0	7	603
626b	Calderhead,	6641	8671	317	13	110	80					41	0	36	620
627	Cambuslang,	20211	24864	741	29	296	213					146	5	11	106
628	Cambusnethan,	25878	30921	868	56	377	267					328	24	15	208
629	Carluke,	8966	9619	228	8	142	70					108	16	8	326
630	Carmichael,	1198	1471	26	3	16	10					304	1	4	662
631	Carmunnock,	682	747	11	0	10	3					29	0	0	890

632	Carnwath—(1) Carnwath, (2) Forth, . (3) Haywood and Tarbrax, .	1780 1790 2267	1737 2031 2678	33 59 79	5 5 3	27 25 23	11 13 16	18 6 59	0 0 0	0 0 0	0 0 0	0 0 0	7 7 10	12 29 31	0 6 6	0 0 0	31 48 106
633 ^a	Carstairs, .	1893	1878	32	1	31	11	24	0	0	0	0	3	12	0	2	41
633 ^b	Cathcart— <i>Lanark portion</i> , .	26955	44284	668	18	849	386	417	1	9	9	0	32	171	11	17	658
634	Covington and Thankerton, .	314	385	7	0	7	2	4	0	0	0	0	2	2	1	0	9
635	Crawford—(1) Crawford, .	719	681	10	1	14	6	6	0	0	0	0	1	9	0	0	16
636	Crawford—(2) Leadhills, .	895	839	5	0	12	2	7	0	0	0	0	2	0	3	0	12
637	Crawfordjohn, .	707	617	5	0	7	3	6	0	0	0	0	0	4	0	1	11
638	Culter, .	392	372	3	1	6	4	4	0	0	0	0	0	1	0	0	5
639	Dalserf—(1) Larkhall, .	12034	14202	407	14	148	86	133	0	0	0	0	31	239	52	24	479
640	Dalserf—(2) Dalserf, .	4088	4427	125	7	44	31	78	0	0	0	0	15	27	0	11	131
641	Dalziel, .	37257	47503	1471	72	677	352	585	12	0	0	0	102	609	88	16	1412
642	Dolphinton, .	250	245	4	0	2	2	3	0	0	0	0	0	3	0	0	6
643	Douglas, .	2397	2509	77	8	38	23	58	0	0	0	0	1	23	2	1	85
644	Dunsyre, .	200	175	2	0	3	1	1	0	0	0	0	0	0	0	1	2
645	East Kilbride, .	3948	3977	60	0	75	19	41	0	0	1	0	4	18	9	4	77
646	Glasgow—(1) Bridgeton, .	49900	52062	1579	81	1050	267	852	1	6	6	0	134	375	38	33	1439
647	Glasgow—(2) Camlachie, .	51508	56500	1642	78	667	416	874	0	12	12	0	143	414	24	66	1533
648	Glasgow—(3) Calton, .	67861	60372	1541	104	727	1306	819	2	5	5	0	114	242	17	67	1266
649	Glasgow—(4) Dennistoun, .	31903	38209	670	68	1892	382	435	0	3	3	0	59	175	8	12	692
650	Glasgow—(5) Garngadhill, .	28126	34583	982	83	1046	141	526	1	9	9	0	111	299	18	39	1003
651	Glasgow—(6) Springburn, .	25988	30438	695	32	376	274	308	0	6	6	0	39	301	8	21	683
652	Glasgow—(7) Possilpark, .	17801	21421	628	29	868	112	287	0	4	4	0	50	169	12	16	538
653	Glasgow—(8) St. Rollox, .	42886	37064	2282	609	705	286	897	1	18	7	0	301	423	26	212	1878
654	Glasgow—(9) Milton, .	52058	43957	1088	153	756	439	523	0	7	10	0	116	182	22	97	947
655	Glasgow—(10) Blythswood, .	30188	23627	487	67	339	3675	232	0	10	10	0	45	77	8	52	424
656	Glasgow—(11) Anderston, .	58030	53441	1291	95	1163	1056	743	2	12	12	0	141	187	19	62	1166
657	Glasgow—(12) Hillhead, .	34279	38601	487	8	1335	436	373	0	12	12	0	26	98	4	17	530
658	Glasgow—(13) Kelvin, .	52688	48278	1146	94	618	523	557	0	9	9	0	94	291	42	34	1027
659	Glasgow—(14) Maryhill, .	25878	31755	842	55	425	278	372	0	6	6	0	65	209	64	22	738
660	Glasgow—(15) Hutchesontown, .	52257	48556	1474	91	744	304	624	2	6	6	0	144	320	63	85	1244
661	Glasgow—(16) Govanhill, .	33612	39449	883	40	418	218	463	11	0	0	0	61	245	11	26	817
662	Glasgow—(17) Gorbals, .	66300	57991	1344	88	762	528	668	4	5	5	0	146	309	36	88	1256
663	Glasgow—(18) Pollokshields, .	34161	37332	685	44	452	512	418	4	4	4	0	37	85	12	43	603
664	Glasgow—(19) Shettleston .	21955	32046	857	36	402	174	402	0	10	10	0	80	210	13	17	732
665	Glasgow—(20) Plantation .	31980	34031	863	82	464	200	375	1	5	5	0	78	239	14	91	803
666	Glasgow—(21) Govan .	51850	57968	1927	129	1423	414	738	1	16	20	0	190	660	46	101	1756
667	Glasgow—(22) Partick .	54298	66849	1664	78	860	608	886	0	16	16	0	151	460	66	73	1652

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.						
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.		
				Total.	Illegit- imate.								
												Insusceptible of Vaccine Disease.	
													In respect of the Children having already had Small-pox.
645	LANARK—continued. Glassford, (646 Govan—Now merged in 644 supra.)	1321	1312	27	1	13	5	11	0	4	3	32	
647	Hamilton,	40372	46419	1396	72	537	325	755	0	98	14	1327	
648	Lanark,	8103	8978	159	11	152	80	67	0	7	7	165	
649	Lesmahagow—(1) Lesmahagow, (2) Kirkfieldbank,	9608	10641	287	19	126	74	143	0	19	5	314	
650	Libberton,	1346	1349	26	0	21	11	6	0	3	0	17	
651	New Monkland,	432	461	9	1	7	3	1	0	2	1	7	
652	Old Monkland—(1) Western, (2) Coatbridge, (3) Eastern,	36786	38116	1098	53	471	283	379	0	78	35	1064	
		10653	12472	393	13	153	138	81	0	33	4	347	
		39930	46058	1371	69	779	353	418	0	114	25	1313	
653	Pettinain,	2665	2496	69	4	27	3	37	0	13	2	80	
654	Rutherglen,	271	261	6	0	1	1	1	0	0	0	2	
655	Shotts—(1) Middle District, (2) Eastern do., (3) Western do., (4) Northern do.,	20934	28343	559	15	362	224	227	0	41	6	578	
		2823	3270	84	2	177	11	31	0	9	0	66	
		3593	3690	162	15	33	31	94	0	15	26	166	
		3757	4559	138	8	96	27	62	0	15	6	151	
656	Stonehouse,	1263	1234	22	1	13	16	8	0	1	0	33	
657	Symington,	3665	3688	92	2	71	19	77	0	14	0	107	
658	Walston,	388	420	11	1	9	2	1	0	0	0	3	
659	Wandell and Lamington,	283	255	2	0	10	1	0	0	0	0	3	
660	Wiston and Robertson,	362	271	8	1	5	0	1	0	0	0	4	
		412	400	4	0	3	2	1	0	0	0	3	

562	Eastwood— <i>Lanark portion</i> , .	14717	18942	370	17	246	89	142	0	3	0	21	132	7	8	313
575	(2) Scotstoun and Yoker— <i>Lanark portion</i> , .	3907	9716	167	5	141	74	75	0	1	0	9	70	4	13	172
	Total,	1362815	1486081	39594	2820	25399	16506	18740	63	245	0	3473	11871	1062	1629	37083
24. LINLITHGOW.																
661	Abercorn, .	866	933	17	2	9	9	6	0	0	0	2	6	0	0	14
662	Bathgate—(1) Bathgate, .	9371	11812	304	13	128	72	144	0	3	0	24	132	1	13	317
	(2) Armadale, .	4633	5847	172	5	45	32	46	0	1	0	15	80	10	6	158
663	Borrowstounness, etc.—															
	(1) Borrowstounness, .	7921	9260	200	9	109	62	95	0	1	0	17	100	4	6	223
	(2) Carriden, .	3552	4774	110	7	44	29	62	0	0	0	13	33	22	0	130
	(664 <i>Carriden</i> .—Now 663 (2) <i>supra</i> .)															
665	Dalmeny—(1) Dalmeny, .	1523	1629	39	1	17	10	40	0	0	0	2	10	1	0	53
	(2) Queensferry, .	2557	3510	57	4	59	8	35	0	0	0	4	26	0	4	69
666	Ecclesmachan, .	681	1449	11	0	40	3	14	0	0	0	1	0	0	1	16
667	Kirkliston— <i>Linlithgow portion</i> , .	3169	4467	122	6	56	32	104	0	0	0	7	23	1	3	138
668	Linlithgow, .	8076	7567	183	7	125	49	116	0	1	0	12	35	3	12	179
669	Livingstone—(1) Livingstone, .	906	1641	58	1	13	14	43	0	0	0	10	13	2	4	72
	(2) Blackburn, .	1858	2073	62	5	19	9	17	0	0	0	6	40	6	4	73
	(670 <i>Queensferry</i> .—Now 665 (2) <i>supra</i> .)															
671	Torphichen—(1) Torphichen, .	1377	1562	38	0	14	6	7	0	0	0	3	25	0	0	35
	(2) Blackridge, .	1848	2486	98	4	34	8	10	0	1	0	2	69	1	4	87
672	Uphall, .	10535	12766	322	8	142	80	191	0	1	0	36	143	1	8	380
673	Whitburn—(1) Whitburn, .	3318	4456	227	12	72	38	82	6	1	0	25	101	4	2	221
	(2) Fauldhouse, .	3517	3923	132	8	48	34	58	0	0	0	10	73	4	3	148
	Total,	65708	80155	2152	92	974	494	1070	6	9	0	189	909	60	70	2313

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.					
		1901	1911	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccina- tion, or otherwise.	Total Births for 1918.
				Total	Illegit- imate.							
674	25. EDINBURGH.	1237	1304	22	2	25	4	3	11	0	2	23
675	Borthwick,	460	480	9	0	3	2	0	3	0	0	8
676	Carrington,	3720	3812	69	4	50	20	5	17	2	3	77
677	Cockpen,	5499	6100	93	19	519	39	12	10	0	4	81
678	Colinton,	2725	3870	52	2	62	25	2	8	2	5	40
679	Corstorphine,	2727	3763	60	2	69	19	4	2	0	0	51
680	Cramond,	846	805	13	1	8	5	0	6	2	0	11
681	Cranston,	810	733	18	1	7	2	0	3	1	0	19
682	Crichton,	2513	2519	40	4	21	14	2	6	3	0	39
683	Currie,	7297	7502	176	11	111	48	10	76	3	1	166
	Dalkeith,											
	(684 Duddingston.—Merged in 685 (7))											
685	Edinburgh—(1) St. George,	53004	53165	855	45	692	422	51	112	8	70	797
	(2) St. Andrew,	47103	45349	675	53	544	788	45	81	1	49	558
	(3) Canongate,	49365	47494	905	55	528	345	60	189	25	6	746
	(4) St. Giles,	53077	49051	1799	480	1669	2191	202	308	21	190	1548
	(5) Newington,	45445	42824	644	56	883	303	55	85	27	21	513
	(6) Morningside,	56682	66124	885	62	1555	498	48	139	23	30	782
	(7) Portobello,	12659	16762	294	24	206	143	26	78	15	3	265
686	Fala and Soutra,	319	276	2	0	5	2	1	0	0	0	4
687	Glencorse,	1347	1387	22	2	11	7	3	3	0	3	21
688	Heriot,	417	414	13	1	5	3	1	1	0	0	8
689	Inveresk,	14094	19791	519	17	271	169	41	162	9	2	458
690	Kirknewton and East Calder,	3221	2873	73	9	24	19	5	6	0	18	76
691	Lasswade,	9196	10504	214	5	178	92	16	29	21	3	198
692	Leith—(1) North Leith,	29952	30211	689	38	423	285	54	193	11	17	651
	2) South Leith,	47611	50390	1103	65	668	478	94	271	26	20	977

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.				VACCINATIONS, 1918.							
		1901	1911	Births.		Deaths.	Marr- riages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vacci- nation, or otherwise.	Total Births for 1918.			
				Total.	Illegit- imate.										
													Insusceptible of Vaccine Disease.	On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.
724	HADDINGTON—continued.	521	523	12	1	5	3	4	0	0	0	1	0	0	5
725	Whittinghame,	730	747	8	0	6	5	11	0	0	3	0	0	0	14
	Yester,														
	Total,	38665	43254	896	61	550	303	545	0	1	64	236	16	15	877
27. BERWICK.															
726	Abbey St. Bathans,	213	229	6	0	4	3	1	0	0	0	1	0	0	2
727	Ayton,	1629	1577	25	2	20	7	12	0	0	1	2	0	0	15
728	Bunkle and Preston,	629	562	14	3	6	2	11	0	0	1	1	0	0	13
729	Channelkirk,	568	478	6	0	6	3	6	0	0	1	0	0	0	7
730	Chirside,	1580	1508	19	2	21	10	19	0	0	1	6	0	0	27
731	Cockburnspath,	982	997	14	0	12	4	9	0	0	0	1	1	0	12
732	Coldingham—(1) Coldingham, (2) Grantshouse,	2315 498	2313 436	26 5	2 0	25 8	11 7	29 2	0 0	0 0	4 0	1 0	1 0	2	35
733	Coldstream,	2281	2192	30	2	38	10	31	0	0	3	3	0	0	4
734	Cranshaws,	159	125	3	0	0	1	0	0	0	0	0	0	0	37
735	Duns,	3199	3042	38	2	44	23	35	0	0	0	9	0	1	0
736	Earlston,	1677	1749	24	1	24	17	7	0	0	4	10	4	0	22
737	Eccles,	1433	1449	20	2	15	7	18	0	0	1	3	0	0	21
738	Edrom,	1290	1269	23	3	4	11	17	0	0	1	3	0	0	21
739	Eyemouth,	2487	2561	54	4	36	20	10	0	0	2	32	4	1	49
740	Fogo,	445	389	5	1	7	1	3	0	0	1	0	0	0	4
741	Foulden,	386	313	6	2	4	2	4	0	0	0	0	0	0	4
742	Gordon,	791	711	10	0	13	3	9	0	0	1	1	6	0	17
743	Greenlaw,	1015	941	11	1	10	5	7	0	0	1	5	0	0	14
744	Hume,	311	298	4	0	2	2	2	0	0	0	0	0	0	2

745	Hutton, .	750	682	11	34	380	187	306	0	0	0	28	84	21	6	445	9
746	Ladykirk, .	316	315	9	1	5	3	6	0	0	0	0	1	0	0	0	7
747	Langton, .	398	408	8	1	6	0	4	0	0	0	0	0	0	0	0	6
748	Lauder, .	1461	1336	25	0	18	10	14	0	0	0	2	2	0	0	16	16
749	Legerwood, .	431	401	5	1	6	2	2	0	0	0	0	0	0	0	2	2
750	Longformacus, .	281	263	3	0	2	1	1	0	0	0	0	0	0	0	1	1
751	Merton, .	576	532	5	0	4	1	6	0	0	0	0	0	2	0	8	8
752	Mordington, .	284	292	2	0	6	2	3	0	0	0	1	0	0	0	4	4
753	Nenthorn, .	416	356	4	0	6	4	4	0	0	0	0	0	0	0	5	5
754	Polwarth, .	203	197	4	0	1	3	0	0	0	0	0	0	0	0	0	0
755	Swinton, .	791	727	10	1	4	4	7	0	0	0	0	3	1	0	11	11
756	Westruther, .	504	503	7	0	10	0	8	0	0	0	1	0	0	0	9	9
757	Whitsome, .	525	492	11	2	5	2	11	0	0	0	1	0	0	0	12	12
Total,		30824	29643	447	34	380	187	306	0	0	0	28	84	21	6	445	
28. PEEBLES.																	
(758 Broughton.—Merged in 763.)																	
759	Drumelzier, .	194	164	6	1	1	0	3	0	0	0	0	2	0	0	5	5
760	Eddlestone, .	535	589	12	1	6	5	4	0	0	0	1	4	0	0	9	9
762	(761 Glenholm—Merged in 763.)																
762	Innerleithen—(1) Innerleithen,	2410	2788	34	4	27	23	18	0	0	0	1	10	0	0	29	29
763	(2) Walkerburn,	1217	1331	8	0	10	18	8	0	0	0	1	0	0	0	9	9
763	Kilbucho, Broughton, and																
764	Glenholm, .	862	668	14	0	6	3	8	0	0	0	0	2	0	0	10	10
764	Kirkurd, .	293	253	4	0	4	0	2	0	0	0	0	0	0	0	2	2
765	Lyne, .	98	125	2	0	0	0	2	0	0	0	0	0	0	0	2	2
766	Manor, .	257	261	4	0	3	0	1	0	0	0	0	0	0	0	3	3
767	Newlands, .	564	590	9	1	10	4	8	0	0	0	0	3	0	0	11	11
768	Peebles, .	5810	6112	82	2	67	33	32	0	0	0	1	20	0	11	64	64
769	Skirling, .	230	241	2	1	4	1	3	0	0	0	0	0	0	0	3	3
770	Stobo, .	401	350	1	0	5	0	3	0	0	0	0	0	0	0	3	3
771	Traquair, .	618	559	13	2	10	5	5	0	0	0	1	1	0	1	8	8
772	Tweedsmuir, .	435	198	0	0	3	0	1	0	0	0	0	0	0	0	1	1
773a	West Linton, .	1110	1000	16	0	12	4	8	0	0	0	1	3	0	0	12	12
774a	Caddonfoot—Peebles portion, .	32	29	0	0	1	0	1	0	0	0	0	1	0	0	2	2
Total,		15066	15258	207	12	169	96	107	0	0	0	6	48	0	12	173	

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.						
		1901	1911	Births.		Deaths.	Marriages.	Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.	
				Total.	Illegitimate.								
													On the ground of previous Successful Vaccination.
773b	Ashkirk,	404	329	2	0	1	1	7	0	0	0	0	7
774a	Caddonfoot— <i>Selkirk portion</i> ,	663	709	7	0	5	5	10	0	0	0	0	13
774b	Ettrick,	331	344	8	1	3	3	4	0	0	1	0	9
775	Galashiels,	13969	14919	192	19	185	132	63	0	0	4	104	181
776	Kirkhope,	399	384	5	1	5	2	5	0	0	0	0	7
	(777 <i>Roberton</i> .— <i>Now 802b infra</i> .)												
778	Selkirk,	7090	7406	72	4	77	56	32	0	1	9	16	65
779	Yarrow—(1) Yarrow,	427	436	5	0	4	2	2	0	0	0	1	3
	(2) Megget,	73	74	1	0	0	1	1	0	0	0	0	1
	Total,	23356	24601	292	25	280	202	124	0	1	14	127	286
780	Ancrum,	973	968	15	1	9	6	5	0	0	3	1	10
	(781 <i>Ashkirk</i> .— <i>Now 773b supra</i> .)												
782	Bedrule,	206	188	3	0	1	4	3	0	0	0	0	3
783	Bowden,	660	659	7	0	9	5	7	0	0	1	2	10
784	Castleton,	1872	1934	35	5	28	18	21	0	0	0	11	33
785	Cavers—(1) Cavers,	559	588	8	1	7	1	7	0	0	0	1	9
	(2) Kirktown,	691	709	9	1	24	5	5	0	0	0	3	8
786	Crailing,	501	465	11	0	9	9	9	0	0	1	0	10
787a	Eckford,	707	711	15	2	9	7	11	0	0	0	0	13
787b	Edgerston,	262	214	6	1	5	3	2	0	0	0	0	2
788	Ednam,	523	495	2	1	4	3	4	0	0	0	1	6

789	Hawick,	18502	18021	265	31	289	180	137	0	1	0	12	78	10	5	243
790	Hobkirk,	552	545	10	3	5	2	5	3	5	2	9	0	0	0	3	1	0	1	14
791	Hownam,	192	193	4	0	2	0	4	0	2	0	3	0	0	0	1	1	0	0	5
792	Jedburgh,	4318	3806	58	9	56	37	58	9	56	37	34	0	0	0	3	3	0	1	41
793	Kelso,	4525	4471	67	8	61	25	67	8	61	25	39	0	1	0	6	8	0	0	54
	(794 Kirktown.—Now 785 (2) <i>supra</i> .)																							
795	Lilliesleaf,	592	547	15	1	10	2	15	1	10	2	5	0	0	0	1	0	0	0	6
796	Linton,	405	407	8	0	6	6	8	0	6	6	5	0	0	0	0	0	0	0	5
797	Makerston,	337	295	3	0	4	3	3	0	4	3	6	0	0	0	0	0	0	0	6
798	Maxton,	411	380	8	1	5	4	8	1	5	4	7	0	0	0	0	0	0	0	8
799	Melrose—(1) Melrose	4148	4150	48	2	85	20	48	2	85	20	38	0	0	0	1	2	1	0	42
	(2) Langshaw,	559	500	4	1	8	5	4	1	8	5	2	0	0	0	3	1	2	0	8
800	Minto,	427	348	11	2	2	3	11	2	2	3	6	0	0	0	1	0	0	0	7
801	Morebattle,	779	740	12	1	11	1	12	1	11	1	8	0	0	0	1	1	0	0	10
802 ^a	Oxnam,	624	566	9	2	8	3	9	2	8	3	4	0	0	0	0	2	0	0	6
802 ^b	Roberton,	397	436	7	2	6	3	7	2	6	3	4	0	0	0	1	3	0	1	9
803	Roxburgh,	835	793	21	3	17	4	21	3	17	4	6	0	0	0	1	1	2	1	12
804	St. Boswells,	940	977	8	0	19	8	8	0	19	8	9	0	0	0	1	1	1	0	12
805	Smailholm,	341	292	2	1	4	2	2	1	4	2	2	0	0	0	0	1	0	0	4
806	Southdean,	530	507	9	1	1	2	9	1	1	2	2	0	0	0	0	0	1	0	3
807	Sprouston,	911	876	14	4	10	6	14	4	10	6	13	0	0	0	0	2	0	0	15
808	Stitchel,	304	275	4	1	5	6	4	1	5	6	2	0	1	0	0	0	0	0	3
809	Teviothead,	419	381	6	0	1	0	6	0	1	0	2	0	0	0	0	0	0	0	2
	(810 Wilton.—Merged in 789.)																							
811	Yetholm,	802	755	9	2	19	10	9	2	19	10	5	0	0	0	0	1	0	0	6
	Total,					4804	47192	713	87	739	393	713	87	739	393	422	0	3	0	42	125	23	10	625
	31. DUMFRIES.																							
812	Annan,	6378	6261	141	12	88	52	141	12	88	52	69	0	2	0	8	43	0	6	128
813 ^a	Applegarth,	807	821	14	2	3	7	14	2	3	7	7	0	0	0	1	2	2	0	12
813 ^b	Brydekirk,	832	751	14	2	9	7	14	2	9	7	11	0	0	0	1	6	0	0	18
814	Caunobie,	1959	1838	28	3	24	10	28	3	24	10	38	0	1	0	3	2	0	1	45
815	Carlaverock,	841	811	15	0	14	2	15	0	14	2	7	0	0	0	0	9	1	0	17
816	Closeburn,	1275	1244	17	5	17	4	17	5	17	4	10	0	0	0	0	4	1	0	15
817	Cummerstrees,	938	1027	12	0	13	6	12	0	13	6	11	0	0	0	1	4	0	0	16

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		1901	1911	Births.		Deaths.	Marr- riages.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Total.	Illegit- imate.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
												Insusceptible of Vaccine Disease.	Died before Vaccination.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

842	Moffat, .	2799	2702	44	4	39	20	31	0	0	0	1	133	442	33	75	1517	33
843	Morton, .	1872	1820	31	3	37	16	30	0	0	0	3	0	2	0	1	37	11
844	Mouswald, .	475	493	10	3	3	2	7	0	0	0	0	0	1	0	0	11	10
845	Penpont, .	923	831	12	1	17	8	8	0	0	0	0	0	2	0	1	12	6
846	Ruthwell, .	766	770	19	4	10	4	10	0	0	0	1	4	2	0	1	50	18
847	St. Mungo, .	567	573	5	0	5	4	3	0	0	0	0	0	22	1	1	21	8
848	Sanquhar, .	2309	2428	59	3	34	24	22	0	0	0	4	0	4	0	0	4	4
849	Tinwald, .	741	728	12	3	7	2	13	0	0	0	0	2	10	0	0	11	15
850	Torthorwald, .	779	788	21	2	9	5	9	0	0	0	0	0	1	0	0	8	4
851	Tundergarth, .	403	399	7	2	4	3	7	0	0	0	0	0	1	0	0	11	11
852	Tynron, .	334	309	5	1	6	2	4	0	0	0	0	0	1	1	1	15	3
853 ^a	Wamphray, .	396	369	7	0	5	1	8	0	0	0	0	3	3	1	0	0	0
853 ^b	Wanlockhead, .	624	618	16	1	9	8	8	0	0	0	0	0	0	1	0	0	0
854	Westerkirk	415	393	9	1	6	0	2	0	0	0	0	0	0	1	0	0	0
Total,		72571	72825	1572	179	1225	651	824	1	9	0	133	442	33	75	1517		
32. KIRKCUDBRIGHT.																		
855	Anwoth, .	651	688	9	0	5	4	8	0	0	0	1	0	2	0	0	11	11
856	Balmacellian, .	546	494	6	1	5	4	5	0	0	0	0	0	0	0	0	5	5
857 ^a	Balmaghie, .	802	770	8	2	10	5	9	0	0	0	1	1	1	0	0	11	11
857 ^b	Bargrennan— <i>Kirkcudbright</i> <i>portion,</i>	195	180	2	0	2	0	3	0	0	0	0	0	0	0	0	3	3
858	Borgue, .	1045	1023	26	6	9	4	19	0	0	0	0	0	0	0	1	20	20
859	Buittle, .	879	825	17	1	8	10	10	0	0	0	1	0	3	0	0	14	14
860	Carsphairn, .	351	360	5	0	4	3	1	0	0	0	0	0	1	0	0	2	2
861	Colvend—(1) Colvend, (2) Southwick, .	695	696	10	1	17	3	5	0	0	0	1	0	0	0	0	6	6
862	Corsock Bridge, .	476	447	6	1	5	3	6	0	0	0	0	0	0	0	0	2	2
863	Crossmichael, .	406	356	8	0	3	1	2	0	0	0	0	0	7	0	0	28	28
864	Dalbeattie, .	1231	1196	20	7	21	6	15	0	0	0	3	3	7	2	1	52	52
865	Dalry, .	3670	3553	65	10	44	30	24	0	0	0	0	0	19	5	0	20	20
866	Girthon, .	826	807	11	3	13	4	17	0	0	0	0	0	1	0	1	11	11
867	Irongray, .	1209	1174	18	0	14	7	9	0	0	0	0	0	1	0	0	15	15
868	Kells, .	701	594	9	1	8	3	7	0	0	0	0	0	2	0	0	8	8
869	Kelton, .	878	847	8	1	10	3	38	0	0	0	1	4	0	0	1	57	57
870	Kirkbean, .	3734	3746	59	4	62	24	14	0	0	0	0	0	1	0	0	15	15
		685	711	15	5	11	3		0	0	0	0	0	1	0	0		

No. of District.	REGISTRATION DISTRICTS.	POPULATION AT CENSUS.		BIRTHS, DEATHS, AND MARRIAGES. 1919.			VACCINATIONS, 1918.									
		1901	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declarations of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccination, or otherwise.	Total Births for 1918.
				Total.	Illegit- imate.				On the ground of previous Successful Vaccination.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.					
871	KIRKCUDBRIGHT—continued.	3309	3116	36	3	64	25	34	0	0	0	5	5	4	1	49
872	Kirkcudbright, .	527	497	12	1	2	3	12	0	0	0	1	3	0	1	17
873	Kirkgunzeon, .	1859	1549	17	2	16	6	11	0	0	0	1	6	0	0	18
874	Kirkmabreck, .	818	795	16	3	11	9	3	0	0	0	0	3	0	0	6
875	Kirkpatrick-Durham,	497	484	10	3	7	4	7	0	0	0	0	0	1	0	8
876	Lochrutton, .	1114	1022	15	2	11	3	11	0	0	0	0	2	0	0	13
877	Minnigaff, .	957	742	20	0	8	6	11	0	1	0	2	2	1	0	17
878	New Abbey, .	436	421	4	0	3	1	3	0	0	0	0	0	0	0	3
879	Parton, .	1356	1293	19	1	15	9	25	0	0	0	2	0	0	0	27
880	Rerrick, .	454	439	3	0	2	3	7	0	0	0	0	0	2	0	10
881	Terregles, .	693	751	8	1	8	5	6	0	0	0	0	0	0	0	6
882	Tongland, .	6599	7050	121	8	99	39	53	0	0	0	9	67	4	8	141
883	Troqueer, .	718	758	18	3	12	6	7	0	0	0	2	0	0	0	9
884	Twynholm, .	1066	983	19	5	14	8	13	0	0	0	1	2	1	0	17
	Urr, .															
	Total,	39383	38367	620	75	523	244	408	0	5	0	38	140	21	15	627
885	33. WIGTOWN.															
886	Glasserton, .	887	920	27	1	11	5	15	0	1	0	2	2	0	0	20
887	Inch, .	1987	1860	33	7	18	11	28	0	0	0	2	2	0	3	35
888	Kirkcolm, .	1506	1507	21	4	29	7	23	0	0	0	3	2	8	4	40
889	Kirkcowan, .	1153	1244	23	1	15	5	12	0	0	0	0	2	2	4	20
889	Kirkinner, .	1255	1206	28	4	20	5	14	0	0	0	1	2	3	0	20
890	Kirkmaiden, .	1943	1792	28	8	23	15	28	0	0	0	3	3	3	2	39

CAUSES OF DEATH IN SCOTLAND IN 1919—BOTH SEXES.

	All Ages.	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
All Causes - - - - -	75,149	10,795	6506	1928	1258	4078	5151	5030	6767	9411	11,601	12,611
I. GENERAL DISEASES.												
1 Enteric Fever - - - - -	83	-	2	3	12	19	18	13	9	5	1	1
2 Typhus Fever - - - - -	8	-	-	-	-	1	1	2	4	-	-	-
4 Malaria - - - - -	27	-	-	-	-	6	14	5	2	-	-	-
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
(b) Smallpox Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles - - - - -	899	200	607	66	9	8	4	-	2	3	-	-
7 Scarlet Fever - - - - -	222	8	99	68	18	19	8	1	-	1	-	-
8 Whooping-cough - - - - -	1573	582	887	96	4	2	1	1	-	-	-	-
9 (a) Diphtheria - - - - -	697	41	360	229	31	18	9	4	3	1	1	-
(c) Croup, Membr. Laryngitis (b) - - - - -	30	3	20	7	-	-	-	-	-	-	-	-
10 Influenza - - - - -	1245	95	87	32	33	98	132	98	116	147	185	222
13 Cholera Nostras - - - - -	3	1	1	-	1	-	-	-	-	-	-	-
14 Dysentery - - - - -	32	-	2	2	1	3	8	3	4	2	3	4
18 Erysipelas - - - - -	121	27	1	-	1	4	7	12	19	17	19	14
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	24	5	11	2	-	1	-	1	2	2	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	115	23	4	6	5	10	9	14	14	15	7	8
(c) Vaccinia - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus - - - - -	13	1	-	2	3	2	-	1	1	1	1	1
28 Pulmonary Tuberculosis, Phthisis - - - - -	4189	19	73	80	156	979	1008	835	595	312	116	16
29 (a) Acute Phthisis - - - - -	105	-	1	3	8	36	31	10	10	5	1	-
(b) Acute Miliary Tuberculosis - - - - -	70	6	12	3	9	14	12	9	4	1	-	-
30 Tuberculous Meningitis - - - - -	653	118	280	112	60	54	19	5	4	1	-	-
31 Abdominal Tuberculosis - - - - -	568	59	178	88	64	62	46	24	29	8	7	3
32 Tuberculosis of Spine - - - - -	151	2	6	10	25	38	21	18	11	11	6	3
33 Tuberculosis of Joints - - - - -	47	-	2	4	6	8	8	6	3	3	5	2
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	543	33	72	51	46	99	56	59	52	41	27	7
36 Rickets, Osteomalacia - - - - -	36	14	18	2	-	1	-	-	1	-	-	-
37 Syphilis - - - - -	193	149	7	1	2	5	6	7	8	5	2	1
38 Other Venereal Diseases - - - - -	7	5	-	-	-	-	1	-	1	-	-	-
45 (a) Carcinoma - - - - -	3538	-	-	1	-	10	66	286	714	1046	945	470
(b) Sarcoma - - - - -	231	5	15	3	2	17	14	24	40	49	41	21
(c) Malignant Disease, other or not defined } 39-44 - - - - -	1888	2	1	-	1	4	27	117	320	520	556	340
46 Other Tumours (Situation undefined) - - - - -	29	-	2	1	-	-	2	1	6	13	2	2
47 Rheumatic Fever - - - - -	143	-	2	15	14	34	17	19	24	10	6	2
48 (a) Chronic Rheumatism - - - - -	107	-	-	-	-	1	1	3	8	21	36	37
(b) Osteo-arthritis - - - - -	105	-	1	-	1	1	5	4	10	19	32	32
(c) Gout - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
49 Scurvy - - - - -	3	-	1	-	-	-	-	-	-	-	2	-
50 Diabetes - - - - -	461	2	4	10	8	49	43	48	59	95	101	42
51 Exophthalmic Goitre - - - - -	65	-	-	-	-	5	13	18	19	8	2	-
52 Addison's Disease - - - - -	23	-	-	-	1	3	-	7	4	5	2	1
53 (a) Leucocythæmia - - - - -	59	1	6	5	5	4	3	6	11	11	5	2
(b) Lymphadenoma - - - - -	42	1	1	5	3	5	6	3	6	7	2	3
54 Anæmia, Chlorosis - - - - -	560	5	4	2	4	16	31	77	116	146	121	38
55 (b) Purpura - - - - -	30	10	5	2	2	-	-	-	2	3	4	2
(c) Hæmophilia - - - - -	8	1	2	1	1	-	2	-	-	1	-	-
(d) Other General Diseases (a) - - - - -	13	1	-	-	2	1	1	-	1	5	2	-
56 Alcoholism - - - - -	72	-	-	-	-	1	9	19	26	13	3	1
57 Chronic Lead Poisoning - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings - - - - -	1	-	-	-	-	-	-	-	1	-	-	-

Note.—Numbers in parentheses after names of Causes of Death indicate numbers of International Headings which have been included. Letters indicating sub-headings agree with those of the extended list of the Registrar-General of England and Wales.

		Age												Age not stated.
	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis - - - -	150	12	12	5	10	25	16	24	22	14	5	5	-	
61 (a) Cerebro-spinal Meningitis -	128	23	21	18	10	32	7	10	6	-	1	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	832	247	265	76	50	72	43	32	29	11	7	-	-	
62 Locomotor Ataxy - - - -	88	-	-	-	-	-	2	13	28	30	14	1	-	
63 Other Diseases of Spinal Cord -	446	3	4	7	5	7	29	52	64	99	124	52	-	
64 Cerebral Hæmorrhage, Apoplexy	4599	12	5	2	1	17	35	120	436	973	1573	1425	-	
65 Softening of Brain - - - -	250	-	-	-	-	3	1	-	12	51	76	107	-	
66 (a) Hemiplegia - - - -	604	1	5	1	1	1	5	9	46	102	215	218	-	
(c) Paralysis, Cause or Nature unspecified (b)	29	-	-	-	1	2	-	4	2	10	6	4	-	
67 General Paralysis of Insane -	223	-	-	-	1	3	22	75	78	36	4	4	-	
68 Other Insanity - - - -	175	-	-	-	-	10	12	17	32	43	37	24	-	
69 Epilepsy - - - -	259	18	5	6	19	38	41	38	27	34	20	13	-	
71 Convulsions (not Puerperal) (70)	636	457	165	10	2	2	-	-	-	-	-	-	-	
72 Chorea - - - -	11	1	-	1	1	2	2	-	-	1	3	-	-	
73 Neuralgia, Neuritis - - - -	36	-	-	1	-	-	1	1	6	7	8	12	-	
74 (c) Cerebral Tumour - - - -	106	1	4	3	3	16	12	19	27	14	3	4	-	
(d) Other Diseases of Nervous System (a, b)	92	6	6	4	1	4	5	7	9	12	19	19	-	
75 Diseases of Eye and Annexa -	6	1	-	-	-	-	-	1	-	-	2	2	-	
76 (a) Mastoid Disease - - - -	37	7	4	2	5	7	4	1	3	2	1	1	-	
(b) Diseases of Ear - - - -	112	18	12	18	13	22	8	5	6	3	5	2	-	
III. DISEASES OF CIRCULATORY SYSTEM.														
77 Pericarditis - - - -	44	1	-	2	1	5	1	9	7	9	4	5	-	
78 Acute Endocarditis - - - -	176	-	3	8	16	25	31	25	31	29	5	3	-	
79 (a) Valvular Disease - - - -	3529	7	3	12	31	149	199	234	377	704	978	835	-	
(b) Fatty Degeneration of Heart -	239	-	-	1	-	-	5	12	36	66	57	62	-	
(c) Other Organic Diseases of Heart	2605	15	1	6	15	32	65	104	254	496	775	842	-	
80 Angina Pectoris - - - -	236	-	-	-	-	-	-	6	35	60	80	55	-	
81 (a) Aneurysm - - - -	106	1	-	-	-	1	3	16	16	34	25	10	-	
(b) Arterio-sclerosis - - - -	548	-	-	-	-	-	-	1	14	75	171	287	-	
(c) Other Diseases of Arteries -	4	-	-	-	-	-	-	-	1	1	1	1	-	
82 (a) Cerebral Embolism, Thrombosis	518	1	2	-	-	3	14	15	33	89	159	202	-	
(b) Embolism and Thrombosis, not Cerebral	91	2	-	-	3	1	10	8	17	27	16	7	-	
83 Diseases of Veins - - - -	18	-	-	1	-	-	1	3	2	5	4	2	-	
84 (a) Lymphatism, Status Lymphaticus	18	10	3	-	1	1	-	2	-	1	-	-	-	
(b) Other Dis. of Lymphatic System	8	1	2	-	-	-	-	-	2	-	2	1	-	
85 Hæmorrhage, Other Diseases of Circulatory System	35	2	1	1	-	-	1	1	5	4	10	10	-	
IV. DISEASES OF RESPIRA- TORY SYSTEM.														
86 Diseases of Nose - - - -	9	2	1	1	-	1	1	1	-	-	-	2	-	
87 (b) Laryngitis - - - -	92	21	38	14	-	3	5	-	4	3	2	2	-	
(c) Other Diseases of Larynx (a) -	39	12	18	2	-	-	-	-	1	2	3	1	-	
88 Diseases of Thyroid - - - -	37	-	-	-	-	1	1	2	9	8	10	6	-	
90 Bronchitis (89) - - - -	5823	888	308	44	16	42	122	181	434	951	1416	1421	-	
91 Broncho-pneumonia - - - -	4906	1162	1368	183	58	248	432	254	288	349	335	229	-	
92 Pneumonia - - - -	6188	407	568	179	120	757	1207	665	688	658	599	340	-	
93 Pleurisy - - - -	325	5	32	4	2	23	27	36	37	58	58	43	-	
94 (a) Pulmonary Apoplexy - - - -	13	1	-	-	1	-	1	-	2	3	3	2	-	
(b) Pulmonary Congestion (c, d) -	451	76	47	4	6	10	13	19	26	36	77	137	-	
95 Gangrene of Lung - - - -	21	-	-	-	-	5	4	1	2	6	-	3	-	
96 Asthma - - - -	72	-	1	-	1	1	5	8	16	14	17	9	-	
97 Pulmonary Emphysema - - - -	16	-	-	-	-	1	1	2	3	4	2	3	-	
98 (a) Fibroid Diseases of Lung -	46	-	-	-	-	-	2	4	9	13	16	2	-	
(b) Other Diseases of Respiratory System	21	1	1	-	1	1	2	1	3	2	5	4	-	

		All Ages.	Age										
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
V. DIS. OF DIGESTIVE SYSTEM.													
99 Dis. of Mouth, Teeth. Oral Sepsis	24	6	4	2	1	2	1	2	-	2	1	3	
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	75	12	16	17	3	2	4	6	8	4	3	-	
102 Gastric Ulcer! - - - -	324	1	1	3	2	14	35	59	68	66	38	37	
103 Other Dis. of Stomach. Gastritis	465	150	44	12	9	4	6	23	38	48	63	68	
104 Diarrhoea, Enteritis (under 2 years)	1015	833	182	-	-	-	-	-	-	-	-	-	
105 Diarrhoea, Enteritis (over 2 years)	519	-	92	38	18	17	25	38	50	68	79	94	
107 Intestinal Parasites (106) - -	1	-	1	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - -	426	-	19	59	81	107	37	39	36	32	12	4	
109 (a) Hernia - - - - -	193	14	8	1	-	3	5	10	22	50	43	37	
(b) Intestinal Obstruction - -	330	59	18	11	12	31	17	18	25	42	50	47	
110 Other Diseases of Intestine -	165	12	5	1	-	9	17	21	32	29	15	24	
111 Acute Yellow Atrophy of Liver -	5	-	-	-	-	-	2	3	-	-	-	-	
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - - -	159	-	-	1	-	1	6	11	28	54	39	19	
114 Gallstones - - - - -	88	-	-	-	-	1	1	6	23	15	29	13	
115 Other Diseases of Liver - -	131	4	4	-	2	5	4	12	19	30	30	21	
116 Diseases of Spleen - - - -	5	-	-	-	-	1	1	1	-	1	1	-	
117 Peritonitis, cause not specified -	109	8	10	19	8	11	10	8	3	13	15	4	
118 Other Diseases of Digestive System	22	-	1	1	-	-	2	2	2	8	5	1	
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119 Acute Nephritis - - - -	313	26	34	18	12	33	40	36	37	43	23	11	
120 (a) Bright's Disease - - -	1541	-	3	10	18	48	82	124	272	404	367	213	
(b) Uræmia - - - - -	93	1	-	-	1	2	3	10	18	12	21	25	
122 Other Dis. of Kidney, Chyluria(121)	93	12	4	2	3	4	9	9	12	13	17	8	
123 Urinary Calculus - - - -	36	-	-	-	-	1	1	6	3	6	10	9	
124 Diseases of Bladder - - - -	217	3	-	2	-	1	2	7	19	41	57	85	
125 Dis. of Urethra, Urinary Abscess	34	-	-	-	-	2	1	4	9	11	4	3	
126 Diseases of Prostate - - - -	264	-	-	-	-	-	-	-	6	44	95	119	
127 Diseases of Male Genital Organs (not Venereal)	2	-	-	-	-	-	-	-	1	-	1	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	8	-	-	-	-	1	3	2	2	-	-	-	
129 Uterine Tumour (non-Cancerous)	61	-	-	-	-	1	3	13	19	8	14	3	
130 Other Diseases of Uterus - -	22	-	-	1	-	2	7	4	3	2	2	1	
131 Cysts, and Other Tumours of Ovary	40	-	-	-	-	1	4	6	5	9	8	7	
132 Other Dis. of Female Genit.Organs	33	-	-	-	-	5	11	9	4	2	-	2	
133 Non-Puerperal Diseases of Breast	4	-	-	-	-	-	1	2	-	-	-	1	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134 (a) Abortion, Miscarriage - -	66	-	-	-	-	3	42	21	-	-	-	-	
(c) Uncontrollable Vomiting - -	12	-	-	-	-	3	4	4	1	-	-	-	
(d) Ectopic Gestation - - - -	13	-	-	-	-	2	6	5	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	21	-	-	-	-	6	11	3	1	-	-	-	
135 Puerperal Hæmorrhage - - -	71	-	-	-	-	9	30	32	-	-	-	-	
136 Other Accidents of Childbirth -	54	-	-	-	-	7	29	18	-	-	-	-	
137 Puerperal Sepsis - - - - -	150	-	-	-	-	25	86	38	1	-	-	-	
138 Puerp. Albuminuria, Convulsions	108	-	-	-	-	35	34	38	1	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	40	-	-	-	-	6	19	15	-	-	-	-	
140 (a) Puerperal Insanity - - -	3	-	-	-	-	3	-	-	-	-	-	-	
(b) Other Puerperal Diseases - -	123	-	-	-	-	16	69	38	-	-	-	-	
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142 (a) Senile Gangrene - - - -	220	-	-	-	-	-	-	-	-	12	81	127	
(b) Noma, Cancrum Oris - - -	9	-	6	1	-	1	-	-	1	-	-	-	
(d) Other Gangrene (c) - - -	26	2	2	-	1	1	-	5	4	11	-	-	
143 Carbuncle, Boil - - - - -	26	-	-	-	-	5	3	-	5	3	5	5	
144 Phlegmon, Acute Abscess - -	111	30	3	1	4	4	6	7	14	13	19	10	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	82	31	4	-	-	1	1	2	5	10	15	13	

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.														
6 Dis. of Bones (Mastoid excluded)	90	5	8	23	21	12	1	4	3	4	6	3	-	
7 Diseases of Joints - - -	29	-	4	1	1	-	3	2	4	5	7	2	-	
9 Other Dis. of Locomotor Syst. (148)	4	-	-	-	-	1	-	-	1	1	-	1	-	
X. MALFORMATIONS.														
0 Congenital Malformations - -	496	447	32	6	4	5	-	2	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.														
1 (a) Premature Birth - - -	2180	2180	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1529	1529	-	-	-	-	-	-	-	-	-	-	-	
2 Other Diseases peculiar to Early Infancy	313	313	-	-	-	-	-	-	-	-	-	-	-	
3 Lack of Care - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.														
4 (a) Senile Dementia - - -	108	-	-	-	-	-	-	-	-	13	47	48	-	
(b) Senile Decay - - - -	3953	-	-	-	-	-	-	-	-	-	626	3327	-	
XIII. VIOLENT CAUSES.														
3 Suicide (155-162) - - -	234	-	-	-	-	12	37	58	58	43	22	4	-	
4 Poisoning by Food - - -	10	-	1	3	1	2	1	1	1	-	-	-	-	
5 Other Accidental Poisonings -	21	1	1	1	-	-	2	4	6	4	2	-	-	
7 Burns and Scalds (166) - -	391	19	155	42	17	17	19	22	19	19	22	40	-	
8 Exposure to Poisonous Vapours -	48	-	-	-	-	8	7	7	11	4	7	4	-	
9 Drowning - - - -	619	-	16	29	29	154	106	120	76	48	18	11	12	
0 Accidents with Fire Arms - -	19	1	1	-	3	4	3	2	2	2	1	-	-	
1 Accidents with Instruments and Weapons	1	-	-	-	-	1	-	-	-	-	-	-	-	
2 Accidental Falls - - -	230	2	10	13	6	22	20	34	34	32	33	24	-	
3 (a) Accidents in Coal Mines -	133	-	-	-	1	24	33	31	30	11	3	-	-	
(b) Accidents in Other Mines -	3	-	-	-	-	-	-	1	1	1	-	-	-	
(c) Accidents in Quarries - -	5	-	-	-	-	1	-	-	3	1	-	-	-	
4 Accidents with Machinery - -	39	-	-	-	2	6	6	4	8	8	3	2	-	
5 (a) Accidents on Railways - -	134	-	2	1	7	29	28	18	21	17	9	2	-	
(b) Acc. with Horses and Vehicles	57	-	3	4	6	3	3	8	9	10	7	4	-	
(c) Accidents with Motor Vehicles	141	-	18	30	12	9	17	13	16	13	10	3	-	
(d) Accidents with Tramways -	32	-	4	1	2	2	-	4	3	6	5	5	-	
(e) Other Crushing Accidents -	27	-	-	1	-	12	3	4	1	3	2	1	-	
7 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
0 Weather Agencies (178, 179) -	22	1	-	1	-	1	2	1	7	4	3	2	-	
6 (a) Overlaying - - - -	37	36	1	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	81	42	6	1	4	1	5	8	6	4	4	-	-	
(c) Other Accidents (176, 181, 185)	603	3	29	37	25	56	52	71	70	77	69	114	-	
4 Homicide (182, 183) - - -	32	10	3	3	-	3	5	6	-	2	-	-	-	
0 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 War Casualties (not Sickness) -	67	-	-	-	-	25	31	10	1	-	-	-	-	
XIV. ILL-DEFINED CAUSES.														
7 Dropsy - - - -	14	-	-	-	-	-	2	1	1	2	6	2	-	
8 (a) Syncope - - - -	234	13	2	-	1	3	4	14	28	59	63	47	-	
(b) Sudden Death (not otherwise defined)	20	2	-	-	-	1	-	1	2	4	5	5	-	
9 (a) Heart Failure - - - -	714	35	7	1	-	7	18	50	79	141	207	169	-	
(c) Teething - - - -	9	5	3	-	1	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	73	-	39	-	-	-	1	1	4	26	1	1	-	
(f) Dis. not Specified, Nat. Causes	350	103	21	2	7	9	5	13	18	38	53	80	1	

CAUSES OF DEATH IN SCOTLAND IN 1919—MALES.

	All Ages	Age										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
All Causes - - - - -	37,500	6181	8313	958	559	2085	2546	2583	3564	5011	5688	5000
I. GENERAL DISEASES.												
1 Enteric Fever - - - - -	41	-	2	-	6	7	12	7	4	2	-	1
2 Typhus Fever - - - - -	4	-	-	-	-	-	-	2	2	-	-	-
4 Malaria - - - - -	26	-	-	-	-	6	13	5	2	-	-	-
5 (a) Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
(b) Smallpox Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles - - - - -	477	111	324	29	4	6	2	-	1	-	-	-
7 Scarlet Fever - - - - -	104	5	46	28	9	12	2	1	-	1	-	-
8 Whooping Cough - - - - -	718	287	389	39	3	-	-	-	-	-	-	-
9 (a) Diphtheria - - - - -	335	27	186	99	8	11	3	1	-	-	-	-
(c) Croup, Membr. Laryngitis (b) - - - - -	19	2	11	6	-	-	-	-	-	-	-	-
10 Influenza - - - - -	543	53	39	16	14	43	56	47	52	67	75	81
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
14 Dysentery - - - - -	20	-	-	2	1	2	8	2	4	-	-	1
18 Erysipelas - - - - -	66	14	-	-	1	2	4	5	14	9	8	9
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - - -	13	1	7	1	-	1	-	1	1	1	-	-
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) - - - - -	58	11	3	3	2	7	2	8	7	9	3	3
(c) Vaccinia - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus - - - - -	8	1	-	-	2	2	-	1	1	1	-	-
28 Pulmonary Tuberculosis, Phthisis - - - - -	2,065	11	34	31	44	403	465	433	367	193	76	8
29 (a) Acute Phthisis - - - - -	42	-	-	1	-	19	9	4	7	2	-	-
(b) Acute Miliary Tuberculosis - - - - -	41	4	8	3	4	7	7	5	3	-	-	-
30 Tuberculous Meningitis - - - - -	332	56	140	64	25	29	12	2	3	1	-	-
31 Abdominal Tuberculosis - - - - -	262	34	100	32	21	26	21	10	11	4	3	-
32 Tuberculosis of Spine - - - - -	81	1	5	5	14	22	12	11	5	3	2	1
33 Tuberculosis of Joints - - - - -	21	-	1	-	2	4	4	4	3	1	2	-
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) - - - - -	293	14	42	32	21	48	31	35	28	24	15	3
36 Rickets, Osteomalacia - - - - -	22	9	11	1	-	1	-	-	-	-	-	-
37 Syphilis - - - - -	103	83	4	1	-	1	2	5	4	2	1	-
38 Other Venereal Diseases - - - - -	6	4	-	-	-	-	1	-	1	-	-	-
45 (a) Carcinoma - - - - -	1,422	-	-	-	-	3	14	78	293	459	408	167
(b) Sarcoma - - - - -	115	4	8	1	1	9	8	9	21	22	20	12
(c) Malignant Disease, other or not defined - - - - -	818	1	1	-	-	2	14	38	128	249	252	133
46 Other Tumours (Situation undefined) - - - - -	11	-	2	-	-	-	1	1	3	4	-	-
47 Rheumatic Fever - - - - -	71	-	2	10	8	12	6	7	13	8	4	1
48 (a) Chronic Rheumatism - - - - -	31	-	-	-	-	1	-	-	3	10	7	10
(b) Osteo-arthritis - - - - -	22	-	1	-	-	-	1	2	3	2	8	5
(c) Gout - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
49 Scurvy - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
50 Diabetes - - - - -	199	1	3	2	5	26	27	28	24	35	37	11
51 Exophthalmic Goitre - - - - -	6	-	-	-	-	-	3	1	2	-	-	-
52 Addison's Disease - - - - -	8	-	-	-	-	1	-	1	2	1	2	1
53 (a) Leucocythæmia - - - - -	34	1	4	4	5	3	1	4	5	4	2	1
(b) Lymphadenoma - - - - -	26	1	1	3	2	4	3	2	3	4	2	1
54 Anæmia, Chlorosis - - - - -	227	-	3	-	3	8	4	28	41	69	53	18
55 (b) Purpura - - - - -	17	5	3	2	1	-	-	-	1	2	2	1
(c) Hæmophilia - - - - -	7	1	2	1	-	-	2	-	-	1	-	-
(d) Other General Diseases (a) - - - - -	8	1	-	-	1	1	1	-	1	2	1	-
56 Alcoholism - - - - -	49	-	-	-	-	1	7	13	18	8	1	1
57 Chronic Lead Poisoning - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
58 Other Chronic Occupational Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
59 Other Chronic Poisonings - - - - -	1	-	-	-	-	-	-	-	1	-	-	-

		All Ages.	Age											Age not stated.
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.														
Encephalitis - - - -	85	6	7	4	7	14	8	15	14	6	3	1	-	
(a) Cerebro-Spinal Meningitis -	74	12	10	9	4	23	5	7	4	-	-	-	-	
(c) Meningitis, Basal, Nature un- specified (b)	435	140	130	43	20	31	26	18	15	7	5	-	-	
Locomotor Ataxy - - - -	78	-	-	-	-	-	1	13	27	27	10	-	-	
Other Diseases of Spinal Cord -	238	-	2	4	2	5	15	27	32	53	75	23	-	
Cerebral Hæmorrhage, Apoplexy	2,145	8	3	1	-	9	21	51	176	504	784	588	-	
Softening of Brain - - - -	116	-	-	-	-	1	1	-	7	29	28	50	-	
(a) Hemiplegia - - - -	266	1	3	-	1	1	2	4	20	50	112	72	-	
(c) Paralysis, Cause or Nature unspecified (b)	14	-	-	-	-	1	-	3	1	6	2	1	-	
General Paralysis of Insane -	178	-	-	-	1	2	17	63	63	28	3	1	-	
Other Insanity - - - -	70	-	-	-	-	3	4	5	13	19	13	13	-	
Epilepsy - - - -	133	10	2	3	8	14	26	17	18	19	9	7	-	
Convulsions (not Puerperal) (70)	353	261	85	4	1	2	-	-	-	-	-	-	-	
Chorea - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Neuralgia, Neuritis - - - -	16	-	-	1	-	-	1	-	3	2	3	6	-	
(c) Cerebral Tumour - - - -	66	1	2	2	-	8	7	17	19	6	2	2	-	
(d) Other Diseases of Nervous System (a, b)	40	5	1	2	1	1	3	3	4	6	7	7	-	
Diseases of Eye and Annexa -	4	1	-	-	-	-	-	1	-	-	1	1	-	
(a) Mastoid Disease - - - -	26	5	3	1	1	7	2	1	3	1	1	1	-	
(b) Diseases of Ear - - - -	56	9	5	7	5	15	6	2	3	2	1	1	-	
III. DISEASES OF CIRCULATORY SYSTEM.														
Pericarditis - - - -	20	-	-	1	-	3	-	5	4	1	3	3	-	
Acute Endocarditis - - - -	91	-	2	5	4	11	17	13	20	14	4	1	-	
(a) Valvular Disease - - - -	1,610	4	2	4	13	67	94	100	168	341	469	348	-	
(b) Fatty Degeneration of Heart	87	-	-	-	-	-	1	6	12	27	18	23	-	
(c) Other Organic Diseases of Heart	1,292	10	1	4	7	21	28	52	130	272	395	372	-	
Angina Pectoris - - - -	141	-	-	-	-	-	-	5	24	40	43	29	-	
(a) Aneurysm - - - -	83	1	-	-	-	1	3	14	16	28	17	3	-	
(b) Arterio-sclerosis - - - -	296	-	-	-	-	-	-	1	5	52	101	137	-	
(c) Other Diseases of Arteries -	1	-	-	-	-	-	-	-	-	-	1	-	-	
(a) Cerebral Embolism, Thrombosis	200	1	1	-	-	1	5	4	12	38	58	80	-	
(b) Embolism and Thrombosis, not Cerebral	42	1	-	-	2	1	2	5	7	13	9	2	-	
Diseases of Veins - - - -	6	-	-	1	-	-	-	1	-	2	2	-	-	
(a) Lymphatism, Status Lym- phaticus	12	8	1	-	1	1	-	1	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	5	1	1	-	-	-	-	-	2	-	1	-	-	
Hæmorrhage, Other Diseases of Circulatory System	19	2	1	-	-	-	1	-	4	2	3	6	-	
IV. DISEASES OF RESPIRATORY SYSTEM.														
Diseases of Nose - - - -	2	1	-	-	-	-	1	-	-	-	-	-	-	
(b) Laryngitis - - - -	44	10	18	7	-	2	1	-	3	1	2	-	-	
(c) Other Diseases of Larynx (a)	23	6	12	2	-	-	-	-	-	1	2	-	-	
Diseases of Thyroid - - - -	4	-	-	-	-	1	-	1	1	1	-	-	-	
Bronchitis (89) - - - -	2,769	522	164	25	7	31	61	91	227	518	649	474	-	
Broncho-pneumonia - - - -	2,541	692	688	88	20	142	233	136	151	161	140	90	-	
Pneumonia - - - -	3,473	252	289	87	42	395	653	421	432	430	331	141	-	
Pleurisy - - - -	186	4	15	3	-	13	11	24	23	33	40	20	-	
(a) Pulmonary Apoplexy - - - -	6	-	-	-	1	-	-	-	-	2	2	1	-	
(b) Pulmonary Congestion (c, d) -	209	47	24	2	3	5	4	6	9	15	36	58	-	
Gangrene of Lung - - - -	12	-	-	-	-	3	2	-	2	3	-	2	-	
Asthma - - - -	37	-	1	-	1	1	1	4	6	9	9	5	-	
Pulmonary Emphysema - - - -	14	-	-	-	-	1	1	-	3	4	2	3	-	
(a) Fibroid Diseases of Lung -	32	-	-	-	-	-	1	3	5	9	14	-	-	
(b) Other Diseases of Respiratory System	13	-	1	-	1	1	1	1	2	1	3	2	-	

		All Ages.	Age											
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	9	2	1	-	-	1	-	1	-	2	-	2	-	
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	40	7	11	6	-	1	4	4	3	1	3	-	-	
102 Gastric Ulcer - - - -	192	-	1	3	-	8	21	35	41	41	21	21	-	
103 Other Dis. of Stomach. Gastritis	206	78	19	7	4	3	2	11	17	23	27	15	-	
104 Diarrhœa, Enteritis (under 2 years)	623	509	114	-	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	208	-	45	12	8	10	14	17	22	21	24	35	-	
107 Intestinal Parasites (106) - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - -	213	-	9	27	49	47	13	22	20	17	7	2	-	
109 (a) Hernia - - - -	82	13	8	1	-	3	4	2	8	10	15	18	-	
(b) Intestinal Obstruction - -	181	38	11	6	10	21	9	11	11	18	26	20	-	
110 Other Diseases of Intestine - -	108	8	4	1	-	4	15	13	25	18	9	11	-	
111 Acute Yellow Atrophy of Liver -	3	-	-	-	-	-	1	2	-	-	-	-	-	
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - -	97	-	-	1	-	1	6	5	17	33	25	9	-	
114 Gallstones - - - -	23	-	-	-	-	-	-	2	4	3	11	3	-	
115 Other Diseases of Liver - -	48	1	2	-	1	1	1	2	11	13	12	4	-	
116 Diseases of Spleen - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
117 Peritonitis, cause not specified -	44	2	4	7	4	5	2	2	2	5	10	1	-	
118 Other Diseases of Digestive System	9	-	-	-	-	-	2	1	1	2	2	1	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.														
119 Acute Nephritis - - - -	167	16	15	11	7	15	25	18	19	22	15	4	-	
120 (a) Bright's Disease - - -	832	-	-	8	6	24	40	65	134	233	213	109	-	
(b) Uræmia - - - -	59	1	-	-	1	1	2	2	9	8	16	19	-	
122 Other Dis. of Kidney, Chyluria (121)	43	1	2	-	2	3	4	3	6	7	10	5	-	
123 Urinary Calculus - - -	19	-	-	-	-	1	-	1	2	6	5	4	-	
124 Diseases of Bladder - - -	166	1	-	1	-	1	2	5	14	35	45	62	-	
125 Dis. of Urethra, Urinary Abscess	34	-	-	-	-	2	1	4	9	11	4	3	-	
126 Diseases of Prostate - - -	264	-	-	-	-	-	-	-	6	44	95	119	-	
127 Diseases of Male Genital Organs (not Venereal)	2	-	-	-	-	-	-	-	1	-	1	-	-	
128 Menorrhagia, Uterine Hæmorrh- age (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	
132 Other Dis. of Female Genit. Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Puerperal Hæmorrhage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
136 Other Accidents of Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 (a) Puerperal Insanity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Puerperal Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (a) Senile Gangrene - - -	92	-	-	-	-	-	-	-	-	6	42	44	-	
(b) Noma, Cancrum Oris - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
(d) Other Gangrene (c) - - -	11	2	1	-	1	-	-	1	1	5	-	-	-	
143 Carbuncle, Boil - - - -	12	-	-	-	-	2	-	-	1	2	3	4	-	
144 Phlegmon, Acute Abscess - -	67	19	1	-	3	3	5	4	7	10	12	3	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	38	16	2	-	-	-	1	-	1	4	10	4	-	

	All Ages.	Age											Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
IX. DISEASES OF ORGANS OF LOCOMOTION.													
6 Dis. of Bones (Mastoid excluded)	55	3	6	13	12	10	1	2	1	3	2	2	-
7 Diseases of Joints - - -	18	-	2	-	1	-	3	1	2	3	4	2	-
9 Other Dis. of Locomotor Sys. (148)	3	-	-	-	-	1	-	-	1	1	-	-	-
X. MALFORMATIONS.													
0 Congenital Malformations - -	256	232	13	5	2	3	-	1	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.													
1 (a) Premature Birth - - -	1,224	1224	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	900	900	-	-	-	-	-	-	-	-	-	-	-
2 Other Diseases peculiar to Early Infancy	191	191	-	-	-	-	-	-	-	-	-	-	-
3 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.													
4 (a) Senile Dementia - - -	44	-	-	-	-	-	-	-	-	7	20	17	-
(b) Senile Decay - - - -	1,474	-	-	-	-	-	-	-	-	-	263	1211	-
XIII. VIOLENT CAUSES.													
5 Suicide (155-162) - - -	170	-	-	-	-	8	25	42	42	30	19	4	-
Poisoning by Food - - -	8	-	1	3	1	2	1	-	-	-	-	-	-
Other Accidental Poisonings - -	12	1	1	1	-	-	-	3	3	3	-	-	-
Burns and Scalds (166) - - -	184	11	82	18	4	8	14	11	12	10	6	8	-
Exposure to Poisonous Vapours -	32	-	-	-	-	5	5	5	8	1	5	3	-
Drowning - - - - -	530	-	12	25	22	134	96	106	64	38	14	8	11
Accidents with Fire Arms - - -	15	-	1	-	3	1	3	2	2	2	1	-	-
Accidents with Instruments and Weapons	1	-	-	-	-	1	-	-	-	-	-	-	-
Accidental Falls - - - -	162	1	5	12	5	20	15	27	26	24	22	5	-
(a) Accidents in Coal Mines - -	133	-	-	-	1	24	33	31	30	11	3	-	-
(b) Accidents in Other Mines - -	3	-	-	-	-	-	-	1	1	1	-	-	-
(c) Accidents in Quarries - - -	5	-	-	-	-	1	-	-	3	1	-	-	-
Accidents with Machinery - - -	33	-	-	-	2	6	5	4	8	8	3	2	-
(a) Accidents on Railways - - -	124	-	2	1	6	24	28	17	19	17	8	2	-
(b) Acc. with Horses and Vehicles	46	-	2	3	4	2	3	7	9	7	7	2	-
(c) Accidents with Motor Vehicles	98	-	10	22	8	5	13	9	13	10	7	1	-
(d) Accidents with Tramways - -	20	-	3	-	2	2	-	3	3	3	3	1	-
(e) Other Crushing Accidents - -	25	-	-	1	-	12	3	4	-	2	2	1	-
Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	16	-	-	1	-	-	-	-	-	-	-	-	-
(a) Overlaying - - - - -	17	16	1	-	-	-	2	1	6	3	2	1	-
(b) Suffocation (otherwise) - -	48	23	5	-	2	1	5	5	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	454	3	22	31	23	50	48	68	63	68	40	38	-
Homicide (182, 183) - - - -	20	6	2	2	-	2	2	4	-	2	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	67	-	-	-	-	25	31	10	1	-	-	-	-
XIV. ILL-DEFINED CAUSES.													
Dropsy - - - - -	6	-	-	-	-	-	-	-	1	1	3	1	-
(a) Syncope - - - - -	134	9	2	-	1	2	-	4	17	37	40	22	-
(b) Sudden Death (not otherwise defined)	11	2	-	-	-	-	-	-	1	1	4	3	-
(a) Heart Failure - - - - -	396	15	1	1	-	5	9	35	49	94	116	71	-
(c) Teething - - - - -	5	3	2	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	38	-	18	-	-	-	1	1	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	175	62	13	1	4	4	2	3	9	16	1	-	1

	All Ages.	Age												Age not stated.
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.														
Encephalitis - - - -	65	6	5	1	3	11	8	9	8	8	2	4	-	
(a) Cerebro-spinal Meningitis -	54	11	11	9	6	9	2	3	2	-	1	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	397	107	135	33	30	41	17	14	14	4	2	-	-	
Locomotor Ataxy - - - -	10	-	-	-	-	-	1	-	1	3	4	1	-	
Other Diseases of Spinal Cord -	208	3	2	3	3	2	14	25	32	46	49	29	-	
Cerebral Hæmorrhage, Apoplexy	2,454	4	2	1	1	8	14	69	260	469	789	837	-	
Softening of Brain - - - -	134	-	-	-	-	2	-	-	5	22	48	57	-	
(a) Hemiplegia - - - -	338	-	2	1	-	-	3	5	26	52	103	146	-	
(c) Paralysis, Cause or Nature unspecified (b)	15	-	-	-	1	1	-	1	1	4	4	3	-	
General Paralysis of Insane -	45	-	-	-	-	1	5	12	15	8	1	3	-	
Other Insanity - - - -	105	-	-	-	-	7	8	12	19	24	24	11	-	
Epilepsy - - - -	126	8	3	3	11	24	15	21	9	15	11	6	-	
Convulsions (not Puerperal) (70)	283	196	80	6	1	-	-	-	-	-	-	-	-	
Chorea - - - -	10	1	-	1	1	2	2	-	-	1	2	-	-	
Neuralgia, Neuritis - - - -	20	-	-	-	-	-	-	1	3	5	5	6	-	
(c) Cerebral Tumour - - - -	40	-	2	1	3	8	5	2	8	8	1	2	-	
(d) Other Diseases of Nervous System (a, b)	52	1	5	2	-	3	2	4	5	6	12	12	-	
Diseases of Eye and Annexa -	2	-	-	-	-	-	-	-	-	-	1	1	-	
(a) Mastoid Disease - - - -	11	2	1	1	4	-	2	-	-	1	-	-	-	
(b) Diseases of Ear - - - -	56	9	7	11	8	7	2	3	3	1	4	1	-	
I. DISEASES OF CIRCULATORY SYSTEM.														
Pericarditis - - - -	24	1	-	1	1	2	1	4	3	8	1	2	-	
Acute Endocarditis - - - -	85	-	1	3	12	14	14	12	11	15	1	2	-	
(a) Valvular Disease - - - -	1,919	3	1	8	18	82	105	134	209	363	509	487	-	
(b) Fatty Degeneration of Heart	152	-	-	1	-	-	4	6	24	39	39	39	-	
(c) Other Organic Diseases of Heart	1,313	5	-	2	8	11	37	52	124	224	380	470	-	
Angina Pectoris - - - -	95	-	-	-	-	-	-	1	11	20	37	26	-	
(a) Aneurysm - - - -	23	-	-	-	-	-	-	2	-	6	8	7	-	
(b) Arterio-sclerosis - - - -	252	-	-	-	-	-	-	-	9	23	70	150	-	
(c) Other Diseases of Arteries -	3	-	-	-	-	-	-	-	1	1	-	1	-	
(a) Cerebral Embolism, Thrombosis	318	-	1	-	-	2	9	11	21	51	101	122	-	
(b) Embolism and Thrombosis, not Cerebral	49	1	-	-	1	-	8	3	10	14	7	5	-	
Diseases of Veins - - - -	12	-	-	-	-	-	1	2	2	3	2	2	-	
(a) Lymphatism, Status Lymphaticus	6	2	2	-	-	-	-	1	-	1	-	-	-	
(b) Other Dis. of Lymphatic System	3	-	1	-	-	-	-	-	-	-	1	1	-	
Hæmorrhage, Other Diseases of Circulatory System	16	-	-	1	-	-	-	1	1	2	7	4	-	
V. DISEASES OF RESPIRATORY SYSTEM.														
Diseases of Nose - - - -	7	1	1	1	-	1	-	1	-	-	-	2	-	
(b) Laryngitis - - - -	48	11	20	7	-	1	4	-	1	2	-	2	-	
(c) Other Diseases of Larynx (a) -	16	6	6	-	-	-	-	-	1	1	1	1	-	
Diseases of Thyroid - - - -	33	-	-	-	-	-	1	1	8	7	10	6	-	
Bronchitis (89) - - - -	3,054	366	144	19	9	11	61	90	207	433	767	947	-	
Broncho-pneumonia - - - -	2,365	470	680	95	38	106	199	118	137	188	195	139	-	
Pneumonia - - - -	2,715	155	279	92	78	362	554	244	256	228	268	199	-	
Pleurisy - - - -	139	1	17	1	2	10	16	12	14	25	18	23	-	
(a) Pulmonary Apoplexy - - - -	7	1	-	-	-	-	1	-	2	1	1	1	-	
(b) Pulmonary Congestion (c, d) -	242	29	23	2	3	5	9	13	17	21	41	79	-	
Gangrene of Lung - - - -	9	-	-	-	-	2	2	1	-	3	-	1	-	
Asthma - - - -	35	-	-	-	-	-	4	4	10	5	8	4	-	
Pulmonary Emphysema - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
(a) Fibroid Diseases of Lung -	14	-	-	-	-	-	1	1	4	4	2	2	-	
(b) Other Diseases of Respiratory System	8	1	-	-	-	-	1	-	1	1	2	2	-	

		All Ages.	Age										
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
V. DIS. OF DIGESTIVE SYSTEM.													
99	Dis. of Mouth, Teeth. Oral Sepsis	15	4	3	2	1	1	1	1	-	-	1	1
101	Diseases of Pharynx, Œsophagus. Tonsillitis (100)	35	5	5	11	3	1	-	2	5	3	-	-
102	Gastric Ulcer - - - -	132	1	-	-	2	6	14	24	27	25	17	16
103	Other Dis. of Stomach. Gastritis	259	72	25	5	5	1	4	12	21	25	36	53
104	Diarrhœa, Enteritis (under 2 years)	392	324	68	-	-	-	-	-	-	-	-	-
105	Diarrhœa, Enteritis (over 2 years)	311	-	47	26	10	7	11	21	28	47	55	59
107	Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-
108	Appendicitis, Typhlitis - - -	213	-	10	32	32	60	24	17	16	15	5	2
109	(a) Hernia- - - - -	111	1	-	-	-	-	1	8	14	40	28	19
	(b) Intestinal Obstruction - -	149	21	7	5	2	10	8	7	14	24	24	27
110	Other Diseases of Intestine - -	57	4	1	-	-	5	2	8	7	11	6	13
111	Acute Yellow Atrophy of Liver -	2	-	-	-	-	-	1	1	-	-	-	-
112	Hydatids of Liver - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
113	Cirrhosis of Liver - - - - -	62	-	-	-	-	-	-	6	11	21	14	10
114	Gallstones - - - - -	65	-	-	-	-	1	1	4	19	12	18	10
115	Other Diseases of Liver - - -	83	3	2	-	1	4	3	10	8	17	18	17
116	Diseases of Spleen - - - - -	3	-	-	-	-	1	1	-	-	-	1	-
117	Peritonitis, cause not specified -	65	6	6	12	4	6	8	6	1	8	5	3
118	Other Diseases of Digestive System	13	-	1	1	-	-	-	1	1	6	3	-
VI. DISEASES OF GENITO- URINARY SYSTEM.													
119	Acute Nephritis - - - - -	146	10	19	7	5	18	15	18	18	21	8	7
120	(a) Bright's Disease - - - -	709	-	3	2	12	24	42	59	138	171	154	104
	(b) Uræmia - - - - -	34	-	-	-	-	1	1	8	9	4	5	6
122	Other Dis. of Kidney, Chyluria (121)	50	11	2	2	1	1	5	6	6	6	7	3
123	Urinary Calculus - - - - -	17	-	-	-	-	-	1	5	1	-	5	5
124	Diseases of Bladder - - - - -	51	2	-	1	-	-	-	2	5	6	12	23
125	Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-
126	Diseases of Prostate - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
127	Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	8	-	-	-	-	1	3	2	2	-	-	-
129	Uterine Tumour (non-Cancerous)	61	-	-	-	-	1	3	13	19	8	14	3
130	Other Diseases of Uterus - - -	22	-	-	1	-	2	7	4	3	2	2	1
131	Cysts, and Other Tumours of Ovary	40	-	-	-	-	1	4	6	5	9	8	7
132	Other Dis. of Female Genit. Organs	33	-	-	-	-	5	11	9	4	2	-	2
133	Non-Puerperal Diseases of Breast	4	-	-	-	-	-	1	2	-	-	-	1
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.													
134	(a) Abortion, Miscarriage - -	66	-	-	-	-	3	42	21	-	-	-	-
	(c) Uncontrollable Vomiting - -	12	-	-	-	-	3	4	4	1	-	-	-
	(d) Ectopic Gestation - - - -	13	-	-	-	-	2	6	5	-	-	-	-
	(e) Other Diseases and Accidents of Pregnancy (b)	21	-	-	-	-	6	11	3	1	-	-	-
135	Puerperal Hæmorrhage - - -	71	-	-	-	-	9	30	32	-	-	-	-
136	Other Accidents of Childbirth -	54	-	-	-	-	7	29	18	-	-	-	-
137	Puerperal Sepsis - - - - -	150	-	-	-	-	25	86	38	1	-	-	-
138	Puerp. Albuminuria, Convulsions	108	-	-	-	-	35	34	38	1	-	-	-
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	40	-	-	-	-	6	19	15	-	-	-	-
140	(a) Puerperal Insanity - - -	3	-	-	-	-	3	-	-	-	-	-	-
	(b) Other Puerperal Diseases - -	123	-	-	-	-	16	69	38	-	-	-	-
141	Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.													
142	(a) Senile Gangrene - - - -	128	-	-	-	-	-	-	-	-	6	39	83
	(b) Noma, Cancrum Oris - - -	7	-	6	-	-	-	-	-	1	-	-	-
	(d) Other Gangrene (c) - - - -	15	-	1	-	-	1	-	4	3	6	-	-
143	Carbuncle, Boil - - - - -	14	-	-	-	-	3	3	-	4	1	2	1
144	Phlegmon, Acute Abscess - - -	44	11	2	1	1	1	1	3	7	3	7	7
145	Ulcer, Other Diseases of Skin and Cellular Tissue	44	15	2	-	-	1	-	2	4	6	5	9

		All Ages.	Age												Age not stated.
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
46 Dis. of Bones (Mastoid excluded)	35	2	2	10	9	2	-	2	2	1	4	1	-		
47 Diseases of Joints - - -	11	-	2	1	-	-	-	1	2	2	3	-	-		
49 Other Dis. of Locomotor Syst.(148)	1	-	-	-	-	-	-	-	-	-	-	1	-		
X. MALFORMATIONS.															
50 Congenital Malformations - -	240	215	19	1	2	2	-	1	-	-	-	-	-		
XI. DISEASES OF EARLY INFANCY,															
51 (a) Premature Birth - - -	956	956	-	-	-	-	-	-	-	-	-	-	-		
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	629	629	-	-	-	-	-	-	-	-	-	-	-		
52 Other Diseases peculiar to Early Infancy	122	122	-	-	-	-	-	-	-	-	-	-	-		
53 Lack of Care - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-		
XII. OLD AGE.															
54 (a) Senile Dementia - - -	64	-	-	-	-	-	-	-	-	6	27	31	-		
(b) Senile Decay - - - -	2479	-	-	-	-	-	-	-	-	-	363	2116	-		
XIII. VIOLENT CAUSES.															
63 Suicide (155-162) - - -	64	-	-	-	-	4	12	16	16	13	3	-	-		
64 Poisoning by Food - - -	2	-	-	-	-	-	-	1	1	-	-	-	-		
65 Other Accidental Poisonings -	9	-	-	-	-	-	2	1	3	1	2	-	-		
67 Burns and Scalds (166) - -	207	8	73	24	13	9	5	11	7	9	16	32	-		
68 Exposure to Poisonous Vapours -	16	-	-	-	-	3	2	2	3	3	2	1	-		
69 Drowning - - - -	89	-	4	4	7	20	10	14	12	10	4	3	1		
70 Accidents with Fire Arms - -	4	1	-	-	-	3	-	-	-	-	-	-	-		
71 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-		
72 Accidental Falls - - -	68	1	5	1	1	2	5	7	8	8	11	19	-		
73 (a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
74 Accidents with Machinery - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
75 (a) Accidents on Railways - -	10	-	-	-	1	5	-	1	2	-	1	-	-		
(b) Acc. with Horses and Vehicles	11	-	1	1	2	1	-	1	-	3	-	2	-		
(c) Accidents with Motor Vehicles	43	-	8	8	4	4	4	4	3	3	3	2	-		
(d) Accidents with Tramways -	12	-	1	1	-	-	-	1	-	3	2	4	-		
(e) Other Crushing Accidents -	2	-	-	-	-	-	-	-	1	1	-	-	-		
77 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
80 Weather Agencies (178, 179) -	6	1	-	-	-	1	-	-	1	1	1	1	-		
86 (a) Overlaying - - - -	20	20	-	-	-	-	-	-	-	-	-	-	-		
(b) Suffocation (otherwise) - -	33	19	1	1	2	-	-	3	2	2	3	-	-		
(c) Other Accidents (176, 181, 185)	149	-	7	6	2	6	4	3	7	9	29	76	-		
84 Homicide (182, 183) - - -	12	4	1	1	-	1	3	2	-	-	-	-	-		
90 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
91 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
XIV. ILL-DEFINED CAUSES.															
87 Dropsy - - - -	8	-	-	-	-	-	2	1	-	1	3	1	-		
88 (a) Syncope - - - -	100	4	-	-	-	1	4	10	11	22	23	25	-		
(b) Sudden Death (not otherwise defined)	9	-	-	-	-	1	-	1	1	3	1	2	-		
89 (a) Heart Failure - - - -	318	20	6	-	-	2	9	15	30	47	91	98	-		
(c) Teething - - - -	4	2	1	-	1	-	-	-	-	-	-	-	-		
(e) Other Ill-defined Diseases (b, d)	35	-	21	-	-	-	-	-	3	10	-	1	-		
(f) Dis. not Specified, Nat. Causes	175	41	8	1	3	5	3	10	9	18	26	51	-		

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
All Causes	75,149	4,470	1,029	3,760	856	420	256	520	474	2,012	1,156	8,516	612	3,516	4,215	594	1,564
I. GENERAL DISEASES.																	
1 Enteric Fever	83	9	1	2	-	1	-	-	1	1	-	-	1	4	8	3	-
2 Typhus Fever	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
4 Malaria	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Small-pox { (a) Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Measles	899	6	3	60	2	1	1	10	5	47	11	113	8	21	52	1	4
7 Scarlet Fever	222	5	1	11	-	-	-	-	1	9	4	54	2	9	9	-	-
8 Whooping-Cough	1,573	43	10	62	15	-	2	4	4	41	5	303	10	14	18	14	6
9 (a) Diphtheria	697	41	13	39	8	3	1	2	2	21	9	129	3	65	32	7	6
(c) Croup, Membranous Laryngitis (b)	30	1	-	2	-	-	-	2	-	-	1	4	-	5	-	-	-
10 Influenza	1,245	57	23	34	16	7	5	9	-	35	14	179	12	45	46	6	101
13 Cholera Nostras	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
14 Dysentery	32	10	1	2	-	3	-	-	-	1	1	-	-	1	-	-	1
18 Erysipelas	121	7	1	6	-	1	-	-	1	3	1	14	-	9	5	-	-
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	24	3	-	2	-	-	-	-	-	1	-	3	-	1	-	-	-
20 (a) Pyæmia, Septicæmia (not Puer- peral (b)	115	7	1	3	2	1	-	1	-	5	2	15	3	9	6	-	3
(c) Vaccinia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Anthrax	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23 Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 Tetanus	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Pulmonary Tuberculosis, Phthisis	4,189	233	60	181	50	15	7	24	30	112	76	468	22	168	237	26	107
29 (a) Acute Phthisis	105	2	1	4	-	2	-	-	1	1	5	15	2	7	2	3	1
(b) Acute Miliary Tuberculosis	70	3	2	1	1	1	-	2	1	4	2	10	1	8	4	1	-
30 Tuberculous Meningitis	653	40	3	34	5	1	2	2	1	25	7	72	2	28	31	5	9
31 Abdominal Tuberculosis	568	19	6	31	4	3	2	2	1	32	10	59	5	17	32	3	5
32 Tuberculosis of Spine	151	10	1	10	1	-	-	2	11	2	-	16	1	10	11	-	4
33 Tuberculosis of Joints	47	2	1	5	1	-	-	2	2	-	-	6	1	1	3	-	2
35 Tuberculosis of Other Organs, Dis- seminated Tuberculosis (34)	543	25	1	27	3	1	1	7	1	15	1	71	4	33	38	7	11

[illegible]

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin (Moray).	Fife.	Forfar.	Haddington.	Inverness.
II. DISEASES OF NERVOUS SYSTEM.																	
60 Encephalitis	150	7	4	2	1	-	-	3	-	2	2	15	-	9	9	2	1
61 (a) Cerebro-spinal Meningitis	128	17	1	4	-	1	-	-	3	6	1	9	1	4	3	1	1
(c) Meningitis, Basal, Nature unspecified (b)	832	32	8	70	13	1	2	5	14	39	19	53	6	32	47	4	12
62 Locomotor Ataxy	88	4	3	4	-	-	1	1	1	1	1	14	-	2	6	-	7
63 Other Diseases of Spinal Cord	446	31	11	23	6	3	-	3	4	10	5	50	3	23	38	2	83
64 Cerebral Hæmorrhage, Apoplexy	4,599	338	87	252	67	27	21	37	41	134	100	488	47	252	286	31	2
65 Softening of Brain	250	16	4	20	6	2	1	2	4	3	6	29	-	8	20	2	14
66 (a) Hemiplegia	604	56	15	26	2	7	5	11	1	17	7	88	6	17	33	10	2
(c) Paralysis, Cause or Nature unspecified (b)	29	2	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-
67 General Paralysis of Insane	223	15	-	11	-	3	2	2	-	7	3	32	2	5	8	-	2
68 Other Insanity	175	6	1	5	2	3	-	-	-	3	1	13	1	5	7	1	18
69 Epilepsy	259	20	1	16	2	-	1	3	1	7	5	28	2	13	17	2	11
71 Convulsions (not Puerperal) (70)	636	64	5	34	6	-	2	7	2	18	14	57	7	35	24	9	10
72 Chorea	11	2	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-
73 Neuralgia, Neuritis	36	4	1	-	-	-	-	-	-	1	1	7	2	1	1	-	1
74 (c) Cerebral Tumour	106	2	1	8	-	1	1	-	-	1	1	18	-	2	10	-	-
(d) Other Diseases of Nervous System (a, b)	92	6	3	4	1	-	-	2	-	8	-	10	-	7	5	1	-
75 Diseases of Eye and Annexa	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease	37	1	-	3	1	-	1	-	-	1	-	5	-	2	4	-	-
(b) Diseases of Ear	112	10	-	6	3	-	-	-	1	6	2	12	-	4	9	-	1

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	Kincardine.	Kinross.	Kirkcud- bright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
II. DISEASES OF NERVOUS SYSTEM.																		
60 Encephalitis	-	-	-	68	1	-	1	-	3	3	1	7	1	-	5	-	-	6
61 (a) Cerebro-spinal Meningitis	1	1	1	60	-	1	-	1	1	1	-	5	-	-	4	-	1	1
(c) Meningitis, Basal, Nature un- specified (b)	4	1	4	311	16	3	3	1	10	60	12	3	7	4	23	5	3	5
62 Locomotor Ataxy	1	-	2	32	1	-	-	-	2	7	-	-	-	1	1	-	-	-
63 Other Diseases of Spinal Cord	5	1	9	120	1	2	3	2	17	30	2	4	4	8	11	-	3	4
64 Cerebral Hæmorrhage, Apoplexy	26	15	48	1333	59	4	26	18	149	283	66	59	29	19	111	19	41	3
65 Softening of Brain	-	2	4	69	2	-	-	-	9	11	4	7	1	1	10	-	5	3
66 (a) Hemiplegia	2	2	13	144	4	2	3	2	18	36	15	15	2	10	13	2	5	1
(c) Paralysis, Cause or Nature un- specified (b)	-	-	-	9	1	-	1	-	1	4	1	-	-	2	-	-	-	-
67 General Paralysis of Insane	-	-	1	81	-	-	2	1	5	11	1	2	1	1	6	-	5	14
68 Other Insanity	-	2	-	68	1	-	3	-	8	11	12	-	-	-	1	1	-	4
69 Epilepsy	1	-	3	71	4	1	3	-	8	12	4	2	1	3	1	2	2	1
71 Convulsions (not Puerperal) (70)	3	-	3	236	11	2	2	-	6	40	8	5	1	1	20	2	-	-
72 Chorea	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	1	-
73 Neuralgia, Neuritis	-	-	-	11	1	-	1	-	-	1	-	-	-	-	2	-	-	-
74 (c) Cerebral Tumour	1	-	-	37	1	-	1	-	-	-	-	-	-	-	4	-	-	-
(d) Other Diseases of Nervous System (a, b)	2	1	1	31	-	-	-	-	3	2	2	1	-	-	3	-	-	3
75 Diseases of Eye and Annexa	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76 (a) Mastoid Disease	-	-	-	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Diseases of Ear	-	-	3	40	1	-	-	-	3	6	-	1	-	-	2	-	-	2

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
III. DISEASES OF CIRCULATORY SYSTEM.																	
77 Pericarditis	44	1	2	1	2	1	1	1	1	1	3	7	2	3	1	3	1
78 Acute Endocarditis	176	11	61	156	33	27	24	27	29	67	55	19	27	9	13	3	6
79 (a) Valvular Disease	3,529	275	1	19	2	11	1	1	3	7	9	425	2	191	298	22	75
(b) Fatty Degeneration of Heart	239	5	1	106	51	25	26	29	12	91	54	254	42	15	6	2	3
(c) Other Organic Diseases of Heart	2,605	193	50	15	4	1	1	1	2	5	3	34	2	155	165	30	65
80 Angina Pectoris	236	14	8	3	2	—	—	—	2	9	—	20	2	14	7	1	2
81 (a) Aneurysm	106	7	1	29	21	6	3	2	4	5	14	100	7	4	5	10	1
(b) Arterio-sclerosis	548	45	3	—	—	—	—	—	—	—	—	1	—	31	38	—	5
(c) Other Diseases of Arteries	4	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
82 (a) Cerebral Embolism, Thrombosis	518	31	10	26	3	3	2	2	—	3	7	97	10	36	47	8	5
(b) Embolism and Thrombosis, not Cerebral	91	6	1	4	1	1	—	1	—	3	—	8	1	8	3	2	2
83 Diseases of Veins	18	3	—	1	—	—	—	1	—	1	—	—	—	3	—	—	—
84 (a) Lymphatism, Status Lymphaticus	18	—	—	—	—	1	—	—	—	—	—	4	—	1	—	2	—
(b) Other Dis. of Lymphatic System	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
85 Haemorrhage, Other Diseases of Circulatory System	35	1	—	1	—	—	—	—	—	4	—	1	—	—	—	—	—
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86 Diseases of Nose	9	—	3	2	—	—	—	—	—	—	—	5	—	—	—	—	—
87 (b) Laryngitis	92	5	1	3	—	—	—	—	—	2	—	10	—	5	3	1	1
(c) Other Diseases of Larynx (a)	39	3	—	5	—	—	—	—	—	1	—	4	—	—	5	—	—
88 Diseases of Thyroid	37	4	—	2	—	—	—	—	—	—	—	8	—	—	—	—	—
90 Bronchitis (89)	5,823	286	73	251	63	20	14	47	48	135	116	660	39	260	332	31	74
91 Broncho-pneumonia	4,906	224	25	205	39	11	7	10	23	121	48	514	17	166	285	21	50
92 Pneumonia	6,188	307	48	262	79	42	25	20	28	134	73	892	43	219	225	60	123
93 Pleurisy	325	23	7	17	2	2	3	2	4	14	4	41	1	13	20	1	4
94 (a) Pulmonary Apoplexy	13	—	—	3	—	—	—	—	—	—	—	3	—	—	—	—	—
(b) Pulmonary Congestion (c, d)	451	31	6	34	—	6	2	—	2	19	10	49	4	22	15	8	5
95 Gangrene of Lung	21	—	—	1	—	—	—	—	—	3	—	1	—	—	—	—	—
96 Asthma	72	3	2	1	2	—	—	—	—	3	1	10	1	3	1	—	6
97 Pulmonary Emphysema	16	1	—	—	3	—	—	—	1	—	—	2	—	—	1	—	1
98 Pulmonary Emphysema	46	6	—	—	1	—	—	—	—	—	—	17	—	—	3	—	2

Unallocated Deaths.	— 5 20 — 5 — 1 — — 3 1 — — —	— — — — 8 62 91 5 — — 1 — 2 — —
Wigtown.	1 1 21 1 26 2 2 6 — 5 2 — — —	— 1 — — 39 21 39 2 — 1 — — — 1
Sutherland.	— — 18 1 10 — — 4 — — 1 — — —	— — — — 25 17 25 — — 4 — — — 1 —
Stirling.	1 3 105 8 87 13 4 23 — 25 — — — 1 6	— 4 1 2 168 106 181 6 — 7 1 1 1 4 1
Shetland.	— — 31 — 16 — — 2 — 1 — — — —	1 — — — 1 27 8 23 1 — — — 3 — —
Selkirk.	1 — 24 4 15 1 1 3 — 2 — — — —	— — — — 8 19 23 4 — 1 — — — —
Roxburgh.	— 1 55 5 40 3 — 1 — 13 1 — — — 1	— — — — 1 51 25 68 1 — 6 1 1 — — —
Ross and Cromarty.	— 2 55 2 45 3 1 6 — 7 — — — —	— — — — 67 64 147 2 — 5 — 4 — 1 2
Renfrew	2 14 204 12 162 15 6 24 — 15 8 2 1 — 1	— 5 — — 392 297 378 22 2 26 3 6 — 1 2
Perth.	— 9 121 3 102 12 3 46 — 16 2 — 1 — — 1	— 3 — 3 117 59 131 8 — 13 — 2 — 1 1
Peebles.	— 1 12 1 7 — — 3 — 3 — — — —	— — — — 15 5 15 2 — 3 — — — — 1
Orkney.	1 — 36 4 15 2 1 5 — 5 — — — —	— 1 — 3 24 29 26 5 — 6 — — — —
Nairn.	— — 11 2 9 — — 2 — — — — 1 1	— — — — 8 7 11 1 — 1 — — — — 1
Linlithgow.	1 2 35 3 27 2 2 3 — 6 5 — — — 1	— 6 1 2 79 46 81 5 — 5 — — — —
Lanark.	16 50 925 59 636 60 35 87 — 112 30 5 5 4 10	1 30 16 9 2271 2330 2292 98 4 144 7 17 4 8 2
Kirkcudbright.	1 1 33 6 17 3 — 3 — 4 — — 1 — —	— 4 — — 32 11 43 2 1 5 — — — —
Kinross.	1 — 5 — 8 — — 1 — 2 — — — —	— — — — 4 8 5 1 — 1 — 2 — — 1
Kincardine.	— 2 26 — 30 4 — 6 — 9 — — — — 2	— — — — 39 26 29 2 — 9 — — — —
III. DISEASES OF CIRCULATORY SYSTEM.		
77 Pericarditis		
78 Acute Endocarditis		
79 (a) Valvular Disease		
(b) Fatty Degeneration of Heart		
(c) Other Organic Diseases of Heart		
80 Angina Pectoris		
81 (a) Aneurysm		
(b) Arterio-sclerosis		
(c) Other Diseases of Arteries		
82 (a) Cerebral Embolism, Thrombosis		
(b) Embolism and Thrombosis, not Cerebral		
83 Diseases of Veins		
84 (a) Lymphatism, Status Lymphaticus		
(b) Other Dis. of Lymphatic System		
85 Hemorrhage, Other Diseases of Circulatory System		
IV. DISEASES OF RESPIRATORY SYSTEM.		
86 Diseases of Nose		
87 (b) Laryngitis		
(c) Other Diseases of Larynx (a)		
88 Diseases of Thyroid		
90 Bronchitis (89)		
91 Broncho-pneumonia		
92 Pneumonia		
93 Pleurisy		
94 (a) Pulmonary Apoplexy		
(b) Pulmonary Congestion (c, d)		
95 Congestion of Lungs		
96 Asthma		
97 Pulmonary Emphysema		
98 (a) Fibroid Diseases of Lung		
(b) Other Diseases of Respiratory System		

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
V.—DISEASES OF DIGESTIVE SYSTEM.																	
99 Diseases of Mouth, Teeth. Oral Sepsis	24	1	-	1	-	-	-	-	-	2	-	2	1	2	1	-	-
101 Diseases of Pharynx, Oesophagus. Tonsillitis (100)	75	6	1	3	3	1	-	-	-	2	-	12	2	7	1	3	1
102 Gastric Ulcer	324	16	8	13	2	-	1	3	1	16	7	27	5	20	22	3	14
103 Other Diseases of Stomach. Gastritis	465	27	10	29	8	1	-	4	2	11	8	35	7	21	37	5	6
104 Diarrhoea, Enteritis (under 2 years)	1,015	50	4	58	-	-	1	2	2	33	8	61	7	35	48	8	10
105 Diarrhoea, Enteritis (over 2 years)	519	71	8	39	8	2	1	4	4	10	4	40	6	18	20	8	12
107 Intestinal Parasites (106)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis	426	28	4	31	5	4	-	1	2	12	5	31	4	33	18	2	6
109 (a) Hernia	193	17	-	9	4	1	-	1	-	3	2	25	2	6	12	-	-
(b) Intestinal Obstruction	330	23	7	18	4	2	1	5	4	17	5	36	3	16	17	4	8
110 Other Diseases of Intestine	165	10	2	7	3	2	3	-	2	7	3	24	2	8	11	3	4
111 Acute Yellow Atrophy of Liver	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	159	8	2	8	2	-	2	-	2	3	5	9	-	8	11	4	8
114 Gallstones	88	6	2	2	1	-	-	-	2	1	2	10	2	2	5	-	1
115 Other Diseases of Liver	131	4	3	16	-	2	-	2	1	2	-	13	1	10	7	3	2
116 Diseases of Spleen	5	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
117 Peritonitis, cause not specified	109	9	3	8	1	-	-	2	-	3	-	9	-	5	6	2	5
118 Other Diseases of Digestive System	22	2	-	1	-	-	-	-	-	-	-	3	-	2	1	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	Kincardine.	Kinross.	Kirkeud- bright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
V.—DISEASES OF DIGESTIVE SYSTEM.																		
99 Diseases of Mouth, Teeth. Oral Sepsis	-	-	-	8	1	-	-	-	-	2	-	-	-	-	2	1	-	-
101 Diseases of Pharynx, Esophagus. Tonsillitis (100)	2	-	1	19	1	-	-	-	1	6	-	-	-	2	-	-	1	-
102 Gastric Ulcer	8	1	4	94	4	1	1	-	5	17	6	6	1	2	9	2	1	4
103 Other Dis. of Stomach. Gastritis	3	-	2	165	11	-	2	-	7	23	6	6	-	3	19	1	9	-
104 Diarrhoea, Enteritis (under 2 years)	3	-	3	514	20	2	2	-	15	74	4	4	1	2	42	1	3	-
105 Diarrhoea, Enteritis (over 2 years)	1	-	-	171	5	2	3	1	9	29	6	8	-	-	19	1	5	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
108 Appendicitis, Typhlitis	4	-	2	155	8	1	1	-	8	34	3	1	3	3	13	1	2	2
109 (a) Hernia	1	1	1	60	3	1	1	2	4	11	3	1	1	1	8	1	5	1
(b) Intestinal Obstruction	4	-	3	89	5	2	2	-	7	16	2	7	1	-	9	1	1	2
110 Other Diseases of Intestine	1	-	2	38	4	-	-	1	2	5	4	5	-	-	7	-	-	2
111 Acute Yellow Atrophy of Liver	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver	4	1	2	55	4	1	-	2	-	5	2	-	2	-	4	2	1	-
114 Gallstones	1	-	-	35	1	-	1	-	3	3	1	2	-	1	2	-	1	-
115 Other Diseases of Liver	-	-	-	39	1	-	1	-	3	10	2	5	-	-	2	-	-	-
116 Diseases of Spleen	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified.	-	-	2	29	-	-	-	-	3	11	3	-	-	-	4	2	-	-
118 Other Diseases of Digestive System	-	-	-	6	-	-	-	1	2	1	-	-	-	-	1	1	-	1

	Total.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
VI. DISEASES OF GENITO- URINARY SYSTEM.																	
119 Acute Nephritis	313	13	3	22	4	—	—	3	1	12	1	32	4	16	12	1	8
120 (a) Bright's Disease	1541	84	32	90	20	12	7	22	8	31	16	136	12	65	75	16	31
(b) Uræmia	93	4	3	7	1	—	—	2	3	3	—	19	—	8	5	2	6
122 Other Diseases of Kidney, Chyluria (121)	93	4	2	3	1	2	—	—	—	1	2	9	1	7	4	3	2
123 Urinary Calculus	36	4	—	1	1	1	—	—	—	2	—	4	—	3	1	—	2
124 Diseases of Bladder	217	15	2	9	3	5	2	5	—	6	5	33	1	13	7	1	4
125 Diseases of Urethra, Urinary Abscess	34	2	—	1	1	—	—	—	—	1	—	4	1	2	1	—	1
126 Diseases of Prostate	264	29	9	14	10	1	—	7	1	9	3	34	1	12	11	2	4
127 Diseases of Male Genital Organs (not Venereal)	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	8	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
129 Uterine Tumour (non-Cancerous) .	61	3	1	6	2	2	1	—	1	2	1	6	1	3	7	—	1
130 Other Diseases of Uterus	22	—	—	2	—	1	—	—	—	—	—	2	—	1	2	—	—
131 Cysts, and Other Tumours of Ovary	40	3	—	1	1	—	—	—	—	—	1	6	1	4	2	—	—
132 Other Diseases of Female Genital Organs	33	2	—	—	1	—	—	—	—	—	2	6	—	—	2	1	—
133 Non-Puerperal Diseases of Breast .	4	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.																	
134 (a) Abortion, Miscarriage	66	8	1	1	—	—	—	—	—	3	—	11	—	5	6	—	—
(c) Uncontrollable Vomiting	12	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—
(d) Ectopic Gestation	13	—	—	2	—	—	—	—	—	—	—	1	1	—	1	—	—
(e) Other Diseases and Accidents of Pregnancy (b)	21	—	—	1	—	—	—	—	—	—	—	3	—	—	1	—	—
135 Puerperal Hæmorrhage	71	1	1	4	—	—	—	—	2	—	—	7	—	6	1	1	1
136 Other Accidents of Childbirth . . .	54	6	2	—	—	—	—	1	1	2	—	6	—	2	3	1	—
137 Puerperal Sepsis	150	5	1	5	2	1	—	—	—	3	2	13	1	13	7	—	—
138 Puerperal Albuminuria, Convul- sions	108	12	1	8	—	—	—	1	—	3	2	8	1	3	4	—	—
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	40	4	—	5	1	—	—	—	—	—	1	6	—	1	2	—	—

[illegible]

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	Edinburgh (Mid- Lothian).	Elgin (Moray).	Fife.	Forfar.	Hadding- ton.	Inverness.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																	
142 (a) Senile Gangrene	220	17	2	16	1	—	2	2	2	2	4	25	3	14	15	3	5
(b) Noma, Cancrum Oris	9	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
(c) Other Gangrene	26	—	—	1	—	—	—	1	—	—	1	3	—	3	1	—	—
143 Carbuncle, Boil	26	—	—	—	—	—	—	2	—	2	—	5	—	1	1	—	—
144 Phlegmon, Acute Abscess	111	8	5	5	1	—	—	1	—	2	1	9	1	4	9	—	—
145 Ulcer, Other Diseases of Skin and Cellular Tissue	82	4	1	10	2	—	—	—	—	2	—	14	1	4	2	1	—
IX. DISEASES OF ORGANS OF LOCOMOTION.																	
146 Diseases of Bones (Mastoid ex- cluded)	90	5	1	10	2	—	—	—	—	2	1	12	1	1	6	1	3
147 Diseases of Joints	29	6	—	1	1	—	—	—	—	1	—	4	—	1	3	1	1
149 Other Dis. of Locomotor Syst. (148)	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. MALFORMATIONS.																	
150 Congenital Malformations	496	23	2	23	7	4	1	2	3	16	8	44	1	23	27	7	8
XI. DISEASES OF EARLY INFANCY.																	
151 (a) Premature Birth	2180	148	23	128	32	3	2	10	22	45	31	234	19	114	132	29	16
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1529	125	5	103	20	8	—	11	5	44	18	133	10	93	95	5	15
152 Other Diseases peculiar to Early Infancy	313	25	3	21	4	2	1	3	4	13	7	22	1	26	17	2	1
153 Lack of Care	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
XII. OLD AGE.																	
154 (a) Senile Dementia	108	9	1	2	2	—	—	—	—	5	1	31	1	4	6	1	3
(b) Senile Decay	3953	246	100	207	30	40	18	59	24	78	72	329	43	222	271	25	203

	Kincardine.	Kinross.	Kirkcudbright.	Lanark.	Linlithgow.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	Wigtown.	Unallocated Deaths.
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.																		
142 (a) Senile Gangrene	3	1	2	51	3	-	1	1	10	15	7	3	3	-	4	2	1	-
(b) Noma, Cancrum Oris	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene	1	-	1	9	2	-	-	-	1	-	1	-	-	1	-	-	-	1
(d) Carbuncle, Boil	-	-	-	11	-	-	-	-	-	1	-	1	-	-	2	-	-	-
143 Phlegmon, Acute Abscess	3	-	1	37	2	-	1	-	3	6	2	1	1	-	4	-	-	-
144 Ulcer, Other Diseases of Skin and Cellular Tissue	2	-	-	25	2	-	-	-	-	4	4	-	-	1	3	-	-	-
IX. DISEASES OF ORGANS OF LOCOMOTION.																		
146 Diseases of Bones (Mastoid excluded)	-	-	1	26	1	-	1	-	1	8	2	-	-	1	4	-	-	-
147 Diseases of Joints	-	-	-	6	-	-	-	-	1	1	1	-	-	-	-	-	-	1
149 Other Diseases of Locomotor System (148)	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
X. MALFORMATIONS.																		
150 Congenital Malformations	-	1	4	194	15	-	1	1	10	34	7	7	-	1	15	3	4	-
XI. DISEASES OF EARLY INFANCY.																		
151 (a) Premature Birth	18	7	18	802	45	1	5	-	39	132	12	14	4	4	73	4	14	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	11	1	9	578	29	-	11	-	22	96	8	8	8	5	44	1	8	-
152 Other Diseases peculiar to Early Infancy	6	1	1	117	2	-	1	-	6	11	1	1	-	1	10	-	3	-
153 Lack of Care	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.																		
154 (a) Senile Dementia	-	1	-	31	-	-	1	1	-	7	-	-	1	-	-	-	-	-
(b) Senile Decay	39	15	34	762	42	15	75	12	141	204	225	34	19	83	134	83	51	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1919—continued.

	TOTAL.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clackmannan.	Dumbarton.	Dumfries.	Edinburgh (Midlothian).	Elgin (Moray).	Fife.	Forfar.	Haddington.	Inverness.
XIII. VIOLENT CAUSES.																	
163 Suicide (155-162)	234	16	3	10	4	3	1	1	2	8	10	33	2	9	26	2	3
164 Poisoning by Food	10	2		1								2			1	1	
165 Other Accidental Poisonings	21	1										9					
167 Burns and Scalds (166)	391	22	5	21	4	1		1	3	11	4	41	6	17	21	5	8
168 Exposure to Poisonous Vapours	48	3		7					1	1		9		3	9		
169 Drowning	619	17	8	17	11		2	7	1	25	1	25	2	21	22	3	15
170 Accidents with Fire Arms	19	1		2										3			2
171 Accidents with Instruments and Weapons	1			1													
172 Accidental Falls	230	10	5	8	2	3		1		5	2	45	1	4	11	3	1
173 (a) Accidents in Coal Mines	133			18						1	1	16		16		3	
(b) Accidents in Other Mines	3											2			1		
(c) Accidents in Quarries	5											2					
174 Accidents with Machinery	39	1		5								2					
175 (a) Accidents on Railways	134	7		8								8			4		1
(b) Acc. with Horses and Vehicles	57	1	1	2	1	1		1	3	7	1	7		1	5	1	1
(c) Accidents with Motor Vehicles	141	5		4		3		1		2	5	21		5	4	1	2
(d) Accidents with Tramways	32	1		1						6		4			2	2	
(e) Other Crushing Accidents	27	2		4	1					1		3		5		2	
177 Hunger																	
180 Weather Agencies (178, 179)	22	1															
186 (a) Overlaying	37	2		1					1						3	1	
(b) Suffocation (otherwise)	81	8		5					1	1				6	8		
(c) Other Accidents (176, 181, 185)	603	40	12	33	10	4	2	4	3	22	3	48		7	6	5	2
184 Homicide (182, 183)	32			1						6			6	61	35		10
190 Execution															1		
191 War Casualties (not Sickness)	67		1														
XIV. ILL-DEFINED CAUSES.																	
187 Dropsy	14		1	1	1										1		3
188 (a) Syncope	234	8	7	8	2	2	1	2	7	3	7	24	6	10	26		5
(b) Sudden Death (not otherwise defined)	20			1			1				1			5	2		
189 (a) Heart Failure	714	41	14	41	7	5	3	9	8	14	10	47	5	26	49	7	20

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. DISEASES OF NERVOUS SYSTEM.													
60 Encephalitis - - - -	150	22	20	16	11	7	11	13	4	6	7	14	19
61 (a) Cerebro-Spinal Meningitis -	128	12	9	11	15	19	21	11	6	3	6	7	8
(c) Meningitis, Basal, Nature unspecified (b)	832	93	109	103	97	64	70	53	58	43	34	57	51
62 Locomotor Ataxy - - - -	88	5	8	11	9	9	5	10	6	6	5	7	7
63 Other Diseases of Spinal Cord -	446	46	50	54	35	29	31	24	29	23	31	48	46
64 Cerebral Hæmorrhage, Apoplexy	4599	413	479	464	394	384	344	315	320	338	371	359	418
65 Softening of Brain - - - -	250	18	35	25	27	26	23	13	8	17	17	21	20
66 (a) Hemiplegia - - - -	604	61	67	73	62	32	43	37	39	30	50	49	61
(c) Paralysis, Cause or Nature unspecified (b)	29	5	1	2	2	1	2	4	2	3	2	1	4
67 General Paralysis of Insane -	223	21	23	20	14	15	14	18	13	14	25	25	21
68 Other Insanity - - - -	175	21	22	18	14	14	11	19	13	13	13	10	7
69 Epilepsy - - - -	259	22	35	25	30	24	13	21	13	9	19	22	26
71 Convulsions (not Puerperal) (70)	636	74	86	103	62	56	29	29	31	38	34	40	54
72 Chorea - - - -	11	-	-	2	1	1	1	-	1	2	1	1	1
73 Neuralgia, Neuritis - - - -	36	3	3	3	4	2	4	6	1	1	2	4	3
74 (c) Cerebral Tumour - - - -	106	12	9	7	4	15	13	6	6	10	10	9	5
(d) Other Diseases of Nervous System (a, b)	92	7	12	11	6	10	6	6	5	8	2	11	8
75 Diseases of Eye and Annexa -	6	-	-	1	1	-	1	-	1	-	1	1	-
76 (a) Mastoid Disease - - - -	37	1	4	4	2	5	2	2	2	3	1	8	3
(b) Diseases of Ear - - - -	112	10	9	8	14	7	14	8	10	10	5	10	7
III. DISEASES OF CIRCULATORY SYSTEM.													
77 Pericarditis - - - -	44	6	3	1	2	7	4	2	1	6	1	3	8
78 Acute Endocarditis - - - -	176	14	15	19	16	9	8	17	8	20	14	22	14
79 (a) Valvular Disease - - - -	3529	328	395	398	242	301	252	257	224	243	273	286	330
(b) Fatty Degeneration of Heart -	239	18	31	18	13	17	12	20	19	20	17	26	28
(c) Other Organic Diseases of Heart	2605	255	276	319	245	186	189	211	176	161	162	208	217
Angina Pectoris - - - -	236	13	24	27	21	15	23	19	16	14	19	25	20
81 (a) Aneurysm - - - -	106	11	14	4	8	8	7	12	10	3	7	13	9
(b) Arterio-sclerosis - - - -	548	47	51	49	49	50	50	44	39	41	37	42	49
(c) Other Diseases of Arteries -	4	1	-	-	1	-	-	-	1	-	-	1	-
82 (a) Cerebral Embolism, Thrombosis	518	42	58	50	32	42	31	41	32	36	56	45	53
(b) Embolism and Thrombosis, not Cerebral	91	11	9	11	8	7	6	3	6	5	11	8	6
83 Diseases of Veins - - - -	18	2	2	1	1	-	2	3	1	2	1	1	2
84 (a) Lymphatism, Status Lymphaticus	18	-	1	-	1	3	2	2	2	1	3	-	3
(b) Other Dis. of Lymphatic System	8	-	1	-	-	-	-	-	3	3	-	-	1
85 Hæmorrhage, Other Diseases of Circulatory System	35	2	2	5	4	1	1	3	3	3	6	3	2
IV. DISEASES OF RESPIRATORY SYSTEM.													
86 Diseases of Nose - - - -	9	2	2	1	-	-	-	1	-	-	-	1	2
87 (b) Laryngitis - - - -	92	13	14	8	11	3	1	9	2	3	12	8	8
(c) Other Diseases of Larynx (a) -	39	4	4	5	2	4	1	1	5	1	3	4	5
88 Diseases of Thyroid - - - -	37	6	5	6	2	2	5	2	-	1	3	2	3
89 Bronchitis (89) - - - -	5823	794	1375	1065	486	297	223	182	141	158	239	426	437
91 Broncho-pneumonia - - - -	4906	617	1474	1315	387	213	118	109	82	88	105	168	230
92 Pneumonia - - - -	6188	658	2028	1520	416	251	173	167	129	158	179	221	288
93 Pleurisy - - - -	325	32	42	37	23	24	23	16	18	21	29	27	33
94 (a) Pulmonary Apoplexy - - - -	13	1	1	1	-	-	1	3	-	1	1	2	2
(b) Pulmonary Congestion (c, d) -	451	50	102	78	37	24	16	24	17	19	13	25	46
95 Gangrene of Lung - - - -	21	2	4	2	-	2	3	2	-	2	-	1	3
96 Asthma - - - -	72	13	15	10	2	7	3	2	4	2	3	5	6
97 Pulmonary Emphysema - - - -	16	3	-	4	2	1	3	-	-	1	-	-	2
98 (a) Fibroid Diseases of Lung -	46	9	10	3	2	1	2	1	3	1	2	5	7
(b) Other Diseases of Respiratory System	21	5	-	2	2	1	2	-	1	2	3	2	1

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.
V. DIS. OF DIGESTIVE SYSTEM.												
99 Dis. of Mouth, Teeth. Oral Sepsis	24	5	2	2	—	3	1	2	2	—	3	1
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	75	8	3	9	1	5	7	7	7	4	9	11
102 Gastric Ulcer — — — —	324	20	24	37	20	39	25	28	23	23	21	28
103 Other Dis. of Stomach. Gastritis	465	46	36	33	40	39	34	34	31	47	33	47
104 Diarrhœa, Enteritis (under 2 years)	1015	61	51	73	62	53	44	46	146	215	105	85
105 Diarrhœa, Enteritis (over 2 years)	519	26	36	84	43	40	33	29	35	53	51	42
107 Intestinal Parasites (106) — —	1	—	—	—	—	—	—	—	1	—	—	—
108 Appendicitis, Typhlitis — —	426	49	35	30	31	30	43	24	25	39	38	40
109 (a) Hernia — — — —	193	18	20	19	16	15	10	17	17	10	19	15
(b) Intestinal Obstruction — —	330	28	31	29	37	25	26	20	28	28	21	28
110 Other Diseases of Intestine —	165	15	17	14	15	26	19	18	13	16	3	3
111 Acute Yellow Atrophy of Liver —	5	—	—	—	1	1	—	1	1	1	—	—
112 Hydatids of Liver — — — —	—	—	—	—	—	—	—	—	—	—	—	—
113 Cirrhosis of Liver — — — —	159	16	6	14	17	18	8	9	18	18	5	13
114 Gallstones — — — —	88	6	5	10	7	6	4	10	4	7	13	6
115 Other Diseases of Liver — —	181	9	7	14	14	12	13	8	8	15	15	6
116 Diseases of Spleen — — — —	5	—	—	2	—	—	1	1	1	—	—	—
117 Peritonitis, cause not specified —	109	5	12	9	14	6	10	8	6	9	12	7
118 Other Diseases of Digestive System	22	2	1	1	4	—	1	2	3	—	5	1
VI. DISEASES OF GENITO- URINARY SYSTEM.												
119 Acute Nephritis — — —	313	24	45	40	31	11	17	17	17	26	26	23
120 (a) Bright's Disease — — —	1541	134	175	177	146	158	96	99	122	107	87	122
(b) Uræmia — — — —	93	13	7	7	8	10	6	9	11	4	5	5
122 Other Dis. of Kidney, Chyluria (121)	93	5	9	9	4	11	10	6	5	13	8	5
123 Urinary Calculus — — — —	36	4	4	2	3	3	1	3	1	3	4	6
124 Diseases of Bladder — — —	217	21	20	25	24	21	23	9	15	11	17	17
125 Dis. of Urethra, Urinary Abscess	34	6	3	4	—	4	1	—	4	—	4	4
126 Diseases of Prostate — — —	264	28	24	23	34	12	17	15	19	24	17	22
127 Diseases of Male Genital Organs (not Venereal)	2	—	—	—	—	1	—	—	—	—	1	—
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	8	—	1	1	—	1	—	—	—	—	3	1
129 Uterine Tumour (non-Cancerous)	61	6	4	4	3	5	3	8	4	7	7	4
130 Other Diseases of Uterus — —	22	3	2	5	—	—	5	1	—	1	1	4
131 Cysts, and Other Tumours of Ovary	40	3	5	1	3	3	5	3	4	4	2	2
132 Other Dis. of Female Genit. Organs	33	5	5	2	3	1	2	1	1	3	6	2
133 Non-Puerperal Diseases of Breast	4	2	—	—	—	—	—	—	—	—	—	1
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.												
134 (a) Abortion, Miscarriage — —	66	7	20	10	1	1	2	3	2	4	3	6
(c) Uncontrollable Vomiting — —	12	—	1	1	—	1	—	1	—	1	5	—
(d) Ectopic Gestation — — —	13	—	2	—	—	1	1	—	4	2	2	—
(e) Other Diseases and Accidents of Pregnancy (b)	21	3	2	1	—	1	2	4	1	1	3	2
135 Puerperal Hæmorrhage — —	71	10	3	3	4	3	7	4	4	8	6	12
136 Other Accidents of Childbirth —	54	4	2	4	7	2	2	4	3	4	4	8
137 Puerperal Sepsis — — — —	150	7	8	10	10	6	8	11	11	14	16	25
138 Puerp. Albuminuria, Convulsions	108	7	10	4	10	6	7	11	11	9	12	9
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	40	3	1	2	4	6	—	1	5	9	4	1
140 (a) Puerperal Insanity — —	3	2	—	1	—	—	—	—	—	—	—	—
(b) Other Puerperal Diseases — —	123	9	34	21	7	8	5	1	4	1	7	13
141 Puerperal Diseases of Breast —	—	—	—	—	—	—	—	—	—	—	—	—
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.												
142 (a) Senile Gangrene — — —	220	21	25	17	24	19	19	15	12	16	10	21
(b) Noma, Cancrum Oris — — —	9	—	1	1	1	2	2	—	—	—	1	—
(d) Other Gangrene (c) — — —	26	2	4	2	3	—	—	2	1	4	2	2
143 Carbuncle, Boil — — — —	26	2	5	2	—	2	1	2	2	3	3	2
144 Phlegmon, Acute Abscess — —	111	12	12	8	9	8	8	6	10	7	10	12
145 Ulcer, Other Diseases of Skin and Cellular Tissue	82	4	13	3	8	6	5	7	7	1	9	8

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF ORGANS OF LOCOMOTION.													
46 Dis. of Bones (Mastoid excluded)	90	7	7	4	13	7	4	6	9	9	8	9	7
47 Diseases of Joints - - -	29	2	2	5	1	1	4	3	2	3	1	-	5
49 Other Dis. of Locomotor Syst. (148)	4	-	-	-	1	1	1	-	1	-	-	-	-
X. MALFORMATIONS.													
50 Congenital Malformations - -	496	38	38	37	47	38	38	49	32	37	43	41	58
XI. DISEASES OF EARLY INFANCY.													
51 (a) Premature Birth - - -	2180	176	179	191	140	152	152	151	165	187	201	225	261
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	1529	167	149	157	113	99	88	87	95	132	140	146	156
52 Other Diseases peculiar to Early Infancy	313	21	21	26	23	31	24	21	12	30	32	39	33
53 Lack of Care - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
XII. OLD AGE.													
54 (a) Senile Dementia - - -	108	10	13	9	15	7	7	4	3	5	15	5	15
(b) Senile Decay - - - -	3953	389	493	477	401	320	264	285	189	224	250	305	356
XIII. VIOLENT CAUSES.													
63 Suicide (155-162) - - -	234	11	27	18	22	9	17	19	25	22	21	23	20
64 Poisoning by Food - - -	10	1	1	-	-	1	-	4	1	1	-	-	1
65 Other Accidental Poisonings -	21	-	2	-	1	3	1	5	2	1	4	-	2
67 Burns and Scalds (166) - -	391	50	52	37	25	28	17	25	24	11	32	44	46
68 Exposure to Poisonous Vapours -	48	3	4	4	2	2	6	2	5	4	3	7	6
69 Drowning - - - -	619	51	30	17	93	95	25	53	40	34	33	31	117
70 Accidents with Fire Arms - -	19	2	-	-	3	1	-	5	2	1	1	2	2
71 Accidents with Instruments and Weapons	1	-	-	-	-	-	-	-	1	-	-	-	-
72 Accidental Falls - - -	230	17	12	18	17	15	22	26	22	18	23	20	20
73 (a) Accidents in Coal Mines -	133	11	8	12	16	10	11	11	7	15	10	9	13
(b) Accidents in Other Mines -	3	1	-	1	-	-	-	-	-	1	-	-	-
(c) Accidents in Quarries - -	5	2	-	1	-	1	-	-	-	1	-	-	-
74 Accidents with Machinery - -	39	1	2	2	8	4	3	-	-	2	8	5	4
75 (a) Accidents on Railways - -	134	11	11	17	10	4	7	13	8	10	18	15	10
(b) Acc. with Horses and Vehicles	57	4	5	5	5	5	2	11	3	4	7	1	5
(c) Accidents with Motor Vehicles	141	13	3	13	10	7	21	16	10	12	15	10	11
(d) Accidents with Tramways -	32	2	3	3	5	-	2	2	2	3	4	3	3
(e) Other Crushing Accidents -	27	4	1	1	-	6	-	1	1	7	3	1	2
77 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
80 Weather Agencies (178, 179) -	22	4	2	1	3	1	2	-	1	1	1	4	2
86 (a) Overlaying - - - -	37	7	3	5	2	1	3	2	3	1	2	4	4
(b) Suffocation (otherwise) - -	81	10	5	7	7	4	1	6	7	5	11	6	12
(c) Other Accidents (176, 181, 185)	603	49	41	73	42	47	45	46	43	60	59	38	60
84 Homicide (182, 183) - - -	32	3	-	6	2	-	3	3	1	2	8	3	1
90 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
91 War Casualties (not Sickness) -	67	11	15	5	5	1	7	4	4	6	2	3	4
XIV. ILL-DEFINED CAUSES.													
97 Dropsy - - - -	14	2	-	1	-	1	1	3	1	-	2	-	3
98 (a) Syncope - - - -	234	22	20	24	25	11	15	18	18	19	16	16	30
(b) Sudden Death (not otherwise defined)	20	4	3	3	2	1	-	1	3	-	-	1	2
99 (a) Heart Failure - - - -	714	84	64	65	63	56	44	57	53	46	50	66	66
(c) Teething - - - -	9	1	1	1	-	2	2	1	-	-	-	1	-
(e) Other Ill-defined Diseases (b, d)	73	1	9	9	8	8	6	5	8	3	5	7	4
(f) Dis. not Specified, Nat. Causes	350	33	42	49	25	23	26	18	21	21	24	30	38

			SEXES.		Age.												Age not stated.
			Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.																	
60	Encephalitis	- - - -	27	21	6	4	-	4	6	4	10	7	3	3	1	-	
61	(a) Cerebro-Spinal Meningitis	-	27	18	15	10	5	2	8	2	2	1	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)		108	91	67	66	21	9	16	6	8	3	3	-	-	-	
62	Locomotor Ataxy	- - - -	20	2	-	-	-	-	-	-	3	9	6	4	-	-	
63	Other Diseases of Spinal Cord	-	48	39	1	1	1	-	4	7	8	9	21	29	6	-	
64	Cerebral Hæmorrhage, Apoplexy		479	494	3	2	-	-	4	10	38	108	239	338	231	-	
65	Softening of Brain	- - - -	23	24	-	-	-	-	2	-	-	2	14	16	13	-	
66	(a) Hemiplegia	- - - -	38	59	-	1	1	1	-	-	2	8	28	32	24	-	
	(c) Paralysis, Cause or Nature unspecified (b)		4	4	-	-	-	-	-	-	2	-	2	3	1	-	
67	General Paralysis of Insane	-	55	9	-	-	-	-	-	5	22	28	9	-	-	-	
68	Other Insanity	- - - -	28	37	-	-	-	-	4	4	7	11	22	12	5	-	
69	Epilepsy	- - - -	26	18	1	1	1	1	6	12	8	6	7	1	-	-	
71	Convulsions (not Puerperal) (70)		92	73	110	51	2	1	1	-	-	-	-	-	-	-	
72	Chorea	- - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
73	Neuralgia, Neuritis	- - - -	2	5	-	-	-	-	-	-	-	1	3	-	3	-	
74	(c) Cerebral Tumour	- - - -	15	11	-	3	2	-	3	4	4	7	3	-	-	-	
	(d) Other Diseases of Nervous System (a, b)		10	14	2	2	1	-	1	1	1	4	1	4	7	-	
75	Diseases of Eye and Annexa	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
76	(a) Mastoid Disease	- - - -	9	2	1	2	1	-	2	2	-	2	-	1	-	-	
	(b) Diseases of Ear	- - - -	13	12	2	3	-	8	5	1	1	2	2	1	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																	
77	Pericarditis	- - - -	6	6	1	-	1	-	-	-	2	4	2	2	-	-	
78	Acute Endocarditis	- - - -	19	16	-	1	2	6	4	3	3	8	8	-	-	-	
79	(a) Valvular Disease	- - - -	295	362	1	1	3	8	40	51	66	92	149	156	90	-	
	(b) Fatty Degeneration of Heart		20	17	-	-	-	-	-	-	4	7	17	5	4	-	
	(c) Other Organic Diseases of Heart		207	224	5	-	5	5	10	14	28	62	97	118	87	-	
80	Angina Pectoris	- - - -	33	16	-	-	-	-	-	-	1	9	16	16	7	-	
81	(a) Aneurysm	- - - -	24	7	-	-	-	-	1	2	6	6	9	6	1	-	
	(b) Arterio-sclerosis	- - - -	37	19	-	-	-	-	-	-	-	2	14	24	16	-	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	(a) Cerebral Embolism, Thrombosis		31	60	-	1	-	-	1	1	3	8	12	26	39	-	
	(b) Embolism and Thrombosis, not Cerebral		8	11	-	-	-	-	-	1	3	5	6	3	1	-	
83	Diseases of Veins	- - - -	1	2	-	-	-	-	-	-	1	1	-	-	1	-	
84	(a) Lymphatism, Status Lymphaticus		2	1	1	-	-	-	-	-	2	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System		2	1	1	1	-	-	-	-	-	-	-	1	-	-	
85	Hæmorrhage, Other Diseases of Circulatory System		5	3	1	1	-	-	-	-	-	2	1	1	2	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																	
86	Diseases of Nose	- - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis	- - - -	9	8	2	10	1	-	2	-	-	1	-	1	-	-	
	(c) Other Diseases of Larynx (a)	-	8	7	6	6	-	-	-	-	-	1	1	1	-	-	
88	Diseases of Thyroid	- - - -	1	6	-	-	-	-	-	-	-	3	3	1	-	-	
90	Bronchitis (89)	- - - -	788	855	171	92	13	4	8	49	57	169	351	416	313	-	
91	Broncho-pneumonia	- - - -	879	921	400	565	64	23	72	133	92	105	148	134	64	-	
92	Pneumonia	- - - -	950	763	133	216	57	25	196	281	170	203	200	159	73	-	
93	Pleurisy	- - - -	46	35	1	14	2	-	6	9	10	12	6	12	9	-	
94	(a) Pulmonary Apoplexy	- - - -	1	2	-	-	-	-	-	1	-	1	1	-	-	-	
	(b) Pulmonary Congestion (c, d)	-	46	59	23	17	-	1	4	1	1	6	8	23	21	-	
95	Gangrene of Lung	- - - -	4	3	-	-	-	-	-	2	1	1	3	-	-	-	
96	Asthma	- - - -	5	4	-	-	-	-	-	1	2	3	3	-	-	-	
97	Pulmonary Emphysema	- - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	-	
98	(a) Fibroid Diseases of Lung	-	5	-	-	-	-	-	-	-	1	1	3	-	-	-	
	(b) Other Diseases of Respiratory System		1	1	-	-	-	-	-	-	-	-	1	1	-	-	

	SEXES.		Age.												Age not stated
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	1	5	3	2	-	-	-	-	-	-	-	1	-	-	
101 Diseases of Pharynx, Œsophagus, Tonsillitis (100)	10	5	2	7	3	-	1	-	-	2	-	-	-	-	
102 Gastric Ulcer - - - -	40	28	-	-	2	-	1	7	22	20	6	6	4	-	
103 Other Dis. of Stomach. Gastritis	55	62	38	11	3	2	1	1	6	18	12	15	10	-	
104 Diarrhœa, Enteritis (under 2 years)	197	144	275	66	-	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	48	67	-	21	11	5	4	8	12	9	17	11	17	-	
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis - - -	55	48	-	4	11	20	26	11	11	10	7	3	-	-	
109 (a) Hernia - - - -	17	29	5	5	-	-	-	-	1	6	13	12	4	-	
(b) Intestinal Obstruction - -	38	30	15	5	3	3	10	6	4	8	7	3	4	-	
110 Other Diseases of Intestine - -	20	13	3	2	-	-	2	3	5	8	5	2	3	-	
111 Acute Yellow Atrophy of Liver -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - - -	19	14	-	-	1	-	-	2	3	6	13	3	5	-	
114 Gallstones - - - -	6	14	-	-	-	-	1	-	2	5	5	5	2	-	
115 Other Diseases of Liver - -	9	20	1	1	-	2	1	-	6	3	8	5	2	-	
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Peritonitis, cause not specified -	12	12	2	4	4	1	1	-	2	1	7	2	-	-	
118 Other Diseases of Digestive System	-	2	-	-	-	-	-	-	-	-	2	-	-	-	
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119 Acute Nephritis - - - -	35	38	6	12	7	4	7	3	9	9	10	5	1	-	
120 (a) Bright's Disease - - - -	262	210	-	1	5	5	14	20	33	85	119	120	70	-	
(b) Uræmia - - - -	7	1	-	-	-	-	-	1	1	2	3	-	1	-	
122 Other Dis. of Kidney, Chyluria (121)	10	15	10	2	-	-	1	1	2	3	1	4	1	-	
123 Urinary Calculus - - - -	5	1	-	-	-	-	-	-	1	1	3	1	-	-	
124 Diseases of Bladder - - - -	38	7	-	-	-	-	1	1	2	3	10	12	16	-	
125 Dis. of Urethra, Urinary Abscess	13	-	-	-	-	-	-	1	2	4	5	-	1	-	
126 Diseases of Prostate - - - -	37	-	-	-	-	-	-	-	-	1	13	13	10	-	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrh- age (not Puerperal)	-	3	-	-	-	-	1	2	-	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	10	-	-	-	-	-	-	5	2	1	2	-	-	
130 Other Diseases of Uterus - - -	-	7	-	-	-	-	1	1	2	1	1	1	-	-	
131 Cysts, and Other Tumours of Ovary	-	4	-	-	-	-	1	-	-	-	2	1	-	-	
132 Other Dis. of Female Genit. Organs	-	8	-	-	-	-	1	2	3	1	1	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	17	-	-	-	-	-	13	4	-	-	-	-	-	
(c) Uncontrollable Vomiting - -	-	6	-	-	-	-	1	3	2	-	-	-	-	-	
(d) Ectopic Gestation - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	7	-	-	-	-	1	5	1	-	-	-	-	-	
135 Puerperal Hæmorrhage - - - -	-	20	-	-	-	-	1	12	7	-	-	-	-	-	
136 Other Accidents of Childbirth	-	16	-	-	-	-	5	7	4	-	-	-	-	-	
137 Puerperal Sepsis - - - -	-	53	-	-	-	-	9	31	13	-	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	29	-	-	-	-	7	11	11	-	-	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	8	-	-	-	-	1	6	1	-	-	-	-	-	
140 (a) Puerperal Insanity - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
(b) Other Puerperal Diseases - -	-	19	-	-	-	-	4	11	4	-	-	-	-	-	
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	17	16	-	-	-	-	-	-	-	-	5	14	14	-	
(b) Noma, Cancrum Oris - - -	1	5	-	4	1	-	-	-	-	1	-	-	-	-	
(d) Other Gangrene (c) - - - -	1	3	-	1	-	-	-	-	1	1	1	-	-	-	
143 Carbuncle, Boil - - - -	4	6	-	-	-	-	2	1	-	3	-	4	-	-	
144 Phlegmon, Acute Abscess - - -	15	5	8	-	-	-	-	-	3	2	3	2	2	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	10	9	10	1	-	-	-	-	1	1	2	1	3	-	

	SEXES.		Age.												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
6 Dis. of Bones (Mastoid excluded)	12	8	-	2	4	6	3	1	-	2	-	2	-	-	-
7 Diseases of Joints - - -	3	3	-	1	-	-	-	-	2	2	1	-	-	-	-
9 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
0 Congenital Malformations - -	60	50	96	8	2	2	1	-	1	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
1 (a) Premature Birth - - -	296	238	534	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	234	147	381	-	-	-	-	-	-	-	-	-	-	-	-
2 Other Diseases peculiar to Early Infancy	49	25	74	-	-	-	-	-	-	-	-	-	-	-	-
3 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
4 (a) Senile Dementia - - -	14	14	-	-	-	-	-	-	-	-	3	12	13	-	-
(b) Senile Decay - - - -	167	310	-	-	-	-	-	-	-	-	-	103	374	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	25	10	-	-	-	-	1	8	11	7	6	2	-	-	-
4 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Other Accidental Poisonings	4	1	-	-	1	-	-	-	3	1	-	-	-	-	-
7 Burns and Scalds (166) - -	43	46	6	32	8	8	1	5	7	6	5	4	7	-	-
8 Exposure to Poisonous Vapours -	4	1	-	-	-	-	2	1	-	2	-	-	-	-	-
9 Drowning - - - -	74	17	-	1	7	5	17	15	20	5	16	2	3	-	-
0 Accidents with Fire Arms - -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Accidental Falls - - -	68	27	-	5	6	1	10	9	9	18	10	21	6	-	-
3 (a) Accidents in Coal Mines -	7	-	-	-	-	-	1	2	1	3	-	-	-	-	-
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Accidents with Machinery - -	14	1	-	-	-	-	2	2	-	5	4	2	-	-	-
5 (a) Accidents on Railways - -	30	1	-	-	-	1	7	6	6	4	4	3	-	-	-
(b) Acc. with Horses and Vehicles	13	4	-	1	2	2	1	-	2	3	4	2	-	-	-
(c) Accidents with Motor Vehicles	32	21	-	7	8	7	4	5	5	3	5	6	3	-	-
(d) Accidents with Tramways -	10	7	-	2	1	1	-	-	2	1	3	2	5	-	-
(e) Other Crushing Accidents -	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-
7 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0 Weather Agencies (178, 179) -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
6 (a) Overlaying - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	11	11	17	-	-	-	1	-	2	1	1	-	-	-	-
(c) Other Accidents (176, 181, 185)	68	15	1	7	5	3	8	11	16	10	7	5	10	-	-
4 Homicide (182, 183) - - -	9	2	3	1	-	-	-	4	2	-	1	-	-	-	-
0 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 War Casualties (not Sickness) -	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
7 Dropsy - - - -	1	2	-	-	-	-	-	-	1	1	-	1	-	-	-
8 (a) Syncope - - - -	26	18	5	-	-	-	1	-	3	5	14	11	5	-	-
(b) Sudden Death (not otherwise defined)	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
9 (a) Heart Failure - - - -	117	86	11	2	1	-	2	6	21	29	51	52	28	-	-
(c) Teething - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	6	8	-	10	-	-	-	-	-	-	4	-	-	-	-
(f) Dis. not Specified, Nat. Causes	42	23	21	8	-	3	1	1	3	5	10	9	3	1	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	8	4	-	1	-	1	2	-	3	1	2	1	1	-	
(a) Cerebro-spinal Meningitis -	3	4	4	1	-	1	-	-	1	-	-	-	-	-	
(c) Meningitis, Basal, Nature, unspecified (b)	12	13	9	7	-	1	2	2	1	3	-	-	-	-	
Locomotor Ataxy - - - -	11	1	-	-	-	-	-	-	3	2	7	-	-	-	
Other Diseases of Spinal Cord -	13	18	1	-	-	-	-	2	3	4	8	7	6	-	
Cerebral Hæmorrhage, Apoplexy	134	184	-	1	-	-	-	4	5	32	69	105	102	-	
Softening of Brain - - - -	10	11	-	-	-	-	-	-	-	2	6	4	9	-	
(a) Hemiplegia - - - -	35	33	-	-	-	-	-	-	1	5	14	28	20	-	
(c) Paralysis, Cause or Nature unspecified (b)	2	-	-	-	-	-	-	-	1	-	-	-	1	-	
General Paralysis of Insane -	17	5	-	-	-	-	1	4	6	4	5	1	1	-	
Other Insanity - - - -	5	4	-	-	-	-	1	1	1	3	1	2	-	-	
Epilepsy - - - -	6	9	1	-	1	2	3	2	1	2	1	1	1	-	
Convulsions (not Puerperal) (70)	14	12	16	9	1	-	-	-	-	-	-	-	-	-	
Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neuralgia, Neuritis - - - -	3	2	-	-	-	-	-	-	-	3	-	-	2	-	
(c) Cerebral Tumour - - - -	6	6	-	1	-	-	-	1	-	7	3	-	-	-	
(d) Other Diseases of Nervous System (a, b)	3	4	-	1	-	-	-	1	1	-	1	3	-	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Mastoid Disease - - - -	2	2	-	-	-	1	2	-	-	-	1	-	-	-	
(b) Diseases of Ear - - - -	5	2	1	-	2	-	-	-	1	1	-	-	2	-	
I. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
Acute Endocarditis - - - -	7	2	-	-	2	1	-	1	-	4	1	-	-	-	
(a) Valvular Disease - - - -	116	155	1	-	1	2	13	22	13	23	61	73	62	-	
(b) Fatty Degeneration of Heart	11	22	-	-	-	-	-	-	2	4	8	10	9	-	
(c) Other Organic Diseases of Heart	80	99	-	-	-	1	1	7	8	18	41	47	56	-	
Angina Pectoris - - - -	14	10	-	-	-	-	-	-	1	4	4	12	3	-	
(a) Aneurysm - - - -	12	2	-	-	-	-	-	-	3	-	3	6	2	-	
(b) Arterio-sclerosis - - - -	33	39	-	-	-	-	-	-	-	1	8	23	40	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Cerebral Embolism, Thrombosis	30	45	1	1	-	-	1	-	-	2	13	20	37	-	
(b) Embolism and Thrombosis, not Cerebral	3	3	-	-	-	-	-	-	1	1	1	2	1	-	
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lympha- ticus	3	1	3	1	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage, Other Diseases of Circulatory System	1	2	-	-	-	-	-	-	-	-	1	2	-	-	
V. DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
(b) Laryngitis - - - -	1	3	1	-	1	-	-	2	-	-	-	-	-	-	
(c) Other Diseases of Larynx (a) -	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diseases of Thyroid - - - -	1	4	-	-	-	-	-	-	1	-	-	1	3	-	
Bronchitis (89) - - - -	197	258	62	9	3	2	1	7	16	39	57	143	116	-	
Broncho-pneumonia - - - -	164	165	60	71	14	4	24	36	15	23	34	32	16	-	
Pneumonia - - - -	297	311	29	36	18	15	73	141	62	64	67	68	35	-	
Pleurisy - - - -	18	9	-	3	-	-	2	1	1	3	5	9	3	-	
(a) Pulmonary Apoplexy - - - -	1	2	-	-	-	1	-	-	-	1	1	-	-	-	
(b) Pulmonary Congestion (c, d) -	16	16	4	-	-	-	1	4	1	2	-	8	12	-	
Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - -	5	3	-	-	-	-	-	-	-	2	2	2	2	-	
Pulmonary Emphysema - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
(a) Fibroid Diseases of Lung -	6	7	-	-	-	-	-	1	1	4	3	3	1	-	
(b) Other Diseases of Respiratory System	2	-	-	-	-	-	-	-	-	-	1	1	-	-	

		SEXES.		Age											
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.															
99	Dis. of Mouth, Teeth. Oral Sepsis	-	1	1	-	-	-	-	-	-	-	-	-	-	
101	Diseases of Pharynx, Oesophagus, Tonsillitis (100)	3	4	1	-	2	-	-	1	-	2	-	1	-	
102	Gastric Ulcer	8	9	-	-	-	-	1	-	3	2	3	7	1	
103	Other Dis. of Stomach. Gastritis	8	6	3	1	-	-	-	-	2	-	4	2	2	
104	Diarrhoea, Enteritis (under 2 years)	15	12	22	5	-	-	-	-	-	-	-	-	-	
105	Diarrhoea, Enteritis (over 2 years)	6	16	-	3	2	-	1	-	3	1	1	6	5	
107	Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Appendicitis, Typhlitis	13	12	-	-	4	6	5	2	4	2	2	-	-	
109	(a) Hernia	7	12	-	-	-	-	-	-	2	-	7	6	4	
	(b) Intestinal Obstruction	12	13	4	2	-	-	1	-	1	3	4	5	5	
110	Other Diseases of Intestine	12	4	-	-	-	-	1	3	1	4	5	-	2	
111	Acute Yellow Atrophy of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	
112	Hydatids of Liver	-	-	-	-	-	-	-	-	-	-	-	-	-	
113	Cirrhosis of Liver	1	2	-	-	-	-	-	-	-	2	1	-	-	
114	Gallstones	1	7	-	-	-	-	-	-	-	5	1	2	-	
115	Other Diseases of Liver	3	4	-	-	-	-	1	-	-	1	2	2	1	
116	Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Peritonitis, cause not specified	2	5	-	-	1	2	1	1	1	-	-	1	-	
118	Other Diseases of Digestive System	1	1	-	-	-	-	-	-	-	-	2	-	-	
VI. DISEASES OF GENITO-URINARY SYSTEM.															
119	Acute Nephritis	17	7	-	1	-	-	3	3	3	5	3	4	2	
120	(a) Bright's Disease	49	48	-	-	-	3	4	3	6	20	24	24	13	
	(b) Uræmia	9	5	-	-	-	-	-	-	-	2	3	3	6	
122	Other Dis. of Kidney, Chyluria (121)	4	2	-	-	-	-	1	1	-	2	1	-	1	
123	Urinary Calculus	2	1	-	-	-	-	-	-	1	-	1	-	-	
124	Diseases of Bladder	17	4	-	-	-	-	-	-	-	1	9	6	5	
125	Dis. of Urethra, Urinary Abscess	4	-	-	-	-	-	-	-	-	1	1	2	-	
126	Diseases of Prostate	21	-	-	-	-	-	-	-	-	-	2	8	11	
127	Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
128	Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
129	Uterine Tumour (non-Cancerous)	-	5	-	-	-	-	-	-	1	2	1	1	-	
130	Other Diseases of Uterus	-	2	-	-	-	-	-	1	-	1	-	-	-	
131	Cysts, and Other Tumours of Ovary	-	5	-	-	-	-	-	-	2	2	-	1	-	
132	Other Dis. of Female Genit. Organs	-	6	-	-	-	-	-	1	2	2	-	-	1	
133	Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134	(a) Abortion, Miscarriage	-	7	-	-	-	-	1	4	2	-	-	-	-	
	(c) Uncontrollable Vomiting	-	1	-	-	-	-	-	1	-	-	-	-	-	
	(d) Ectopic Gestation	-	1	-	-	-	-	-	1	-	-	-	-	-	
	(e) Other Diseases and Accidents of Pregnancy (b)	-	3	-	-	-	-	-	2	1	-	-	-	-	
135	Puerperal Hæmorrhage	-	5	-	-	-	-	1	2	2	-	-	-	-	
136	Other Accidents of Childbirth	-	5	-	-	-	-	-	2	3	-	-	-	-	
137	Puerperal Sepsis	-	8	-	-	-	-	1	5	2	-	-	-	-	
138	Puerp. Albuminuria, Convulsions	-	5	-	-	-	-	1	1	3	-	-	-	-	
139	Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	4	-	-	-	-	1	2	1	-	-	-	-	
140	(a) Puerperal Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Puerperal Diseases	-	7	-	-	-	-	-	7	-	-	-	-	-	
141	Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142	(a) Senile Gangrene	2	14	-	-	-	-	-	-	-	-	1	3	1	
	(b) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Other Gangrene (c)	1	1	-	-	-	-	-	-	1	-	1	-	-	
143	Carbuncle, Boil	1	4	-	-	-	-	2	1	-	2	-	-	-	
144	Phlegmon, Acute Abscess	4	1	1	-	-	-	-	1	-	-	1	1	-	
145	Ulcer, Other Diseases of Skin and Cellular Tissue	5	4	2	-	-	-	-	-	-	-	1	4	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	5	4	1	1	1	3	1	-	-	1	-	1	-	-	
Diseases of Joints - - -	1	3	-	1	-	-	-	-	-	-	1	2	-	-	
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. MALFORMATIONS.															
Congenital Malformations - -	12	13	24	-	-	1	-	-	-	-	-	-	-	-	
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	91	47	138	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	48	45	93	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases peculiar to Early Infancy	12	2	14	-	-	-	-	-	-	-	-	-	-	-	
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII. OLD AGE.															
(a) Senile Dementia - - -	5	14	-	-	-	-	-	-	-	-	1	11	7	-	
(b) Senile Decay - - -	85	132	-	-	-	-	-	-	-	-	-	38	179	-	
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	15	4	-	-	-	-	1	1	6	5	2	4	-	-	
Poisoning by Food - - -	1	-	-	-	-	-	1	1	1	2	2	2	-	-	
Other Accidental Poisonings	3	5	-	-	-	-	-	1	1	2	2	4	-	-	
Burns and Scalds (166) - -	12	17	1	12	5	-	1	-	2	2	-	4	2	-	
Exposure to Poisonous Vapours -	4	4	-	-	-	-	1	1	1	3	-	-	2	-	
Drowning - - - -	12	3	-	-	-	-	5	2	4	3	1	-	-	-	
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidental Falls - - -	22	11	-	-	2	2	2	5	9	5	6	2	-	-	
(a) Accidents in Coal Mines -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
(b) Accidents in Other Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Accidents in Quarries - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Accidents with Machinery - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
(a) Accidents on Railways - -	6	-	-	-	-	1	1	2	-	2	-	-	-	-	
(b) Acc. with Horses and Vehicles	5	-	-	-	-	1	-	-	1	1	1	1	-	-	
(c) Accidents with Motor Vehicles	10	5	-	2	3	-	-	3	1	2	3	1	-	-	
(d) Accidents with Tramways -	1	2	-	-	-	-	1	-	-	-	1	1	-	-	
(e) Other Crushing Accidents -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Overlaying - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Suffocation (otherwise) - -	-	2	1	-	-	-	-	-	1	-	-	-	-	-	
(c) Other Accidents (176, 181, 185)	11	18	-	1	2	-	-	2	-	2	4	5	13	-	
Homicide (182, 183) - - -	2	3	3	-	-	-	1	-	1	-	-	-	-	-	
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Syncope - - - -	6	7	1	-	-	-	-	-	-	6	2	3	1	-	
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Heart Failure - - -	13	11	-	-	-	-	-	-	1	3	7	7	6	-	
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Ill-defined Diseases (b, d)	4	1	-	2	-	-	-	-	-	-	3	-	-	-	
(f) Dis. not Specified, Nat. Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES OF DEATH IN DUNDEE IN 1919.

[illegible]

	SEXES.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	1	-	1	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	-	1	-	-	1	-	-	-	-	-	-	-	-	-
102 Gastric Ulcer - - - -	10	4	-	-	-	-	1	1	2	5	2	1	-	-
103 Other Dis. of Stomach. Gastritis	5	11	5	1	1	-	1	-	1	3	1	1	-	-
104 Diarrhoea, Enteritis (under 2 years)	29	11	35	5	-	-	-	-	-	-	-	-	-	-
105 Diarrhoea, Enteritis (over 2 years)	5	5	-	5	1	-	-	-	-	-	1	1	-	-
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - -	8	6	-	-	1	3	1	3	1	2	2	1	-	-
109 (a) Hernia - - - - -	5	5	2	-	-	-	-	-	-	-	1	2	-	-
(b) Intestinal Obstruction - -	10	5	3	2	1	1	2	-	-	-	2	2	-	-
110 Other Diseases of Intestine -	4	2	-	-	-	-	-	1	2	1	-	2	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - - -	4	2	-	-	-	-	-	-	-	1	2	1	-	-
114 Gallstones - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-
115 Other Diseases of Liver - -	2	3	-	-	-	-	-	1	-	2	-	2	-	-
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified	2	3	-	-	2	-	-	1	-	-	-	2	-	-
118 Other Diseases of Digestive System	1	-	-	-	-	-	-	-	-	-	1	-	-	-
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - - -	4	4	1	1	2	2	-	-	1	-	1	-	-	-
120 (a) Bright's Disease - - - -	25	19	-	-	-	1	1	2	2	9	16	8	-	-
(b) Uræmia - - - - -	-	3	-	-	-	-	-	-	2	1	-	-	-	-
122 Other Dis. of Kidney, Chyluria(121)	1	2	-	-	-	-	-	1	1	1	-	-	-	-
123 Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Diseases of Bladder - - - -	4	-	-	-	-	-	-	-	1	1	1	1	-	-
125 Dis. of Urethra, Urinary Abscess	1	-	-	-	-	-	1	-	-	-	-	-	-	-
126 Diseases of Prostate - - - -	3	-	-	-	-	-	-	-	-	-	1	1	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	1	1	-	-	-
130 Other Diseases of Uterus - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	2	-	-	-	-	-	-	-	-	2	-	-	-
132 Other Dis. of Female Genit. Organs	-	1	-	-	-	-	-	1	-	-	-	-	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (a) Abortion, Miscarriage - -	-	4	-	-	-	-	-	4	-	-	-	-	-	-
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
135 Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	2	-	-	-	-	-	2	-	-	-	-	-	-
137 Puerperal Sepsis - - - - -	-	6	-	-	-	-	2	3	1	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	-	-	1	-	-	-	-	-
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	-	4	-	-	-	-	-	2	1	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (a) Senile Gangrene - - - -	5	5	-	-	-	-	-	-	-	-	-	4	-	-
(b) Noma, Cancrum Oris - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143 Carbuncle, Boil - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - - -	2	5	2	1	-	-	-	-	1	1	1	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	1	-	-	-	-	-	-	1	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Diseases of Joints - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	10	10	16	1	1	-	1	-	1	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	58	39	97	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	45	31	76	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	5	2	7	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
(a) Senile Dementia - - -	2	2	-	-	-	-	-	-	-	-	-	3	1	-	-
(b) Senile Decay - - - -	29	71	-	-	-	-	-	-	-	-	-	12	88	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	11	8	-	-	-	-	-	3	2	7	3	3	1	-	-
Poisoning by Food - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) - -	9	9	3	9	4	-	-	-	-	1	1	-	-	-	-
Exposure to Poisonous Vapours -	4	5	-	-	-	-	-	1	1	2	1	4	-	-	-
Drowning - - - - -	9	4	-	-	1	1	2	1	2	3	-	2	1	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	11	-	-	-	-	1	-	2	2	2	3	1	-	-	-
(a) Accidents in Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(c) Accidents in Quarries - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery - -	4	-	-	-	-	-	1	2	-	-	-	1	-	-	-
(a) Accidents on Railways - -	5	-	-	-	-	-	-	-	1	2	1	1	-	-	-
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	3	2	-	2	1	-	-	1	-	1	-	-	-	-	-
(d) Accidents with Tramways -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hunger - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
(a) Overlaying - - - - -	3	5	7	1	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	2	3	1	-	1	-	-	-	2	-	1	-	-	-	-
(c) Other Accidents (176, 181, 185)	18	8	-	-	3	1	2	2	2	2	5	7	2	-	-
Homicide (182, 183) - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Execution - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
Dropsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope - - - - -	11	9	2	-	-	-	-	1	2	3	4	5	3	-	-
(b) Sudden Death (not otherwise defined)	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-
(a) Heart Failure - - - -	19	14	3	2	-	-	-	-	-	6	4	12	6	-	-
(c) Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	3	10	5	2	-	-	-	-	-	-	2	2	2	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
0 Encephalitis - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
1 (a) Cerebro-spinal Meningitis -	5	5	1	2	2	1	3	-	1	-	-	-	-	-	-
(c) Meningitis, Basal, Nature unspecified (b)	8	3	2	3	2	4	-	-	-	-	-	-	-	-	-
2 Locomotor Ataxy - - - -	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
3 Other Diseases of Spinal Cord -	9	8	-	-	1	-	-	4	1	1	4	4	2	-	-
4 Cerebral Hæmorrhage, Apoplexy	83	111	-	-	-	-	1	2	6	16	38	69	62	-	-
5 Softening of Brain - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
6 (a) Hemiplegia - - - -	11	18	-	-	-	-	-	-	1	2	7	9	10	-	-
(c) Paralysis, Cause or Nature unspecified (b)	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
7 General Paralysis of Insane -	8	3	-	-	-	-	-	4	1	5	1	-	-	-	-
8 Other Insanity - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-
9 Epilepsy - - - -	6	4	2	1	-	1	-	1	1	3	-	-	-	-	-
10 Convulsions (not Puerperal) (70) -	13	18	19	11	1	-	-	-	-	-	-	-	1	-	-
11 Chorea - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
12 Neuralgia, Neuritis - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(c) Cerebral Tumour - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Nervous System (a, b)	2	2	-	1	-	-	-	1	-	1	1	-	-	-	-
13 Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Mastoid Disease - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - -	2	6	1	-	2	1	3	-	1	-	-	-	-	-	-
III. DISEASES OF CIRCU- LATORY SYSTEM.															
Pericarditis - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Acute Endocarditis - - - -	4	4	-	-	-	-	3	1	1	-	3	-	-	-	-
(a) Valvular Disease - - - -	65	66	-	-	-	-	7	5	9	8	18	36	48	-	-
(b) Fatty Degeneration of Heart	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
(c) Other Organic Diseases of Heart	48	36	-	-	-	1	2	2	5	11	13	26	24	-	-
Angina Pectoris - - - -	8	4	-	-	-	-	-	-	-	3	3	3	3	-	-
(a) Aneurysm - - - -	4	2	-	-	-	-	-	-	-	1	2	1	1	-	-
(b) Arterio-sclerosis - - - -	21	12	-	-	-	-	-	-	-	-	10	8	15	-	-
(c) Other Diseases of Arteries -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(a) Cerebral Embolism, Thrombosis	7	8	-	-	-	-	-	-	1	-	-	1	-	-	-
(b) Embolism and Thrombosis, not Cerebral	1	1	-	-	1	-	1	-	-	-	3	10	1	-	-
Diseases of Veins - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-
(a) Lymphatism, Status Lympha- ticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymphatic System	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. DISEASES OF RESPIRA- TORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Larynx (a) -	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid - - - -	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis (89) - - - -	78	97	30	9	-	-	-	2	4	10	23	35	62	-	-
Broncho-pneumonia - - - -	75	69	38	28	7	1	11	22	6	7	6	10	8	-	-
Pneumonia - - - -	108	73	8	9	3	4	24	33	22	17	20	28	13	-	-
Pleurisy - - - -	6	5	-	1	-	-	-	1	1	1	5	2	-	-	-
(a) Pulmonary Apoplexy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Congestion (c, d) -	3	6	-	2	-	-	-	1	-	-	-	3	3	-	-
Gangrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Fibroid Diseases of Lung -	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-
(b) Other Diseases of Respiratory System	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
X. DISEASES OF ORGANS OF LOCOMOTION.															
Dis. of Bones (Mastoid excluded)	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-
Diseases of Joints - - -	2	1	-	-	-	-	-	-	-	-	-	3	-	-	-
Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
Congenital Malformations - -	6	8	12	1	-	-	1	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
(a) Premature Birth - - -	51	48	99	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	39	33	72	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases peculiar to Early Infancy	8	12	20	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
(a) Senile Dementia - - -	4	2	-	-	-	-	-	-	-	-	-	2	4	-	-
(b) Senile Decay - - -	41	78	-	-	-	-	-	-	-	-	-	11	108	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162) - - -	4	5	-	-	-	-	-	1	4	1	3	-	-	-	-
Poisoning by Food - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166) - -	7	8	3	6	1	1	-	1	1	-	-	1	1	-	-
Exposure to Poisonous Vapours -	2	1	-	-	-	-	-	-	1	1	1	-	-	-	-
Drowning - - - -	7	3	-	-	1	1	3	-	1	2	1	1	-	-	-
Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls - - -	4	4	-	2	-	-	-	-	1	1	1	-	3	-	-
(a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Accidents on Railways - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Acc. with Horses and Vehicles	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	3	-	-	-	1	1	-	-	-	-	1	-	-	-	-
(d) Accidents with Tramways - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(e) Other Crushing Accidents - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Overlaying - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	1	4	4	-	-	-	-	1	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	10	5	-	1	1	-	1	-	1	-	3	5	3	-	-
Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIX. ILL-DEFINED CAUSES.															
Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Heart Failure - - -	14	13	4	-	-	-	-	1	3	2	3	8	6	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
(f) Dis. not Specified, Nat. Causes	1	5	1	-	-	-	2	-	-	2	-	1	-	-	-

			SEXES		Age												Age not stated.
			Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.																	
0	Encephalitis	- - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	(a) Cerebro-spinal Meningitis	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)		12	7	7	5	4	-	1	1	1	-	-	-	-	-	
2	Locomotor Ataxy	- - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
3	Other Diseases of Spinal Cord	-	1	3	-	-	-	-	-	-	2	-	-	1	1	-	
4	Cerebral Hæmorrhage, Apoplexy		37	34	-	-	1	-	-	-	-	7	24	21	18	-	
5	Softening of Brain	- - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	-	
6	(a) Hemiplegia	- - - -	2	1	-	-	-	-	-	-	-	1	-	2	-	-	
	(c) Paralysis, Cause or Nature unspecified (b)		2	-	-	-	-	-	-	-	-	-	1	1	-	-	
7	General Paralysis of Insane	-	5	1	-	-	-	-	-	-	1	4	1	-	-	-	
8	Other Insanity	- - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	-	
9	Epilepsy	- - - -	2	2	-	-	-	-	1	1	-	1	-	1	-	-	
1	Convulsions (not Puerperal) (70)	-	6	3	5	4	-	-	-	-	-	-	-	-	-	-	
2	Chorea	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Neuralgia, Neuritis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	(c) Cerebral Tumour	- - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	-	
	(d) Other Diseases of Nervous System (a, b)		1	1	-	-	-	-	-	-	-	-	1	-	1	-	
5	Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	(a) Mastoid Disease	- - - -	1	2	1	1	-	1	-	-	-	-	-	-	-	-	
	(b) Diseases of Ear	- - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	-	
I. DISEASES OF CIRCULATORY SYSTEM.																	
	Pericarditis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Acute Endocarditis	- - - -	3	5	-	-	1	1	-	1	2	2	-	-	1	-	
9	(a) Valvular Disease	- - - -	24	34	-	-	-	1	7	-	6	17	19	8	-	-	
	(b) Fatty Degeneration of Heart	-	1	4	-	-	-	-	-	-	-	3	1	1	-	-	
	(c) Other Organic Diseases of Heart		25	20	-	-	2	1	-	1	10	5	13	13	-	-	
9	Angina Pectoris	- - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	-	
	(a) Aneurysm	- - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	(b) Arterio-sclerosis	- - - -	2	3	-	-	-	-	-	-	-	-	3	2	-	-	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) Cerebral Embolism, Thrombosis	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
	(b) Embolism and Thrombosis, not Cerebral		1	4	-	-	-	-	1	1	-	2	-	1	-	-	
8	Diseases of Veins	- - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
	(a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF RESPIRATORY SYSTEM.																	
	Diseases of Nose	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Laryngitis	- - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Larynx (a)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Diseases of Thyroid	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Bronchitis (89)	- - - -	64	85	18	6	2	4	1	11	15	25	39	28	-	-	
	Broncho-pneumonia	- - - -	54	43	26	31	5	1	3	11	4	4	7	4	1	-	
	Pneumonia	- - - -	53	56	3	12	3	1	16	21	10	15	16	12	-	-	
	Pleurisy	- - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	(a) Pulmonary Apoplexy	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pulmonary Congestion (c, d)	-	2	3	1	-	-	-	-	-	1	1	1	1	-	-	
	Gangrene of Lung	- - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	Asthma	- - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
	Pulmonary Emphysema	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) Fibroid Diseases of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Diseases of Respiratory System		1	-	-	-	-	-	-	1	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
46 Dis. of Bones (Mastoid excluded)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47 Diseases of Joints - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
49 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
50 Congenital Malformations - -	1	9	9	1	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
51 (a) Premature Birth - - -	29	19	48	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	9	14	23	-	-	-	-	-	-	-	-	-	-	-	-
52 Other Diseases peculiar to Early Infancy	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
53 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
54 (a) Senile Dementia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Senile Decay - - - -	25	43	-	-	-	-	-	-	-	-	-	16	52	-	-
XIII. VIOLENT CAUSES.															
53 Suicide (155-162) - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
54 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55 Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Burns and Scalds (166) - -	3	3	1	4	-	-	-	-	-	-	1	-	-	-	-
58 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59 Drowning - - - -	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-
60 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62 Accidental Falls - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-
63 (a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 (a) Accidents on Railways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Acc. with Horses and Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Accidents with Tramways - -	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
(e) Other Crushing Accidents - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68 Weather Agencies (178, 179) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66 (a) Overlaying - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	3	3	-	-	1	1	1	-	-	1	-	1	1	-	-
64 Homicide (182, 183) - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
60 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
67 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68 (a) Syncope - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69 (a) Heart Failure - - - -	5	2	1	-	-	-	-	-	-	1	2	2	1	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) Dis. not Specified, Nat. Causes	1	3	-	-	-	-	-	-	-	-	2	1	1	-	-

CAUSES OF DEATH IN LEITH IN 1919.

		SEXES.		Age												Age not recorded
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
All Causes - - - -		728	632	204	190	41	24	67	92	95	132	162	181	172		
I. GENERAL DISEASES.																
1	Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	(a) Smallpox { Vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) { Unvaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) { Vaccination Doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Measles - - - -	17	14	9	19	3	-	-	-	-	-	-	-	-		
7	Scarlet Fever - - - -	6	2	-	6	2	-	-	-	-	-	-	-	-		
8	Whooping-cough - - - -	30	29	17	41	1	-	-	-	-	-	-	-	-		
9	(a) Diphtheria - - - -	20	14	-	19	13	-	1	1	-	-	-	-	-		
	(c) Croup, Membr. Laryngitis (b) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
10	Influenza - - - -	4	10	2	-	1	2	1	2	1	1	1	1	2		
13	Cholera Nostras - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
14	Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
18	Erysipelas - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-		
19	Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
20	(a) Pyæmia, Septicæmia (not Puer- peral) (b) - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-		
	(c) Vaccinia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
21	Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
22	Anthrax - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
23	Rabies, Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
24	Tetanus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
28	Pulmonary Tuberculosis, Phthisis - - - -	42	47	1	4	2	2	20	13	23	12	9	3	-		
29	(a) Acute Phthisis - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-		
	(b) Acute Miliary Tuberculosis - - - -	1	2	-	1	-	2	-	-	-	-	-	-	-		
30	Tuberculous Meningitis - - - -	7	7	3	7	-	2	2	-	-	-	-	-	-		
31	Abdominal Tuberculosis - - - -	6	4	2	4	2	1	-	1	-	-	-	-	-		
32	Tuberculosis of Spine - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-		
33	Tuberculosis of Joints - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-		
35	Tuberculosis of other Organs, Dis- seminated Tuberculosis (34) - - - -	4	3	-	1	1	2	-	-	1	2	-	-	-		
36	Rickets, Osteomalacia - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
37	Syphilis - - - -	2	-	1	-	-	-	-	1	-	-	-	-	-		
38	Other Venereal Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
45	(a) Carcinoma - - - -	31	36	-	-	-	-	-	-	6	16	22	14	9		
	(b) Sarcoma - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-		
	(c) Malignant Disease, } 39-44 other or not defined	19	10	-	-	-	-	-	-	-	3	9	13	4		
46	Other Tumours (Situation un- defined) - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
47	Rheumatic Fever - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-		
48	(a) Chronic Rheumatism - - - -	1	3	-	-	-	-	-	-	-	-	-	3	1		
	(b) Osteo-arthritis - - - -	-	2	-	-	-	-	-	1	-	-	-	1	-		
	(c) Gout - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
49	Scurvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
50	Diabetes - - - -	4	6	-	-	-	1	1	2	-	1	2	2	1		
51	Exophthalmic Goitre - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
52	Addison's Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
53	(a) Leucocythæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Lymphadenoma - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
54	Anæmia, Chlorosis - - - -	2	5	-	-	-	-	-	-	2	2	1	-	2		
55	(b) Purpura - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(b) Hæmophilia - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
	(d) Other General Diseases (a) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
56	Alcoholism - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
57	Chronic Lead Poisoning - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
58	Other Chronic Occupationa Poisonings - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
59	Other Chronic Poisonings - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		

		SEXES.		Age												Age not stated.
		Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.																
60	Encephalitis - - -	2	1	1	-	-	-	-	-	1	-	1	-	-	-	
61	(a) Cerebro-spinal Meningitis -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)	3	6	4	4	-	1	-	-	-	-	-	-	-	-	
62	Locomotor Ataxy - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
63	Other Diseases of Spinal Cord -	3	3	-	-	-	-	-	1	-	2	2	-	1	-	
64	Cerebral Hæmorrhage, Apoplexy	33	40	1	-	-	-	-	-	3	10	18	23	18	-	
65	Softening of Brain - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	-	
66	(a) Hemiplegia - - -	4	3	-	-	-	-	-	1	-	1	-	2	3	-	
	(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	General Paralysis of Insane -	6	2	-	-	-	-	-	1	3	3	1	-	-	-	
68	Other Insanity - - -	-	4	-	-	-	-	1	-	2	-	1	-	-	-	
69	Epilepsy - - -	2	4	-	-	-	1	2	-	-	1	1	-	1	-	
71	Convulsions (not Puerperal) (70)	13	2	9	6	-	-	-	-	-	-	-	-	-	-	
72	Chorea - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
73	Neuralgia, Neuritis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
74	(c) Cerebral Tumour - - -	4	1	-	-	-	-	3	-	1	1	-	-	-	-	
	(d) Other Diseases of Nervous System (a, b)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
75	Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	(a) Mastoid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Diseases of Ear - - -	4	-	1	2	-	-	-	1	-	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
77	Pericarditis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
78	Acute Endocarditis - - -	-	5	-	-	-	-	1	1	1	-	1	1	-	-	
79	(a) Valvular Disease - - -	32	37	1	-	-	1	3	6	6	4	13	22	13	-	
	(b) Fatty Degeneration of Heart -	1	2	-	-	-	-	-	-	-	1	-	2	-	-	
	(c) Other Organic Diseases of Heart	12	20	1	-	-	-	-	1	2	5	1	10	12	-	
80	Angina Pectoris - - -	4	1	-	-	-	-	-	-	-	-	1	2	2	-	
81	(a) Aneurysm - - -	3	-	-	-	-	-	-	-	1	-	2	-	-	-	
	(b) Arterio-sclerosis - - -	7	7	-	-	-	-	-	-	-	-	4	2	8	-	
	(c) Other Diseases of Arteries -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
82	(a) Cerebral Embolism, Thrombosis	5	3	-	-	-	-	-	1	-	1	-	4	2	-	
	(b) Embolism and Thrombosis, not Cerebral	1	1	-	-	-	-	-	1	-	-	-	1	-	-	
83	Diseases of Veins - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	(a) Lymphatism, Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
85	Hæmorrhage. Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
86	Diseases of Nose - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Larynx (a) -	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
88	Diseases of Thyroid - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
90	Bronchitis (89) - - -	52	44	17	7	1	1	1	-	5	10	18	14	22	-	
91	Broncho-pneumonia - - -	60	46	27	32	2	-	5	9	3	9	8	5	6	-	
92	Pneumonia - - -	71	61	7	19	7	2	15	25	11	17	13	10	6	-	
93	Pleurisy - - -	3	2	-	2	-	-	-	-	-	-	2	-	1	-	
94	(a) Pulmonary Apoplexy - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pulmonary Congestion (c, d) -	1	5	1	1	-	1	-	-	1	-	-	1	1	-	
95	Gangrene of Lung - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	Asthma - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
97	Pulmonary Emphysema - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
98	(a) Fibroid Diseases of Lung -	1	1	-	-	-	-	-	1	-	-	-	-	1	-	
	(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

[illegible]

CAUSES OF DEATH IN GREENOCK IN 1919.

	SEXES.		Age													Age not defined
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over			
All Causes - - - - -	696	678	226	151	30	27	80	106	98	153	169	190	144			
I. GENERAL DISEASES.																
1 Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 (a) Smallpox { Vaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Smallpox { Unvaccinated - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Smallpox { Vaccination Doubtful - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Measles - - - - -	13	14	5	20	2	-	-	-	-	-	-	-	-	-		
7 Scarlet Fever - - - - -	4	1	-	3	2	-	-	-	-	-	-	-	-	-		
8 Whooping-cough - - - - -	4	9	6	7	-	-	-	-	-	-	-	-	-	-		
9 (a) Diphtheria - - - - -	3	1	-	2	1	-	-	-	1	-	-	-	-	-		
(c) Croup, Membr. Laryngitis (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10 Influenza - - - - -	8	9	1	2	-	-	2	3	3	-	2	3	1	-		
13 Cholera Nostras - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14 Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
18 Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
20 (a) Pyæmia, Septicæmia (not Puerperal) (b)	1	3	3	-	-	-	-	-	-	1	-	-	-	-		
(c) Vaccinia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
21 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
22 Anthrax - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
23 Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24 Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28 Pulmonary Tuberculosis, Phthisis	31	43	2	2	1	8	10	24	15	9	2	-	1	-		
29 (a) Acute Phthisis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
(b) Acute Miliary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30 Tuberculous Meningitis - - - - -	11	9	4	10	2	3	-	-	-	1	-	-	-	-		
31 Abdominal Tuberculosis - - - - -	7	2	2	3	1	1	1	1	-	-	-	-	-	-		
32 Tuberculosis of Spine - - - - -	1	2	-	-	-	2	-	-	1	-	-	-	-	-		
33 Tuberculosis of Joints - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
35 Tuberculosis of other Organs, Disseminated Tuberculosis (34)	8	7	1	2	1	1	3	1	3	3	-	-	-	-		
36 Rickets, Osteomalacia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37 Syphilis - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	-		
38 Other Venereal Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45 (a) Carcinoma - - - - -	20	26	-	-	-	-	1	4	2	9	14	14	2	-		
(b) Sarcoma - - - - -	3	1	-	1	-	-	-	-	-	1	1	1	-	-		
(c) Malignant Disease, other or not defined	11	31	-	-	-	-	-	1	1	9	13	12	6	-		
46 Other Tumours (Situation undefined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
47 Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
48 (a) Chronic Rheumatism - - - - -	1	3	-	-	-	-	-	-	-	-	2	2	-	-		
(b) Osteo-arthritis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49 Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50 Diabetes - - - - -	4	-	-	1	-	-	-	-	-	-	-	-	-	-		
51 Exophthalmic Goitre - - - - -	-	-	-	-	-	-	-	1	-	1	1	-	-	-		
52 Addison's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53 (a) Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Lymphadenoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
54 Anæmia, Chlorosis - - - - -	6	6	-	-	-	-	-	-	4	2	3	3	-	-		
55 (b) Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Hæmophilia - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
(d) Other General Diseases (a)	-	1	-	-	-	-	-	-	-	-	1	-	-	-		
56 Alcoholism - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	-		
57 Chronic Lead Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58 Other Chronic Occupational Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59 Other Chronic Poisonings - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

			SEXES.		Age											Age not stated.
			Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
II. DISEASES OF NERVOUS SYSTEM.																
60	Encephalitis	- - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
61	(a) Cerebro-spinal Meningitis	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
	(c) Meningitis, Basal, Nature unspecified (b)		14	9	8	8	2	1	4	-	-	-	-	-	-	
62	Locomotor Ataxy	- - - -	4	1	-	-	-	-	-	1	-	2	1	-	1	
63	Other Diseases of Spinal Cord	-	10	4	-	-	1	-	-	2	3	1	2	4	1	
64	Cerebral Hæmorrhage, Apoplexy		46	46	-	-	-	-	-	-	3	16	24	30	19	
65	Softening of Brain	- - - -	1	2	-	-	-	-	-	-	-	1	-	-	2	
66	(a) Hemiplegia	- - - -	6	7	-	-	-	-	-	2	-	-	2	5	4	
	(c) Paralysis, Cause or Nature unspecified (b)		2	-	-	-	-	-	-	-	-	-	2	-	-	
67	General Paralysis of Insane	-	1	1	-	-	-	-	-	-	-	1	1	-	-	
68	Other Insanity	- - - -	1	5	-	-	-	-	1	1	2	1	-	-	1	
69	Epilepsy	- - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
71	Convulsions (not Puerperal) (70)		7	8	11	4	-	-	-	-	-	-	-	-	-	
72	Chorea	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
73	Neuralgia, Neuritis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
74	(c) Cerebral Tumour	- - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
	(d) Other Diseases of Nervous System (a, b)		-	-	-	-	-	-	-	-	-	-	-	-	-	
75	Diseases of Eye and Annexa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
76	(a) Mastoid Disease	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Diseases of Ear	- - - -	2	1	-	-	-	-	2	1	-	-	-	-	-	
III. DISEASES OF CIRCULATORY SYSTEM.																
77	Pericarditis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
78	Acute Endocarditis	- - - -	2	2	-	-	-	-	-	-	1	3	-	-	-	
79	(a) Valvular Disease	- - - -	16	23	-	-	1	-	4	4	3	4	7	12	9	
	(b) Fatty Degeneration of Heart		-	2	-	-	-	-	-	-	-	1	-	1	-	
	(c) Other Organic Diseases of Heart		38	33	-	-	-	-	1	6	3	12	14	21	14	
80	Angina Pectoris	- - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
81	(a) Aneurysm	- - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
	(b) Arterio-sclerosis	- - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	(a) Cerebral Embolism, Thrombosis		4	1	-	-	-	-	-	-	-	-	1	2	2	
	(b) Embolism and Thrombosis, not Cerebral		-	1	-	-	-	-	-	-	-	1	-	-	-	
83	Diseases of Veins	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	(a) Lymphatism, Status Lympha- ticus		-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymphatic System		-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Hæmorrhage, Other Diseases of Circulatory System		-	-	-	-	-	-	-	-	-	-	-	-	-	
IV. DISEASES OF RESPIRATORY SYSTEM.																
86	Diseases of Nose	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
87	(b) Laryngitis	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Larynx (a)		-	-	-	-	-	-	-	-	-	-	-	-	-	
88	Diseases of Thyroid	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
90	Bronchitis (89)	- - - -	48	66	21	10	3	1	4	4	6	8	17	25	15	
91	Broncho-pneumonia	- - - -	54	40	24	37	4	1	4	6	3	5	6	3	1	
92	Pneumonia	- - - -	85	49	11	13	2	2	22	21	13	23	11	13	3	
93	Pleurisy	- - - -	6	6	1	1	-	-	-	3	5	1	-	1	-	
94	(a) Pulmonary Apoplexy	- - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
	(b) Pulmonary Congestion (c, d)		7	1	2	1	-	-	-	-	2	1	-	1	1	
95	Gangrene of Lung	- - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
96	Asthma	- - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
97	Pulmonary Emphysema	- - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
98	(a) Fibroid Diseases of Lung		1	-	-	-	-	-	-	-	-	-	1	-	-	
	(b) Other Diseases of Respiratory System		-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not over
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
V. DIS. OF DIGESTIVE SYSTEM.															
99 Dis. of Mouth, Teeth. Oral Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
101 Diseases of Pharynx, Œsophagus. Tonsillitis (100)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
102 Gastric Ulcer - - - -	2	1	-	-	-	-	-	1	1	-	1	-	-	-	-
103 Other Dis. of Stomach. Gastritis	1	3	-	1	-	1	-	-	-	-	-	-	-	2	-
104 Diarrhœa, Enteritis (under 2 years)	17	19	26	10	-	-	-	-	-	-	-	-	-	-	-
105 Diarrhœa, Enteritis (over 2 years)	3	4	-	3	-	1	-	-	2	1	-	-	-	-	-
107 Intestinal Parasites (106) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108 Appendicitis, Typhlitis - - -	4	7	-	-	2	3	2	2	1	-	1	-	-	-	-
109 (a) Hernia - - - -	2	1	-	-	-	-	-	-	-	-	2	1	-	-	-
(b) Intestinal Obstruction - -	1	2	-	-	-	1	1	-	-	1	-	-	-	-	-
110 Other Diseases of Intestine - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
113 Cirrhosis of Liver - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
114 Gallstones - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-
115 Other Diseases of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
116 Diseases of Spleen - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Peritonitis, cause not specified -	2	1	-	-	-	-	1	1	-	-	1	-	-	-	-
118 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF GENITO- URINARY SYSTEM.															
119 Acute Nephritis - - - -	1	5	1	-	-	-	1	2	1	-	1	-	-	-	-
120 (a) Bright's Disease - - - -	14	12	-	-	-	-	-	2	5	7	8	3	1	-	-
(b) Uræmia - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
122 Other Dis. of Kidney, Chyluria (121)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
123 Urinary Calculus - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
124 Diseases of Bladder - - - -	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-
125 Dis. of Urethra, Urinary Abscess	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
126 Diseases of Prostate - - - -	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
129 Uterine Tumour (non-Cancerous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130 Other Diseases of Uterus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Cysts, and Other Tumours of Ovary	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
132 Other Dis. of Female Genit. Organs	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.															
134 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Diseases and Accidents of Pregnancy (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Puerperal Hæmorrhage - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
136 Other Accidents of Childbirth -	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-
137 Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Puerp. Albuminuria, Convulsions	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
140 (a) Puerperal Insanity - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Puerperal Diseases - -	-	4	-	-	-	-	-	2	2	-	-	-	-	-	-
141 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.															
142 (a) Senile Gangrene - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	-	-
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Gangrene (c) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143 Carbuncle, Boil - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Phlegmon, Acute Abscess - - -	2	1	-	-	-	-	-	-	-	2	-	1	-	-	-
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
46 Dis. of Bones (Mastoid excluded) -	2	1	-	-	2	-	1	-	-	-	-	-	-	-	-
47 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
50 Congenital Malformations - -	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
51 (a) Premature Birth - - -	20	21	41	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	18	22	40	-	-	-	-	-	-	-	-	-	-	-	-
52 Other Diseases peculiar to Early Infancy	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
53 Lack of Care - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
54 (a) Senile Dementia - - -	1	4	-	-	-	-	-	-	-	-	-	4	-	1	-
(b) Senile Decay - - -	22	32	-	-	-	-	-	-	-	-	-	-	11	43	-
XIII. VIOLENT CAUSES.															
63 Suicide (155-162) - - -	3	3	-	-	-	-	1	1	1	2	-	1	-	-	-
64 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other Accidental Poisonings -	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
67 Burns and Scalds (166) - -	2	5	-	2	1	-	1	-	1	-	1	1	-	-	-
68 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69 Drowning - - - -	7	1	-	-	1	-	1	-	1	4	1	-	-	-	-
70 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71 Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72 Accidental Falls - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
73 (a) Accidents in Coal Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Accidents in Other Mines - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74 Accidents with Machinery - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
75 (a) Accidents on Railways - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(b) Acc. with Horses and Vehicles -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents with Motor Vehicles -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(d) Accidents with Tramways - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Crushing Accidents - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77 Hunger - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80 Weather Agencies (178, 179) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Overlaying - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	18	4	-	-	-	1	2	3	3	5	4	2	2	-	-
84 Homicide (182, 183) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
91 War Casualties (not Sickness) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
87 Dropsy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 (a) Syncope - - - -	6	4	2	-	-	-	-	-	-	1	2	5	-	-	-
(b) Sudden Death (not otherwise defined)	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
89 (a) Heart Failure - - - -	7	1	-	-	-	-	-	2	1	-	2	2	1	-	-
(c) Teething - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	2	3	-	4	-	-	-	-	-	1	-	-	-	-	-
(f) Dis. not Specified, Nat. Causes	2	2	3	-	-	-	-	-	-	-	1	-	-	-	-

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over		
II. DISEASES OF NERVOUS SYSTEM.															
Encephalitis - - - -	5	3	-	-	-	1	2	1	-	3	-	1	-	-	
(a) Cerebro-Spinal Meningitis -	8	2	-	1	2	2	2	2	-	1	-	-	-	-	
(c) Meningitis, Basal, Nature unspecified (b)	27	24	21	16	4	4	2	2	1	-	-	1	-	-	
Locomotor Ataxy - - - -	3	1	-	-	-	-	-	1	1	2	-	-	-	-	
Other Diseases of Spinal Cord -	11	5	-	-	-	1	-	1	3	6	1	4	-	-	
Cerebral Hæmorrhage, Apoplexy	69	76	2	-	1	-	1	-	4	17	26	50	44	-	
Softening of Brain - - - -	-	6	-	-	-	-	-	-	-	-	2	3	1	-	
(a) Hemiplegia - - - -	6	3	-	1	-	-	-	-	1	1	2	3	1	-	
(c) Paralysis, Cause or Nature unspecified (b)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
General Paralysis of Insane -	5	1	-	-	-	-	-	1	3	1	1	-	-	-	
Other Insanity - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Epilepsy - - - -	6	6	5	-	1	-	1	2	1	-	-	2	-	-	
(Convulsions (not Puerperal) (70)	15	16	24	6	-	1	-	-	-	-	-	-	-	-	
Chorea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Neuralgia, Neuritis - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
(c) Cerebral Tumour - - - -	2	2	-	-	1	1	-	-	1	-	1	-	-	-	
(d) Other Diseases of Nervous System (a, b)	2	1	1	-	1	-	-	-	-	1	-	-	-	-	
Diseases of Eye and Annexa -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - -	4	7	5	-	2	1	1	1	-	-	-	1	-	-	
I. DISEASES OF CIRCULATORY SYSTEM.															
Pericarditis - - - -	1	3	-	-	-	-	1	-	1	-	1	-	1	-	
Acute Endocarditis - - - -	2	5	-	1	1	1	1	1	2	-	-	-	-	-	
(a) Valvular Disease - - - -	46	71	1	-	-	1	12	13	10	11	33	17	19	-	
(b) Fatty Degeneration of Heart -	5	7	-	-	-	-	-	1	1	2	2	5	1	-	
(c) Other Organic Diseases of Heart	37	30	1	-	-	1	-	1	2	10	13	18	21	-	
Angina Pectoris - - - -	-	3	-	-	-	-	-	-	-	-	1	2	-	-	
(a) Aneurysm - - - -	2	1	-	-	-	-	-	-	1	1	1	-	-	-	
(b) Arterio-sclerosis - - - -	7	6	-	-	-	-	-	-	-	1	2	3	7	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Cerebral Embolism, Thrombosis	1	3	-	-	-	-	-	-	-	-	1	1	2	-	
(b) Embolism and Thrombosis, not Cerebral	2	1	-	-	-	1	-	1	-	-	1	-	-	-	
Diseases of Veins - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Lymphatism, Status Lympha- ticus	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage, Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.															
Diseases of Nose - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - -	1	4	1	2	-	-	-	1	-	-	-	-	1	-	
(c) Other Diseases of Larynx (a) -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diseases of Thyroid - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis (89) - - - -	149	105	70	18	2	1	1	5	11	19	47	47	33	-	
Broncho-pneumonia - - - -	126	106	79	94	6	1	8	9	4	6	8	9	8	-	
Pneumonia - - - -	148	96	26	25	10	5	28	46	22	25	28	22	7	-	
Pleurisy - - - -	5	1	-	-	-	-	1	-	1	-	-	3	1	-	
(a) Pulmonary Apoplexy - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Congestion (c, d) -	10	10	6	6	-	-	-	1	1	2	2	-	2	-	
Angrene of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma - - - -	3	3	-	-	-	-	1	1	2	-	1	-	1	-	
Pulmonary Emphysema - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a) Fibroid Diseases of Lung -	2	-	-	-	-	-	-	-	-	-	-	2	-	-	
(b) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age											
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
V. DIS. OF DIGESTIVE SYSTEM.														
99 Dis. of Mouth, Teeth. Oral Sepsis	-	1	-	-	-	1	-	-	-	-	-	-	-	
101 Diseases of Pharynx, Œsophagus.	1	1	-	1	1	-	-	-	-	-	-	-	-	
Tonsillitis (100)	-	-	-	-	-	-	-	-	-	-	-	-	-	
102 Gastric Ulcer - - -	7	5	-	-	-	-	2	2	4	1	2	1	-	
103 Other Dis. of Stomach. Gastritis	6	11	4	1	3	-	1	-	-	-	2	4	2	
104 Diarrhœa, Enteritis (under 2 years)	49	34	66	17	-	-	-	-	-	-	-	-	-	
105 Diarrhœa, Enteritis (over 2 years)	7	17	-	7	3	1	1	-	1	-	6	2	3	
107 Intestinal Parasites (106)	-	-	-	-	-	-	-	-	-	-	-	-	-	
108 Appendicitis, Typhlitis	16	12	-	3	6	7	9	1	2	-	-	-	-	
109 (a) Hernia - - -	2	2	-	1	-	-	-	-	1	-	-	2	-	
(b) Intestinal Obstruction - -	4	4	1	2	-	1	1	-	-	1	2	-	-	
110 Other Diseases of Intestine - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
111 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	
112 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
113 Cirrhosis of Liver - - -	4	6	-	-	-	-	-	2	2	2	2	2	-	
114 Gallstones - - -	3	4	-	-	-	-	-	-	-	3	2	2	-	
115 Other Diseases of Liver - - -	3	-	-	-	-	-	-	-	-	-	2	-	1	
116 Diseases of Spleen - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
117 Peritonitis, cause not specified -	2	2	1	-	1	-	-	-	-	-	1	1	-	
118 Other Diseases of Digestive System	-	1	-	-	1	-	-	-	-	-	-	-	-	
VI. DISEASES OF GENITO-URINARY SYSTEM.														
119 Acute Nephritis - - -	7	6	2	-	-	1	3	2	2	1	-	2	-	
120 (a) Bright's Disease - - -	20	19	-	-	-	-	-	9	2	5	8	11	4	
(b) Uræmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
122 Other Dis. of Kidney, Chyluria (121)	1	1	-	-	-	2	-	-	-	-	-	-	-	
123 Urinary Calculus - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
124 Diseases of Bladder - - -	1	5	-	-	-	-	-	-	-	1	-	1	4	
125 Dis. of Urethra, Urinary Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	
126 Diseases of Prostate - - -	8	-	-	-	-	-	-	-	-	-	1	5	2	
127 Diseases of Male Genital Organs (not Venereal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
128 Menorrhagia, Uterine Hæmorrhage (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	
129 Uterine Tumour (non-Cancerous)	-	2	-	-	-	-	-	-	-	-	-	2	-	
130 Other Diseases of Uterus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
131 Cysts, and Other Tumours of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	
132 Other Dis. of Female Genit. Organs	-	3	-	-	-	-	-	1	2	-	-	-	-	
133 Non-Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														
134 (a) Abortion, Miscarriage - -	-	4	-	-	-	-	-	1	3	-	-	-	-	
(c) Uncontrollable Vomiting - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
(d) Ectopic Gestation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Other Diseases and Accidents of Pregnancy (b)	-	3	-	-	-	-	2	-	1	-	-	-	-	
135 Puerperal Hæmorrhage - - -	-	6	-	-	-	-	-	1	5	-	-	-	-	
136 Other Accidents of Childbirth	-	1	-	-	-	-	-	-	1	-	-	-	-	
137 Puerperal Sepsis - - -	-	16	-	-	-	-	2	11	3	-	-	-	-	
138 Puerp. Albuminuria, Convulsions	-	6	-	-	-	-	-	3	2	1	-	-	-	
139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	-	2	-	-	-	-	-	2	-	-	-	-	-	
140 (a) Puerperal Insanity - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
(b) Other Puerperal Diseases - -	-	8	-	-	-	-	1	3	4	-	-	-	-	
141 Puerperal Diseases of Breast - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF SKIN AND CELLULAR TISSUE.														
142 (a) Senile Gangrene - - -	4	3	-	-	-	-	-	-	-	-	-	3	-	
(b) Noma, Cancrum Oris - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
(d) Other Gangrene (c) - - -	2	1	1	-	-	1	-	-	-	-	1	-	-	
143 Carbuncle, Boil - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
144 Phlegmon, Acute Abscess - - -	3	3	1	2	-	2	-	-	-	1	-	-	-	
145 Ulcer, Other Diseases of Skin and Cellular Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	

	SEXES.		Age												Age not stated.
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
IX. DISEASES OF ORGANS OF LOCOMOTION.															
6 Dis. of Bones (Mastoid excluded)	3	-	-	-	1	2	-	-	-	-	-	-	-	-	-
7 Diseases of Joints	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 Other Dis. of Locomotor Syst. (148)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. MALFORMATIONS.															
0 Congenital Malformations	24	19	40	2	1	-	-	-	-	-	-	-	-	-	-
XI. DISEASES OF EARLY INFANCY.															
1 (a) Premature Birth	58	51	109	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Debility, Icterus, Sclerema (c, d, e)	56	40	96	-	-	-	-	-	-	-	-	-	-	-	-
2 Other Diseases peculiar to Early Infancy	11	9	20	-	-	-	-	-	-	-	-	-	-	-	-
3 Lack of Care	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. OLD AGE.															
4 (a) Senile Dementia	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
(b) Senile Decay	33	52	-	-	-	-	-	-	-	-	-	21	64	-	-
XIII. VIOLENT CAUSES.															
Suicide (155-162)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Poisoning by Food	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds (166)	19	13	-	18	3	3	-	2	4	-	1	1	-	-	-
Exposure to Poisonous Vapours	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Drowning	7	2	-	1	1	1	3	-	-	2	1	-	-	-	-
Accidents with Fire Arms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Instruments and Weapons	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental Falls	7	2	-	-	1	1	1	1	-	1	4	-	-	-	-
(a) Accidents in Coal Mines	33	-	-	-	-	-	4	8	10	6	3	2	-	-	-
(b) Accidents in Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Accidents in Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents with Machinery	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
(a) Accidents on Railways	8	1	-	-	1	1	2	2	-	1	2	-	-	-	-
(b) Acc. with Horses and Vehicles	3	1	-	1	-	-	1	-	-	-	1	1	-	-	-
(c) Accidents with Motor Vehicles	3	1	-	-	1	-	1	-	1	1	-	-	-	-	-
(d) Accidents with Tramways	3	1	-	1	-	1	-	-	-	-	1	1	-	-	-
(e) Other Crushing Accidents	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hunger	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies (178, 179)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(a) Overlaying	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(b) Suffocation (otherwise)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Accidents (176, 181, 185)	27	8	1	3	2	1	2	3	3	7	7	4	2	-	-
Homicide (182, 183)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
War Casualties (not Sickness)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIV. ILL-DEFINED CAUSES.															
Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Syncope	6	4	1	1	-	-	-	-	2	1	1	2	2	-	-
(b) Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Heart Failure	17	11	2	-	-	-	-	2	1	3	7	5	8	-	-
(c) Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Other Ill-defined Diseases (b, d)	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-
(f) Dis. not Specified, Nat. Causes	6	7	5	2	-	-	1	-	2	-	-	3	-	-	-

YEAR 1919.

COUNTIES --Aberdeen and Kincardine.

PUBLIC HEALTH DISTRICT--Aberdeen (Burgh).

Population—Census 1901, - - - 153,503.
Do. Do. 1911, - - - 163,891.
Do. estimated to middle of 1919, 167,146.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3457	187	109	3379	1736	1643
Illegitimate Births -	418	74	14	358	186	172
Marriages - -	2235	-	-	-	-	-
Deaths - - -	2657	369	122	2470	1191	1279

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20·7	20·2	-
Marriage-rate - - -	13·4	-	-
Death-rate—All Causes - - -	15·9	14·8	15·0
Do. —Phthisis - - -	-	0·86	-
Do. —All Tuberculosis - - -	-	1·27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - -	-	5	-	-	-	2	1	-	1	-	1	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	2	1	1	2	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	2	2	-	2	-	-	1	1	-	-	-	-	-		
*Whooping-cough - - -	16	15	11	18	2	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	17	14	4	11	12	1	2	-	-	-	1	-	-		
Influenza - - -	12	19	2	-	-	1	3	5	3	2	4	2	9		
Erysipelas - - -	1	1	-	-	-	-	-	1	-	-	-	-	1		
Phthisis, Pulmonary Tuberculosis - - -	70	73	3	3	2	9	36	29	25	24	8	4	-		
Tuberculous Meningitis - - -	15	16	3	15	5	2	5	1	-	-	-	-	-		
Abdominal Tuberculosis - - -	5	7	-	5	1	1	2	1	1	-	1	-	-		
Other Tuberculous Diseases - - -	18	8	2	4	3	4	4	4	1	-	2	1	1		
Cancer, Malignant Disease - - -	76	124	-	2	-	-	3	2	9	42	51	62	29		
Rheumatic Fever - - -	3	2	-	-	-	1	2	1	-	-	-	1	-		
Meningitis - - -	8	3	2	3	2	4	-	-	-	-	-	-	-		
Organic Heart Disease - - -	126	111	-	-	-	1	12	8	15	24	37	65	75		
Bronchitis - - -	78	97	30	9	-	-	-	2	4	10	23	35	62		
Pneumonia (all forms) - - -	183	142	46	37	10	5	35	55	28	24	26	38	21		
Other Diseases of Respiratory Organs - - -	11	18	1	4	-	-	-	3	1	3	6	7	4		
*Diarrhoea and Enteritis (under 2 years) - - -	16	10	23	3	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	11	6	-	-	2	2	8	1	1	3	-	-	-		
All Liver Diseases (not Malignant) - - -	6	5	-	-	-	-	1	1	-	3	1	4	1		
Other Diseases of Digestive System - - -	44	53	11	4	1	3	3	2	5	14	10	19	25		
Nephritis and Bright's Disease - - -	28	27	1	3	2	1	-	4	3	6	16	11	8		
Puerperal Sepsis - - -	-	2	-	-	-	-	1	1	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	21	-	-	-	-	6	8	7	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - -	96	89	183	1	-	-	1	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - -	38	28	9	9	4	4	4	3	6	4	8	8	7		
Suicide - - -	4	5	-	-	-	-	-	1	4	1	3	-	-		
Other Defined Diseases - - -	288	356	62	21	8	8	8	15	25	44	82	142	229		
Diseases Ill-defined or Unknown - - -	17	19	5	2	-	-	2	1	3	4	3	10	6		
Total - - -	1191	1279	399	158	54	49	140	150	142	208	283	409	478		

YEAR 1919.

Population—Census 1901, - - 1,247.

Do. Do. 1911, - - 1,240.

Do. estimated to middle of 1919, 1,164.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Ballater** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	0	2	16	9	7
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	4	-	-	-	-	-
Deaths - - -	10	0	3	13	7	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12·0	13·7	-
Marriage-rate - - - - -	3·4	-	-
Death-rate—All Causes - - - - -	8·6	11·2	10·0
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	1	2	1	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	7	6	1	-	-	-	-	-	-	1	1	3	7	

YEAR 1919.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Ellon** (Burgh).

Population—Census 1901, . . . 1,527.
Do. Do. 1911, . . . 1,307.
Do. estimated to middle of 1919, 1,061.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	13	11
Illegitimate Births - -	3	0	0	3	2	1
Marriages - - -	34	-	-	-	-	-
Deaths - - -	20	1	1	20	7	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·6	22·6	-
Marriage-rate - - - - -	32·0	-	-
Death-rate—All Causes - - -	18·9	18·9	15·5
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·94	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	-	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	1	-	-	-	2	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	13	3	-	-	-	-	1	1	-	2	4	9	

YEAR 1919.

Population—Census 1901, - - - 9,109.

Do. Do. 1911, - - - 10,574.

Do. estimated to middle of 1919, 11,105.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Fraserburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	269	8	5	266	131	135
Illegitimate Births -	24	1	2	25	13	12
Marriages - - -	85	-	-	-	-	-
Deaths - - -	111	11	16	116	52	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.2	24.0	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - - - -	10.0	10.4	10.8
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—9.0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	-	-	1	-	-	-	-	-	-	2	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	2	2	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	1	-	-	-	-	-	3	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	2	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	8	-	-	-	-	-	1	3	1	1	3	6	
Bronchitis - - - - -	4	3	3	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	9	7	4	3	-	-	2	2	2	2	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	4	1	-	-	-	-	-	1	-	1	2	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	-	1	1	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	4	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	-	-	-	-	-	1	2	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	17	5	1	1	-	2	1	1	2	4	4	6	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	52	64	24	7	4	4	8	7	9	10	11	13	19	

YEAR 1919.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Huntly** (Burgh).

Population—Census 1901, - - - 4,136.
Do. Do. 1911, - - - 4,229.
Do. estimated to middle of 1919, 4,058.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	6	5	74	45	29
Illegitimate Births -	17	2	1	16	9	7
Marriages - - -	51	-	-	-	-	-
Deaths - - -	62	3	3	62	30	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.5	18.2	-
Marriage-rate - - - - -	12.6	-	-
Death-rate—All Causes - - - - -	15.3	15.3	13.1
Do. —Phthisis - - - - -	-	0.99	-
Do. —All Tuberculosis - - - - -	-	0.99	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.74	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	1	-	-	-	-	1	-	1	1	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	6	-	-	-	-	-	-	1	-	3	2	4	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	5	-	-	-	-	-	-	-	-	2	-	7	
Bronchitis - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	4	2	1	-	-	-	-	-	-	2	-	-	
Other Diseases of Respiratory Organs -	2	1	-	-	-	-	-	-	-	1	1	-	1	
*Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	6	2	-	1	1	-	-	1	-	2	4	5	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	30	32	8	3	1	1	2	1	5	2	11	8	20	

YEAR 1919.

Population—Census 1901, - - - 3,058.

Do. Do. 1911, - - - 3,960.

Do. estimated to middle of 1919, 4,434.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Inverurie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	3	9	72	41	31
Illegitimate Births -	5	1	7	11	5	6
Marriages - - -	50	-	-	-	-	-
Deaths - - -	39	2	5	42	20	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·9	16·2	-
Marriage-rate - - - - -	11·3	-	-
Death-rate—All Causes - - - - -	8·8	9·5	8·5
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	-	-	1	-	3	2	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	5	-	-	-	-	-	1	-	-	2	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	7	3	-	-	-	-	-	-	-	2	6	7	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	20	22	8	2	-	-	1	2	1	2	5	11	10	

YEAR 1919.

Population—Census 1901, - - - 789.

Do. Do. 1911, - - - 818.

Do. estimated to middle of 1919, 794.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Kintore** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	0	11	3	8
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	19	0	1	20	11	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.1	13.9	-
Marriage-rate - - -	7.6	-	-
Death-rate—All Causes - - -	23.9	25.2	20.8
Do. —Phthisis - - -	-	2.52	-
Do. —All Tuberculosis - - -	-	2.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—273.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Total - - -	11	9	3	2	-	-	-	2	2	1	2	2	6	

YEAR 1919.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Old Meldrum** (Burgh).

Population—Census 1901, - - - 1,197.

Do. Do. 1911, - - - 1,110.

Do. estimated to middle of 1919, 979.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	1	21	7	14
Illegitimate Births - -	4	0	0	4	1	3
Marriages - - -	4	-	-	-	-	-
Deaths - - -	13	0	1	14	7	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.4	21.5	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	13.3	14.3	10.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	1	-	-	-	1	-	-	1	-	-	3	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	7	7	2	-	-	-	1	-	-	1	1	-	9	

YEAR 1919.

Population—Census 1901, - - - 11,794.

Do. Do. 1911, - - - 13,613.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1919, 14,243.

PUBLIC HEALTH DISTRICT—**Peterhead** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females.
Births - - -	369	6	7	370	187	183
Illegitimate Births - -	26	2	1	25	12	13
Marriages - - -	130	-	-	-	-	-
Deaths - - -	185	3	20	202	98	104

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	25.9	26.0	-
Marriage-rate - - -	9.1	-	-
Death-rate—All Causes - - -	13.0	14.2	14.1
Do. —Phthisis - - -	-	0.84	-
Do. —All Tuberculosis - - -	-	1.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 ar ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Influenza - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Erysipelas - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Phthisis, Pulmonary Tuberculosis - - -	6	6	-	-	-	1	4	4	3	-	-	-	-		
Tuberculous Meningitis - - -	1	2	2	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	2	9	-	-	-	-	-	-	1	3	5	2	-		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	8	4	-	-	-	-	-	-	-	1	2	1	-		
Bronchitis - - -	7	8	6	1	-	-	-	-	-	-	1	5	-		
Pneumonia (all forms) - - -	16	16	5	1	1	1	1	9	4	3	1	3	-		
Other Diseases of Respiratory Organs - - -	1	4	-	-	-	1	-	-	-	-	1	2	-		
*Diarrhoea and Enteritis (under 2 years) - - -	5	2	7	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - -	3	2	-	1	-	-	-	-	1	1	-	2	-		
Nephritis and Bright's Disease - - -	3	3	-	-	-	1	1	-	-	1	1	1	-		
Puerperal Sepsis - - -	-	2	-	-	-	-	1	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - -	13	10	23	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - -	6	1	-	-	-	-	1	2	1	1	1	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	24	27	6	1	-	-	-	-	2	4	7	10	2		
Diseases Ill-defined or Unknown - - -	2	3	3	-	-	-	-	-	-	1	-	-	-		
Total - - -	98	104	53	5	2	4	9	15	14	15	20	27	3		

YEAR 1919.

Population—Census 1901, 1,185.

Do. Do. 1911, 1,308.

Do. estimated to middle of 1919, 1,329.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Rosehearty** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	3	2	35	20	15
Illegitimate Births -	3	0	1	4	1	3
Marriages - - -	11	-	-	-	-	-
Deaths - - -	14	0	1	15	7	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27·1	26·3	-
Marriage-rate - - - - -	8·3	-	-
Death-rate—All Causes - - - - -	10·5	11·3	9·5
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	8	5	1	1	-	-	-	2	1	-	1	4	

YEAR 1919.

Population—Census 1901, 2,273.

Do. Do. 1911, 2,346.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1919, 2,268.

PUBLIC HEALTH DISTRICT—**Turriff** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	3	5	42	23	19
Illegitimate Births -	4	1	4	7	2	5
Marriages - - -	22	-	-	-	-	-
Deaths - - -	36	1	2	37	15	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·6	18·5	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - -	15·9	16·3	12·5
Do. —Phthisis - - - - -	-	0·44	-
Do. —All Tuberculosis - - -	-	0·44	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	1	-	1	-	2	
Bronchitis - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	2	2	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	3	-	-	-	-	-	-	-	-	2	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	11	1	-	-	-	-	-	-	2	1	2	7	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Total - - - - -	15	22	4	3	1	1	-	1	1	3	6	6	11	

YEAR 1919.

Population—Census 1901, - - - 21,716.

Do. Do. 1911, - - - 22,876.

Do. estimated to middle of 1919, 22,462.

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Aberdeen** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	365	12	28	381	202	179
Illegitimate Births -	37	6	16	47	21	26
Marriages - - -	91	-	-	-	-	-
Deaths - - -	358	103	55	310	157	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.2	17.0	-
Marriage-rate - - - - -	4.1	-	-
Death-rate—All Causes - - - - -	15.9	13.8	12.1
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	13	7	-	2	1	1	3	4	3	3	3	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	1	1	-	-	1	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	12	16	-	-	1	-	-	-	1	1	11	9	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	21	25	-	-	-	-	-	1	3	4	6	16	16	
Bronchitis - - - - -	16	7	5	-	-	-	-	-	-	-	3	6	9	
Pneumonia (all forms) - - - - -	16	10	2	2	-	-	9	4	1	-	3	4	1	
Other Diseases of Respiratory Organs	4	1	1	1	-	-	-	-	-	-	2	1	-	
Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System	5	7	1	-	1	-	1	-	-	2	2	-	5	
Nephritis and Bright's Disease - - -	1	2	-	-	-	-	-	-	-	1	2	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	9	6	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	2	-	-	-	1	1	2	1	2	1	1	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	39	52	3	4	-	-	4	1	4	6	10	21	38	
Diseases Ill-defined or Unknown - -	5	1	-	1	-	-	-	-	-	-	-	1	4	
Total - - - - -	157	153	33	12	4	3	22	13	16	20	45	61	81	

YEAR 1919.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Alford** (County District).

Population—Census 1901, - - - 10,280.
Do. Do. 1911, - - - 9,495.
Do. estimated to middle of 1919, 8,338.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	173	9	8	172	93	79
Illegitimate Births -	23	4	0	19	8	11
Marriages - - -	46	-	-	-	-	-
Deaths - - -	87	1	11	97	44	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	20·6	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	10·4	11·6	10·1
Do. —Phthisis - - - - -	-	0·84	-
Do. —All Tuberculosis - - - - -	-	1·32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	1	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	-	-	-	2	1	1	1	1	-	1	
Tuberculous Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	1	-	3	1	6	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	1	1	3	
Bronchitis - - - - -	2	8	-	-	-	-	-	-	-	-	3	1	6	
Pneumonia (all forms) - - - - -	3	3	2	-	-	1	1	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	-	2	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	6	1	2	-	-	-	-	-	1	2	-	3	
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	14	11	7	-	-	1	-	-	-	1	3	3	10	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Total - - - - -	44	53	14	3	1	3	5	4	2	7	16	14	28	

YEAR 1919.

Population—Census 1901, - - - 29,847.

Do. Do. 1911, - - - 28,439.

Do. estimated to middle of 1919, 25,708

COUNTY—**Aberdeen.**PUBLIC HEALTH DISTRICT—**Deer** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	625	13	20	632	319	313
Illegitimate Births -	84	8	11	87	46	41
Marriages - - -	134	-	-	-	-	-
Deaths - - -	371	21	42	392	191	201

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.3	24.6	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	14.4	15.2	12.9
Do. —Phthisis - - - - -	-	0.39	-
Do. —All Tuberculosis - - - - -	-	0.62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	-	1	-	-	-	-	-	-	3	
Erysipelas - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	4	1	-	-	1	1	4	2	-	1	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	13	23	1	-	-	-	-	-	1	7	9	8	10	
Rheumatic Fever - - - - -	1	2	-	-	1	-	-	-	-	-	1	1	-	
Encephalitis - - - - -	2	2	2	-	-	1	-	-	-	-	1	-	-	
Organic Heart Disease - - - - -	33	36	-	-	-	-	2	1	-	6	9	25	25	
Bronchitis - - - - -	11	8	9	-	1	-	-	-	-	-	1	-	8	
Pneumonia (all forms) - - - - -	13	18	4	8	2	-	4	4	2	-	4	2	1	
Other Diseases of Respiratory Organs - - - - -	3	2	-	2	-	-	-	-	-	-	-	2	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	4	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Digestive System - - - - -	9	4	-	1	1	-	-	2	-	2	1	3	3	
Nephritis and Bright's Disease - - - - -	6	9	-	-	-	1	-	-	2	1	4	3	4	
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	6	-	-	-	-	2	3	1	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	20	7	27	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	-	1	-	1	1	2	1	-	-	1	
Suicide - - - - -	2	1	-	-	-	-	-	-	-	3	-	-	-	
Other Defined Diseases - - - - -	47	67	7	-	2	-	2	1	1	3	9	23	66	
Diseases Ill-defined or Unknown - - - - -	5	1	3	-	-	-	1	-	-	-	-	1	1	
Total - - - - -	191	201	59	14	8	6	16	17	13	25	41	68	125	

YEAR 1919.

COUNTY—**Aberdeen.**

PUBLIC HEALTH DISTRICT—**Deeside** (County District).

Population—Census 1901, - - - 12,683.
Do. Do. 1911, - - - 12,218.
Do. estimated to middle of 1919, 11,153.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	153	4	14	163	86	77
Illegitimate Births -	21	1	11	31	17	14
Marriages - - -	49	-	-	-	-	-
Deaths - - -	149	4	21	166	82	84

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·7	14·6	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - - - -	13·4	14·9	12·6
Do. —Phthisis - - - - -	-	0·81	-
Do. —All Tuberculosis - - - - -	-	1·08	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	8	-	-	-	1	1	2	2	2	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	10	-	-	-	-	-	-	2	3	6	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	15	-	-	-	-	-	1	-	1	3	6	-	
Bronchitis - - - - -	3	3	-	1	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	10	9	-	1	-	-	2	4	2	2	3	1	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	4	3	1	-	-	-	-	2	-	-	1	2	-	
Nephritis and Bright's Disease - - - - -	-	3	-	-	-	-	-	-	-	1	1	-	-	
Fuerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	1	1	-	-	-	-	-	-	2	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	20	23	1	-	-	-	1	2	-	3	4	8	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	82	84	11	6	1	3	8	12	7	14	22	22	-	

YEAR 1919.

Population—Census 1901, - - - 14,915.

COUNTY—**Aberdeen.**

Do. Do. 1911, - - - 13,917.

Do. estimated to middle of 1919, 12,341.

PUBLIC HEALTH DISTRICT—**Ellon** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	282	6	16	292	157	135
Illegitimate Births - -	45	3	8	50	26	24
Marriages - - -	48	-	-	-	-	-
Deaths - - -	147	2	10	155	74	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth rate - - - - -	22·9	23·7	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - - - -	11·9	12·6	11·0
Do. —Phthisis - - - - -	-	0·49	-
Do. —All Tuberculosis - - - - -	-	0·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	1	2	2	1	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	
spinal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
cancer, Malignant Disease - - - - -	6	8	-	-	-	-	-	-	-	2	4	4	4	
pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - - - -	13	15	-	-	-	-	-	-	1	2	1	8	16	
bronchitis - - - - -	4	3	1	-	-	-	-	-	1	2	1	8	16	
pneumonia (all forms) - - - - -	7	3	1	2	-	1	2	2	-	-	-	1	5	
other Diseases of Respiratory Organs - - - - -	1	2	1	-	-	-	-	-	2	-	-	2	-	
diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - - - -	2	1	-	-	-	2	-	-	-	-	1	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
other Diseases of Digestive System - - - - -	2	5	1	-	-	-	-	1	1	-	1	1	2	
phritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
septicaemia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of - - - - -	-	4	-	-	-	-	1	3	-	-	-	-	-	
pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	
violent Deaths, excluding Suicide - - - - -	4	2	2	2	-	-	-	-	1	-	1	-	-	
suicide - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
other Defined Diseases - - - - -	21	30	-	-	1	2	-	-	-	1	2	9	36	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	74	81	15	6	2	5	5	9	7	6	11	26	63	

YEAR 1919.

COUNTY—**Aberdeen**

PUBLIC HEALTH DISTRICT—**Garioch** (County District).

Population—Census 1901, - - - 14,710.
Do. Do. 1911, - - - 13,980.
Do. estimated to middle of 1919, 12,608.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	264	10	13	267	138	129
Illegitimate Births -	36	3	11	44	20	24
Marriages - - -	50	-	-	-	-	-
Deaths - - -	169	2	18	185	105	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20.9	21.2	-
Marriage-rate - - -	4.0	-	-
Death-rate—All Causes - - -	13.4	14.7	12.9
Do. —Phthisis - - -	-	0.63	-
Do. —All Tuberculosis - - -	-	0.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-
*Enteric Fever - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	2	1	2	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	3	5	1	1	-	-	1	3	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	9	4	-	-	-	-	-	-	-	4	-	4	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - -	15	10	-	-	-	-	1	-	-	-	2	7	-	-
Bronchitis - - -	2	8	-	-	-	-	-	1	-	-	1	-	-	-
Pneumonia (all forms) - - -	20	8	6	2	1	-	3	2	4	1	3	4	-	-
Other Diseases of Respiratory Organs - - -	2	2	-	-	1	1	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System - - -	3	4	1	-	-	-	-	-	-	-	-	2	-	-
Nephritis and Bright's Disease - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	6	3	9	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	3	2	-	-	1	1	-	-	-	1	-	2	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	32	21	1	2	1	-	2	3	2	2	5	10	-	-
Diseases Ill-defined or Unknown - - -	2	1	2	-	-	-	-	-	-	-	-	1	-	-
Total - - -	105	80	27	8	6	2	7	10	9	11	12	31	-	-

YEAR 1919.

Population—Census 1901, - - - 7,618.

COUNTY—Aberdeen.

Do. Do. 1911, - - - 6,953.

Do. estimated to middle of 1919, 6,035.

PUBLIC HEALTH DISTRICT—Huntly (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	131	6	8	133	72	61
Illegitimate Births - -	12	2	5	15	11	4
Marriages - - -	23	-	-	-	-	-
Deaths - - -	88	2	9	95	58	37

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·7	22·0	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	14·6	15·7	13·3
Do. —Phthisis - - - - -	-	0·50	-
Do. —All Tuberculosis - - - - -	-	1·16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	-	-	1	-	-	1	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	1	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	-	2	3	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	-	-	1	-	-	1	1	4	
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	2	1	
Pneumonia (all forms) - - - - -	14	7	-	3	-	-	-	6	3	6	-	2	1	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Accidents - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	17	10	3	1	1	-	-	1	1	2	2	6	10	
Diseases Ill-defined or Unknown - - - - -	3	1	1	1	-	-	-	-	1	-	-	1	-	
Total - - - - -	58	37	10	6	3	1	4	10	6	11	7	17	20	

YEAR 1919.

Population—Census 1901, - - - 12,238.

Do. Do. 1911, - - - 11,331.

COUNTY—**Aberdeen.**

Do. estimated to middle of 1919, 9,974.

PUBLIC HEALTH DISTRICT—**Turriff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	230	12	16	234	111	123
Illegitimate Births - -	36	5	13	44	22	22
Marriages - - -	46	-	-	-	-	-
Deaths - - -	139	0	14	153	73	80

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.1	23.5	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - - - -	13.9	15.3	13.2
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	1.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	1	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	6	-	-	-	-	3	3	2	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	-	1	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	-	1	1	1	4	-	
Bronchitis - - - - -	8	5	3	1	-	-	-	1	-	-	-	4	-	
Pneumonia (all forms) - - - - -	8	10	3	2	1	-	3	2	1	-	2	3	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	1	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	-	-	-	2	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	3	2	-	2	-	-	-	2	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	1	-	-	-	2	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	3	-	1	-	-	-	-	-	-	2	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	29	2	1	1	-	2	-	-	2	5	9	2	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	73	80	20	10	3	2	9	8	7	7	16	27	4	

YEAR 1919.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Campbeltown (Burgh).

Population Census 1901, - - - 8,286.
Do. Do. 1911, - - - 7,625.
Do. estimated to middle of 1919, 6,672.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	150	11	3	142	79	63
Illegitimate Births -	26	2	3	27	19	8
Marriages - - -	58	-	-	-	-	-
Deaths - - -	109	4	9	114	60	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	21.3	-
Marriage-rate - - - - -	8.7	-	-
Death-rate—All Causes - - - - -	16.3	17.1	15.8
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	1.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.75	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—19.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	3	-	-	1	-	2	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	4	-	-	-	-	-	1	-	-	4	2	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	13	-	-	1	1	-	1	1	-	3	7	9	
Bronchitis - - - - -	2	7	-	1	-	-	-	-	-	-	-	2	6	
Pneumonia (all forms) - - - - -	9	2	2	4	-	-	-	1	2	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, inciading Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	3	-	1	-	-	-	-	1	1	-	1	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	16	10	3	-	-	-	-	2	-	-	5	7	9	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	60	54	15	9	3	1	2	10	7	1	13	22	31	

YEAR 1919.

Population—Census 1901, - - - 6,779.
Do. Do. 1911, - - - 6,859.
Do. estimated to middle of 1919, 6,527.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Dunoon (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	92	9	8	91	48	43
Illegitimate Births -	16	6	5	15	9	6
Marriages - - -	44	-	-	-	-	-
Deaths - - -	141	26	16	131	61	70

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.1	13.9	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - -	21.6	20.1	16.5
Do. —Phthisis - - - - -	-	0.46	-
Do. —All Tuberculosis - - -	-	0.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.92	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	1	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	1	-	1	-	-	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	7	5	-	-	-	-	-	-	1	4	2	4	-	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	1	1	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - -	6	7	-	-	-	-	-	1	-	1	2	3	-	
Bronchitis - - - - -	4	8	3	-	1	-	-	-	-	1	-	3	-	
Pneumonia (all forms) - - -	6	4	-	1	-	-	2	1	1	2	1	2	-	
Other Diseases of Respiratory Organs	1	2	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System	2	2	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease + -	1	3	-	-	-	-	-	-	-	1	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	20	25	1	-	1	-	-	-	-	2	7	11	23	
Diseases Ill-defined or Unknown -	2	3	-	-	-	-	-	-	-	-	3	-	-	
Total - - - - -	61	70	10	6	4	2	3	4	3	12	18	28	41	

YEAR 1919.

Population—Census 1901, - - - 678.

Do. Do. 1911, - - - 533.

Do. estimated to middle of 1919, 389.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Inveraray (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1	0	0	1	1	0
Illegitimate Births	0	0	0	0	0	0
Marriages - -	2	-	-	-	-	-
Deaths - - -	6	0	1	7	2	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	2·6	2·6	-
Marriage-rate - - -	5·1	-	-
Death-rate—All Causes	15·4	18·0	12·8
Do. —Phthisis - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysiperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	5	-	-	-	-	-	-	-	1	-	2	4	

YEAR 1919.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lochgilphead (Burgh).

Population—Census 1901, - - - 1,313.
Do. Do. 1911, - - - 921.
Do. estimated to middle of 1919, 563.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	2	1	16	8	8
Illegitimate Births -	0	0	1	1	1	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	25	0	3	28	15	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	30.2	28.4	-
Marriage-rate - - - - -	10.7	-	-
Death-rate—All Causes - - - - -	44.4	49.7	37.1
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	2	-	-	-	-	-	-	-	1	3	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	5	-	-	-	-	-	-	-	-	-	2	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	15	13	2	-	-	-	1	1	-	2	4	9	-	

YEAR 1919.

Population—Census 1901, - - - 5,427.
Do. Do. 1911, - - - 5,557.
Do. estimated to middle of 1919, 5,338.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Oban (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	3	2	89	50	39
Illegitimate Births -	13	0	0	13	6	7
Marriages - - -	61	-	-	-	-	-
Deaths - - -	106	26	5	85	41	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·9	16·7	-
Marriage-rate - - - - -	11·4	-	-
Death-rate—All Causes - - - - -	19·9	15·9	15·4
Do. —Phthisis - - - - -	-	1·31	-
Do. —All Tuberculosis - - - - -	-	1·50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·94	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	-	-	3	-	-	-	-	-	-	-	-
Influenza - - - - -	1	2	1	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	2	-	1	-	-	2	3	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - -	4	3	-	-	-	-	-	-	1	1	-	2	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	5	-	-	-	-	1	1	1	1	1	4	1
Bronchitis - - - - -	-	6	1	1	-	-	-	-	-	-	1	2	1
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	2	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System	1	2	-	-	-	-	1	-	1	1	-	-	-
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	-	-	1	-	2
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	3	2	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	16	1	-	1	-	1	-	2	3	5	13	2
Diseases Ill-defined or Unknown - -	2	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	41	44	10	4	4	-	2	8	4	6	9	14	24

YEAR 1919.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Tobermory (Burgh).

Population—Census 1901, - - - 1,175.
Do. Do. 1911, - - - 988.
Do. estimated to middle of 1919, 786.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	1	0	13	10	3
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	8	0	0	8	2	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·8	16·5	-
Marriage-rate - - - - -	5·1	-	-
Death-rate—All Causes - - - - -	10·2	10·2	7·6
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	4	-	-	-	-	-	-	1	-	-	1	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	6	-	-	-	-	-	-	2	-	1	2	3	

YEAR 1919.

Population—Census 1901, - - - 3,231.

COUNTY—Argyll.

Do. Do. 1911, - - - 2,822.

Do. estimated to middle of 1919, 2,342.

PUBLIC HEALTH DISTRICT—Ardnamurchan (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	1	3	26	14	12
Illegitimate Births - -	0	0	1	1	1	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	35	0	7	42	16	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·2	11·1	-
Marriage-rate - - - - -	2·1	-	-
Death-rate—All Causes - - - - -	14·9	17·9	13·1
Do. —Phthisis - - - - -	-	0·85	-
Do. —All Tuberculosis - - - - -	-	1·28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	1	-	-	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	2	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	11	-	-	-	-	-	1	-	1	2	6	6	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	16	26	2	-	-	1	5	5	1	3	4	12	9	

YEAR 1919.

Population—Census 1901, - - - 7,730.

Do. Do. 1911, - - - 8,194.

Do. estimated to middle of 1919, 6,656.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Cowal (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	83	5	8	86	44	42
Illegitimate Births -	4	0	2	6	1	5
Marriages - - -	21	-	-	-	-	-
Deaths - - -	88	13	10	85	36	49

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.5	12.9	-
Marriage-rate - - - - -	3.2	-	-
Death-rate—All Causes - - - - -	13.2	12.8	10.8
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - - - -	-	1.05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—12
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	-	-	-	2	3	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	4	-	-	-	-	1	-	-	-	1	2	5	
Bronchitis - - - - -	-	4	-	-	-	-	-	-	1	-	-	1	2	
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	-	-	-	-	2	-	1	
Other Diseases of Respiratory Organs - - - - -	2	3	-	1	-	-	1	-	-	-	1	-	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	1	7	1	-	-	-	1	1	-	-	1	1	3	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	1	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	-	-	1	-	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	18	-	-	-	-	-	-	-	1	6	10	14	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	36	49	1	5	1	-	5	3	4	3	15	16	32	

YEAR 1919.

Population—Census 1901, - - - 7,805.

Do. Do. 1911, - - - 7,130.

Do. estimated to middle of 1919, 8,195.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Islay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	5	7	77	33	44
Illegitimate Births -	15	0	3	18	10	8
Marriages - - -	11	-	-	-	-	-
Deaths - - -	94	0	7	101	56	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.1	12.4	-
Marriage-rate - - - - -	1.8	-	-
Death-rate—All Causes - - - - -	15.2	16.3	13.0
Do. —Phthisis - - - - -	-	0.97	-
Do. —All Tuberculosis - - - - -	-	0.97	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—23.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	2	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	-	4	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	3	1	-	-	-	-	-	1	-	2	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	4	-	-	-	-	-	-	-	-	3	5	4	
Bronchitis - - - - -	3	5	-	-	-	-	-	-	1	-	2	3	2	
Pneumonia (all forms) - - - - -	9	5	-	2	-	1	1	2	1	3	1	3	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	1	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	1	1	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	†2	-	-	-	-	-	-	1	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	16	-	-	-	-	-	-	-	1	3	4	19	
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Total - - - - -	56	†45	6	4	2	1	6	6	5	5	11	22	32	

† Including 1 of unstated age.

YEAR 1919.

Population—Census 1901, - - - 7,136.
Do. Do. 1911, - - - 6,660.
Do. estimated to middle of 1919, 5,906.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Kintyre (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	101	1	6	106	51	55
Illegitimate Births -	13	0	2	15	4	11
Marriages - - -	36	-	-	-	-	-
Deaths - - -	85	2	11	94	49	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	17.9	-
Marriage-rate - - - - -	6.1	-	-
Death-rate—All Causes - - -	14.4	15.9	14.2
Do. —Phthisis - - - - -	-	1.19	-
Do. —All Tuberculosis - - -	-	1.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—28.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Phthisis, Pulmonary Tuberculosis - - - - -	3	4	-	-	-	-	1	1	3	1	1	-	-		
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Cancer, Malignant Disease - - - - -	7	5	-	-	-	-	-	-	1	1	4	2	4		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	1	-	-	2	1	1		
Bronchitis - - - - -	4	5	1	-	-	-	-	1	-	-	-	2	5		
Pneumonia (all forms) - - - - -	3	5	-	2	-	-	-	-	-	-	2	3	1		
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	2	2	-	-	-	1	-	-	-	-	-	3	-		
Nephritis and Bright's Disease - - - - -	4	5	-	-	-	-	-	-	1	1	1	2	4		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	5	1	-	1	-	-	-	-	-	1	-	2	2		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	9	8	2	-	-	-	1	1	-	1	3	5	4		
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	-	-	-	-	-	1	3	2		
Total - - - - -	49	45	3	4	1	1	3	5	7	5	14	27	24		

YEAR 1919.

Population—Census 1901, - - - 10,220.

Do. Do. 1911, - - - 11,087.

Do. estimated to middle of 1919, 9,387.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Lorn (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	139	1	10	148	86	62
Illegitimate Births -	2	0	1	3	1	2
Marriages - - -	26	-	-	-	-	-
Deaths - - -	122	2	25	145	69	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·8	15·8	-
Marriage-rate - - - - -	2·8	-	-
Death-rate—All Causes - - - - -	13·0	15·4	12·9
Do. —Phthisis - - - - -	-	1·49	-
Do. —All Tuberculosis - - - - -	-	1·70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·21	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	1	-	-	-	1	-	-	-	1	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	7	-	-	-	-	2	5	4	2	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	7	-	-	-	-	-	-	1	1	3	6	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	14	-	-	-	-	-	-	2	1	2	7	10	
Bronchitis - - - - -	4	6	1	-	-	-	-	-	-	1	-	3	5	
Pneumonia (all forms) - - - - -	3	2	-	-	-	-	-	1	-	-	2	2	-	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	1	-	-	1	-	-	2	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
And Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	1	-	1	1	-	
Nephritis and Bright's Disease - - - - -	5	2	-	-	-	-	-	-	1	-	2	3	1	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	2	-	-	-	-	-	1	1	-	-	
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	21	19	3	-	-	-	-	-	2	1	6	8	20	
Diseases Ill-defined or Unknown - - - - -	1	5	1	-	-	-	1	-	1	-	1	1	1	
Total - - - - -	69	76	12	3	1	-	5	9	14	7	23	32	39	

YEAR 1919.

Population—Census 1901, - - - 7,698.
Do. Do. 1911, - - - 7,127.
Do. estimated to middle of 1919, 6,273.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mid-Argyll (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	2	7	62	30	32
Illegitimate Births -	6	0	0	6	3	3
Marriages - - -	24	-	-	-	-	-
Deaths - - -	153	53	11	111	66	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	9.1	9.9	-
Marriage-rate - - -	3.8	-	-
Death-rate—All Causes - - -	24.4	17.7	14.4
Do. —Phthisis - - -	-	0.80	-
Do. —All Tuberculosis - - -	-	0.96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—113.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	2	-	1	-	-	-	-	-	-	-	1	1	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	3	-	-	-	-	4	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	9	-	-	-	-	-	-	-	2	5	4	4	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	6	4	-	-	-	-	-	-	-	-	-	6	4	
Bronchitis - - -	4	3	-	1	-	-	-	-	-	-	-	5	1	
Pneumonia (all forms) - - -	7	2	-	1	-	-	1	-	1	3	1	1	1	
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	3	2	1	-	-	-	1	-	-	-	-	1	2	
Nephritis and Bright's Disease - -	5	-	-	-	-	-	-	-	1	-	2	2	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	1	-	-	-	1	-	2	-	-	-	
Suicide - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Other Defined Diseases - - -	18	13	1	-	1	-	-	1	-	1	5	7	15	
Diseases Ill-defined or Unknown -	5	-	2	-	-	-	-	-	-	-	3	-	-	
Total - - -	66	45	7	4	1	1	6	2	5	8	18	28	31	

YEAR 1919.

COUNTY—Argyll.

PUBLIC HEALTH DISTRICT—Mull (County District).

Population—Census 1901, - - - 6,164.
 Do. Do. 1911, - - - 5,399.
 Do. estimated to middle of 1919, 4,494.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	2	4	59	33	26
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	77	1	2	78	42	36

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.7	13.1	-
Marriage-rate - - - - -	2.2	-	-
Death-rate—All Causes - - - - -	17.1	17.4	12.4
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	1	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	2	-	-	1	-	-	2	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	-	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	2	-	-	-	-	-	-	-	1	2	3	1	
Bronchitis - - - - -	2	4	-	-	-	-	1	-	-	1	2	3	2	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	3	3	1	-	-	-	2	-	1	1	-	-	1	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	1	-	1	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	15	-	-	-	-	-	-	-	2	4	3	23	
Diseases Ill-defined or Unknown - -	6	-	-	-	-	-	-	-	-	-	1	3	2	
Total - - - - -	42	36	2	1	2	-	6	2	1	4	12	18	30	

YEAR 1919.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Ardrossan** (Burgh).

Population—Census 1901, - - - 6,077.
Do. Do. 1911, - - - 5,760.
Do. estimated to middle of 1919, 5,183.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	191	3	8	196	99	97
Illegitimate Births -	9	0	2	11	7	4
Marriages - - -	40	-	-	-	-	-
Deaths - - -	80	3	9	86	36	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	36.9	37.8	-
Marriage-rate - - -	7.7	-	-
Death-rate—All Causes - - -	15.4	16.6	17.5
Do. —Phthisis - - -	-	1.35	-
Do. —All Tuberculosis - - -	-	1.74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	6	-	-	-	-	2	1	2	2	-	-	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	-	1	1	2	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	-	-	-	-	-	-	-	1	-	1	1	-	
Bronchitis - - -	2	1	1	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	13	-	1	1	-	2	4	1	-	2	3	-	
Other Diseases of Respiratory Organs -	3	1	1	-	-	1	-	-	-	1	1	-	-	
*Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	4	-	1	-	-	-	2	1	-	-	2	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	6	-	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	4	1	1	-	-	-	1	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	13	-	-	-	-	-	1	2	-	4	5	-	
Diseases Ill-defined or Unknown - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	36	50	10	7	1	2	5	9	10	4	11	12	14	

YEAR 1919.

Population—Census 1901, - - - 28,697.

COUNTY—**Ayr**.

Do. Do 1911, - - - 32,986.

Do. estimated to middle of 1919 33,603.

PUBLIC HEALTH DISTRICT—**Ayr** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	724	38	23	709	341	368
Illegitimate Births -	62	4	8	66	24	42
Marriages - - -	371	-	-	-	-	-
Deaths - - -	543	93	35	485	226	259

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.5	21.1	-
Marriage-rate - - - - -	11.0	-	-
Death-rate—All Causes - - - - -	16.1	14.4	14.6
Do. —Phthisis - - - - -	-	1.04	-
Do. —All Tuberculosis - - - - -	-	1.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	6	2	1	7	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	6	6	5	7	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	8	-	7	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	3	6	-	-	-	-	1	-	-	1	-	4	3	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	19	16	-	1	-	2	6	7	9	6	2	2	-	
Tuberculous Meningitis - - - - -	4	4	3	3	-	1	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	-	1	1	-	-	1	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	1	3	-	-	-	-	1	1	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	16	23	-	1	-	-	-	3	2	2	11	16	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	6	1	5	-	-	-	1	1	-	1	-	-	
Organic Heart Disease - - - - -	22	20	-	-	-	-	4	3	3	4	8	12	8	
Bronchitis - - - - -	8	15	4	-	-	-	-	1	1	2	6	6	3	
Pneumonia (all forms) - - - - -	29	19	9	5	1	-	1	11	3	8	2	4	4	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	7	5	10	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	-	1	-	1	1	-	-	1	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System -	8	7	2	4	-	1	-	1	2	1	1	1	2	
Nephritis and Bright's Disease - - -	8	8	-	1	1	2	-	1	3	3	-	4	1	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of	-	2	-	-	-	-	1	-	1	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	10	19	29	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	14	6	-	3	1	1	5	3	1	2	2	2	-	
Suicide - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Other Defined Diseases - - - - -	51	65	4	-	-	4	2	4	6	12	15	32	37	
Diseases Ill-defined or Unknown -	4	10	2	1	-	-	-	-	-	1	3	2	5	
Total - - - - -	226	259	70	48	8	13	22	41	32	43	54	87	67	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	94	3	1	92	40	52
Illegitimate Births -	5	0	0	5	1	4
Marriages - - -	35	-	-	-	-	-
Deaths - - -	48	5	6	49	25	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.0	26.5	-
Marriage-rate - - - - -	10.1	-	-
Death-rate—All Causes - - - - -	13.8	14.1	13.0
Do. —Phthisis - - - - -	-	0.86	-
Do. —All Tuberculosis - - - - -	-	1.15	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—120.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	-	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	1	-	2	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	1	-	-	1	2	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	7	1	2	1	-	-	-	1	-	2	2	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	2	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	6	3	-	1	-	1	-	-	-	1	4	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	25	24	11	1	1	-	3	5	3	7	4	7	7	

YEAR 1919.

COUNTY—**Ayr.**PUBLIC HEALTH DISTRICT—**Darvel** (Burgh).

Population—Census 1901, - - - 3,070.
 Do. Do. 1911, - - - 3,590.
 Do. estimated to middle of 1919, - 3,788.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	2	0	53	24	29
Illegitimate Births -	2	0	0	2	0	2
Marriages - - -	29	-	-	-	-	-
Deaths - - -	32	1	4	35	7	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14·5	14·0	-
Marriage-rate - - -	7·7	-	-
Death-rate—All Causes - - -	8·4	9·2	10·3
Do. —Phthisis - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—38.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	2	1	1	2	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	2	-	-	-	1	1	-	-	1	-	-	-	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	2	5	1	-	1	2	1	-	1	-	1	-	-	
Other Diseases of Respiratory Organs - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	11	-	-	-	1	-	1	-	1	4	5	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	7	28	2	-	1	-	4	2	3	2	1	9	8	

YEAR 1919.

Population—Census 1901, - - - 4,876.

Do. Do. 1911, - - - 5,296.

Do. estimated to middle of 1919, 5,317.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Galston (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	136	4	5	137	62	75
Illegitimate Births -	9	0	3	12	7	5
Marriages - - -	55	-	-	-	-	-
Deaths - - -	55	1	6	60	27	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·6	25·8	-
Marriage-rate - - - - -	10·3	-	-
Death-rate—All Causes - - - - -	10·3	11·3	12·5
Do. —Phthisis - - - - -	-	0·38	-
Do. —All Tuberculosis - - - - -	-	0·38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	-	1	2	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	2	-	1	1	
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	2	1	-	
Pneumonia (all forms) - - - - -	2	3	4	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	5	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	11	3	-	1	-	-	2	2	-	4	2	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	27	33	16	1	2	-	2	3	4	4	9	10	9	

YEAR 1919.

Population—Census 1901, - - - 4,024.

COUNTY—**Ayr.**

Do. Do. 1911, - - - 4,473.

Do. estimated to middle of 1919, 4,564.

PUBLIC HEALTH DISTRICT—**Girvan** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	3	2	108	52	56
Illegitimate Births -	6	2	0	4	1	3
Marriages - - -	29	-	-	-	-	-
Deaths - - -	69	10	10	69	36	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·9	23·7	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	15·1	15·1	13·2
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	-	1	2	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	3	2	1	2	1	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	-	-	1	-	1	4	2	
Nephritis - - - - -	2	3	1	1	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	5	4	-	1	-	-	-	2	2	2	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	1	-	-	-	-	1	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	-	-	-	3	1	-	1	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	7	-	-	-	-	-	-	-	-	1	5	9	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	36	33	8	5	2	1	1	3	4	7	7	13	18	

YEAR 1919.

Population—Census 1901, - - - 9,618.

Do. Do. 1911, - - - 10,179.

Do. estimated to middle of 1919, 10,030.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Irvine (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	290	5	4	289	161	128
Illegitimate Births -	15	0	3	18	8	10
Marriages - - -	80	-	-	-	-	-
Deaths - - -	143	3	27	167	90	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.9	28.8	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	14.3	16.6	16.8
Do. —Phthisis - - - - -	-	0.40	-
Do. —All Tuberculosis - - - - -	-	0.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—131.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	-	2	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	2	-	-	-	-	-	1	1	-	-	1	-	-
Cancer, Malignant Disease - - - -	5	5	-	-	-	-	1	-	-	-	3	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	2	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	6	6	-	-	-	-	1	-	-	1	1	1	-	-
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	-	3	-	-
Pneumonia (all forms) - - - - -	29	13	9	7	1	-	1	5	1	4	5	4	-	-
Other Diseases of Respiratory Organs	2	2	1	-	-	-	-	-	1	-	-	1	-	-
*Diarrhoea and Enteritis (under 2 years)	2	3	5	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	2	1	-	-	1	1	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	1	3	1	-	1	-	-	-	-	1	1	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	6	7	13	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	7	1	1	3	-	1	1	1	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	19	22	6	1	-	-	3	-	4	2	8	6	1	-
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	90	77	38	17	4	2	7	10	11	10	18	20	3	-

YEAR 1919.

Population—Census 1901, - - - 34,165.

COUNTY—**Ayr.**

Do. Do. 1911, - - - 34,728.

Do. estimated to middle of 1919, 37,604.

PUBLIC HEALTH DISTRICT—**Kilmarnock** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	834	14	14	834	446	388
Illegitimate Births -	47	3	5	49	25	24
Marriages - - -	332	-	-	-	-	-
Deaths - - -	559	80	49	528	253	275

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	22.2	-
Marriage-rate - - - - -	8.8	-	-
Death-rate—All Causes - - - - -	14.9	14.0	15.2
Do. —Phthisis - - - - -	-	0.88	-
Do. —All Tuberculosis - - - - -	-	1.46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.98	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	8	8	3	13	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	6	4	6	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	3	-	-	-	-	-	-	-	-	-	3	2	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	12	21	-	1	-	1	7	5	6	6	5	2	-	
Tuberculous Meningitis - - - - -	2	2	2	-	1	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	5	2	1	1	1	2	1	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	5	-	4	-	1	-	-	4	-	1	-	1	
Cancer, Malignant Disease - - - - -	24	20	-	-	-	-	-	-	4	8	16	12	4	
Pneumatic Fever - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Meningitis - - - - -	4	4	-	1	3	-	2	-	-	2	-	-	-	
Organic Heart Disease - - - - -	11	25	-	-	-	-	3	1	3	7	7	11	4	
Nephritis - - - - -	27	22	14	4	-	-	-	2	1	4	11	7	6	
Pneumonia (all forms) - - - - -	26	29	11	10	1	-	4	7	3	10	5	3	1	
Other Diseases of Respiratory Organs - - - - -	5	2	-	1	-	-	-	1	-	1	-	3	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	6	2	8	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	1	-	-	-	-	1	-	1	-	-	
Liver Diseases (not Malignant) - - - - -	2	2	-	-	-	-	-	-	1	-	-	1	2	
Other Diseases of Digestive System - - - - -	9	8	2	2	1	-	-	-	1	4	1	5	1	
Nephritis and Bright's Disease - - - - -	8	8	-	-	-	1	2	1	1	3	2	4	2	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	-	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	16	21	37	-	-	-	-	-	-	-	-	-	-	
Suicide Deaths, excluding Suicide - - - - -	13	6	2	1	-	2	1	3	4	2	1	1	2	
Other Defined Diseases - - - - -	53	64	4	3	1	2	2	6	4	6	9	32	48	
Diseases Ill-defined or Unknown - - - - -	7	6	2	-	1	1	-	-	1	2	2	3	1	
Total - - - - -	253	275	91	49	10	11	23	26	37	58	61	87	75	

YEAR 1919.

Population—Census 1901, - - - 4,566.
Do. Do. 1911, - - - 4,945.
Do. estimated to middle of 1919, 4,954.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilwinning** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	151	0	10	161	83	78
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	51	-	-	-	-	-
Deaths - - -	80	1	11	90	39	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	30·5	32·5	-
Marriage-rate - - - - -	10·3	-	-
Death-rate—All Causes - - -	16·1	18·2	18·9
Do. —Phthisis - - - - -	-	0·40	-
Do. —All Tuberculosis - - -	-	0·81	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	3·63	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—106.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	4	4	2	4	2	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	2	1	1	2	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	-	2	-	-	-	-	-	1	1	-	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	1	1	-	2	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	1	2	1	1		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - -	2	2	-	-	1	-	-	-	1	1	-	-		
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	1	1	-		
Pneumonia (all forms) - - - -	7	5	1	4	2	-	1	1	3	-	-	-		
Other Diseases of Respiratory Organs -	-	3	2	1	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	2	1	3	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System -	-	6	1	1	-	-	-	1	1	-	-	-		
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	3	-	-	-	-	-	1	1	1	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - -	8	14	1	-	-	-	1	-	-	1	3	7		
Diseases Ill-defined or Unknown - -	1	1	1	-	-	-	-	-	-	1	-	-		
Total - - - - -	39	51	17	18	5	-	3	5	9	6	5	12		

YEAR 1919.

Population—Census 1901, - - - 3,344.

COUNTY—Ayr.

Do. Do. 1911, - - - 3,724.

Do. estimated to middle of 1919, 3,805.

PUBLIC HEALTH DISTRICT—Largs (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	6	1	30	15	15
Illegitimate Births -	5	2	1	4	2	2
Marriages - - -	24	-	-	-	-	-
Deaths - - -	51	15	10	46	16	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.2	7.9	-
Marriage-rate - - - - -	6.3	-	-
Death-rate—All Causes - - - - -	13.4	12.1	10.5
Do. —Phthisis - - - - -	-	0.79	-
Do. —All Tuberculosis - - - - -	-	0.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—13.3.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	1	-	1	-	1	-	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
cranial Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhoid, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	1	5	-	-	-	
pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
conjunctivitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	1	-	2	1	1	
endocarditis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
pneumonia (all forms) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - - - -	2	2	1	-	-	-	-	-	1	-	1	1	1	
gout and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
suicide Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
other Defined Diseases - - - - -	6	13	1	-	-	-	-	-	2	3	7	6	6	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	30	4	-	1	-	1	1	2	5	9	12	11	

YEAR 1919.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Maybole** (Burgh).

Population—Census 1901, - - - 5,892.
Do. Do. 1911, - - - 4,889.
Do. estimated to middle of 1919, 3,827.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	98	7	0	91	51	40
Illegitimate Births -	9	1	0	8	5	3
Marriages - - -	35	-	-	-	-	-
Deaths - - -	81	17	8	72	32	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	25·6	23·8	-
Marriage-rate - - - - -	9·1	-	-
Death-rate—All Causes - - - - -	21·2	18·8	18·2
Do. —Phthisis - - - - -	-	1·31	-
Do. —All Tuberculosis - - - - -	-	2·87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·61	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—165.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	80+
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	4	3	3	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	3	3	3	-	-	-	-	-	1	-	-	-	-
Influenza - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	3	-	-	-	-	2	2	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	2	3	2	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	1	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	1	-	2	2	-	-
Bronchitis - - - - -	3	6	1	2	-	-	-	-	-	-	-	4	-	-
Pneumonia (all forms) - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System - - - - -	-	4	1	1	-	-	-	1	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	5	1	1	-	-	-	-	-	1	3	2	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	32	40	15	12	2	1	2	3	3	5	9	10	-	-

YEAR 1919.

Population—Census 1901, - - - 4,467.

COUNTY—Ayr.

Do. Do. 1911, - - - 4,806.

Do. estimated to middle of 1919, 4,792.

PUBLIC HEALTH DISTRICT—Newmilns and Greenholm (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	3	0	58	26	32
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	46	-	-	-	-	-
Deaths - - -	41	1	5	45	18	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12·7	12·1	-
Marriage-rate - - - - -	9·6	-	-
Death-rate—All Causes - - - - -	8·6	9·4	10·0
Do. —Phthisis - - - - -	-	0·21	-
Do. —All Tuberculosis - - - - -	-	0·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -86.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
scarlet fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
luminal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	2	1	1	-	-	-
pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
chronic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
bronchitis - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2
pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	1	-	-	-	1
other Diseases of Respiratory Organs - - - - -	1	1	1	-	-	-	-	-	-	1	-	-	-
diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
peritonitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
gout and Bright's Disease - - - - -	3	2	-	-	-	-	1	-	-	1	1	1	1
septicæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	3	4	-	-	-	-	-	-	-	-	-	-
violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	1	-	-	-	-	1	-
suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
other Defined Diseases - - - - -	3	8	-	-	-	-	-	2	-	-	-	2	7
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	18	27	5	-	3	-	2	1	4	5	7	7	11

YEAR 1919.

Population—Census 1901, - - - 3,211.

Do. Do. 1911, - - - 4,879.

COUNTY—**Ayr.**

Do. estimated to middle of 1919, - 5,895.

PUBLIC HEALTH DISTRICT—**Prestwick** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere	Both Sexes.	Males.	Females.
Births - - -	100	6	4	98	65	33
Illegitimate Births -	2	1	1	2	1	1
Marriages - - -	23	-	-	-	-	-
Deaths - - -	67	8	21	80	40	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	16.6	-
Marriage-rate - - - - -	3.9	-	-
Death-rate—All Causes - - - - -	11.4	13.6	12.9
Do. —Phthisis - - - - -	-	1.02	-
Do. —All Tuberculosis - - - - -	-	1.53	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—41.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	as o'	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	-	4	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	5	-	-	-	-	-	-	1	2	-	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	5	5	-	-	-	-	-	-	-	1	3	5	-	
Bronchitis - - - - -	3	1	-	1	-	-	-	-	1	-	-	2	-	
Pneumonia (all forms) - - - - -	4	-	1	-	-	-	1	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System* - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	4	5	-	-	-	-	-	-	1	2	1	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	13	1	1	-	-	-	-	-	3	7	6	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	40	40	4	3	2	1	7	3	5	9	11	18	1	

YEAR 1919.

Population—Census 1901, . . . 8,120.

COUNTY—**Ayr.**

Do. Do. 1911, . . . 8,585.

Do. estimated to middle of 1919, 8,453.

PUBLIC HEALTH DISTRICT—**Saltcoats** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	273	6	12	279	143	136
Illegitimate Births -	8	1	4	11	5	6
Marriages - - -	78	-	-	-	-	-
Deaths - - -	124	8	24	140	65	75

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·3	33·0	-
Marriage-rate - - - - -	9·2	-	-
Death-rate—All Causes - - - - -	14·7	16·6	16·3
Do. —Phthisis - - - - -	-	1·06	-
Do. —All Tuberculosis - - - - -	-	1·77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	1	8	-	-	-	3	3	-	1	2	-	-	-	
tuberculous Meningitis - - - - -	2	2	-	3	-	1	-	-	-	-	-	-	-	
luminal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
cancer, Malignant Disease - - - - -	5	4	-	-	-	-	1	-	3	1	4	-	-	
pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
rhinitis - - - - -	-	3	-	-	1	1	-	-	1	-	-	-	-	
coronary Heart Disease - - - - -	9	9	-	-	-	2	-	-	2	2	6	6	6	
bronchitis - - - - -	5	3	3	-	-	-	-	-	-	2	2	2	3	
pneumonia (all forms) - - - - -	12	10	4	2	-	1	1	3	2	2	4	3	3	
other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhilitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - - - -	3	3	-	-	1	2	1	-	1	1	-	-	-	
hepatitis and Bright's Disease - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
septicaemia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	
accidental Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	1	
suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	16	23	4	1	1	-	1	-	-	1	4	8	18	
cases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
Total - - - - -	65	75	21	9	1	3	9	8	4	14	14	26	31	

YEAR 1919.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Stewarton (Burgh).

Population—Census 1901, - - - 2,919.
Do. Do. 1911, - - - 2,841.
Do. estimated to middle of 1919, 2,617.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	48	4	1	45	32	13
Illegitimate Births -	6	3	0	3	3	0
Marriages - - -	29	-	-	-	-	-
Deaths - - -	40	0	7	47	23	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - -	18·3	17·2	-
Marriage-rate - - -	11·1	-	-
Death-rate—All Causes - - -	15·3	18·0	17·1
Do. —Phthisis - - -	-	0·38	-
Do. —All Tuberculosis - - -	-	0·38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—222.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE									
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	1	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	2	1	-	-	-	1	-	1	-	-	-
Organic Heart Disease - - -	2	3	-	-	-	-	-	-	-	-	-	3
Bronchitis - - -	2	2	-	-	-	-	-	-	2	-	-	2
Pneumonia (all forms) - - -	2	4	-	-	-	-	1	2	-	1	-	2
Other Diseases of Respiratory Organs -	3	-	-	1	-	-	-	-	-	-	1	-
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	5	2	7	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	1	7	-	-	-	-	1	-	-	1	-	2
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-
Total - - -	23	24	10	2	-	-	3	3	6	2	1	10

YEAR 1919.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Troon (Burgh).

Population—Census 1901, - - - 4,764.
Do. Do. 1911, - - - 6,628.
Do. estimated to middle of 1919, 7,696.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	129	2	7	134	72	62
Illegitimate Births -	3	0	1	4	3	1
Marriages - - -	44	-	-	-	-	-
Deaths - - -	67	5	22	84	40	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·8	17·4	-
Marriage-rate - - - - -	5·7	-	-
Death-rate—All Causes - - - - -	8·7	10·9	11·8
Do. —Phthisis - - - - -	-	0·39	-
Do. —All Tuberculosis - - - - -	-	0·39	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	-	1	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	1	-	2	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	2	-	2	1	6	
Bronchitis - - - - -	2	5	-	-	-	-	-	1	-	1	-	4	1	
Pneumonia (all forms) - - - - -	4	7	1	1	-	1	-	3	1	2	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	2	1	-	-	-	-	-	-	1	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	1	2	-	1	-	-	1	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	9	3	1	-	-	-	-	1	1	2	7	6	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	40	44	10	5	2	2	1	6	7	7	9	18	17	

YEAR 1919.

Population—Census 1901, - - - 39,260.
Do. Do. 1911, - - - 42,233.
Do. estimated to middle of 1919, - 42,115.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Ayr** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1099	36	39	1102	546	556
Illegitimate Births -	73	5	12	80	41	39
Deaths - - -	298	-	-	-	-	-
Marriages - - -	524	85	77	516	279	237

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.1	26.2	-
Marriage-rate - - - - -	7.1	-	-
Death-rate—All Causes - - -	12.4	12.3	12.7
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	1	-	1	1	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	4	3	4	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	2	5	-	4	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	5	-	1	-	-	1	-	1	-	1	2	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Phthisis. Pulmonary Tuberculosis -	12	7	-	-	1	1	3	8	3	2	-	-	1	
Tuberculous Meningitis - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	1	-	-	1	-	-	-	2	1	-	-	-	
Cancer, Malignant Disease - - -	21	24	-	1	-	-	-	-	3	10	12	10	9	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	5	3	4	3	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - -	20	19	1	-	-	1	2	1	1	-	11	13	9	
Bronchitis - - - - -	29	14	12	3	-	-	-	-	1	2	9	7	9	
Pneumonia (all forms) - - -	31	24	8	10	1	1	4	8	3	10	4	3	3	
Other Diseases of Respiratory Organs	6	5	2	3	2	-	-	-	-	-	1	2	1	
*Diarrhoea and Enteritis (under 2 years)	8	-	5	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	6	-	-	1	2	3	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	4	2	-	-	-	-	-	1	1	-	3	-	1	
Other Diseases of Digestive System	12	9	2	4	-	1	2	-	1	3	4	2	2	
Nephritis and Bright's Disease - -	5	12	-	-	-	-	1	-	-	4	4	5	3	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	6	-	-	-	-	-	3	3	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	24	18	42	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	20	2	-	1	-	-	4	4	4	6	1	-	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	60	58	13	1	-	1	1	3	5	8	15	30	41	
Diseases Ill-defined or Unknown -	3	5	2	-	-	-	-	-	-	2	-	3	1	
Total - - - - -	279	237	96	41	13	8	23	33	28	49	65	77	83	

YEAR 1919.

COUNTY—Ayr.

PUBLIC HEALTH DISTRICT—Carrick (County District).

Population—Census 1901, - - - 12,570.
Do. Do. 1911, - - - 12,996.
Do. estimated to middle of 1919, 12,580.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	233	3	12	242	123	119
Illegitimate Births -	23	0	2	25	10	15
Marriages - - -	77	-	-	-	-	-
Deaths - - -	127	4	23	146	70	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·5	19·2	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - - - -	10·1	11·6	11·1
Do. —Phthisis - - - - -	-	0·64	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	0·16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	3	-	-	1	-	3	-	1	1	1	1	-	
Tuberculous Meningitis - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - -	3	11	-	-	-	-	-	-	-	1	1	8	4	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Organic Heart Disease - - - - -	7	6	-	-	-	-	1	-	-	4	4	1	3	
Bronchitis - - - - -	4	7	1	-	-	-	-	-	-	-	1	2	7	
Pneumonia (all forms) - - - - -	8	10	4	3	-	2	3	2	1	1	-	1	1	
Other Diseases of Respiratory Organs -	-	3	-	1	-	-	-	-	-	1	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	4	3	-	-	-	-	-	1	-	-	3	2	1	
Nephritis and Bright's Disease - -	4	1	-	-	-	-	-	-	1	1	-	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	6	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	6	-	-	-	-	-	-	4	-	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	20	2	-	-	-	-	-	2	2	7	9	17	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Total - - - - -	70	76	19	5	1	4	7	10	6	12	20	27	35	

YEAR 1919.

COUNTY—**Ayr.**

PUBLIC HEALTH DISTRICT—**Kilmarnock** (County District).

Population—Census 1901, - - - 24,397.
Do. Do. 1911, - - - 23,979.
Do. estimated to middle of 1919, 22,275.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	526	7	22	541	289	252
Illegitimate Births -	25	0	7	32	17	15
Marriages - - -	160	-	-	-	-	-
Deaths - - -	302	19	53	336	185	151

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	24·3	-
Marriage-rate - - - - -	7·2	-	-
Death-rate—All Causes - - - - -	13·6	15·1	15·5
Do. —Phthisis - - - - -	-	0·90	-
Do. —All Tuberculosis - - - - -	-	1·44	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	5	4	3	6	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	4	3	2	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	4	4	1	5	1	-	1	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	12	8	-	-	2	1	5	4	2	4	1	1	-	
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	-	-	2	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	6	1	-	-	-	-	2	-	3	-	1	1	-	
Cancer, Malignant Disease - - - - -	14	16	-	-	-	-	-	1	2	5	4	8	10	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	4	5	1	3	1	1	-	1	2	-	-	-	-	
Organic Heart Disease - - - - -	17	10	1	-	-	-	-	2	1	3	8	6	6	
Bronchitis - - - - -	13	7	5	4	-	-	-	-	-	2	1	5	3	
Pneumonia (all forms) - - - - -	25	16	9	9	-	-	3	3	3	4	3	4	3	
Other Diseases of Respiratory Organs - - - - -	2	3	1	-	-	1	1	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
Other Diseases of Digestive System - - - - -	3	5	1	1	2	-	-	-	-	1	1	1	1	
Nephritis and Bright's Disease - - - - -	5	5	2	-	1	-	1	-	-	1	3	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	-	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	15	9	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	2	-	1	2	-	2	-	1	1	-	1	3	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	35	37	7	2	-	2	3	1	2	4	8	21	22	
Diseases Ill-defined or Unknown - - - - -	2	4	-	-	-	-	-	-	-	-	1	1	4	
Total - - - - -	185	151	64	37	11	5	18	15	20	27	34	51	54	

YEAR 1919.

Population—Census 1901, - - - 47,343.

Do. Do. 1911, - - - 47,403.

Do. estimated to middle of 1919, 44,721.

COUNTY—**Ayr**.PUBLIC HEALTH DISTRICT—**Northern Ayr** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1068	43	43	1068	541	527
Illegitimate Births -	55	14	18	59	26	33
Marriages - - -	295	-	-	-	-	-
Deaths - - -	722	92	49	679	347	332

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·9	23·9	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	16·1	15·2	15·3
Do. —Phthisis - - - - -	-	0·54	-
Do. —All Tuberculosis - - - - -	-	1·01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·89	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	4	2	7	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	10	7	7	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	4	2	-	1	-	-	-	-	-	1	2	-	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	9	-	-	-	-	5	8	3	4	3	1	-
Tuberculous Meningitis - - - - -	2	3	1	1	3	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	9	1	-	4	2	2	1	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	3	3	-	-	2	1	1	-	1	1	-	-	-
Cancer, Malignant Disease - - - - -	20	34	-	-	-	-	-	1	3	9	16	17	8
Rheumatic Fever - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - -	2	9	5	3	-	3	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	20	37	-	-	-	-	2	3	-	9	17	10	14
Bronchitis - - - - -	22	22	10	5	-	-	1	1	1	-	5	12	9
Pneumonia (all forms) - - - - -	66	38	17	11	1	1	12	21	5	8	11	13	4
Other Diseases of Respiratory Organs - - - - -	9	11	3	-	-	-	-	2	1	3	2	3	6
Diarrhoea and Enteritis (under 2 years) - - - - -	13	1	11	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	-	2	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	4	3	-	-	-	-	-	-	2	-	1	4	-
Other Diseases of Digestive System - - - - -	10	9	3	4	-	1	-	1	-	1	2	4	3
Nephritis and Bright's Disease - - - - -	12	6	-	-	-	-	-	1	-	5	7	4	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	22	23	45	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	18	9	1	1	1	-	6	2	4	4	4	2	2
Suicide - - - - -	2	2	-	-	-	-	-	1	2	1	-	-	-
Other Defined Diseases - - - - -	75	87	10	2	2	-	2	2	8	19	19	36	62
Diseases Ill-defined or Unknown - - - - -	5	5	1	-	-	-	-	-	2	-	2	2	3
Total - - - - -	347	332	116	50	15	8	31	44	34	67	91	109	114

YEAR 1919.

Population—Census 1901, - - - 1,141.

Do. Do. 1911, - - - 1,048.

Do. estimated to middle of 1919, 915.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Aberchirder** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	0	1	23	14	9
Illegitimate Births -	4	0	1	5	3	2
Marriages - - -	5	-	-	-	-	-
Deaths - - -	17	1	2	18	9	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	24.0	25.1	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	18.6	19.7	15.1
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - - - -	-	2.19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	1	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Bronchitis - - - - -	2	1	-	1	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	3	-	1	1	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	1	-	-	-	-	-	-	-	-	2	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	9	2	2	-	-	-	2	-	2	2	3	5	

YEAR 1919.

COUNTY—**Banff**.

PUBLIC HEALTH DISTRICT—**Banff** (Burgh).

Population—Census 1901, - - - 3,732.
Do. Do. 1911, - - - 3,821.
Do. estimated to middle of 1919, 3,670.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	9	1	65	43	22
Illegitimate Births -	11	3	0	8	5	3
Marriages - - -	58	-	-	-	-	-
Deaths - - -	98	27	2	73	40	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·9	17·7	-
Marriage-rate - - - - -	15·8	-	-
Death-rate—All Causes - - - - -	26·7	19·9	17·3
Do. —Phthisis - - - - -	-	1·09	-
Do. —All Tuberculosis - - - - -	-	1·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—138.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	4	3	1	4	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	2	2	-	-	-	-	1	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	-	1	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	1	-	-	-	-	1	1	1	1	
Bronchitis - - - - -	2	1	1	-	-	-	-	-	-	-	1	-	1	
Pneumonia (all forms) - - - - -	6	6	-	4	-	-	1	1	2	1	1	1	1	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - -	2	2	-	-	1	-	-	1	1	-	1	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	5	-	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	2	-	-	-	2	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	7	2	2	-	-	-	1	-	-	1	2	10	
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	40	33	9	12	6	2	3	4	5	3	7	6	16	

YEAR 1919.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Buckie** (Burgh).

Population—Census 1901, - - - 7,483.
Do. Do. 1911, - - - 8,897.
Do. estimated to middle of 1919, 9,484.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	232	3	6	235	137	98
Illegitimate Births -	13	0	0	13	8	5
Marriages - - -	59	-	-	-	-	-
Deaths - - -	80	3	12	89	43	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	24·5	24·8	-
Marriage-rate - - -	6·2	-	-
Death-rate—All Causes - - -	8·4	9·4	9·3
Do. —Phthisis - - -	-	0·21	-
Do. —All Tuberculosis - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—60.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	2	-	1	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	2	-	-	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	2	1	2	1	5	-	
Bronchitis - - - - -	1	4	1	-	-	-	-	-	-	-	1	1	2	
Pneumonia (all forms) - - - - -	6	6	2	4	-	-	1	4	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	1	-	1	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	-	1	-	1	1	-	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	9	-	1	-	1	1	-	1	3	1	1	11	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	43	46	14	8	4	3	3	10	5	9	3	9	21	

YEAR 1919.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Charlestown of Aberlour (Burgh).**

Population—Census 1901, - - - 1,176.
 Do. Do. 1911, - - - 1,272.
 Do. estimated to middle of 1919, 1,273.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	15	0	1	16	10	6
Illegitimate Births -	2	0	1	3	1	2
Marriages -	7	-	-	-	-	-
Deaths - - -	11	0	3	14	8	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11·8	12·6	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - -	8·6	11·0	11·9
Do. —Phthisis - - - - -	-	0·79	-
Do. —All Tuberculosis - - -	-	2·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	2	-	-	-	1	-	-	-	-	1	-	-	-	
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	1	-	2	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	6	-	1	1	1	1	1	-	2	1	2	4	

YEAR 1919.

COUNTY—**Banff**.PUBLIC HEALTH DISTRICT—**Cullen** (Burgh).

Population—Census 1901, - - - 1,936.
 Do. Do. 1911, - - - 1,992.
 Do. estimated to middle of 1919, 1,921.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	38	0	0	38	22	16
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	19	-	-	-	-	-
Deaths - - -	27	1	0	26	13	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·8	19·8	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - - - -	14·1	13·5	11·3
Do. —Phthisis - - - - -	-	0·52	-
Do. —All Tuberculosis - - - - -	-	0·52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—158.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	71 and over.		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1		
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases of Digestive System - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	2	7	1	-	-	-	-	-	-	2	-	1	5		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Total - - - - -	13	13	6	1	1	-	-	2	1	3	-	4	8		

YEAR 1919.

Population—Census 1901, - - - 1,823.

COUNTY—**Banff.**

Do. Do. 1911, - - - 1,626.

Do. estimated to middle of 1919, 1,380.

PUBLIC HEALTH DISTRICT—**Dufftown** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	26	4	2	24	14	10
Illegitimate Births - -	5	0	2	7	5	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	30	4	3	29	10	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·8	17·4	-
Marriage-rate - - - - -	12·3	-	-
Death-rate—All Causes - - - - -	21·7	21·0	15·4
Do. —Phthisis - - - - -	-	0·72	-
Do. —All Tuberculosis - - - - -	-	1·45	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—29·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	3	-	-	-	1	-	-	-	-	-	-	6	
Bronchitis - - - - -	1	2	-	-	1	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	-	2	-	-	-	1	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	-	1	-	-	-	-	1	-	1	8	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	19	1	1	1	-	2	2	-	2	2	2	16	

YEAR 1919.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Findochty** (Burgh).

Population—Census 1901, - - - 1,511.

Do. Do. 1911, - - - 1,785.

Do. estimated to middle of 1919, 1,895.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	62	1	0	61	32	29
Illegitimate Births - -	6	0	0	6	3	3
Marriages - - -	17	-	-	-	-	-
Deaths - - -	25	0	1	26	17	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32·7	32·2	-
Marriage-rate - - - - -	9·0	-	-
Death-rate—All Causes - - -	13·2	13·7	14·2
Do. —Phthisis - - - - -	-	1·06	-
Do. —All Tuberculosis - - -	-	1·06	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 al ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Influenza - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	-	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	3	2	1	2	1	-	1	-	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	4	-	-	-	-	-	1	-	-	-	-	1	2		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	17	9	6	2	2	2	3	3	-	1	1	3	3		

YEAR 1919.

Population—Census 1901, - - - 4,753.
Do. Do. 1911, - - - 4,499.
Do. estimated to middle of 1919, 4,043.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Keith** (Burgh).

REGISTRATION RETURNS.

	Number Registered in District.	Transfers		Corrected Number. .		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	84	5	2	81	41	40
Illegitimate Births -	16	3	0	13	6	7
Marriages - - -	44	-	-	-	-	-
Deaths - - -	63	3	5	65	27	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	20·8	20·0	-
Marriage-rate - - -	10·9	-	-
Death-rate—All Causes - - -	15·6	16·1	13·7
Do. —Phthisis - - -	-	0·74	-
Do. —All Tuberculosis - - -	-	0·74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—49.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	3	-	-	-	-	2	-	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	6	-	-	-	-	-	-	-	2	1	-	6	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	1	1	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	4	7	-	-	-	-	-	-	1	2	1	2	5	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	3	8	-	-	-	-	2	1	1	1	3	1	2	
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	1	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	9	8	-	-	-	-	-	-	-	1	5	3	8	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	27	38	4	1	-	-	5	1	5	7	11	8	23	

YEAR 1919.

COUNTY—**Banff**.

PUBLIC HEALTH DISTRICT—**Macduff** (Burgh).

Population—Census 1901, 3,429.
Do. Do. 1911, 3,411.
Do. estimated to middle of 1919, 3,202.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	4	5	77	40	37
Illegitimate Births -	6	0	1	7	2	5
Marriages - - -	13	-	-	-	-	-
Deaths - - -	53	0	13	66	31	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·7	24·0	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - - - -	16·6	20·6	16·6
Do. —Phthisis - - - - -	-	0·62	-
Do. —All Tuberculosis - - - - -	-	0·62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	-	-	1	3	6	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	7	-	-	-	-	-	-	-	1	-	5	3	
Bronchitis - - - - -	-	4	-	-	-	-	-	-	1	-	-	2	1	
Pneumonia (all forms) - - - - -	5	2	3	1	1	-	-	-	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	12	7	1	-	-	-	1	-	1	1	2	4	9	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	31	35	6	2	1	1	1	1	5	5	8	19	17	

YEAR 1919.

Population—Census 1901, - - - 1,596.

Do. Do. 1911, - - - 1,746.

Do. estimated to middle of 1919, 1,762.

COUNTY—**Banff.**PUBLIC HEALTH DISTRICT—**Portknockie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	40	2	3	41	22	19
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	27	0	1	28	15	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·7	23·3	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	15·3	15·9	16·7
Do. —Phthisis - - - - -	-	1·70	-
Do. —All Tuberculosis - - - - -	-	1·70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·14	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —171.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	2	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	1	-	-	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Tronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	4	3	2	-	-	-	2	2	-	-	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	15	13	7	-	-	-	4	4	-	1	4	2	6	

YEAR 1919.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Portsoy** (Burgh).

Population—Census 1901, - - - 1,878.
Do. Do. 1911, - - - 1,951.
Do. estimated to middle of 1919, 1,896.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	1	0	41	14	27
Illegitimate Births -	7	1	0	6	0	6
Marriages - - -	17	-	-	-	-	-
Deaths - - -	34	5	7	36	18	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	21.6	-
Marriage-rate - - - - -	9.0	-	-
Death-rate—All Causes - - -	17.9	19.0	15.2
Do. —Phthisis - - - - -	-	1.58	-
Do. —All Tuberculosis - - -	-	1.58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—73.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected, for Transcripts—14.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	1	-	-	-	-	2	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Pneumonia (all forms) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	1	3	1	-	-	-	-	-	-	-	-	3	-	-	-
Nephritis and Bright's Disease - -	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	4	8	-	-	-	-	-	1	1	1	1	3	-	-	-
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	18	18	3	1	-	1	3	1	2	1	7	5	1	-	-

YEAR 1919.

Population—Census 1901, - - - 17,285.

COUNTY—**Banff**.

Do. Do 1911, - - - 16,901.

Do. estimated to middle of 1919, 15,630.

PUBLIC HEALTH DISTRICT—**Banff** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	340	9	20	351	186	165
Illegitimate Births -	28	1	9	36	19	17
Marriages - - -	61	-	-	-	-	-
Deaths - - -	215	17	19	217	100	117

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·8	22·5	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - - - -	13·8	13·9	12·3
Do. —Phthisis - - - - -	-	0·77	-
Do. —All Tuberculosis - - - - -	-	0·90	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	2	2	3	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	4	-	-	1	-	1	-	1	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	4	-	-	-	1	5	-	4	2	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	13	-	-	-	-	-	-	2	4	1	4	8	
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	11	8	-	-	-	1	-	-	-	1	-	6	11	
Bronchitis - - - - -	6	14	3	1	-	1	-	-	1	2	1	8	3	
Pneumonia (all forms) - - - - -	14	17	5	3	1	-	4	5	4	2	2	3	2	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	1	-	2	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	2	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	7	1	5	-	-	-	-	-	-	1	-	1	1	
Nephritis and Bright's Disease - - - - -	2	7	-	-	-	1	-	-	-	1	3	1	3	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	9	10	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	5	-	1	-	2	1	-	-	-	-	1	4	
Suicide - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-	
Other Defined Diseases - - - - -	21	24	6	1	-	-	-	3	2	-	4	13	16	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	100	117	41	8	6	7	11	9	18	14	14	39	50	

YEAR 1919.

COUNTY—**Banff.**

PUBLIC HEALTH DISTRICT—**Keith** (County District).

Population—Census 1901, - - - 13,745.
Do. Do. 1911, - - - 12,453.
Do. estimated to middle of 1919, 10,732.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	189	6	10	193	94	99
Illegitimate Births -	29	0	5	34	14	20
Marriages - - -	50	-	-	-	-	-
Deaths - - -	157	6	18	169	66	103

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·6	18·0	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes	14·6	15·7	13·2
Do. —Phthisis - - - - -	-	1·40	-
Do. —All Tuberculosis - - -	-	1·77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	11	-	-	1	2	5	-	3	2	1	-	1	
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	2	9	-	-	-	-	1	-	-	-	6	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	9	-	-	-	-	-	-	3	-	3	5	8	
Bronchitis - - - - -	3	10	-	-	-	-	1	1	-	-	2	-	9	
Pneumonia (all forms) - - - - -	6	19	6	2	1	-	6	6	-	2	1	-	1	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	6	5	1	-	-	1	2	-	1	-	2	4	-	
Nephritis and Bright's Disease - - - - -	2	4	-	-	-	-	-	-	1	3	2	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	5	6	-	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	1	1	1	1	1	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	20	1	-	-	1	1	-	3	1	4	4	22	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	1	-	-	-	-	1	1	
Total - - - - -	66	103	15	5	2	5	21	11	14	9	25	15	47	

YEAR 1919.

Population—Census 1901, - - - 1,482.

Do. Do. 1911, - - - 1,375.

Do. estimated to middle of 1919, 1,213.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Coldstream (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	0	0	19	7	12
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	29	3	4	30	13	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·7	15·7	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - - - -	23·9	24·7	20·1
Do. —Phthisis - - - - -	-	0·82	-
Do. —All Tuberculosis - - - - -	-	0·82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—263.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	1	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	5	3	2	-	-	-	1	-	-	-	-	1	4	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	6	-	-	-	-	-	-	1	1	4	2	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	17	5	-	-	-	-	3	-	3	2	8	9	

YEAR 1919.

Population—Census 1901, 2,206.

COUNTY—**Berwick.**

Do. Do. 1911, 2,069.

Do. estimated to middle of 1919, 1,844.

PUBLIC HEALTH DISTRICT—**Duns** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - - -	26	1	3	28	13	15
Illegitimate Births -	2	0	3	5	4	1
Marriages - - -	22	-	-	-	-	-
Deaths - - - -	29	1	3	31	13	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - -	14.1	15.2	-
Marriage-rate - - -	11.9	-	-
Death-rate—All Causes - - -	15.7	16.8	13.6
Do. —Phthisis - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	2	4	-	-	-	-	-	-	1	1	3	1	1	
Bronchitis - - - -	1	2	2	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - -	1	1	-	1	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs	3	-	-	-	-	-	-	-	-	-	1	2	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - -	5	6	-	-	-	-	-	-	1	-	-	5	5	
Diseases Ill-defined or Unknown -	-	3	-	-	-	-	-	-	1	-	1	-	1	
Total - - - -	13	18	2	1	-	-	1	-	2	1	3	12	9	

YEAR 1919.

Population—Census 1901, - - - 2,389.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 2,453.

Do. estimated to middle of 1919, 2,362.

PUBLIC HEALTH DISTRICT—**Eyemouth (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	1	2	54	27	27
Illegitimate Births -	4	0	0	4	3	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	36	0	4	40	21	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.4	22.9	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	15.2	16.9	16.6
Do. —Phthisis - - - - -	-	0.85	-
Do. —All Tuberculosis - - - - -	-	2.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	1	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	1	-	-	-	-	-	-	1	2	-	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	-	1	-	2	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	3	1	-	-	-	-	-	-	1	1	2	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	21	19	7	1	2	1	4	-	1	4	5	7	8	

YEAR 1919.

Population—Census 1901, - - - 724.

Do. Do. 1911, - - - 659.

Do. estimated to middle of 1919, 570

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**Lauder** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	10	0	0	10	5	5
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	7	-	-	-	-	-
Deaths - - -	13	1	8	20	11	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·5	17·5	-
Marriage-rate - - - - -	12·3	-	-
Death-rate—All Causes - - - - -	22·8	35·1	28·0
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	1·75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	3	2	-	-	-	1	-	-	1	-	-	1	2	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	11	9	-	1	1	1	1	1	2	1	2	6	4	

YEAR 1919.

Population—Census 1901, . . . 9,364.

Do. Do. 1911, . . . 9,017.

Do. estimated to middle of 1919, 8,229.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**East Berwick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	129	4	5	130	69	61
Illegitimate Births -	12	0	0	12	7	5
Marriages - - -	55	-	-	-	-	-
Deaths - - -	114	2	16	128	59	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·7	15·8	-
Marriage-rate - - - - -	6·7	-	-
Death-rate—All Causes - - - - -	13·9	15·6	13·7
Do. —Phthisis - - - - -	-	0·61	-
Do. —All Tuberculosis - - - - -	-	0·85	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0 12	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—54.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	-	1	-	1	3	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	10	-	-	-	-	-	-	-	3	6	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Le meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	10	-	-	-	-	-	1	3	-	1	6	9	
Bronchitis - - - - -	1	6	1	-	-	-	-	-	-	-	2	2	2	
Pneumonia (all forms) - - - - -	2	8	1	1	-	-	-	-	1	2	1	1	3	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	1	-	1	-	-	1	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	-	3	1	1	-	
Uræmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	22	23	1	-	-	-	1	-	1	1	4	13	24	
Diseases Ill-defined or Unknown - - - - -	3	1	-	1	-	-	-	-	-	-	-	1	2	
Total - - - - -	59	69	7	2	1	1	4	2	7	14	17	29	44	

YEAR 1919.

Population—Census 1901, - - - 8,648.

COUNTY—**Berwick.**

Do. Do. 1911, - - - 8,365.

Do. estimated to middle of 1919, 7,663.

PUBLIC HEALTH DISTRICT—**Middle Berwick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	130	8	7	129	67	62
Illegitimate Births -	13	3	3	13	6	7
Marriages - - -	44	-	-	-	-	-
Deaths - - -	83	3	11	91	41	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.0	16.8	-
Marriage-rate - - -	5.7	-	-
Death-rate—All Causes - - -	10.8	11.9	10.6
Do. —Phthisis - - -	-	0.65	-
Do. —All Tuberculosis - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	2	1	-	1	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	7	-	-	-	-	-	-	2	-	3	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	9	8	-	-	-	-	-	-	-	-	5	4	8	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	7	9	4	-	-	1	1	2	1	2	1	2	2	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Nephritis and Bright's Disease - -	-	3	-	-	-	-	-	-	1	-	-	2	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	1	-	-	-	-	-	-	1	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - -	14	13	1	1	1	-	-	-	2	-	4	5	13	
Diseases Ill-defined or Unknown -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Total - - -	41	50	6	2	1	2	3	4	6	5	15	17	30	

YEAR 1919.

Population—Census 1901, - - - 6,011.

Do. Do. 1911, - - - 5,705.

Do. estimated to middle of 1919, 5,138.

COUNTY—**Berwick.**PUBLIC HEALTH DISTRICT—**West Berwick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	80	0	3	83	49	34
Illegitimate Births -	2	0	2	4	3	1
Marriages - - -	35	-	-	-	-	-
Deaths - - -	76	4	8	80	36	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·6	16·2	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - - - -	14·8	15·6	14·2
Do. —Phthisis - - - - -	-	0·39	-
Do. —All Tuberculosis - - - - -	-	0·58	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-
Influenza - - - - -	-	3	-	-	-	-	1	-	-	-	-	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	6	-	-	-	-	-	-	-	-	2	7	6
Bronchitis - - - - -	2	3	-	-	-	-	-	-	1	1	1	1	2
Pneumonia (all forms) - - - - -	4	8	2	2	-	-	5	2	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	2	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	1	-	-	-	1	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	16	-	-	-	-	1	1	-	4	2	9	6
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	36	44	6	3	2	1	1	10	4	6	6	22	19

YEAR 1919.

Population—Census 1901, - - - 1,670.

Do. Do. 1911, - - - 1,614.

Do. estimated to middle of 1919, 1,478.

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Millport** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	3	1	23	13	10
Illegitimate Births -	3	1	1	3	2	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	27	6	2	23	9	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	15.6	-
Marriage-rate - - - - -	2.0	-	-
Death-rate—All Causes - - - - -	18.3	15.6	12.8
Do. —Phthisis - - - - -	-	0.68	-
Do. —All Tuberculosis - - - - -	-	0.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.68	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	2	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	1	1	1	1	2	-		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	-	1	1	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	1	5	-	-	-	-	-	-	-	-	1	2	-		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	9	14	-	-	1	-	2	1	1	3	5	7	-		

YEAR 1919.

Population—Census 1901, - - - 9,378.

Do. Do. 1911, - - - 9,299.

Do. estimated to middle of 1919, 8,703.

COUNTY—**Bute.**PUBLIC HEALTH DISTRICT—**Rothsay** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	135	20	3	118	68	50
Illegitimate Births -	16	6	2	12	5	7
Marriages - - -	64	-	-	-	-	-
Deaths - - -	129	24	21	126	55	71

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.5	13.6	-
Marriage-rate - - -	7.4	-	-
Death-rate—All Causes - - -	14.8	14.5	13.0
Do. —Phthisis - - -	-	0.23	-
Do. —All Tuberculosis - - -	-	0.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	10	-	-	-	-	-	-	1	5	2	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	14	-	-	-	-	-	-	-	3	4	8	7	
Bronchitis - - - - -	1	8	-	-	-	-	-	-	1	-	1	3	4	
Pneumonia (all forms) - - - - -	9	7	-	1	-	1	3	1	-	1	3	2	4	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	24	18	3	1	-	1	1	2	3	3	3	9	17	
Diseases Ill-defined or Unknown - - - - -	2	3	-	-	-	-	-	-	-	-	1	2	2	
Total - - - - -	55	71	6	4	-	2	5	3	6	14	16	29	41	

YEAR 1919.

Population—Census 1901, 4,837.
Do. Do. 1911, 4,628.
Do. estimated to middle of 1919, 4,200.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Arran** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	43	3	3	43	25	18
Illegitimate Births -	1	0	1	2	0	2
Marriages - - -	21	-	-	-	-	-
Deaths - - -	73	7	4	70	29	41

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10.2	10.2	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	17.4	16.7	13.1
Do. —Phthisis - - - - -	-	0.71	-
Do. —All Tuberculosis - - - - -	-	1.43	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	-	1	-	1	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	-	-	-	3	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	5	1	-	-	-	-	-	-	1	-	3	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	11	-	-	-	-	1	-	-	1	2	6	8	
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	3	4	-	1	-	-	-	2	-	2	-	1	1	
Other Diseases of Respiratory Organs	2	1	-	-	-	-	-	-	-	-	-	2	1	
*Diarrhœa and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	10	1	-	-	-	-	-	-	1	1	3	12	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	29	41	2	3	-	-	1	3	2	9	8	16	26	

YEAR 1919.

Population—Census 1901, - - - 2,803.

COUNTY—**Bute**.

Do. Do. 1911, - - - 2,552.

Do. estimated to middle of 1919, 2,210.

PUBLIC HEALTH DISTRICT—**Bute** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	1	1	41	24	17
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	34	9	9	34	19	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18·6	18·6	-
Marriage-rate - - -	5·0	-	-
Death-rate—All Causes - - -	15·4	15·4	13·3
Do. —Phthisis - - -	-	0·45	-
Do. —All Tuberculosis - - -	-	0·91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	-	-	-	3	1	2
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	1	-	-	3	2
Bronchitis - - -	2	-	-	-	-	-	-	-	-	-	-	-	2
Pneumonia (all forms) - - -	2	4	-	1	-	-	2	-	-	-	-	-	3
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	2	-	-	-	-	-	-	-	-	-	1	1	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	3	-	-	-	-	-	-	1	-	2	1	1
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	-	1
Total - - -	19	15	1	2	1	-	3	1	3	-	6	6	11

YEAR 1919.

COUNTY—**Bute.**

PUBLIC HEALTH DISTRICT—**Cumbrae** (County District).

Population—Census 1901, - - - 99.
Do. Do. 1911, - - - 93.
Do. estimated to middle of 1919, 83.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3	0	0	3	1	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	2	0	1	3	2	1

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.†

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	-	-	-
Marriage-rate - - - - -	-	-	-
Death-rate—All Causes - - - - -	-	-	-
Do. —Phthisis - - - - -	-	-	-
Do. —All Tuberculosis - - - - -	-	-	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	-	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	

† The Population of this District is too small for the calculation of significant rates.

YEAR 1919.

Population—Census 1901, - - - 3,723.

COUNTY—**Caithness**.

Do. Do. 1911, - - - 3,335.

Do. estimated to middle of 1919, 2,842.

PUBLIC HEALTH DISTRICT—**Thurso** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	3	1	64	31	33
Illegitimate Births -	7	0	1	8	3	5
Marriages - - -	36	-	-	-	-	-
Deaths - - -	57	3	2	56	21	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·2	22·5	-
Marriage-rate - - - - -	12·7	-	-
Death-rate—All Causes - - - - -	20·1	19·7	15·5
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—203.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	5	-	-	-	-	-	-	-	-	2	2	1	
Bronchitis - - - - -	5	7	1	1	-	-	-	1	-	-	1	2	6	
Pneumonia (all forms) - - - - -	-	2	1	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	2	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	15	4	-	1	-	-	-	-	2	1	1	11	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	21	35	13	4	1	1	-	2	3	2	4	8	18	

YEAR 1919.

COUNTY—**Caithness.**

PUBLIC HEALTH DISTRICT—**Wick** (Burgh).

Population—Census 1901, - - 8,199.
Do. Do. 1911, - - 9,086.
Do. estimated to middle of 1919, 9,252.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	175	3	5	117	100	77
Illegitimate Births -	18	0	2	20	13	7
Marriages - - -	76	-	-	-	-	-
Deaths - - -	134	9	15	140	54	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.9	19.1	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - - -	14.5	15.1	13.8
Do. —Phthisis - - - - -	-	0.86	-
Do. —All Tuberculosis - - - - -	-	1.30	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.86	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	4	-	2	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	1	-	1	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	-	4	-	3	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	4	12	-	-	-	-	-	-	1	2	2	2	9	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	13	-	-	-	-	-	1	1	-	5	4	8	
Bronchitis - - - - -	2	6	2	-	-	-	-	-	-	-	-	-	6	
Pneumonia (all forms) - - - - -	2	8	2	2	1	-	1	2	-	2	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	5	-	1	-	-	-	-	-	-	-	3	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	3	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	1	-	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	25	2	-	-	-	-	-	1	4	1	10	22	
Diseases Ill-defined or Unknown - - - - -	-	3	-	-	-	-	-	-	-	-	1	-	2	
Total - - - - -	54	86	19	6	2	1	9	6	6	9	14	19	49	

YEAR 1919.

Population—Census 1901, - - - 21,948.

COUNTY—**Caithness.**

Do. Do. 1911, - - - 19,589.

Do. estimated to middle of 1919, 16,628.

PUBLIC HEALTH DISTRICT—**Caithness** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	327	5	4	226	172	154
Illegitimate Births -	38	0	2	40	23	17
Marriages - - -	77	-	-	-	-	-
Deaths - - -	318	9	15	324	157	167

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·7	19·6	-
Marriage-rate - - - - -	4·6	-	-
Death-rate—All Causes - - - - -	19·1	19·5	13·8
Do. —Phthisis - - - - -	-	0·96	-
Do. —All Tuberculosis - - - - -	-	1·56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	2	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	1	1	-	-	-	-	2	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	6	10	1	-	-	2	2	4	2	2	2	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - -	3	6	-	-	-	-	2	2	1	1	1	-	2	
Cancer, Malignant Disease - - - -	5	10	-	-	-	-	-	-	1	4	4	2	4	
Pneumatic Fever - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Encephalitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	15	19	-	-	-	-	2	1	1	1	2	13	15	
Bronchitis - - - - -	16	11	2	5	-	-	1	-	1	-	3	6	9	
Pneumonia (all forms) - - - - -	13	5	1	3	-	-	4	3	2	1	1	1	2	
Other Diseases of Respiratory Organs	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System	8	6	1	-	-	1	-	-	-	2	3	4	3	
Nephritis and Bright's Disease - -	12	9	-	-	-	-	-	-	1	3	5	8	4	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	8	6	13	-	-	-	1	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	3	-	1	1	-	3	1	1	1	1	-	2	
icide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	46	65	3	2	2	1	-	1	3	3	9	19	68	
Diseases Ill-defined or Unknown -	6	4	1	2	-	-	1	-	-	-	1	1	4	
Total - - - - -	157	167	26	18	4	5	15	16	16	18	33	58	115	

YEAR 1919.

Population—Census 1901, - - - 11,555.

Do. Do. 1911, - - - 11,893.

Do. estimated to middle of 1919, 11,471.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Alloa** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	260	4	14	270	155	115
Illegitimate Births -	17	1	4	20	12	8
Marriages - - -	87	-	-	-	-	-
Deaths - - -	176	6	19	189	103	86

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	23.5	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - -	15.3	16.5	17.8
Do. —Phthisis - - - - -	-	1.48	-
Do. —All Tuberculosis - - -	-	1.83	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	11	-	-	1	-	7	4	3	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	-	4	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	-	2	2	5	3	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	5	4	2	1	-	-	2	-	-	-	-	-	
Organic Heart Disease - - - - -	7	7	-	-	-	-	-	2	-	2	5	2	3	
Bronchitis - - - - -	16	13	3	1	1	-	1	3	-	3	2	7	8	
Pneumonia (all forms) - - - - -	8	11	2	4	-	1	3	6	1	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	1	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	5	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	-	-	-	-	2	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	26	15	4	1	-	-	1	-	1	2	8	17	7	
Diseases Ill-defined or Unknown - - - - -	7	2	-	-	-	-	1	-	1	1	1	4	1	
Total - - - - -	103	86	29	16	7	1	14	18	9	14	26	34	21	

YEAR 1919.

Population—Census 1901, - - - 4,624.

Do. Do. 1911, - - - 4,332.

Do. estimated to middle of 1919, 3,856.

COUNTY—**Clackmannan.**PUBLIC HEALTH DISTRICT—**Alva** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	75	2	6	79	38	41
Illegitimate Births -	3	0	1	4	1	3
Marriages - - -	40	-	-	-	-	-
Deaths - - -	53	1	8	60	27	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION. .

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·5	20·5	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - - - -	13·7	15·6	14·4
Do. —Phthisis - - - - -	-	0·78	-
Do. —All Tuberculosis - - - - -	-	1·56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—139.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	3	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	5	-	-	-	-	-	-	2	-	3	3	2	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	4	4	1	-	1	1	2	1	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	1	-	-	1	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	2	1	2	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	11	3	-	-	-	-	-	-	1	2	6	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	27	33	11	4	1	2	7	1	2	2	11	11	8	

YEAR 1919.

Population—Census 1901, - - - 1,619.

Do. Do. 1911, - - - 1,497.

COUNTY—**Clackmannan.**

Do. estimated to middle of 1919, 1,316.

PUBLIC HEALTH DISTRICT—**Dollar (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	14	0	0	14	8	6
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - -	13	-	-	-	-	-
Deaths - - -	20	3	5	22	10	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·6	10·6	-
Marriage-rate - - - - -	9·9	-	-
Death-rate—All Causes - - -	15·2	16·7	14·6
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—214.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	5	-	-	-	-	-	1	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	12	3	-	-	-	-	1	1	2	3	3	-	

YEAR 1919.

Population—Census 1901, - - - 3,338.

Do. Do. 1911, - - - 3,105.

Do. estimated to middle of 1919, 2,744.

COUNTY-- **Clackmannan.**PUBLIC HEALTH DISTRICT—**Tillicoultry** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	48	6	3	45	26	19
Illegitimate Births -	4	1	1	4	2	2
Marriages - - -	19	-	-	-	-	-
Deaths - - -	43	0	13	56	31	25

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·5	16·4	-
Marriage-rate - - - - -	6·9	-	-
Death-rate—All Causes - - - - -	15·7	20·4	18·4
Do. —Phthisis - - - - -	-	1·82	-
Do. —All Tuberculosis - - - - -	-	2·19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	2	1	-	-	-	1	1	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	5	-	-	-	-	-	-	1	1	2	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	1	-	-	-	-	-	-	1	-	1	1	3	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	-	-	-	2	-	1	1	
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Diarrhœa and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System -	-	2	-	-	1	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	6	2	-	-	-	-	-	-	-	-	2	3	3	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	5	-	-	-	-	-	-	1	-	1	2	6	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	25	3	-	1	-	4	2	3	8	6	14	15	

YEAR 1919.
COUNTY—**Clackmannan**.
PUBLIC HEALTH DISTRICT—**Clackmannan** (County District).

Population—Census 1901, - - - 10,893.
Do. Do. 1911, - - - 10,294.
Do. estimated to middle of 1919, 9,236.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	250	10	10	250	152	98
Illegitimate Births -	17	0	4	21	11	10
Marriages - - -	65	-	-	-	-	-
Deaths - - -	140	7	14	147	70	77

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	27.1	27.1	-
Marriage-rate - - - - -	7.0	-	-
Death-rate—All Causes - - - - -	15.2	15.9	16.0
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	1.62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	4	-	1	-	-	1	2	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	-	2	1	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	-	-	1	-	-	1	-	-	2	-	-	-	
Cancer, Malignant Disease - - - - -	5	3	-	-	-	-	-	-	-	2	3	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	2	1	-	1	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	4	11	-	-	-	-	-	-	-	3	2	5	5	
Bronchitis - - - - -	3	9	4	3	-	-	-	-	1	1	1	1	1	
Pneumonia (all forms) - - - - -	10	8	4	1	-	-	1	2	2	4	1	3	-	
Other Diseases of Respiratory Organs -	1	1	1	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System -	2	4	2	1	-	-	-	-	-	2	-	1	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	8	3	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	4	-	-	-	-	2	-	-	-	2	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	16	21	-	-	-	1	3	-	2	3	9	7	12	
Diseases Ill-defined or Unknown -	4	2	-	-	-	-	-	-	1	1	1	2	1	
Total - - - - -	70	77	23	12	3	2	9	7	10	19	19	20	23	

YEAR 1919.

Population—Census 1901, - - - 20,898.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 37,548.

PUBLIC HEALTH DISTRICT—**Clydebank** (Burgh).

Do. estimated to middle of 1919, 48,025.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,214	9	44	1,249	638	611
Illegitimate Births -	39	2	16	53	28	25
Marriages - - -	321	-	-	-	-	-
Deaths - - -	404	7	154	551	301	250

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.3	26.0	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	8.4	11.5	13.3
Do. —Phthisis - - - - -	-	0.83	-
Do. —All Tuberculosis - - - - -	-	1.19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	9	5	3	10	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	8	3	6	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	-	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	9	2	1	1	1	-	2	1	-	1	3	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	23	17	-	2	2	2	7	12	5	6	3	1	-	
Tuberculous Meningitis - - - - -	2	2	-	1	2	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	5	4	-	5	2	-	2	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	-	1	-	-	-	2	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	27	14	1	1	-	-	-	2	4	12	14	5	2	
Rheumatic Fever - - - - -	1	3	-	-	-	-	1	1	1	1	-	-	-	
Meningitis - - - - -	6	6	7	4	-	-	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	19	22	-	1	-	2	2	2	2	13	10	8	1	
Bronchitis - - - - -	18	19	8	1	1	-	1	2	-	2	7	10	5	
Pneumonia (all forms) - - - - -	48	42	13	15	2	1	7	16	12	5	10	6	3	
Other Diseases of Respiratory Organs - - - - -	4	6	-	3	-	-	2	-	-	-	3	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	8	1	8	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	-	1	-	-	-	1	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	7	11	6	-	1	-	-	2	2	-	7	-	-	
Nephritis and Bright's Disease - - - - -	13	4	1	1	-	-	2	2	-	1	8	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	5	-	-	-	-	2	1	2	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	13	17	30	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	†27	6	2	1	5	3	7	5	4	5	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Other Defined Diseases - - - - -	50	47	9	5	3	4	3	7	9	8	14	13	22	
Diseases Ill-defined or Unknown - - - - -	3	2	1	-	-	-	-	-	-	2	2	-	-	
Total - - - - -	†301	250	93	64	20	13	40	55	43	57	82	48	35	

† Including 1 of unstated age.

YEAR 1919.

Population—Census 1901, - - - 942.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 861.

PUBLIC HEALTH DISTRICT—**Cove and Kilcreggan (Burgh).**

Do. estimated to middle of 1919, 748.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	1	9	3	6
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	4	-	-	-	-	-
Deaths - - -	10	0	2	12	6	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·7	12·0	-
Marriage-rate - - - - -	5·3	-	-
Death-rate—All Causes - - - - -	13·4	16·0	12·9
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	2·67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	74 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Total - - - - -	6	6	-	-	-	1	-	1	1	1	1	4	2	

YEAR 1919.

COUNTY—Dumbarton.

PUBLIC HEALTH DISTRICT—Dumbarton (Burgh).

Population—Census 1901, - - - 19,985.
Do. Do. 1911, - - - 21,989.
Do. estimated to middle of 1919, 22,282.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	555	12	7	550	292	258
Illegitimate Births -	28	6	2	24	16	8
Marriages - - -	137	-	-	-	-	-
Deaths - - -	335	58	42	319	166	153

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·9	24·7	-
Marriage-rate - - - - -	6·1	-	-
Death-rate—All Causes - - - - -	15·0	14·3	15·3
Do. —Phthisis - - - - -	-	0·72	-
Do. —All Tuberculosis - - - - -	-	1·62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	8	4	2	10	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	8	5	7	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	6	-	-	-	1	2	5	6	2	-	-	-	
Tuberculous Meningitis - - - - -	3	9	2	7	-	-	3	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	-	-	1	1	-	1	-	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	15	-	-	-	-	-	-	-	5	9	8	4	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	17	11	-	-	-	1	-	-	2	4	3	9	9	
Bronchitis - - - - -	12	7	1	1	-	-	1	1	1	3	4	4	3	
Pneumonia (all forms) - - - - -	20	18	7	9	2	-	3	7	3	4	-	1	2	
Other Diseases of Respiratory Organs - - - - -	2	5	-	1	1	-	1	-	-	-	3	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	6	2	6	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	8	1	1	-	1	1	-	2	2	-	1	1	-	
Nephritis and Bright's Disease - - - - -	2	6	-	-	-	-	2	-	1	3	1	1	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	11	18	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	4	1	4	2	1	1	-	2	2	-	1	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Other Defined Diseases - - - - -	32	32	5	2	-	-	-	1	5	10	10	16	15	
Diseases Ill-defined or Unknown - - - - -	3	2	1	1	-	-	-	-	-	-	2	1	-	
Total - - - - -	166	153	51	51	9	4	15	18	28	34	33	43	33	

YEAR 1919.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Helensburgh** (Burgh).

Population—Census 1901, - - - - 8,554.
Do. Do. 1911, - - - - 8,529.
Do. estimated to middle of 1919, 8,018.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	138	10	6	134	66	68
Illegitimate Births -	8	1	5	12	6	6
Marriages - - -	53	-	-	-	-	-
Deaths - - -	131	12	21	140	58	82

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·2	16·7	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	16·3	17·5	16·2
Do. —Phthisis - - - - -	-	1·37	-
Do. —All Tuberculosis - - - - -	-	2·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—82.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	.5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	4	-	-	-	1	2	3	1	4	-	-	-	
Tuberculous Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	1	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	5	-	-	-	-	-	-	1	1	3	4	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	-	-	2	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	12	-	-	-	-	-	-	-	2	5	6	3	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	-	3	1	2	
Pneumonia (all forms) - - - - -	5	10	-	3	1	-	-	4	3	1	2	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	3	-	1	-	1	-	-	-	1	2	-	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	1	-	-	2	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	18	25	1	-	-	-	-	2	4	3	6	14	13	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Total - - - - -	58	82	11	9	3	3	4	10	12	14	22	28	24	

YEAR 1919.

Population—Census 1901, - - - 10,502.

Do. Do. 1911, - - - 11,932.

Do. estimated to middle of 1919, 12,358.

COUNTY—**Dumbarton.**PUBLIC HEALTH DISTRICT—**Kirkintilloch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	301	3	11	309	143	166
Illegitimate Births -	14	0	2	16	5	11
Marriages - - -	99	-	-	-	-	-
Deaths - - -	209	40	27	196	104	92

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.4	25.0	-
Marriage-rate - - - - -	8.0	-	-
Death-rate—All Causes - - - - -	16.9	15.9	16.4
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	1.29	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.29	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—136.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	3	4	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	5	4	-	6	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	3	5	-	-	-	-	-	2	1	-	3	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	4	-	-	2	-	1	2	1	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	1	2	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	1	-	2	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	8	1	-	-	-	-	-	1	4	3	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	2	1	2	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	8	7	-	-	-	-	-	1	1	2	2	6	3	
Bronchitis - - - - -	17	13	13	2	1	-	-	1	-	1	5	2	5	
Pneumonia (all forms) - - - - -	11	10	1	7	-	-	2	1	3	2	3	1	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
All Liver Diseases (not malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	1	-	-	1	1	
Nephritis and Bright's Disease - - - - -	4	2	-	-	-	-	-	2	1	1	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	2	-	-	-	-	2	1	1	2	2	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	22	16	7	1	1	1	1	1	3	3	4	7	9	
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	104	92	42	22	7	6	6	12	13	16	26	22	24	

YEAR 1919.

COUNTY—**Dumbarton.**

PUBLIC HEALTH DISTRICT—**Milngavie** (Burgh).

Population—Census 1901, - - - 3,683.
Do. Do. 1911, - - - 4,530.
Do. estimated to middle of 1919, 4,927.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	1	0	86	44	42
Illegitimate Births -	2	0	0	2	2	0
Marriages - - -	24	-	-	-	-	-
Deaths - - -	46	4	6	48	20	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·7	17·5	-
Marriage-rate - - - - -	4·9	-	-
Death-rate—All Causes - - - - -	9·3	9·7	10·2
Do. —Phthisis - - - - -	-	0·61	-
Do. —All Tuberculosis - - - - -	-	0·81	-
Do —Principal Epidemic Diseases (those asterisked below.)	-	0·20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	2	-	-	-	1	-	-	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	1	-	1	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	1	3	-	1	-	
Bronchitis - - - - -	1	3	-	1	-	-	-	-	-	1	-	2	-	
Pneumonia (all forms) - - - - -	2	-	-	1	-	-	-	-	-	1	-	-	-	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	-	1	-	1	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	6	-	-	2	-	-	-	1	-	1	1	1	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	6	1	-	-	-	-	-	-	2	5	1	5	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	20	28	4	3	2	1	1	2	4	9	9	5	8	

YEAR 1919.

Population—Census 1901, - - - 19,923.

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 22,751.

Do. estimated to middle of 1919, 23,641.

PUBLIC HEALTH DISTRICT—**Eastern Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	499	7	26	518	263	255
Illegitimate Births -	39	2	5	42	19	23
Marriages - - -	124	-	-	-	-	-
Deaths - - -	410	152	44	302	158	144

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.1	21.9	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	17.3	12.8	13.3
Do. —Phthisis - - - - -	-	0.72	-
Do. —All Tuberculosis - - - - -	-	1.18	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	4	3	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	3	1	1	-	-	-	1	1	1	-	-	2	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	8	-	-	-	-	5	3	-	4	5	-	-	
Tuberculous Meningitis - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	1	1	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	5	-	1	-	-	1	1	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	11	-	1	-	-	1	1	1	4	4	5	3	
Rheumatic Fever - - - - -	3	-	-	-	2	-	-	1	-	-	-	-	-	
Encephalitis - - - - -	3	4	2	4	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	19	7	-	-	-	-	-	-	2	3	4	11	6	
Bronchitis - - - - -	8	7	3	2	-	-	-	-	-	3	2	-	5	
Pneumonia (all forms) - - - - -	16	19	4	4	4	1	4	2	6	5	2	3	-	
Other Diseases of Respiratory Organs - - - - -	2	4	-	-	-	-	-	1	1	-	3	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	5	2	5	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	8	3	1	3	-	-	-	-	2	1	3	1	-	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	2	-	-	1	1	1	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	7	12	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	7	1	1	-	2	2	1	3	5	2	1	1	
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Defined Diseases - - - - -	36	35	7	2	2	1	2	2	1	4	10	16	21	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	1	1	-	-	2	
Total - - - - -	158	144	47	29	12	5	16	16	24	32	38	38	45	

YEAR 1919.

Population—Census 1901, - - - 26,952

COUNTY—**Dumbarton.**

Do. Do. 1911, - - - 28,093.

Do. estimated to middle of 1919, 27,864.

PUBLIC HEALTH DISTRICT—**Western Dumbarton** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	592	17	22	597	321	276
Illegitimate Births -	42	8	6	40	24	16
Marriages - - -	223	-	-	-	-	-
Deaths - - -	400	18	62	444	231	213

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·6	21·8	-
Marriage-rate - - - - -	8·1	-	-
Death-rate—All Causes - - - - -	14·6	16·2	17·1
Do. —Phthisis - - - - -	-	0·66	-
Do. —All Tuberculosis - - - - -	-	1·17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—87.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	12	9	2	16	3	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	4	2	-	1	3	1	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	4	2	-	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	1	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	3	-	-	1	-	-	1	2	1	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	8	-	-	1	1	6	3	3	3	1	-	-	
Tuberculous Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	7	2	3	3	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	13	14	-	-	-	-	-	-	5	4	8	8	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Meningitis - - - - -	6	5	1	3	3	-	-	-	2	2	-	-	-	
Organic Heart Disease - - - - -	23	22	-	-	-	-	1	1	3	5	9	14	12	
Bronchitis - - - - -	12	12	2	-	-	-	-	-	2	1	4	5	10	
Pneumonia (all forms) - - - - -	25	27	5	10	1	-	-	13	6	1	5	4	7	
Other Diseases of Respiratory Organs - - - - -	9	10	3	3	1	-	-	1	1	1	2	2	5	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	4	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-	
Other Diseases of Digestive System - - - - -	14	4	1	3	-	1	-	1	3	3	2	2	2	
Nephritis and Bright's Disease - - - - -	3	3	1	1	-	-	-	1	1	-	-	1	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	10	8	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	6	1	1	-	-	3	2	3	4	1	2	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	55	54	6	3	2	-	3	4	-	13	13	33	32	
Diseases Ill-defined or Unknown - - - - -	4	4	3	1	-	-	-	-	1	-	1	1	1	
Total - - - - -	231	213	52	51	22	5	16	31	33	38	49	74	73	

YEAR 1919.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Annan (Burgh).**

Population—Census 1901, - - - 4,309.
 Do. Do. 1911, - - - 4,219.
 Do. estimated to middle of 1919, 3,906.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	2	2	99	54	45
Illegitimate Births -	6	0	0	6	2	4
Marriages - - -	40	-	-	-	-	-
Deaths - - -	51	1	8	58	30	28

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·3	25·3	-
Marriage-rate - - - - -	10·2	-	-
Death-rate—All Causes - - - - -	13·1	14·8	14·2
Do. —Phthisis - - - - -	-	0·77	-
Do. —All Tuberculosis - - - - -	-	1·28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	-	1	-	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	1	-	-	-	-	-	-	-	-	4	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	-	1	4	2	
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	2	1	3	
Pneumonia (all forms) - - - - -	5	3	2	2	-	-	-	2	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	8	-	-	-	-	2	-	-	3	-	8	6	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
- Total - - - - -	30	28	4	3	-	1	4	2	2	5	9	16	12	

YEAR 1919.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Dumfries** (Burgh).

Population—Census 1901, - - - 15,516.
Do. Do. 1911, - - - 16,011.
Do. estimated to middle of 1919, 15,474.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	342	5	7	344	176	168
Illegitimate Births -	49	1	4	52	28	24
Marriages - - -	227	-	-	-	-	-
Deaths - - -	310	51	8	267	108	159

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.1	22.2	-
Marriage-rate - - -	14.7	-	-
Death-rate—All Causes - - -	20.0	17.3	17.8
Do. —Phthisis - - -	-	1.23	-
Do. —All Tuberculosis - - -	-	1.55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—125.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	2	-	3	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	-	1	-	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	12	-	-	-	-	7	5	3	4	-	-	-	
Tuberculous Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	-	2	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	11	14	-	-	-	-	-	-	1	4	5	11	4	
Rheumatic Fever - - - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
Meningitis - - - - -	1	7	4	1	-	-	2	-	1	-	-	-	-	
Organic Heart Disease - - - - -	6	15	-	-	-	-	1	-	2	2	5	7	4	
Bronchitis - - - - -	21	25	9	5	1	1	2	-	1	4	5	9	9	
Pneumonia (all forms) - - - - -	12	12	3	9	1	1	1	2	2	3	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	4	1	-	-	-	1	-	-	-	2	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System - - - - -	2	3	-	-	1	-	-	-	-	1	1	-	2	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	6	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	1	-	1	-	-	1	-	1	1	-	
Suicide - - - - -	1	2	-	-	-	-	1	-	1	-	1	-	-	
Other Defined Diseases - - - - -	26	41	9	2	1	2	2	2	2	5	8	18	16	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	108	159	43	26	6	6	19	9	17	24	31	48	38	

YEAR 1919.

Population—Census 1901, 3,142
 Do. Do. 1911, 2,930.
 Do. estimated to middle of 1919, 2,596.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Langholm** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	34	1	3	36	20	16
Illegitimate Births - -	1	0	2	3	2	1
Marriages - - -	10	-	-	-	-	-
Deaths - - -	43	3	2	42	15	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·1	13·9	-
Marriage-rate - - - - -	3·9	-	-
Death-rate—All Causes - - - - -	16·6	16·2	14·1
Do. —Phthisis - - - - -	-	1·16	-
Do. —All Tuberculosis - - - - -	-	1·16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	-	2	1	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	1	-	-	-	-	-	-	-	1	-	1	3	
Bronchitis - - - - -	1	3	-	-	-	-	-	-	-	1	-	1	3	
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	2	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Uræmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	3	7	1	-	-	-	-	-	-	1	-	5	3	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Total - - - - -	15	27	3	-	-	-	1	4	3	3	3	12	13	

YEAR 1919.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Lochmaben** (Burgh).

Population—Census 1901, - - - 1,051.
Do. Do. 1911, - - - 1,056.
Do. estimated to middle of 1919, 999.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	22	1	0	21	9	12
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	15	1	1	15	4	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.0	21.0	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	15.0	15.0	12.1
Do. —Phthisis - - - - -	-	2.00	-
Do. —All Tuberculosis - - - - -	-	2.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—95.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	4	11	2	1	-	-	1	-	1	1	2	3	4	

YEAR 1919.

Population—Census 1901, - - - 2,358.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 2,455.

Do. estimated to middle of 1919, 2,388.

PUBLIC HEALTH DISTRICT—**Lockerbie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	36	0	4	40	21	19
Illegitimate Births -	4	0	0	4	1	3
Marriages - - -	13	-	-	-	-	-
Deaths - - -	34	0	3	37	17	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.1	16.8	-
Marriage-rate - - - - -	5.4	-	-
Death-rate—All Causes - - - - -	14.2	15.5	13.8
Do. —Phthisis - - - - -	-	0.84	-
Do. —All Tuberculosis - - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—50.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	-	-	1	1	2	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	1	1	1	1	2	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	1	2	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	8	-	-	-	-	-	-	-	1	1	-	8	
Diseases Ill-defined or Unknown - -	-	3	-	-	-	-	-	-	-	2	-	1	-	
Total - - - - -	17	20	2	1	1	-	-	-	2	6	8	7	10	

YEAR 1919.
COUNTY—**Dumfries.**
PUBLIC HEALTH DISTRICT—**Moffat** (Burgh).

Population—Census 1901, - - - 2,153.
Do. Do. 1911, - - - 2,079.
Do. estimated to middle of 1919, 1,902.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	1	2	34	17	17
Illegitimate Births -	4	0	2	6	2	4
Marriages - - -	17	-	-	-	-	-
Deaths - - -	30	6	1	25	12	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·4	17·9	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - - - -	15·8	13·1	11·1
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—29.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	1	1	1	1	1	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	-	3	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	1	-	-	-	-	-	-	-	1	1	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	13	1	-	-	-	-	-	1	1	3	4	15	

YEAR 1919.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Sanquhar** (Burgh).

Population—Census 1901, - - - 1,375.
Do. Do. 1911, - - - 1,508.
Do. estimated to middle of 1919, 1,525.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	13	17
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	18	-	-	-	-	-
Deaths - - -	18	0	1	19	10	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·7	19·7	-
Marriage-rate - - - - -	11·8	-	-
Death-rate—All Causes - - - - -	11·8	12·5	12·2
Do. —Phthisis - - - - -	-	1·31	-
Do. —All Tuberculosis - - - - -	-	1·31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	1	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	1	1	-	-	-	-	-	2	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	1	-	-	5	3
Other Defined Diseases - - - - -	3	6	-	-	-	-	-	-	1	-	-	-	-
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	10	9	2	-	-	1	1	-	1	3	2	6	3

YEAR 1919.

Population—Census 1901, - - - 10,818.

COUNTY—**Dumfries.**

Do. Do. 1911, - - - 10,515.

Do. estimated to middle of 1919, 9,673.

PUBLIC HEALTH DISTRICT—**Annan** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	321	16	19	324	172	152
Illegitimate Births -	42	9	9	42	25	17
Marriages - - -	95	-	-	-	-	-
Deaths - - -	171	18	20	173	86	87

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	33·2	33·5	-
Marriage-rate - - - - -	9·8	-	-
Death-rate—All Causes - - - - -	17·7	17·9	16·4
Do. —Phthisis - - - - -	-	1·34	-
Do. —All Tuberculosis - - - - -	-	1·76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·52	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	3	1	-	-	-	-	1	1	-	-	-	-		
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	8	5	-	-	-	1	2	2	4	2	1	1	-		
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	2	-	1	-	-	-	1	-	1	-	-	-		
Cancer, Malignant Disease - - - - -	3	13	-	-	-	-	-	-	2	2	6	5	3		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	2	1	1	1	-	-	-	-	1	-	-	-		
Organic Heart Disease - - - - -	12	6	-	-	-	-	2	-	-	1	3	7	5		
Bronchitis - - - - -	6	6	3	2	-	-	-	-	-	-	2	2	3		
Pneumonia (all forms) - - - - -	8	11	4	2	2	-	2	4	1	1	-	1	2		
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1		
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-		
Other Diseases of Digestive System - - - - -	2	2	-	-	-	-	-	-	1	-	1	-	2		
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	4	4	8	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	4	2	2	1	-	-	2	-	-	-	-	-	1		
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-		
Other Defined Diseases - - - - -	23	25	4	1	-	-	-	1	3	5	6	5	23		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	86	87	26	10	3	2	9	10	14	14	22	23	40		

YEAR 1919.

Population—Census 1901, - - - 8,258.

Do. Do. 1911, - - - 8,555.

Do. estimated to middle of 1919, 8,293.

COUNTY—**Dumfries.**PUBLIC HEALTH DISTRICT—**Dumfries** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	171	8	2	165	86	79
Illegitimate Births -	29	2	0	27	17	10
Marriages - - -	34	-	-	-	-	-
Deaths - - -	178	70	12	120	59	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·6	19·9	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - - - -	21·5	14·5	12·2
Do. —Phthisis - - - - -	-	1·09	-
Do. —All Tuberculosis - - - - -	-	1·33	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·48	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	4	-	-	1	-	1	4	-	1	2	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	4	6	-	-	-	-	-	-	1	1	2	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	10	-	-	1	-	-	1	1	1	6	4	3	
Bronchitis - - - - -	5	7	3	2	-	-	-	-	-	1	1	3	2	
Pneumonia (all forms) - - - - -	8	7	2	4	1	-	-	-	1	3	1	3	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	15	17	1	-	-	-	2	-	1	4	3	9	12	
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	59	61	18	9	4	-	5	5	6	11	18	24	20	

YEAR 1919.

COUNTY—**Dumfries.**

PUBLIC HEALTH DISTRICT—**Langholm** (County District).

Population—Census 1901, - - - 3,434.
Do. Do. 1911, - - - 3,242.
Do. estimated to middle of 1919, 2,906.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Numbers.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	54	3	3	54	28	26
Illegitimate Births -	4	0	0	4	2	2
Marriages - - -	19	-	-	-	-	-
Deaths - - -	40	3	3	40	20	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·6	18·6	-
Marriage-rate - - - - -	6·5	-	-
Death-rate—All Causes - - -	13·8	13·8	11·7
Do. —Phthisis - - - - -	-	0·69	-
Do. —All Tuberculosis - - -	-	0·69	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—56.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	3	1	2	1	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	-	-	-	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	1	1	-	3	1		
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	2		
Pneumonia (all forms) - - - - -	4	1	-	2	-	1	-	-	-	-	1	1	-		
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	1	-	-	-	-	-	-	1		
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	5	6	-	-	-	-	-	-	-	1	-	6	4		
Diseases Ill-defined or Unknown - - - - -	1	2	1	-	-	-	-	-	-	-	2	-	-		
Total - - - - -	20	20	3	4	3	1	2	1	1	3	3	11	8		

YEAR 1919.

Population—Census 1901, - - - 8,892.

Do. Do. 1911, - - - 8,545.

Do. estimated to middle of 1919, 7,784.

COUNTY—Dumfries.

PUBLIC HEALTH DISTRICT—Lockerbie (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	158	6	13	165	84	81
Illegitimate Births -	16	1	5	20	13	7
Marriages - - -	55	-	-	-	-	-
Deaths - - -	114	6	16	124	56	68

* PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	21·2	-
Marriage-rate - - - - -	7·1	-	-
Death-rate—All Causes - - - - -	14·6	15·9	14·4
Do. —Phthisis - - - - -	-	1·41	-
Do. —All Tuberculosis - - - - -	-	1·41	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·64	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	1	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	5	-	-	-	-	4	2	1	2	1	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	-	-	2	3	5	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	2	-	-	1	2	3	
Bronchitis - - - - -	2	9	1	-	1	-	-	-	-	-	3	4	2	
Pneumonia (all forms) - - - - -	2	4	1	-	-	1	2	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	2	1	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-	
Al Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System - - - - -	1	5	2	-	-	-	-	-	-	1	2	-	1	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	1	-	1	-	-	-	
Septic Peritonitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	5	1	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	-	-	-	-	1	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	19	4	1	-	1	-	2	2	3	3	10	10	
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2	
Total - - - - -	56	68	18	3	3	3	6	10	5	11	17	24	24	

YEAR 1919.

Population—Census 1901, - - - 11,265.

Do. Do. 1911, - - - 11,710.

COUNTY—**Dumfries.**

Do. estimated to middle of 1919, 11,382.

PUBLIC HEALTH DISTRICT—**Thornhill** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	272	7	14	279	148	131
Illegitimate Births -	23	2	7	28	14	14
Marriages - - -	118	-	-	-	-	-
Deaths - - -	221	5	20	236	111	125

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·9	24·5	-
Marriage-rate - - - - -	10·4	-	-
Death-rate—All Causes - - -	19·4	20·7	18·7
Do. —Phthisis - - - - -	-	1·32	-
Do. —All Tuberculosis - - -	-	2·28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	2	4	2	2	1	1	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	5	-	-	-	1	3	4	2	3	2	-	-	-
Tuberculous Meningitis - - -	2	1	-	-	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	2	-	1	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - -	3	2	-	1	1	-	1	1	-	-	-	1	-	-
Cancer, Malignant Disease - - -	7	11	-	-	-	-	-	-	1	2	4	8	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - -	11	20	2	-	-	-	-	-	1	1	5	7	1	-
Bronchitis - - - - -	7	10	1	-	-	-	1	-	1	1	1	4	-	-
Pneumonia (all forms) - - - -	16	15	4	4	1	-	3	4	5	3	2	2	-	-
Other Diseases of Respiratory Organs	1	2	-	1	-	-	-	-	-	-	-	1	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System	2	6	-	1	-	-	-	-	-	2	2	-	-	-
Nephritis and Bright's Disease - -	2	2	-	-	-	-	1	-	-	-	1	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	9	4	13	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	2	1	-	1	-	-	-	1	-	-	-
Suicide - - - - -	3	1	-	-	-	-	-	1	-	-	-	3	-	-
Other Defined Diseases - - - -	23	30	3	1	-	-	1	-	-	5	11	14	1	-
Diseases Ill-defined or Unknown - -	6	3	-	-	-	-	1	-	1	1	1	3	-	-
Total - - - - -	111	125	25	16	10	2	14	10	11	19	30	46	-	-

YEAR 1919.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Bonnyrigg (Burgh).**

Population—Census 1901, - - - 2,971.

Do. Do. 1911, - - - 3,085.

Do. estimated to middle of 1919, 2,996.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	52	4	1	49	31	18
Illegitimate Births -	3	2	0	1	0	1
Marriages - - -	4	-	-	-	-	-
Deaths - - -	37	2	11	46	20	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	16.4	-
Marriage-rate - - - - -	1.3	-	-
Death-rate—All Causes - - -	12.3	15.4	15.2
Do. —Phthisis - - - - -	-	1.34	-
Do. —All Tuberculosis - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.67	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—102.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis -	2	2	-	-	-	-	1	2	1	-	-	-	-	
tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
bronchial Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
pneumonic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - -	1	4	-	-	-	-	-	-	1	-	1	2	1	
bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
pneumonia (all forms) - - -	2	5	-	3	-	-	-	2	-	-	-	1	1	
other Diseases of Respiratory Organs -	-	2	1	1	-	-	-	-	-	-	-	-	-	
diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System -	1	1	-	-	-	-	1	-	-	-	-	1	-	
nephritis and Bright's Disease - - -	3	-	-	-	-	-	1	1	-	-	-	1	-	
periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malforma- tion, including Premature Birth -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	1	1	-	-	1	-	-	-	-	1	-	-	-	
suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	4	6	-	-	-	-	-	1	-	-	3	4	2	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	20	26	5	5	2	-	3	6	2	1	5	11	6	

YEAR 1919.

Population—Census 1901, - - - 6,822.

Do. Do. 1911, - - - 7,051.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1919, 6,823.

PUBLIC HEALTH DISTRICT—**Dalkeith (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	167	4	12	175	92	83
Illegitimate Births -	11	2	4	13	5	8
Marriages - - -	45	-	-	-	-	-
Deaths - - -	108	14	20	114	64	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	25.6	-
Marriage-rate - - - - -	6.6	-	-
Death-rate—All Causes - - -	15.8	16.7	16.0
Do. —Phthisis - - - - -	-	1.03	-
Do. —All Tuberculosis - - -	-	1.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75- and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	1	1	-	1	1	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	3	-	-	-	-	-	1	-	-	4	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	5	2	-	-	-	-	1	3	1	2	-	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	1	1	-	1	-	-	-	-	-	-	-	1	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	6	2	-	-	-	-	-	-	1	1	3	3	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - -	6	6	-	-	-	-	-	-	1	1	3	6	1		
Bronchitis - - - - -	8	8	1	2	-	-	-	-	-	-	3	5	5		
Pneumonia (all forms) - - - -	6	7	3	1	1	1	-	4	1	1	-	1	-		
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	-	-	2		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Other Diseases of Digestive System	1	-	1	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	-	-	-	1		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	4	-	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	4	1	-	-	1	-	1	-	1	1	-	-	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - -	14	12	1	-	-	-	-	-	1	2	4	11	7		
Diseases Ill-defined or Unknown -	3	3	-	-	-	-	-	1	-	2	1	1	1		
Total - - - - -	64	50	12	5	3	1	2	9	7	10	18	29	18		

YEAR 1919.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Edinburgh (Burgh).**

Population—Census 1901, - - - 317,459.
 Do. Do. 1911, - - - 320,318.
 Do. estimated to middle of 1919, 338,060.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	6057	926	481	5612	2899	2713
Illegitimate Births -	775	246	43	572	295	277
Marriages - - -	4690	-	-	-	-	-
Deaths - - -	6066	1017	534	5583	2613	2970

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·9	16·6	-
Marriage-rate - - - - -	13·9	-	-
Death-rate—All Causes - - - - -	17·9	16·5	17·1
Do. —Phthisis - - - - -	-	0·95	-
Do. —All Tuberculosis - - - - -	-	1·40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	35	27	18	44	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	20	20	2	13	15	5	3	2	-	-	-	-	-	
whooping-cough - - - - -	82	111	71	110	10	2	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	38	44	7	40	26	3	2	3	-	1	-	-	-	
influenza - - - - -	48	64	10	6	2	1	5	12	12	18	16	16	14	
erysipelas - - - - -	5	4	3	-	-	-	-	-	1	1	1	2	1	
phthisis, Pulmonary Tuberculosis - - - - -	157	163	1	7	5	9	54	75	71	54	26	16	2	
tuberculous Meningitis - - - - -	18	26	6	21	7	5	4	-	1	-	-	-	-	
abdominal Tuberculosis - - - - -	11	22	5	9	4	1	5	3	2	3	-	1	-	
other Tuberculous Diseases - - - - -	41	34	10	8	6	8	11	5	7	5	8	7	-	
Cancer, Malignant Disease - - - - -	158	274	-	1	-	-	-	7	34	72	146	124	48	
pneumatic Fever - - - - -	6	3	-	-	2	1	3	1	-	1	-	1	-	
meningitis - - - - -	12	13	9	7	-	1	2	2	1	3	-	-	-	
organic Heart Disease - - - - -	228	289	1	-	3	4	15	30	24	53	115	142	130	
leucorrhoea - - - - -	197	258	62	9	3	2	1	7	16	39	57	143	116	
pneumonia (all forms) - - - - -	461	476	89	107	32	19	97	177	77	87	101	100	51	
other Diseases of Respiratory Organs - - - - -	51	46	5	3	1	1	4	8	4	13	12	24	22	
diarrhoea and Enteritis (under 2 years) - - - - -	15	12	22	5	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - - - -	13	12	-	-	4	6	5	2	4	2	2	-	-	
all Liver Diseases (not Malignant) - - - - -	5	13	-	-	-	-	1	-	-	8	4	4	1	
other Diseases of Digestive System - - - - -	59	71	9	6	5	2	5	5	13	12	26	28	19	
gout and Bright's Disease - - - - -	75	60	-	1	-	3	7	6	9	27	30	31	21	
periperal Sepsis - - - - -	-	8	-	-	-	-	1	5	2	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	38	-	-	-	-	4	22	12	-	-	-	-	
congenital Debility and Malforma- tion, including Premature Birth - - - - -	151	105	255	-	-	1	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	92	71	6	15	12	4	14	16	22	21	20	16	17	
suicide - - - - -	15	4	-	-	-	-	1	1	6	5	2	4	-	
other Defined Diseases - - - - -	597	683	62	23	9	12	22	32	53	103	191	309	464	
Diseases Ill-defined or Unknown - - - - -	23	19	1	2	-	-	-	-	1	9	12	10	7	
Total - - - - -	2613	2970	654	437	146	90	266	421	372	537	769	978	913	

YEAR 1919.

Population—Census 1901, 869.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, 880.

Do. estimated to middle of 1919, 838.

PUBLIC HEALTH DISTRICT—**Lasswade (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - - -	17	2	2	17	11	6
Illegitimate Births - -	1	0	0	1	1	0
Marriages - - - -	12	-	-	-	-	-
Deaths - - - -	12	0	2	14	4	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	20·3	-
Marriage-rate - - - - -	14·3	-	-
Death-rate—All Causes - - - - -	14·3	16·7	17·1
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	1·19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-		
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	-		
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	1	3	-	-	-	-	-	-	-	2	1	1	-		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	4	10	-	-	-	-	1	2	-	3	3	2	3		

YEAR 1919.

Population—Census 1901, - - - 77,439.

Do. Do. 1911, - - - 80,488.

Do. estimated to middle of 1919, 84,281.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Leith (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1792	28	136	1900	939	961
Illegitimate Births -	103	6	38	135	58	77
Marriages - - -	763	-	-	-	-	-
Deaths - - -	1091	79	348	1360	728	632

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	22·5	-
Marriage-rate - - - - -	9·1	-	-
Death-rate—All Causes - - - - -	12·9	16·1	16·8
Do. —Phthisis - - - - -	-	1·08	-
Do. —All Tuberculosis - - - - -	-	1·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·73	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	17	14	9	19	3	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	6	2	-	6	2	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	30	29	17	41	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	20	14	-	19	13	-	1	1	-	-	-	-	-	
Influenza - - - - -	4	10	2	-	1	2	1	2	1	1	1	1	2	
Erysipelas - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	43	48	1	4	2	2	20	15	23	12	9	3	-	
Tuberculous Meningitis - - - - -	7	7	3	7	-	2	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	6	4	2	4	2	1	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	9	-	2	2	5	2	-	1	2	-	-	-	
Cancer, Malignant Disease - - - - -	52	46	-	-	-	-	-	-	6	20	32	27	13	
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Encephalitis - - - - -	3	6	4	4	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	49	66	2	-	1	1	4	8	9	10	16	37	27	
Bronchitis - - - - -	52	44	17	7	1	1	1	-	5	10	18	14	22	
Pneumonia (all forms) - - - - -	131	107	34	51	9	2	20	34	14	26	21	15	12	
Other Diseases of Respiratory Organs - - - - -	10	10	3	6	-	1	-	1	1	1	3	1	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	8	6	12	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	-	-	-	1	1	1	-	-	1	-	
All Liver Diseases (not Malignant) - - - - -	4	3	-	-	-	-	-	-	1	3	1	2	-	
Other Diseases of Digestive System - - - - -	18	11	2	3	1	-	-	2	5	7	3	4	2	
Nephritis and Bright's Disease - - - - -	19	5	1	-	-	-	1	1	1	5	8	5	2	
Septicæmic Sepsis - - - - -	-	4	-	-	-	-	2	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	8	-	-	-	-	-	6	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	40	28	68	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	27	12	6	5	2	2	2	4	5	6	4	1	2	
Suicide - - - - -	7	1	-	-	-	-	1	1	4	1	-	1	-	
Other Defined Diseases - - - - -	151	131	21	10	1	3	9	11	15	25	41	63	83	
Diseases Ill-defined or Unknown - - - - -	14	4	-	-	-	1	-	1	-	2	4	6	4	
Total - - - - -	728	632	204	190	41	24	67	92	95	132	162	181	172	

YEAR 1919.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Loanhead (Burgh).**

Population—Census 1901, - - - 3,011.
Do. Do. 1911, - - - 3,483.
Do. estimated to middle of 1919, 3,650.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	83	2	1	82	39	43
Illegitimate Births -	2	0	1	3	2	1
Marriages - - -	40	-	-	-	-	-
Deaths - - -	33	1	6	38	19	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	22.5	-
Marriage-rate - - - - -	11.0	-	-
Death-rate—All Causes - - - -	9.0	10.4	11.1
Do. —Phthisis - - - - -	-	0.27	-
Do. —All Tuberculosis - - - -	-	0.27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.37	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	5	-	-	-	-	-	1	-	2	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	2	1	1	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	1	-	1	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	-	1	-	-	-	-	-	-	1	2	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	19	8	5	-	-	3	1	-	3	6	5	-	

YEAR 1919.

Population—Census 1901, - - - 11,868.

COUNTY—**Edinburgh (Midlothian).**

Do. Do. 1911, - - - 15,938.

PUBLIC HEALTH DISTRICT—**Musselburgh (Burgh).**

Do. estimated to middle of 1919, 18,186.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	418	8	11	421	225	196
Illegitimate Births -	14	5	3	12	7	5
Marriages - - -	161	-	-	-	-	-
Deaths - - -	211	10	18	219	107	112

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·0	23·2	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - - - -	11·6	12·0	12·7
Do. —Phthisis - - - - -	-	0·49	-
Do. —All Tuberculosis - - - - -	-	0·82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—105.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·9

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	5	4	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	1	7	-	-	-	2	-	-	-	-	3	2	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	-	2	2	1	1	2	1	-	
Tuberculous Meningitis - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	1	-	1	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	7	-	-	-	-	-	-	-	3	5	6	-	
Rheumatic Fever - - - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Le meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	11	19	-	-	-	-	1	2	2	4	4	9	8	
Orchitis - - - - -	8	4	5	1	-	-	-	-	-	-	2	3	1	
Pneumonia (all forms) - - - - -	20	18	12	7	1	-	-	5	-	5	4	3	1	
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	1	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System - - - - -	8	2	-	2	-	-	-	-	3	1	2	1	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmia and Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	5	11	16	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	1	2	-	-	1	1	1	1	
Suicide - - - - -	2	-	-	-	-	-	-	-	1	1	-	-	-	
Other Defined Diseases - - - - -	19	20	2	-	-	1	1	1	-	6	9	10	9	
Diseases Ill-defined or Unknown - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
Total - - - - -	107	112	44	20	3	5	7	11	9	23	34	40	23	

YEAR 1919.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Penicuik (Burgh).**

Population—Census 1901, - - - 2,803.
Do. Do. 1911, - - - 2,736.
Do. estimated to middle of 1919, 2,527.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	3	6	56	31	25
Illegitimate Births -	3	2	3	4	3	1
Marriages - - -	30	-	-	-	-	-
Deaths - - -	27	0	6	33	16	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·0	22·2	-
Marriage-rate - - - - -	11·9	-	-
Death-rate—All Causes - - - - -	10·7	13·1	13·0
Do. —Phthisis - - - - -	-	0·40	-
Do. —All Tuberculosis - - - - -	-	0·40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—71.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	1	-	-	-	1	-	3	-	
Bronchitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	1	1	1	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	2	-	-	-	-	1	-	-	-	-	1	1	
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	8	-	-	1	-	-	-	-	-	4	1	4	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	16	17	4	2	1	-	2	4	1	1	7	2	9	

YEAR 1919.

Population—Census 1901, - - - 19,639.

Do. Do. 1911, - - - 19,071.

Do. estimated to middle of 1919, 17,533.

COUNTY—**Edinburgh (Midlothian).**PUBLIC HEALTH DISTRICT—**Calder (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	453	9	19	463	235	228
Illegitimate Births -	36	4	8	40	22	18
Marriages - - -	133	-	-	-	-	-
Deaths - - -	214	8	57	263	142	121

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·8	26·4	-
Marriage-rate - - - - -	7·6	-	-
Death-rate—All Causes - - - - -	12·2	15·0	15·6
Do. —Phthisis - - - - -	-	0·74	-
Do. —All Tuberculosis - - - - -	-	1·20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	5	7	2	7	3	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	2	-	1	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	-	-	-	-	-	2	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	4	9	-	1	-	-	3	4	4	1	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	1	1	1	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	15	-	-	-	-	-	-	3	9	5	3	1	
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
meningitis - - - - -	4	1	-	2	1	-	-	-	2	-	-	-	-	
Organic Heart Disease - - - - -	14	11	-	-	-	1	-	1	1	3	9	8	2	
Bronchitis - - - - -	4	9	2	-	-	-	-	-	1	2	1	3	4	
Pneumonia (all forms) - - - - -	30	12	3	1	3	2	7	13	4	3	4	1	1	
Other Diseases of Respiratory Organs -	6	3	1	1	-	-	-	3	1	-	2	1	-	
Diarrhoea and Enteritis (under 2 years) -	6	2	7	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - -	4	3	-	3	2	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	9	8	16	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	12	-	1	1	-	1	1	2	3	2	-	1	-	
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	28	3	1	2	-	3	2	1	1	12	16	14	
Diseases Ill-defined or Unknown - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Total - - - - -	142	121	36	25	14	4	16	27	20	25	39	34	23	

YEAR 1919.

Population—Census 1901, 7,100.

Do. Do. 1911, 6,917.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1919, 6,376.

PUBLIC HEALTH DISTRICT—**Gala-Water** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	136	5	6	137	79	58
Illegitimate Births -	9	1	5	13	7	6
Marriages - - -	58	-	-	-	-	-
Deaths - - -	92	1	13	104	61	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	21·5	-
Marriage-rate - - - - -	9·1	-	-
Death-rate—All Causes - - - - -	14·4	16·3	15·5
Do. —Phthisis - - - - -	-	0·47	-
Do. —All Tuberculosis - - - - -	-	0·78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·94	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—117.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7+ and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	2	1	1	-	-	2	-	-	-	-	-	-	-		
Influenza - - - - -	4	-	-	1	-	-	-	2	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	1	-	1	-	-	-		
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	5	2	-	-	-	-	-	-	1	3	-	3	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	2	-	1	-	-	2	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	3	-		
Bronchitis - - - - -	3	3	1	-	-	-	-	1	-	-	-	1	-		
Pneumonia (all forms) - - - - -	9	8	3	2	3	1	1	2	1	1	-	1	-		
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	2	-	-	-	1	-		
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	3	8	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	22	12	1	2	-	1	-	-	1	5	4	8	1		
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-		
Total - - - - -	61	43	16	9	4	4	4	9	3	12	5	20	1		

YEAR 1919.

Population—Census 1901, - - - 19,677.

Do. Do. 1911, - - - 23,885.

COUNTY—**Edinburgh (Midlothian).**

Do. estimated to middle of 1919, 25,782.

PUBLIC HEALTH DISTRICT—**Lasswade (County District).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	559	20	24	563	272	291
Illegitimate Births -	25	5	11	31	16	15
Marriages - - -	123	-	-	-	-	-
Deaths - - -	352	71	57	338	174	164

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.7	21.8	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	13.7	13.1	13.2
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	1.16	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-	
*Whooping-cough - - - - -	3	2	3	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	2	-	-	2	-	-	-	1	-	-	-	-	
Influenza - - - - -	6	5	-	1	-	-	5	2	-	-	2	1	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	8	-	-	-	-	3	5	5	1	2	1	-	
Tuberculous Meningitis - - - - -	3	2	1	4	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	4	-	-	2	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	-	-	-	-	-	2	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	13	-	-	-	-	-	-	5	4	4	5	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	2	5	4	2	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	13	13	-	-	-	-	4	4	3	1	5	5	4	
Bronchitis - - - - -	12	15	6	1	-	-	-	-	2	2	4	5	7	
Pneumonia (all forms) - - - - -	22	20	8	8	1	2	5	8	4	3	2	1	-	
Other Diseases of Respiratory Organs - - - - -	3	2	1	-	-	-	1	-	-	-	-	-	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	3	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Other Diseases of Digestive System - - - - -	9	6	1	3	1	1	1	1	-	1	3	1	2	
Nephritis and Bright's Disease - - - - -	1	4	-	-	-	-	-	-	1	3	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	-	3	2	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	12	7	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	15	4	-	2	1	1	1	2	1	2	6	3	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	42	38	4	2	-	1	-	1	4	4	15	18	31	
Diseases Ill-defined or Unknown - - - - -	2	1	1	1	-	-	-	-	-	-	1	-	-	
Total - - - - -	174	164	52	31	7	8	24	27	31	22	44	42	50	

YEAR 1919.

COUNTY—**Edinburgh (Midlothian).**

PUBLIC HEALTH DISTRICT—**Suburban (County District).**

Population—Census 1901, 19,138.
Do. Do. 1911, 23,814.
Do. estimated to middle of 1919, 26,080.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - + -	419	32	48	435	218	217
Illegitimate Births -	33	13	12	32	15	17
Marriages - - -	131	-	-	-	-	-
Deaths - - -	812	470	62	404	208	196

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.7	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	31.1	15.5	15.3
Do. —Phthisis - - - - -	-	0.65	-
Do. —All Tuberculosis - - - - -	-	1.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.53	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—136.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	7	2	7	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	13	8	9	10	2	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	14	3	-	-	-	1	1	-	1	2	6	5	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	9	-	-	-	-	4	2	5	3	2	1	-	
Tuberculous Meningitis - - - - -	1	2	-	1	-	-	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	3	-	1	-	1	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	1	1	1	1	-	1	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	8	17	-	-	-	-	-	-	1	3	4	14	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	-	1	-	-	-	-	1	1	-	1	-	-	
Organic Heart Disease - - - - -	14	23	-	-	-	-	-	2	-	4	7	10	14	
Bronchitis - - - - -	12	15	6	1	-	-	1	-	1	2	3	5	8	
Pneumonia (all forms) - - - - -	38	26	5	8	2	1	5	13	8	4	5	6	7	
Other Diseases of Respiratory Organs - - - - -	7	5	2	1	-	-	2	-	1	1	2	1	2	
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	1	6	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	5	6	1	-	1	-	1	1	-	2	1	1	3	
Nephritis and Bright's Disease - - - - -	7	6	-	-	-	-	1	1	1	2	1	2	5	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	10	2	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	2	-	1	1	-	3	2	2	1	1	-	1	
Suicide - - - - -	2	1	-	-	-	-	-	-	2	-	1	-	-	
Other Defined Diseases - - - - -	44	42	10	-	-	-	-	3	5	4	11	23	30	
Diseases Ill-defined or Unknown - - - - -	3	3	-	-	-	-	1	-	-	-	1	2	2	
Total - - - - -	208	196	59	32	8	2	24	28	29	27	44	71	80	

YEAR 1919.

Population—Census 1901, - - - 1,595.

Do. Do. 1911, - - - 1,595.

Do. estimated to middle of 1919, 1,503.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Burghead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	1	3	32	15	17
Illegitimate Births -	2	0	2	4	4	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	16	0	3	19	14	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.0	21.3	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	10.6	12.6	11.5
Do. —Phthisis - - - - -	-	0.67	-
Do. —All Tuberculosis - - - - -	-	0.67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	1	-	-	-	-	-	-	-	-	4	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	1	-	1	-	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	1	-	-	-	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	5	2	-	1	-	2	-	2	1	5	3	3	

YEAR 1919.

Population—Census 1901, - - - - 8,407.

COUNTY—**Elgin (Moray).**

Do. Do. 1911, - - - - 8,656.

PUBLIC HEALTH DISTRICT—**Elgin (Burgh).**

Do. estimated to middle of 1919, 8,351.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	132	6	8	134	76	58
Illegitimate Births -	11	2	6	15	9	6
Marriages - -	173	-	-	-	-	-
Deaths - - -	155	38	11	128	52	76

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·8	16·0	-
Marriage-rate - - - - -	20·7	-	-
Death-rate—All Causes - - - - -	18·6	15·3	13·3
Do. —Phthisis - - - - -	-	0·60	-
Do. —All Tuberculosis - - - - -	-	1·20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	2	-	-	-	-	1	1	1	-	2	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	2	1	-	-	-	-	-	-	1	-	-	-		
Other Tuberculous Diseases - - - - -	2	1	-	-	-	-	-	1	-	-	1	1	-		
Cancer, Malignant Disease - - - - -	4	8	-	-	-	-	-	-	1	2	5	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	7	11	-	-	-	-	-	-	-	-	2	6	10		
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	-	1	-		
Pneumonia (all forms) - - - - -	3	6	-	2	-	1	1	-	-	3	-	1	-		
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-		
Other Diseases of Digestive System - - - - -	3	2	1	-	-	-	-	-	-	1	1	1	-		
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	1	-	-	-	1	1	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	2	6	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	1	-	-	-	1	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	14	23	-	2	-	-	1	1	-	3	6	7	17		
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1		
Total - - - - -	52	76	14	6	1	2	4	5	3	11	19	25	38		

YEAR 1919.

Population—Census 1901, - - - 4,663.

Do. Do. 1911, - - - 4,421.

Do. estimated to middle of 1919, 3,978.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Forres (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	5	5	81	44	37
Illegitimate Births -	11	1	3	13	7	6
Marriages - - -	42	-	-	-	-	-
Deaths - - -	75	1	7	81	38	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.4	20.4	-
Marriage-rate - - - - -	10.6	-	-
Death-rate—All Causes - - - - -	18.9	20.4	17.0
Do. —Phthisis - - - - -	-	0.75	-
Do. —All Tuberculosis - - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	-	-	3	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	3	-	-	-	-	-	1	1	1	3	2	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	6	-	-	1	-	-	-	-	2	-	1	6
Bronchitis - - - - -	4	4	3	-	-	-	-	-	-	-	-	2	3
Pneumonia (all forms) - - - - -	4	4	-	3	1	-	-	3	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	2	-	1	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	15	1	-	-	-	1	-	-	2	1	5	14
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	38	43	9	8	3	-	4	5	4	5	5	11	27

YEAR 1919.

Population—Census 1901, - - - 1,568.

Do. Do. 1911, - - - 1,451.

Do. estimated to middle of 1919, 1,277.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Grantown-on-Spey (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	33	5	0	28	15	13
Illegitimate Births - -	8	4	0	4	3	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	16	1	2	17	7	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·8	21·9	-
Marriage-rate - - - - -	7·0	-	-
Death-rate—All Causes - - - - -	12·5	13·3	12·1
Do. —Phthisis - - - - -	-	0·78	-
Do. —All Tuberculosis - - - - -	-	0·78	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	-	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	4	-	-	-	-	-	-	1	1	2	1	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	10	1	-	-	-	-	1	1	2	3	4	5	

YEAR 1919.

COUNTY—**Elgin (Moray).**PUBLIC HEALTH DISTRICT—**Lossiemouth (Burgh).**

Population—Census 1901, - - - 3,904.

Do. Do. 1911, - - - 4,207

Do. estimated to middle of 1919, 4,201.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	114	4	2	112	56	56
Illegitimate Births -	8	0	0	8	3	5
Marriages - - -	40	1	1	-	-	-
Deaths - - -	55	1	5	59	26	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	27.1	26.7	-
Marriage-rate - - -	9.5	-	-
Death-rate—All Causes - - -	13.1	14.0	13.5
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.24	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	1	3	1	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Primary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	1	-	-	-	-	-	-	-	-	1	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Endocarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Endocarditis - - -	1	4	3	1	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	2	4	1	3	-	-	-	-	-	-	1	-	1	
Other Diseases of Respiratory Organs - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Periperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	10	12	3	-	1	-	-	-	1	-	3	7	7	
Diseases Ill-defined or Unknown - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
Total - - -	26	33	12	10	2	-	1	2	1	1	7	12	11	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	25	0	2	27	14	13
Illegitimate Births -	5	0	1	6	2	4
Marriages - - -	8	-	-	-	-	-
Deaths - - -	20	1	0	19	6	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	25·4	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - - -	18·9	17·9	14·2
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - -	-	3·77	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·94	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	1	2	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	-	-	2	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	6	13	2	1	-	1	2	-	-	-	2	4	7	

YEAR 1919.

Population—Census 1901, - - - 23,042.

COUNTY—**Elgin (Moray).**

Do. Do. 1911, - - - 21,747.

PUBLIC HEALTH DISTRICT—**Elgin (Moray) (County District).**

Do. estimated to middle of 1919, 19,489.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	420	16	21	425	212	213
Illegitimate Births -	63	11	15	67	31	36
Marriages - - -	109	-	-	-	-	-
Deaths - - -	272	21	38	289	141	148

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·6	21·8	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - - - -	14·0	14·8	12·7
Do. —Phthisis - - - - -	-	0·67	-
Do. —All Tuberculosis - - - - -	-	0·92	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·51	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—78.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	2	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	5	1	-	1	-	-	-	-	1	-	-	2	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	10	-	-	-	-	3	5	1	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	-	2	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	8	19	-	-	-	-	-	2	2	6	6	7	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	4	-	2	-	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	22	14	-	-	-	1	1	1	-	5	3	10	15	
Bronchitis - - - - -	11	9	1	-	-	-	1	-	2	-	1	5	10	
Pneumonia (all forms) - - - - -	20	12	2	4	-	1	3	3	2	3	5	6	3	
Other Diseases of Respiratory Organs - - - - -	2	2	-	1	1	-	-	-	-	-	1	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	4	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	6	10	2	-	-	1	-	-	2	2	3	1	5	
Nephritis and Bright's Disease - - - - -	4	3	-	-	-	-	-	-	1	1	2	2	1	
Uræmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	6	11	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	5	-	-	1	-	-	1	2	1	3	2	2	
Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Other Defined Diseases - - - - -	32	35	5	-	1	-	2	1	4	9	4	10	31	
Diseases Ill-defined or Unknown - - - - -	5	2	-	-	-	-	-	-	-	-	1	4	2	
Total - - - - -	141	148	33	12	5	7	11	14	18	30	33	49	77	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Anstruther-Easter** (Burgh).

Population—Census 1901, - - - 1,190.
Do. Do. 1911, - - - 1,147.
Do. estimated to middle of 1919, 1,047.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	0	0	7	6	1
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	8	-	-	-	-	-
Deaths - - -	11	1	2	12	7	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	6·7	6·7	-
Marriage-rate - - -	7·6	-	-
Death-rate—All Causes - - -	10·5	11·5	10·8
Do. —Phthisis - - -	-	0·96	-
Do. —All Tuberculosis - - -	-	0·96	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—286.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	2	1	-	-	-	-	-	-	-	-	-	2	1		
Bronchitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	2	1	1	-	-	-	1	-	-	-	-	-	1		
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - -	7	5	2	-	-	-	3	-	1	-	1	3	2		

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Anstruther-Wester** (Burgh).

Population—Census 1901, - - - 501.
Do. Do. 1911, - - - 552.
Do. estimated to middle of 1919, 560.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	0	8	4	4
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	5	-	-	-	-	-
Deaths - - -	4	0	0	4	2	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·3	14·3	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - - - -	7·1	7·1	6·0
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Interic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
all Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	2	

YEAR 1919.

Population—Census 1901, - - - 1,382.

Do. Do. 1911, - - - 1,396.

COUNTY—**Fife.**

Do. estimated to middle of 1919, 1,326.

PUBLIC HEALTH DISTRICT—**Auchtermuchty** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	14	0	0	14	7	7
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	11	-	-	-	-	-
Deaths - - -	21	3	2	20	8	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	10.6	10.6	-
Marriage-rate - - -	8.3	-	-
Death-rate—All Causes - - -	15.8	15.1	10.8
Do. —Phthisis - - -	-	1.51	-
Do. —All Tuberculosis - - -	-	1.51	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	4	-	1	-	-	-	-	-	-	1	-	-	
Diseases Ill-defined or Unknown - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	8	12	-	1	-	-	1	-	-	-	2	6	1	

YEAR 1919.

Population—Census 1901, - - - 8,621.

COUNTY—Fife.

Do. Do. 1911, - - - 15,149.

Do. estimated to middle of 1919, 19,352.

PUBLIC HEALTH DISTRICT—Buckhaven, Methil, & Innerleven (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	404	9	17	412	217	195
Illegitimate Births -	25	2	5	28	18	10
Marriages - - -	101	-	-	-	-	-
Deaths - - -	157	11	35	181	100	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.9	21.3	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	8.1	9.4	10.4
Do. —Phthisis - - - - -	-	0.52	-
Do. —All Tuberculosis - - - - -	-	0.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.83	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25	35-	45-	55	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	8	4	-	9	2	-	1	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	1	1	-	-	1	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	7	-	-	-	-	2	6	2	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	1	-	-	2	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	9	-	-	-	1	-	-	3	2	3	3	1	
Bronchitis - - - - -	10	4	5	-	1	-	-	-	2	1	2	1	2	
Pneumonia (all forms) - - - - -	13	9	5	5	1	-	2	3	4	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Other Diseases of Digestive System - - - - -	3	-	-	-	-	-	-	1	-	-	1	-	1	
Nephritis and Bright's Disease - - - - -	6	3	-	-	-	-	-	-	-	1	4	2	2	
Septic Peritonitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	10	8	18	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	8	-	-	-	-	2	1	1	2	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	21	12	1	-	-	1	-	1	4	8	9	8	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
Total - - - - -	100	81	41	18	5	3	14	15	15	12	26	17	15	

YEAR 1919.

Population—Census 1901, - - - 5,001.

Do. Do. 1911, - - - 4,921.

Do. estimated to middle of 1919, 4,576.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Burntisland** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	91	1	8	98	56	42
Illegitimate Births	4	0	4	8	4	4
Marriages - -	39	-	-	-	-	-
Deaths - - -	67	1	16	82	42	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	21.4	-
Marriage-rate - - - - -	8.5	-	-
Death-rate—All Causes - - - - -	14.6	17.9	17.7
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	0.66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—112.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	3	2	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	-	2	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	1	1	1	1	-
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	6	8	3	1	-	1	-	1	2	3	1	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System - - - - -	3	3	-	1	-	-	-	-	1	-	2	1	-
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	2	1	-	-	1	1	1	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	9	-	2	-	-	-	-	-	2	1	8	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	42	40	11	6	1	2	2	3	6	10	9	17	-

YEAR 1919.

Population—Census 1901, - - - 8,329.

COUNTY—Fife.

Do. Do. 1911, - - - 14,029.

Do. estimated to middle of 1919, 17,653.

PUBLIC HEALTH DISTRICT—Cowdenbeath (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	365	7	17	375	198	177
Illegitimate Births -	13	1	4	16	11	5
Marriages - - -	72	-	-	-	-	-
Deaths - - -	109	0	41	150	77	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	21·2	-
Marriage-rate - - - - -	4·1	-	-
Death-rate—All Causes - - - - -	6·2	8·5	9·5
Do. —Phthisis - - - - -	-	0·51	-
Do. —All Tuberculosis - - - - -	-	0·62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	5	-	2	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	-	2	2	3	1	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	6	-	-	-	-	-	-	-	2	4	5	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	-	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	11	1	-	-	2	1	1	-	2	5	4	1	
Bronchitis - - - - -	7	6	3	1	-	-	-	-	-	-	3	6	-	
Pneumonia (all forms) - - - - -	12	13	6	4	-	3	-	3	-	1	4	3	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	-	-	1	-	-	1	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	3	-	-	1	-	2	-	-	-	1	1	1	
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	-	-	1	2	1	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	8	5	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	3	-	2	1	-	2	-	1	1	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	13	3	-	-	-	1	2	-	5	2	6	8	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	77	73	27	12	6	5	11	8	5	13	25	27	11	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Crail** (Burgh).

Population—Census 1901, - - - 1,077.
Do. Do. 1911, - - - 1,060.
Do. estimated to middle of 1919, 987.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	2	1	23	12	11
Illegitimate Births -	4	0	1	5	2	3
Marriages - - -	14	-	-	-	-	-
Deaths - - -	24	0	1	25	6	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·3	23·3	-
Marriage-rate - - - - -	14·2	-	-
Death-rate—All Causes - - -	24·3	25·3	20·1
Do. —Phthisis - - - - -	-	1·01	-
Do. —All Tuberculosis - - -	-	1·01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—174.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	80+
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	-	-	1	1	3	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	-	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	2	8	-	-	-	-	1	-	1	-	-	1	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	6	19	4	-	-	-	1	-	1	5	1	4	-	-

YEAR 1919.

Population—Census 1901, - - - 348.

COUNTY—**Fife.**

Do. Do. 1911, - - - 456.

Do. estimated to middle of 1919, 514.

PUBLIC HEALTH DISTRICT—**Culross (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	1	0	7	5	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	3	0	2	5	1	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·6	13·6	-
Marriage-rate - - - - -	1·9	-	-
Death-rate—All Causes - - - - -	5·8	9·7	6·7
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·95	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—143.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	2	1	-	-	-	-	-	-	-	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	1	4	1	-	1	-	-	-	-	-	-	-	3	

YEAR 1919.

Population—Census 1901, - - - 4,511.

COUNTY—**Fife.**

Do. Do. 1911, - - - 4,380.

Do. estimated to middle of 1919, 4,026.

PUBLIC HEALTH DISTRICT—**Cupar** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	4	5	45	23	22
Illegitimate Births -	4	1	4	7	2	5
Marriages - - -	38	-	-	-	-	-
Deaths - - -	58	1	12	69	31	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·9	11·2	-
Marriage-rate - - - - -	9·4	-	-
Death-rate—All Causes - - - - -	14·4	17·1	13·5
Do. —Phthisis - - - - -	-	0·50	-
Do. —All Tuberculosis - - - - -	-	0·50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70+	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	8	-	-	-	1	1	-	2	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	8	-	-	-	-	-	-	1	4	3	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	5	1	-	-	-	2	1	-	2	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	9	16	-	-	1	-	1	1	2	3	8	-	-	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Total - - - - -	31	38	1	-	1	1	4	5	2	9	12	15	1	

YEAR 1919.

Population—Census 1901, - - - 26,072.

COUNTY—**Fife**.

Do. Do. 1911, - - - 29,213.

Do. estimated to middle of 1919, 29,974.

PUBLIC HEALTH DISTRICT—**Dunfermline (Burgh)**.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	931	19	36	948	500	448
Illegitimate Births -	41	4	14	51	30	21
Marriages - - -	391	-	-	-	-	-
Deaths - - -	564	118	42	488	254	234

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	31.1	31.6	-
Marriage-rate - - - - -	13.0	-	-
Death-rate—All Causes - - - - -	18.8	16.3	16.7
Do. —Phthisis - - - - -	-	1.27	-
Do. —All Tuberculosis - - - - -	-	1.80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	5	1	5	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	3	2	2	2	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	5	2	-	-	-	-	2	-	-	-	2	1	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	27	11	-	-	-	-	7	8	15	5	2	1	-	
Tuberculous Meningitis - - - - -	2	3	-	1	3	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	3	1	-	1	1	1	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	5	-	-	-	1	4	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	15	24	-	1	-	-	-	1	5	5	11	13	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	17	29	-	-	-	-	-	3	-	6	8	18	11	
Bronchitis - - - - -	24	12	9	-	-	-	1	-	2	2	5	11	6	
Pneumonia (all forms) - - - - -	35	31	17	11	1	1	5	16	3	3	3	4	2	
Other Diseases of Respiratory Organs -	2	3	-	-	-	-	-	-	2	-	-	1	2	
Diarrhoea and Enteritis (under 2 years)	4	3	5	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	1	-	-	1	1	2	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	3	1	-	-	-	-	-	1	-	1	1	-	
Other Diseases of Digestive System -	3	5	-	1	-	-	-	-	4	-	-	1	2	
Nephritis and Bright's Disease - - -	4	3	-	-	1	-	-	1	3	-	-	2	-	
Puerperal Sepsis - - - - -	-	3	-	-	-	-	1	2	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	21	12	33	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	15	3	1	3	3	1	1	2	3	1	3	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	62	65	13	4	-	-	1	2	3	12	22	30	40	
Diseases Ill-defined or Unknown -	3	-	-	-	-	-	-	-	-	-	1	2	-	
Total - - - - -	254	234	85	35	11	6	23	39	43	36	57	86	67	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Dysart** (Burgh).

Population—Census 1901, - - - 3,562.
Do. Do. 1911, - - - 4,197.
Do. estimated to middle of 1919, 4,449.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	130	2	1	129	72	57
Illegitimate Births -	16	0	0	16	6	10
Marriages - - -	61	-	-	-	-	-
Deaths - - -	60	1	8	67	37	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.2	29.0	-
Marriage-rate - - - - -	13.7	-	-
Death-rate—All Causes - - -	13.5	15.1	14.8
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.90	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.90	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	1	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	1	-	2	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	1	-	5	-	2	
Bronchitis - - - - -	2	7	-	-	-	-	-	-	-	1	3	1	4	
Pneumonia (all forms) - - - - -	5	2	1	4	1	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Digestive System - - - - -	2	1	2	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	11	5	-	1	-	1	-	-	1	-	4	4	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	37	30	11	8	3	3	-	1	3	2	17	5	14	

YEAR 1919.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Earlsferry (Burgh).

Population—Census 1901, - - - 317.
Do. Do. 1911, - - - 322
Do. estimated to middle of 1919, 307.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2	0	0	2	2	0
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	5	0	0	5	2	3

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	6.5	6.5	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - - - -	16.3	16.3	14.0
Do. —Phthisis - - - - -	-	3.26	-
Do. —All Tuberculosis - - - - -	-	3.26	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	3	-	-	-	-	1	-	-	2	-	2	-	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Elie, Liberty, and Williamsburgh (Burgh)**

Population—Census 1901, - - - 687.
Do. Do. 1911, - - - 692.
Do. estimated to middle of 1919, 656.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	5	0	0	5	3	2
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	3	-	-	-	-	-
Deaths - - -	10	0	0	10	5	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	7·6	7·6	-
Marriage-rate - - -	4·6	-	-
Death-rate—All Causes - - -	15·2	15·2	12·5
Do. —Phthisis - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	2	-	-	-	-	-	-	-	-	-	1	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	5	5	-	-	-	-	-	-	-	1	-	2	7	

YEAR 1919.

Population—Census 1901, - - - 809.

COUNTY—**Fife.**

Do. Do. 1911, - - - 830.

Do. estimated to middle of 1919, 799.

PUBLIC HEALTH DISTRICT—**Falkland** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	1	1	8	5	3
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	3	-	-	-	-	-
Deaths - - -	7	0	4	11	4	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·0	10·0	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	8·8	13·8	10·4
Do. —Phthisis - - - - -	-	1·25	-
Do. —All Tuberculosis - - - - -	-	1·25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	4	7	-	-	-	-	-	-	1	1	2	1	6	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Inverkeithing** (Burgh).

Population—Census 1901, - - - 1,965.
Do. Do. 1911, - - - 3,291.
Do. estimated to middle of 1919, 4,133.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	2	5	85	47	38
Illegitimate Births -	4	1	0	3	2	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	45	4	15	56	33	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·8	20·6	-
Marriage-rate - - - - -	4·6	-	-
Death-rate—All Causes - - - - -	10·9	13·5	13·6
Do. —Phthisis - - - - -	-	0·73	-
Do. —All Tuberculosis - - - - -	-	0·97	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·73	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—176
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	-	1	2	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	2	1	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	1	-	-	-	-	-	-	-	1	3	2	-	
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	10	1	3	-	-	1	1	1	1	1	3	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	1	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	4	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	1	-	-	-	-	-	3	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	2	-	-	-	-	-	2	-	1	1	5	
Diseases Ill-defined or Unknown - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Total - - - - -	33	23	15	3	1	-	1	1	4	6	13	6	6	

YEAR 1919.

Population—Census 1901, - - - 2,542.

Do. Do. 1911, - - - 2,557.

Do. estimated to middle of 1919, 2,421.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Kilrenny (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	4	2	44	28	16
Illegitimate Births -	2	1	2	3	2	1
Marriages - - -	16	-	-	-	-	-
Deaths - - -	26	0	6	32	13	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·0	18·2	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	10·7	13·2	12·0
Do. —Phthisis - - - - -	-	2·89	-
Do. —All Tuberculosis - - - - -	-	2·89	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·41	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	7	-	-	-	-	3	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	-	-	-	-	-	4	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	1	2	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	2	4	1	-	-	-	-	-	-	1	1	-	-	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	3	
Total - - - - -	13	19	3	-	1	-	4	6	2	3	2	1	10	

YEAR 1919.

Population—Census 1901, - - - 1,550.

Do. Do. 1911, - - - 1,549.

COUNTY—**Fife**.

Do. estimated to middle of 1919, 1,459.

PUBLIC HEALTH DISTRICT—**Kinghorn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	1	2	38	20	18
Illegitimate Births -	0	0	1	1	0	1
Marriages - - -	8	-	-	-	-	-
Deaths - - -	14	1	5	18	10	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·4	26·0	-
Marriage-rate - - - - -	5·5	-	-
Death-rate—All Causes - - - - -	9·6	12·3	11·8
Do. —Phthisis - - - - -	-	1·37	-
Do. —All Tuberculosis - - - - -	-	1·37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	3	-	-	-	-	-	-	1	1	-	3	1	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	10	8	2	-	1	1	-	1	1	2	2	6	2	

YEAR 1919.

Population—Census 1901, - - - 34,079.

COUNTY—**Fife**.

Do. Do. 1911, - - - 39,601.

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (Burgh).

Do. estimated to middle of 1919, 40,615.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	830	18	22	834	427	407
Illegitimate Births -	52	4	13	61	32	29
Marriages - - -	341	-	-	-	-	-
Deaths - - -	502	19	64	547	260	287

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·4	20·5	-
Marriage-rate - - - - -	8·4	-	-
Death-rate—All Causes - - - - -	12·4	13·5	13·8
Do. —Phthisis - - - - -	-	0·44	-
Do. —All Tuberculosis - - - - -	-	0·91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·3.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	4	9	-	9	4	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	5	-	1	1	-	1	2	-	1	1	1	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	7	11	-	-	-	-	8	5	3	-	2	-	-	
Tuberculous Meningitis - - - - -	2	4	1	2	2	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	3	1	-	-	1	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	6	4	1	1	-	-	2	2	3	1	-	-	-	
Cancer, Malignant Disease - - - - -	18	24	-	-	-	-	-	-	4	8	16	11	3	
Pneumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Peritonitis - - - - -	4	2	2	2	1	-	-	-	1	-	-	-	-	
Organic Heart Disease - - - - -	41	41	-	-	1	-	-	2	3	12	23	27	14	
Nephritis - - - - -	20	28	11	1	-	-	-	1	-	6	5	14	10	
Pneumonia (all forms) - - - - -	19	17	5	6	1	-	1	5	4	8	2	1	3	
Other Diseases of Respiratory Organs - - - - -	3	6	2	-	-	-	-	-	-	1	2	1	3	
Dysentery and Enteritis (under 2 years) - - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	2	-	2	-	-	-	-	-	2	-	-	-	
Liver Diseases (not Malignant) - - - - -	2	2	-	-	-	-	-	-	1	1	2	-	-	
Other Diseases of Digestive System - - - - -	7	9	-	1	-	-	2	2	-	1	5	2	3	
Nephritis and Bright's Disease - - - - -	6	6	-	-	-	1	-	-	1	2	3	4	1	
Periperal Sepsis - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	2	-	1	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	21	13	34	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths, excluding Suicide - - - - -	15	6	1	2	1	3	1	3	6	3	-	1	-	
Accidents - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Other Defined Diseases - - - - -	60	83	3	2	-	-	1	5	3	12	21	32	64	
Diseases Ill-defined or Unknown - - - - -	9	1	1	-	-	-	-	-	-	3	1	3	2	
Total - - - - -	260	287	70	30	12	7	18	30	31	63	83	97	106	

YEAR 1919.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Ladybank and Monkston (Burgh).**

Population—Census 1901, - - - - 1,340
 Do. Do. 1911, - - - - 1,266.
 Do. estimated to middle of 1919, 1,136.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	0	2	15	8	7
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	16	2	2	16	7	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.4	13.2	-
Marriage-rate - - - - -	7.9	-	-
Death-rate—All Causes - - - - -	14.1	14.1	11.7
Do. —Phthisis - - - - -	-	1.76	-
Do. —All Tuberculosis - - - - -	-	1.76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.88	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	3	-	-	-	-	-	-	-	-	2	-	-	-		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	7	9	-	1	1	-	2	-	-	4	3	-	-		

YEAR 1919.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Leslie (Burgh).**

Population—Census 1901, - - - 2,312.

Do. Do. 1911, - - - 2,390.

Do. estimated to middle of 1919, 2,313.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	3	2	45	30	15
Illegitimate Births -	3	1	0	2	2	0
Marriages - - -	22	-	-	-	-	-
Deaths - - -	35	0	3	38	17	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.9	19.5	-
Marriage-rate - - - - -	9.5	-	-
Death-rate—All Causes - - - - -	15.1	16.4	14.1
Do. —Phthisis - - - - -	-	0.86	-
Do. —All Tuberculosis - - - - -	-	0.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
bronchial Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
cancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	-	1	2	-	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
organic Heart Disease - - - - -	-	3	-	-	-	-	1	-	-	-	1	-	1	
pneumonia - - - - -	1	4	-	-	-	-	-	-	-	-	1	1	3	
pneumonia (all forms) - - - - -	3	-	-	-	-	1	-	-	-	-	1	1	2	
other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	
diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
peral Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	8	8	-	-	-	-	2	-	-	-	2	3	9	
Diseases ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	17	21	2	-	-	1	4	1	2	1	6	6	15	

YEAR 1919.

COUNTY—**Fife.**

PUBLIC HEALTH DISTRICT—**Leven** (Burgh).

Population—Census 1901, - - - 5,612.
Do. Do. 1911, - - - 6,651.
Do. estimated to middle of 1919, 7,076.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	149	4	6	151	81	70
Illegitimate Births -	8	0	0	8	4	4
Marriages - - -	63	-	-	-	-	-
Deaths - - -	72	1	10	81	43	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·1	21·3	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - -	10·2	11·4	12·1
Do. —Phthisis - - - - -	-	0·28	-
Do. —All Tuberculosis - - -	-	0·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	2	-	-	-	-	-	-	-	2	2	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	6	-	-	-	-	1	-	1	1	1	-	-	-	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	1	-	1	-	-	
Pneumonia (all forms) - - - - -	7	3	4	-	-	-	2	1	1	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	4	3	7	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	7	2	1	1	-	1	-	-	-	-	1	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	14	-	-	-	1	-	-	-	1	5	7	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	43	38	15	2	2	4	3	4	2	6	13	12	1	-	

YEAR 1919.

Population—Census 1901, - - - 5,522.

COUNTY—**Fife**.

Do. Do. 1911, - - - 9,922.

Do. estimated to middle of 1919, 12,772.

PUBLIC HEALTH DISTRICT—**Lochgelly** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	294	8	14	300	155	145
Illegitimate Births -	8	0	2	10	2	8
Marriages - - -	77	-	-	-	-	-
Deaths - - -	109	1	18	126	58	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23.0	23.5	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	8.5	9.9	10.7
Do. —Phthisis - - - - -	-	0.39	-
Do. —All Tuberculosis - - - - -	-	0.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.70	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	1	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	-	-	-	-	-	-	1	1	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	4	-	-	-	-	2	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	-	7	-	-	-	-	-	-	1	4	-	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	4	-	-	-	-	-	1	2	2	3	-	2	
Bronchitis - - - - -	2	7	2	-	-	-	1	-	-	1	-	3	2	
Pneumonia (all forms) - - - - -	7	14	9	2	1	-	3	2	1	1	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	3	1	-	-	-	-	-	-	-	1	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	2	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	-	-	-	1	-	-	-	1	1	-	-	-	
Nephritis and Bright's Disease - - - - -	1	3	1	-	-	-	-	1	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	11	4	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	1	-	1	-	-	-	2	1	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	12	2	-	-	1	-	1	-	-	2	8	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	58	68	33	7	6	3	8	12	8	12	9	14	14	

YEAR 1919.

Population—Census 1901, - - - 1,499.

COUNTY—**Fife.**

Do. Do. 1911, - - - 1,641.

Do. estimated to middle of 1919, 1,658.

PUBLIC HEALTH DISTRICT—**Markinch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	2	3	28	14	14
Illegitimate Births -	0	0	1	1	1	0
Marriages - - -	18	-	-	-	-	-
Deaths - - -	22	0	3	25	13	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·3	16·9	-
Marriage-rate - - - - -	10·9	-	-
Death-rate—All Causes - - - - -	13·3	15·1	13·0
Do. —Phthisis - - - - -	-	0·60	-
Do. —All Tuberculosis - - - - -	-	1·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·6.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	1	-	-	-	-	-	-	-	-	1	1	3	
Bronchitis - - - - -	2	3	1	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	3	1	-	1	-	-	-	1	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	2	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	4	1	-	-	1	-	-	-	-	1	2	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	12	2	1	-	1	-	3	-	2	3	5	8	

YEAR 1919.

Population—Census 1901, - - - 1,904.

Do. Do. 1911, - - - 1,977.

Do. estimated to middle of 1919, 1,921.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Newburgh** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	10	14
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	14	-	-	-	-	-
Deaths - - -	33	2	1	32	17	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12·5	12·5	-
Marriage-rate - - - - -	7·3	-	-
Death-rate—All Causes - - - - -	17·2	16·7	12·7
Do. —Phthisis - - - - -	-	0·52	-
Do. —All Tuberculosis - - - - -	-	1·04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	-	2	1	3	2	2	
Bronchitis - - - - -	1	2	1	-	-	-	-	-	-	-	1	1	1	
Pneumonia (all forms) - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	6	-	-	-	-	-	-	-	2	2	8	8	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	1	-	-	1	1	
Total - - - - -	17	15	1	-	2	-	-	2	1	3	5	6	12	

YEAR 1919.

Population—Census 1901, - - - 3,856.
Do. Do. 1911, - - - 3,643.
Do. estimated to middle of 1919, 3,267.

COUNTY—Fife.

PUBLIC HEALTH DISTRICT—Newport (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	0	4	35	23	12
Illegitimate Births -	3	0	1	4	4	0
Marriages - - -	19	-	-	-	-	-
Deaths - - -	40	0	9	49	25	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.5	10.7	-
Marriage-rate - - - - -	5.8	-	-
Death-rate—All Causes - - - - -	12.2	15.0	12.8
Do. —Phthisis - - - - -	-	1.22	-
Do. —All Tuberculosis - - - - -	-	1.53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.31	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—11.4.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.4.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	4	-	-	-	-	2	1	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	1	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	8	2	-	-	-	-	-	-	-	1	4	3	2	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	-	1	2	3	
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	1	-	-	2	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	7	2	-	-	1	-	-	-	-	-	1	3	4	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	25	24	4	1	2	-	2	3	-	3	12	11	11	

YEAR 1919.

Population—Census 1901, - - - 1,863.

Do. Do. 1911, - - - 1,888.

Do. estimated to middle of 1919, 1,799.

COUNTY—**Fife.**PUBLIC HEALTH DISTRICT—**Pittenweem** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	31	2	1	30	13	17
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	10	-	-	-	-	-
Deaths - - -	24	0	1	25	11	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex distribution.
Birth-rate - - - - -	17·2	16·7	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - - -	13·3	13·9	12·5
Do. —Phthisis - - - - -	-	1·67	-
Do. —All Tuberculosis - - - -	-	2·78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—33.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	1	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	1	1	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	1	-	-	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	3	-	-	-	-	-	-	-	-	3	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	11	14	1	-	1	-	2	3	3	3	1	8	3	

YEAR 1919.

Population—Census 1901, - - - 7,641.

COUNTY—**Fife.**

Do. Do. 1911, - - - 7,887.

Do. estimated to middle of 1919, 7,624.

PUBLIC HEALTH DISTRICT—**St. Andrews (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	79	4	6	81	41	40
Illegitimate Births -	6	1	4	9	7	2
Marriages - - -	58	-	-	-	-	-
Deaths - - -	89	17	9	81	34	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·4	10·6	-
Marriage-rate - - - - -	7·6	-	-
Death-rate—All Causes - - - - -	11·7	11·6	11·7
Do. —Phthisis - - - - -	-	0·26	-
Do. —All Tuberculosis - - - - -	-	0·66	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—62.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	2	-	-	1	-	-	-	1	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	1	-	-	-	-	-	1	-	-	-	1	
Cancer, Malignant Disease - - - - -	3	8	-	-	-	-	-	-	1	4	1	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	4	-	-	-	-	-	-	-	1	3	2	3	
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	-	1	1	2	
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	2	1	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	1	4	-	-	-	-	-	-	1	-	2	-	2	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	18	-	1	-	-	2	-	-	5	3	4	12	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Total - - - - -	34	47	5	1	1	2	2	3	6	12	12	11	26	

YEAR 1919.

Population—Census 1901, - - - 3,325.

COUNTY—**Fife.**

Do. Do. 1911, - - - 3,272.

Do. estimated to middle of 1919, 3,042.

PUBLIC HEALTH DISTRICT—**Tayport** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	1	58	29	29
Illegitimate Births -	4	0	1	5	2	3
Marriages - - -	25	-	-	-	-	-
Deaths - - -	43	2	2	43	11	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.7	19.1	-
Marriage-rate - - - - -	8.2	-	-
Death-rate—All Causes - - - - -	14.1	14.1	12.3
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	0.99	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—69.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	3	-	-	-	-	-	-	-	2	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	1	-	-	1	-	2
Bronchitis - - - - -	-	3	-	-	-	-	-	1	-	-	-	-	2
Pneumonia (all forms) - - - - -	1	2	-	-	-	-	1	1	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	-	-	-	1	1	1
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	2	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	13	2	-	-	-	-	1	-	-	1	4	9
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	11	32	4	1	-	-	2	4	1	3	5	9	14

YEAR 1919.

Population—Census 1901, - - - 15,004.

COUNTY—**Fife.**

Do. Do. 1911, - - - 15,523.

Do. estimated to middle of 1919, 15,033.

PUBLIC HEALTH DISTRICT—**Cupar** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	236	12	14	238	130	108
Illegitimate Births -	11	2	5	14	7	7
Marriages - - -	74	-	-	-	-	-
Deaths - - -	245	89	26	182	93	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.7	15.8	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	16.3	12.1	9.8
Do. —Phthisis - - - - -	-	0.40	-
Do. —All Tuberculosis - - - - -	-	0.67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—67.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	1	-	-	-	-	-	1	-	-	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	-	-	-	-	1	2	2	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	14	11	-	-	-	-	-	-	1	5	4	10	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	16	-	1	-	-	-	1	1	-	5	13	11	
Bronchitis - - - - -	3	9	-	3	-	-	-	-	-	1	1	1	6	
Pneumonia (all forms) - - - - -	7	5	-	2	-	-	3	-	2	1	1	1	2	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	6	2	-	-	-	-	-	-	3	1	1	1	
Nephritis and Bright's Disease - - - - -	5	3	-	-	-	1	1	1	-	-	2	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	6	3	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	1	-	2	1	-	1	-	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	25	21	2	-	1	-	1	-	4	2	7	12	17	
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	-	-	4	-	
Total - - - - -	93	89	16	8	2	3	9	6	11	13	23	48	43	

YEAR 1919.

Population—Census 1901, - - - 23,866.

COUNTY—**Fife**.

Do. Do. 1911, - - - 30,293.

Do. estimated to middle of 1919, 33,547.

PUBLIC HEALTH DISTRICT—**Dunfermline** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes	Males.	Females
Births - - -	842	9	21	854	446	408
Illegitimate Births -	46	3	10	53	23	30
Marriages - - -	255	-	-	-	-	-
Deaths - - -	350	17	66	399	217	182

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25.1	25.5	-
Marriage-rate - - - - -	7.6	-	-
Death-rate—All Causes - - - - -	10.4	11.9	12.4
Do. —Phthisis - - - - -	-	0.51	-
Do. —All Tuberculosis - - - - -	-	0.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—90.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	5	-	-	5	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	5	5	1	6	2	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	-	-	-	-	-	-	2	-	1	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	7	-	-	-	-	5	4	5	1	2	-	-	
Tuberculous Meningitis, - - - - -	3	-	-	1	1	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	3	1	-	-	2	1	1	-	2	1	-	-	
Cancer, Malignant Disease - - - - -	13	13	-	-	-	-	-	-	2	8	12	2	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	3	4	2	2	1	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	9	18	-	1	-	-	2	2	1	1	2	9	9	
Bronchitis - - - - -	19	5	11	1	-	-	-	1	1	3	4	1	2	
Pneumonia (all forms) - - - - -	33	30	19	13	-	3	4	10	3	3	1	6	1	
Other Diseases of Respiratory Organs - - - - -	6	3	2	-	1	-	-	-	2	-	-	1	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	4	1	2	3	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	9	7	5	1	-	-	-	1	2	1	2	1	3	
Nephritis and Bright's Disease - - - - -	4	2	-	-	1	-	-	-	1	1	1	1	1	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	17	10	26	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	18	4	-	2	2	-	3	4	4	4	3	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	43	53	6	5	4	-	2	3	4	12	11	19	30	
Diseases Ill-defined or Unknown - - - - -	5	6	-	-	-	-	-	1	2	-	2	2	4	
Total - - - - -	217	182	77	42	13	8	20	31	28	38	42	44	56	

YEAR 1919.

Population—Census 1901, - - - 27,834.

COUNTY—**Fife**.

Do. Do. 1911, - - - 40,701.

Do. estimated to middle of 1919, 48,363.

PUBLIC HEALTH DISTRICT—**Kirkcaldy** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1143	27	35	1151	580	571
Illegitimate Births -	74	7	10	77	36	41
Marriages - - -	229	-	-	-	-	-
Deaths - - -	497	86	68	479	241	238

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	23·8	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes - - - - -	10·3	9·9	10·3
Do. —Phthisis - - - - -	-	0·45	-
Do. —All Tuberculosis - - - - -	-	0·87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	1	-	-	1	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	7	-	5	4	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	4	-	-	2	1	-	-	-	-	-	-	2	
Erysipelas - - - - -	2	1	1	-	-	-	-	1	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	6	16	-	2	-	-	6	6	4	1	3	-	-	
Tuberculous Meningitis - - - - -	3	2	2	2	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	-	2	-	-	-	1	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	8	3	1	2	1	1	3	1	1	-	-	1	-	
Cancer, Malignant Disease - - - - -	17	19	-	-	-	-	-	3	3	7	12	8	3	
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Meningitis - - - - -	1	3	-	2	-	-	-	-	-	1	-	1	-	
Organic Heart Disease - - - - -	15	24	-	-	-	1	1	2	5	3	10	10	7	
Bronchitis - - - - -	26	17	17	2	-	-	1	-	-	1	4	9	9	
Pneumonia (all forms) - - - - -	34	21	15	12	2	-	7	2	3	3	5	4	2	
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	5	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	1	1	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	5	-	-	-	-	-	-	1	2	1	-	1	
Other Diseases of Digestive System - - - - -	2	11	2	2	1	1	-	1	2	1	-	1	2	
Nephritis and Bright's Disease - - - - -	10	8	-	1	-	-	-	3	1	2	8	2	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	-	3	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	27	13	40	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	18	4	2	-	2	1	2	2	4	4	4	-	1	
Suicide - - - - -	2	1	-	-	-	-	-	2	-	-	1	-	-	
Other Defined Diseases - - - - -	52	63	19	2	-	-	3	4	1	5	19	26	36	
Diseases Ill-defined or Unknown - - - - -	2	1	-	1	-	-	-	1	-	-	-	1	-	
Total - - - - -	241	238	105	33	17	8	24	33	27	32	68	63	64	

YEAR 1919.

Population—Census 1901, - - - 14,719.

COUNTY—**Fife.**

Do. Do. 1911, - - - 15,343.

Do. estimated to middle of 1919, 14,945.

PUBLIC HEALTH DISTRICT—**St. Andrews** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	221	12	6	215	120	95
Illegitimate Births -	27	0	0	27	15	12
Marriages - - -	83	-	-	-	-	-
Deaths - - -	153	18	23	158	87	71

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·8	14·4	-
Marriage-rate - - - - -	5·6	-	-
Death-rate—All Causes - - - - -	10·2	10·6	10·0
Do. —Phthisis - - - - -	-	0·54	-
Do. —All Tuberculosis - - - - -	-	0·60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	1	-	-	1	-	1	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	1	2	3	1	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	7	-	-	-	-	-	-	1	1	3	5	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	9	-	-	-	-	-	-	-	2	4	9	6	
Bronchitis - - - - -	6	3	2	-	-	-	-	-	-	-	2	1	4	
Pneumonia (all forms) - - - - -	6	5	-	-	-	-	2	1	-	1	2	2	3	
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	1	-	-	-	1	-	-	-	1	1	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	3	-	-	-	-	-	2	-	-	1	1	-	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	11	1	1	-	1	-	7	1	1	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	25	24	1	2	-	-	-	2	2	1	6	11	24	
Diseases Ill-defined or Unknown - -	2	3	-	-	-	-	-	-	-	-	2	1	2	
Total - - - - -	87	71	14	4	2	3	12	10	5	8	25	31	44	

YEAR 1919.

Population—Census 1901, - - - 22,398.
Do. Do. 1911, - - - 20,647.
Do. estimated to middle of 1919, 18,097.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Arbroath** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	355	5	10	360	188	172
Illegitimate Births -	31	1	7	37	17	20
Marriages - - -	164	-	-	-	-	-
Deaths - - -	330	11	15	334	144	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.6	19.9	-
Marriage-rate - - - - -	9.1	-	-
Death-rate—All Causes - - - - -	18.2	18.5	16.9
Do. —Phthisis - - - - -	-	1.05	-
Do. —All Tuberculosis - - - - -	-	1.44	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	-	-	2	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	-	-	1	-	-	-	1	1	-	
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	8	11	-	-	-	1	5	4	2	3	2	2	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	3	1	2	-	-	-	-	-	1	1	-	1	
Cancer, Malignant Disease - - - - -	3	12	-	-	-	-	-	-	1	2	5	6	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	3	2	-	2	1	1	-	-	-	-	-	1	-	
Organic Heart Disease - - - - -	17	18	-	-	-	1	-	3	1	3	5	12	10	
Bronchitis - - - - -	24	32	4	1	-	-	-	1	-	-	8	11	31	
Pneumonia (all forms) - - - - -	11	9	1	4	3	-	3	2	4	1	1	1	-	
Other Diseases of Respiratory Organs -	1	-	-	-	1	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System. -	8	13	4	-	-	-	1	-	-	2	2	4	8	
Nephritis and Bright's Disease - - -	1	3	-	-	-	-	-	1	-	1	1	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	9	10	18	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	4	1	-	-	-	-	-	-	1	2	-	1	1	
Suicide - - - - -	3	-	-	-	-	-	-	1	-	1	-	-	1	
Other Defined Diseases - - - - -	41	62	3	-	-	1	1	1	3	5	13	31	45	
Diseases Ill-defined or Unknown - -	3	2	-	-	-	-	-	-	-	-	3	-	2	
Total - - - - -	144	190	35	11	5	6	11	16	15	22	42	71	100	

YEAR 1919.

COUNTY—**Forfar**.

PUBLIC HEALTH DISTRICT—**Brechin** (Burgh).

Population—Census 1901, - - - 8,941.
Do. Do. 1911, - - - 8,439.
Do. estimated to middle of 1919, 7,562.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	99	4	2	97	61	36
Illegitimate Births -	17	1	0	16	11	5
Marriages - - -	73	-	-	-	-	-
Deaths - - -	123	4	9	128	59	69

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.1	12.8	-
Marriage-rate - - - - -	9.7	-	-
Death-rate—All Causes - - -	16.3	16.9	15.0
Do. —Phthisis - - - - -	-	1.32	-
Do. —All Tuberculosis - - -	-	1.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.66	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts - 16.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	5	-	-	-	-	2	4	1	1	2	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	-	-	-	-	-	-	-	2	1	-	
Cancer, Malignant Disease - - -	2	10	-	-	-	-	-	-	1	3	2	2	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	10	3	1	-	-	-	1	1	-	1	-	6	3	
Bronchitis - - - - -	4	4	3	-	-	-	-	-	-	-	-	5	-	
Pneumonia (all forms) - - - -	5	2	-	-	-	-	-	1	1	2	-	2	1	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	1	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	4	2	-	-	-	-	-	-	-	-	2	3	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of	-	1	-	-	-	-	-	1	-	-	-	-	-	
Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	24	28	1	-	-	-	-	-	-	1	5	16	29	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	59	69	10	3	2	-	3	7	4	9	14	36	40	

YEAR 1919.

Population—Census 1901, - - - 5,204.

Do. Do. 1911, - - - 5,358.

Do. estimated to middle of 1919, 5,169.

COUNTY—**Forfar.**PUBLIC HEALTH DISTRICT—**Carnoustie** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	73	0	2	75	37	38
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	27	-	-	-	-	-
Deaths - - -	78	3	14	89	43	46

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14.1	14.5	-
Marriage-rate - - -	5.2	-	-
Death-rate—All Causes - - -	15.1	17.2	14.7
Do. —Phthisis - - -	-	1.74	-
Do. —All Tuberculosis - - -	-	2.13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—1.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Influenza - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	4	5	-	-	-	-	3	2	1	-	3	-	-	
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	2	-	-	-	-	-	-	-	2	3	2	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	2	-	-	-	-	-	1	-	-	-	2	-	
Bronchitis - - -	2	4	1	-	-	-	-	-	1	-	1	2	-	
Pneumonia (all forms) - - -	5	1	2	-	-	-	1	1	-	-	-	2	-	
Other Diseases of Respiratory Organs - - -	1	2	-	1	-	-	-	1	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - -	16	19	-	-	-	-	1	-	1	2	2	9	-	
Diseases Ill-defined or Unknown - - -	-	2	-	-	-	-	-	-	-	-	1	-	-	
Total - - -	43	46	7	3	2	-	7	5	4	4	11	21	-	

YEAR 1919.

COUNTY — **Forfar.**

PUBLIC HEALTH DISTRICT — **Dundee (Burgh).**

Population—Census 1901, - - - 173,742.
Do. Do. 1911, - - - 176,351.
Do. estimated to middle of 1919, 185,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	3516	219	169	3466	1735	1731
Illegitimate Births - -	430	54	10	386	197	189
Marriages - - -	1970	-	-	-	-	-
Deaths - - -	2771	133	86	2724	1328	1396

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	18.7	-
Marriage-rate - - - - -	10.6	-	-
Death-rate—All Causes - - - - -	14.9	14.7	15.2
Do. —Phthisis - - - - -	-	0.89	-
Do. —All Tuberculosis - - - - -	-	1.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —126.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Interic Fever - - - - -	2	5	-	-	-	-	4	-	1	1	-	1	-	
typhus Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	29	22	14	33	4	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	2	-	4	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	11	13	2	13	6	1	1	-	-	-	-	1	-	
Influenza - - - - -	7	11	3	2	-	-	-	2	5	3	-	-	1	
Erysipelas - - - - -	1	1	-	-	-	-	1	-	-	-	-	2	1	
Phthisis. Pulmonary Tuberculosis - - - - -	90	75	1	3	2	6	38	34	37	23	14	5	2	
Tuberculous Meningitis - - - - -	15	11	1	13	8	2	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	6	16	1	5	3	3	3	1	3	1	-	1	1	
Other Tuberculous Diseases - - - - -	18	17	1	3	1	2	8	3	4	3	4	4	2	
Cancer, Malignant Disease - - - - -	73	138	1	-	-	-	1	4	11	44	65	62	23	
Rheumatic Fever - - - - -	3	2	-	-	-	-	2	1	2	-	-	-	-	
Encephalitis - - - - -	15	13	6	5	1	2	6	5	-	2	1	-	-	
Organic Heart Disease - - - - -	141	157	-	-	-	4	11	15	19	40	60	76	73	
Bronchitis - - - - -	93	116	36	8	1	2	4	4	8	19	38	47	42	
Pneumonia (all forms) - - - - -	215	182	63	62	17	4	24	50	32	34	54	38	19	
Other Diseases of Respiratory Organs - - - - -	16	18	3	3	1	1	2	2	4	5	6	4	3	
Diarrhoea and Enteritis (under 2 years) - - - - -	29	11	35	5	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	8	6	-	-	1	3	1	3	1	2	2	1	-	
Liver Diseases (not Malignant) - - - - -	7	6	-	-	-	-	-	1	-	3	2	4	3	
Other Diseases of Digestive System - - - - -	43	36	11	8	6	1	4	3	5	9	8	11	13	
Nephritis and Bright's Disease - - - - -	29	26	1	1	2	3	1	2	5	10	17	8	5	
Peritoneal Sepsis - - - - -	-	6	-	-	-	-	2	3	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	13	-	-	-	-	-	11	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	113	80	189	1	1	-	1	-	1	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	72	37	11	12	12	3	6	9	12	13	12	16	3	
Accidents - - - - -	11	8	-	-	-	-	-	3	2	7	3	3	1	
Other Defined Diseases - - - - -	244	330	47	8	4	5	8	16	31	57	92	124	182	
Diseases Ill-defined or Unknown - - - - -	35	35	10	4	-	-	-	1	4	9	11	20	11	
Total - - - - -	1328	1396	438	193	70	42	131	173	190	285	389	428	385	

YEAR 1919.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Forfar** (Burgh).

Population—Census 1901, - - - 11,397.
Do. Do. 1911, - - - 10,849.
Do. estimated to middle of 1919, 9,799.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	166	8	6	164	83	81
Illegitimate Births -	13	2	1	12	8	4
Marriages - - -	99	-	-	-	-	-
Deaths - - -	152	9	6	149	75	74

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.9	16.7	-
Marriage-rate - - - - -	10.1	-	-
Death-rate—All Causes - - -	15.5	15.2	14.2
Do. —Phthisis - - - - -	-	0.82	-
Do. —All Tuberculosis - - -	-	1.02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70-	all ages
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	5	-	-	-	-	3	2	-	1	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - -	4	11	-	-	-	-	-	-	1	-	6	5	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	-	-	-	-	1	-	1	1	1	-	-	-
Organic Heart Disease - - -	13	11	-	-	-	-	1	-	-	4	1	9	-	-
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	7	3	3	1	-	1	1	2	-	-	-	1	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	6	2	8	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	32	31	2	-	-	-	1	-	1	4	6	17	-	-
Diseases Ill-defined or Unknown -	-	3	1	-	-	-	-	-	-	-	-	2	-	-
Total - - - - -	75	74	15	2	-	2	8	5	5	11	17	35	-	-

YEAR 1919.

Population—Census 1901, - - - 4,096.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 3,776.

Do. estimated to middle of 1919, 3,310.

PUBLIC HEALTH DISTRICT—**Kirriemuir** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	37	2	0	35	15	20
Illegitimate Births - -	5	0	0	5	3	2
Marriages - - -	39	-	-	-	-	-
Deaths - - -	56	6	3	53	22	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.2	10.6	-
Marriage-rate - - - - -	11.8	-	-
Death-rate—All Causes - - - - -	16.9	16.0	13.6
Do. —Phthisis - - - - -	-	0.91	-
Do. —All Tuberculosis - - - - -	-	1.51	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	2	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	-	1	-	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	6	-	-	-	-	-	1	-	1	1	4	2	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	2	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	14	1	-	1	-	-	-	2	-	-	1	15	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	22	31	4	2	1	-	2	2	3	2	1	14	22	

YEAR 1919.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Monifieth** (Burgh).

Population—Census 1901, - - - 2,134.
Do. Do. 1911, - - - 3,098.
Do. estimated to middle of 1919, 3,669.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	46	2	2	46	27	19
Illegitimate Births -	3	0	1	4	3	1
Marriages - - -	18	-	-	-	-	-
Deaths - - -	38	2	4	40	17	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	12.5	12.5	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - -	10.4	10.9	10.3
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	80+
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	2	-	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - -	2	1	-	-	-	-	-	-	-	2	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	3	-	-	-	-	-	1	-	-	1	1	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	1	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	7	7	1	-	-	-	-	-	1	1	3	2	-
Diseases Ill-defined or Unknown -	-	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	17	23	3	-	-	-	-	4	3	5	5	8	-

YEAR 1919.

Population—Census 1901, - - - 12,427.

COUNTY—**Forfar.**

Do. Do. 1911, - - - 10,974.

Do. estimated to middle of 1919, 9,213.

PUBLIC HEALTH DISTRICT—**Montrose** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	172	8	3	167	89	78
Illegitimate Births -	19	2	2	19	10	9
Marriages - - -	89	-	-	-	-	-
Deaths - - -	181	17	7	171	78	93

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18·7	18·1	-
Marriage-rate - - -	9·7	-	-
Death-rate—All Causes - - -	19·6	18·6	15·6
Do. —Phthisis - - -	-	1·09	-
Do. —All Tuberculosis - - -	-	1·74	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	5	5	-	-	-	-	2	5	1	1	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	3	-	-	2	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	-	-	-	-	-	1	1	-	1	-	
Cancer, Malignant Disease - - -	10	6	-	-	-	-	-	-	-	2	3	3	8	
Pneumatic Fever - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Encephalitis - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	11	14	-	-	-	-	1	-	1	2	2	10	9	
Nephritis - - -	5	9	3	-	-	-	1	-	-	-	1	5	4	
Pneumonia (all forms) - - -	7	7	2	4	-	-	2	1	2	-	2	-	1	
Other Diseases of Respiratory Organs - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - -	2	3	2	-	-	-	-	-	-	1	1	1	-	
Nephritis and Bright's Disease - - -	4	2	-	-	-	-	-	-	1	1	1	2	1	
Septicæmic Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Sudden Deaths, excluding Suicide - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	19	32	1	2	1	-	-	-	1	2	7	18	19	
Diseases Ill-defined or Unknown - - -	3	3	-	-	-	-	-	1	-	-	-	-	5	
Total - - -	78	93	16	8	1	2	7	9	9	10	20	42	47	

YEAR 1919.

Population—Census 1901, - - - 8,929.

Do. Do. 1911, - - - 8,434.

COUNTY—**Forfar.**

Do. estimated to middle of 1919, 7,564.

PUBLIC HEALTH DISTRICT—**Arbroath** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	136	3	6	139	81	58
Illegitimate Births -	20	2	1	19	15	4
Marriages - - -	48	-	-	-	-	-
Deaths - - -	102	4	17	115	57	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.0	18.4	-
Marriage-rate - - -	6.3	-	-
Death-rate—All Causes - - -	13.5	15.2	13.4
Do. —Phthisis - - -	-	0.26	-
Do. —All Tuberculosis - - -	-	0.53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.79	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—79.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													7 an ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Whooping-cough - - -	4	-	2	2	-	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - - -	1	1	1	-	1	-	-	-	-	-	-	-	-			
Influenza - - -	2	1	1	-	-	-	-	-	1	1	-	-	-			
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis - - -	-	2	-	-	-	-	1	1	-	-	-	-	-			
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Tuberculous Diseases - - -	-	2	-	-	-	1	-	-	-	1	-	-	-			
Cancer, Malignant Disease - - -	4	5	-	-	-	-	-	-	1	-	3	1	-			
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-			
Organic Heart Disease - - -	8	9	-	-	-	1	1	-	-	1	3	6	-			
Bronchitis - - -	6	2	-	-	-	-	-	3	-	-	-	1	-			
Pneumonia (all forms) - - -	10	3	1	2	-	2	2	1	3	-	1	1	-			
Other Diseases of Respiratory Organs - - -	1	2	-	-	-	-	-	-	-	2	-	-	-			
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases of Digestive System - - -	1	5	1	1	-	-	-	-	-	1	-	-	-			
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	1	-	-	-			
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth - - -	2	2	3	-	-	1	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide - - -	1	2	-	-	-	1	-	-	-	-	-	1	-			
Suicide - - -	-	2	-	-	-	-	-	-	1	-	1	-	-			
Other Defined Diseases - - -	15	19	2	1	1	-	2	-	1	-	4	6	1			
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Total - - -	57	58	11	7	2	6	6	5	8	7	12	16	3			

YEAR 1919.

Population—Census 1901, - - - 13,356.

Do. Do. 1911, - - - 12,821.

Do. estimated to middle of 1919, 11,668.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Brechin** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	237	6	7	238	125	113
Illegitimate Births -	15	1	5	19	13	6
Marriages - - -	53	-	-	-	-	-
Deaths - - -	218	91	13	140	73	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·3	20·4	-
Marriage-rate - - - - -	4·5	-	-
Death-rate—All Causes - - - - -	18·7	12·0	10·6
Do. —Phthisis - - - - -	-	0·34	-
Do. —All Tuberculosis - - - - -	-	0·69	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	-	-	1	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	-	2	-	1	-	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	8	-	-	-	-	-	1	1	1	3	4	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Menigitis - - - - -	-	3	1	-	-	-	1	1	-	-	-	-	-	
Organic Heart Disease - - - - -	10	7	-	-	-	-	-	-	-	1	4	5	7	
Bronchitis - - - - -	6	5	3	-	-	-	-	-	-	1	3	1	3	
Pneumonia (all forms) - - - - -	6	9	1	2	1	-	-	3	2	2	1	2	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Digestive System - - - - -	4	1	3	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	1	
Urperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	4	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	1	-	1	2	-	1	-	-	1	-	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	18	22	3	-	-	-	-	1	2	1	3	3	27	
Diseases Ill-defined or Unknown - - - - -	3	1	-	1	-	-	-	-	-	-	2	1	-	
Total - - - - -	73	67	21	6	3	1	5	7	8	7	18	22	42	

YEAR 1919.

COUNTY—**Forfar.**

PUBLIC HEALTH DISTRICT—**Dundee** (County District).

Population—Census 1901, - - - 9,636.
Do. Do. 1911, - - - 9,518.
Do. estimated to middle of 1919, 8,879.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	144	8	10	146	85	61
Illegitimate Births - -	9	0	5	14	5	9
Marriages - - -	29	-	-	-	-	-
Deaths - - -	147	70	14	91	41	50

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.2	16.4	-
Marriage-rate - - - - -	3.3	-	-
Death-rate—All Causes - - -	16.6	10.2	9.4
Do. —Phthisis - - - - -	-	0.23	-
Do. —All Tuberculosis - - -	-	0.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.56	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	1	-	1	-	-	2	1	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	-	-	-	-	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	-	-	4	1	2	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	8	11	-	-	-	-	-	3	1	1	3	5	6	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	4	
Pneumonia (all forms) - - - - -	3	2	1	1	-	-	-	-	-	2	-	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	3	-	-	-	-	-	-	1	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	2	5	-	1	-	-	-	-	1	1	2	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	2	-	-	-	-	1	-	-	1	-	1	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	10	7	2	-	-	-	-	-	-	1	-	5	9	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	41	50	7	6	1	3	1	6	2	9	12	17	27	

YEAR 1919.

Population—Census 1901, - - - 11,822.

Do. Do. 1911, - - - 11,152.

Do. estimated to middle of 1919, 9,989.

COUNTY—**Forfar**.PUBLIC HEALTH DISTRICT—**Forfar** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	194	4	8	198	107	91
Illegitimate Births -	11	0	3	14	6	8
Marriages - - -	52	-	-	-	-	-
Deaths - - -	162	6	25	181	103	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.4	19.8	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	16.2	18.1	14.8
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—71.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	1	2	-	1	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	2	-	-	1	-	2	2	-	1	1	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	15	-	-	-	-	-	-	-	1	6	8	9	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	16	9	-	-	-	-	-	1	1	1	3	6	13	
Bronchitis - - - - -	5	4	1	-	-	-	-	-	-	-	2	2	4	
Pneumonia (all forms) - - - - -	11	8	1	-	-	1	1	2	1	1	3	4	5	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	1	-	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	2	-	-	-	
Other Diseases of Digestive System - - - - -	3	3	-	-	-	-	1	-	-	1	-	1	3	
Nephritis and Bright's Disease - - - - -	3	5	-	-	-	-	1	-	-	-	2	3	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	9	-	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	1	-	-	-	-	-	1	-	-	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	26	23	-	1	-	1	-	-	-	4	4	10	29	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	103	78	14	5	1	3	6	10	2	15	22	35	58	

YEAR 1919.

Population—Census 1901, - - - 1,687.

Do. Do. 1911, - - - 2,400.

Do. estimated to middle of 1919, 2,817.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Cockenzie and Port Seton (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	69	2	1	68	32	36
Illegitimate Births -	2	1	1	2	1	1
Marriages - - -	13	-	-	-	-	-
Deaths - - -	22	1	6	27	8	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	24.1	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - -	7.8	9.6	9.4
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	4	1	-	-	-	1	-	-	1	-	1	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	3	1	-	-	-	-	-	1	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	2	-	-	-	-	-	-	1	3	2	1	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	8	19	7	1	-	1	2	1	1	3	3	4	4	

YEAR 1919.

Population—Census 1901, - - - 3,581.

COUNTY—Haddington.

Do. Do. 1911, - - - 3,346.

PUBLIC HEALTH DISTRICT—Dunbar (Burgh).

Do. estimated to middle of 1919, 2,971.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	0	3	51	26	25
Illegitimate Births -	8	0	3	11	7	4
Marriages - - -	42	-	-	-	-	-
Deaths - - -	35	0	5	40	20	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.2	17.2	-
Marriage-rate - - - - -	14.1	-	-
Death-rate—All Causes - - - - -	11.8	13.5	12.7
Do. —Phthisis - - - - -	-	1.68	-
Do. —All Tuberculosis - - - - -	-	2.36	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected -20.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—21.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	1	3	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	3	-	-	-	-	-	-	2	3	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	1	1	2	1	-	
Bronchitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	8	-	-	1	-	-	-	-	2	5	3	-	
Diseases Ill-defined or Unknown - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Total - - - - -	20	20	1	3	1	-	1	2	5	5	7	10	5	

YEAR 1919.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**East Linton (Burgh).**

Population—Census 1901, - - - 912.
Do. Do. 1911, - - - 877.
Do. estimated to middle of 1919, 799.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	12	1	0	11	3	8
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	1	-	-	-	-	-
Deaths - - -	22	4	1	19	10	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.0	13.8	-
Marriage-rate - - - - -	1.3	-	-
Death-rate—All Causes - - - -	27.5	23.8	17.9
Do. —Phthisis - - - - -	-	2.50	-
Do. —All Tuberculosis - - - -	-	2.50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—182.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	2	-	-	-	-	1	-	-	-	-	-	1	-	
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease	1	3	-	-	-	-	-	-	-	1	1	2	-	
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease	2	2	-	-	-	-	-	-	-	-	1	-	3	
Bronchitis	2	-	-	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases	-	4	1	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	10	9	2	-	-	-	1	-	-	1	4	5	6	

YEAR 1919.

Population—Census 1901, - - - 3,993.
Do. Do. 1911, - - - 4,140.
Do. estimated to middle of 1919, 4,016.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**Haddington (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	2	5	47	19	28
Illegitimate Births -	5	0	1	6	4	2
Marriages - - -	30	-	-	-	-	-
Deaths - - -	76	28	9	57	22	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.0	11.7	-
Marriage-rate - - - - -	7.5	-	-
Death-rate—All Causes - - - - -	18.9	14.2	13.2
Do. —Phthisis - - - - -	-	0.25	-
Do. —All Tuberculosis - - - - -	-	0.75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	-	2	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	1	-	-	-	-	-	-	-	-	-	3	1
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	3	2	-	-	1	-	2	-	-	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	1	-	-	1	1	-
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	12	-	-	-	-	1	-	-	-	2	4	11
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	1	1	1	1
Total - - - - -	22	35	3	4	1	-	3	2	2	1	7	17	17

YEAR 1919.

COUNTY—**Haddington.**

PUBLIC HEALTH DISTRICT—**North Berwick (Burgh).**

Population—Census 1901, - - - 2,902.
Do. Do. 1911, - - - 3,246.
Do. estimated to middle of 1919, 3,327.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	2	4	44	23	21
Illegitimate Births -	4	0	3	7	3	4
Marriages - - -	23	-	-	-	-	-
Deaths - - -	29	2	13	40	23	17

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.6	13.2	-
Marriage-rate - - - - -	6.9	-	-
Death-rate—All Causes - - -	8.7	12.0	12.4
Do. —Phthisis - - - - -	-	0.90	-
Do. —All Tuberculosis - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below).	-	0.30	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	-	-	1	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	1	2	-	-	-	-	-	-	1	-	-	2	-	
Bronchitis - - - - -	2	-	-	-	1	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - -	3	-	-	1	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	3	-	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	-	1	-	-	-	1	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	3	11	-	-	-	-	-	-	-	5	2	-	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	23	17	3	2	2	-	-	1	3	10	8	3	8	

YEAR 1919.

Population—Census 1901, - - - 1,721.

Do. Do. 1911, - - - 1,923.

Do. estimated to middle of 1919, 1,970.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Prestonpans (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	59	1	4	62	26	36
Illegitimate Births -	3	0	3	6	4	2
Marriages - - -	11	-	-	-	-	-
Deaths - - -	28	0	6	34	14	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.9	31.5	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	14.2	17.3	16.8
Do. —Phthisis - - - - -	-	0.51	-
Do. —All Tuberculosis - - - - -	-	1.52	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.02	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—145.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Le meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	1	-	-	2	-	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Pneumonia (all forms) - - - - -	2	4	-	-	-	1	1	-	2	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	2	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septic Peritonitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Suicide - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	-	6	2	-	-	-	-	1	-	-	2	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	14	20	9	1	3	-	2	3	3	2	2	4	5	

YEAR 1919.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Tranent** (Burgh).

Population—Census 1901, - - - 2,766.
 Do. Do. 1911, - - - 4,369.
 Do. estimated to middle of 1919, 5,364.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	140	2	5	143	79	64
Illegitimate Births -	4	1	2	5	1	4
Marriages - - -	47	-	-	-	-	-
Deaths - - -	69	1	7	75	37	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26·1	26·7	-
Marriage-rate - - - - -	8·8	-	-
Death-rate—All Causes - - - - -	12·9	14·0	14·7
Do. —Phthisis - - - - -	-	0·56	-
Do. —All Tuberculosis - - - - -	-	1·31	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·68	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7- and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	3	4	1	5	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	-	1	2	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	-	-	-	1	1	1		
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	-	-	-	2	3	-		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	11	8	1	4	-	-	1	4	5	2	1	1	-		
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	3	-	1	1	-	-	-	1	-	-	1	-		
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	1	6	7	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	5	8	1	1	-	-	-	-	1	1	1	6	1		
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	37	38	13	13	2	-	2	8	7	5	7	13	-		

YEAR 1919.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Eastern Haddington** (County District).

Population—Census 1901, 6,459.

Do. Do. 1911, 6,189.

Do. estimated to middle of 1919, 5,623.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	111	3	7	115	57	58
Illegitimate Births -	13	0	2	15	7	8
Marriages - - -	36	-	-	-	-	-
Deaths - - -	73	3	8	78	35	43

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·7	20·5	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	13·0	13·9	13·6
Do. —Phthisis - - - - -	-	1·07	-
Do. —All Tuberculosis - - - - -	-	1·42	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—70.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	3	3	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	6	-	-	-	1	4	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	-	1	4	1	2	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	-	3	1	
Bronchitis - - - - -	1	3	2	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	10	4	-	2	-	-	-	5	-	2	1	3	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Al Liver Diseases (not Malignant) - - - - -	2	2	-	-	-	-	-	-	-	-	2	-	2	
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	1	-	-	-	1	-	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Septicæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	1	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	10	-	1	-	-	1	2	-	-	5	-	8	
Diseases Ill-defined or Unknown - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	35	43	8	4	1	3	7	9	-	4	14	9	19	

YEAR 1919.

Population—Census 1901, - - - 14,644.

Do. Do. 1911, - - - 16,764.

Do. estimated to middle of 1919, 17,448.

COUNTY—**Haddington.**PUBLIC HEALTH DISTRICT—**Western Haddington** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	371	9	19	381	198	183
Illegitimate Births - -	22	2	11	31	14	17
Marriages - - -	100	-	-	-	-	-
Deaths - - -	196	10	38	224	114	110

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·3	21·8	-
Marriage-rate - - - - -	5·7	-	-
Death-rate—All Causes - - - - -	11·2	12·8	13·2
Do. —Phthisis - - - - -	-	0·46	-
Do. —All Tuberculosis - - - - -	-	0·57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·57	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —108.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	1	3	-	-	2	2	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	2	-	-	-	-	-	-	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	1	-	1	2	2	-	2	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	12	-	-	-	-	-	-	1	1	4	6	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	18	10	-	-	-	-	1	-	3	1	9	9	5	
Bronchitis - - - - -	4	13	2	-	-	-	-	-	-	-	2	4	9	
Pneumonia (all forms) - - - - -	21	10	5	5	-	-	4	4	6	1	2	2	2	
Other Diseases of Respiratory Organs - - - - -	2	3	1	2	-	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	5	5	1	3	-	-	-	1	-	-	2	1	2	
Nephritis and Bright's Disease - - - - -	6	1	-	-	-	-	-	-	2	1	1	3	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	11	8	19	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	2	-	3	-	-	3	2	3	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	21	30	6	3	-	2	1	2	-	5	4	9	19	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	114	110	41	17	3	6	10	12	18	11	30	35	41	

YEAR—1919.

COUNTY—Inverness.

PUBLIC HEALTH DISTRICT—Fort-William (Burgh).

Population—Census 1901, - - - 2,087.
Do. Do. 1911, - - - 2,002.
Do. estimated to middle of 1919, 1,821.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	3	1	22	15	7
Illegitimate Births -	2	0	1	3	1	2
Marriages - - -	9	-	-	-	-	-
Deaths - - -	39	5	0	34	19	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.2	12.1	-
Marriage-rate - - - - -	4.9	-	-
Death-rate—All Causes - - - - -	21.4	18.7	17.1
Do. —Phthisis - - - - -	-	1.65	-
Do. —All Tuberculosis - - - - -	-	3.29	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	2.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transfers—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	1	1	2	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	-	-	-	2	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Pneumonia (all forms) - - - - -	3	3	-	2	-	1	-	-	1	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	1	-	-	-	-	-	-	1	1	1	1	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	19	15	2	6	3	1	-	1	-	4	4	7	6	

YEAR—1919.

Population—Census 1901, - - - 23,075.

Do. Do. 1911, - - - 22,216.

COUNTY—Inverness.

Do. estimated to middle of 1919, 20,270.

PUBLIC HEALTH DISTRICT—Inverness (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	478	26	12	464	239	225
Illegitimate Births -	68	12	10	66	36	30
Marriages - - -	413	-	-	-	-	-
Deaths - - -	421	55	14	380	180	200

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·6	22·9	-
Marriage-rate - - - - -	20·4	-	-
Death-rate—All Causes - - -	20·8	18·7	17·3
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - -	-	1·28	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	7	7	3	1	2	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	10	9	-	-	-	-	6	5	3	1	3	1	-	-
Tuberculous Meningitis - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	3	1	-	-	1	-	-	2	-	-	1	-	-	-
Cancer, Malignant Disease - - -	11	24	-	-	-	-	-	-	2	7	7	11	-	-
Rheumatic Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	24	37	-	-	-	1	2	1	1	5	11	13	-	-
Bronchitis - - - - -	8	7	2	1	-	-	-	-	2	-	3	3	-	-
Pneumonia (all forms) - - - -	20	17	3	4	-	-	3	6	4	2	3	8	-	-
Other Diseases of Respiratory Organs -	-	3	1	-	-	-	-	1	-	-	1	-	-	-
*Diarrhœa and Enteritis (under 2 years)	6	3	6	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	1	-	-	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	2	2	-	-	-	-	-	-	1	1	-	2	-	-
Other Diseases of Digestive System -	10	9	-	-	-	-	2	3	1	3	1	5	-	-
Nephritis and Bright's Disease - -	7	7	-	-	-	-	1	2	-	1	5	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth	10	13	23	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	9	3	-	3	1	1	1	-	1	3	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - -	39	46	8	-	1	-	4	1	6	8	9	18	-	-
Diseases Ill-defined or Unknown -	9	5	-	2	-	1	-	-	1	2	3	3	-	-
Total - - - - -	180	200	47	20	6	4	20	22	23	34	47	66	-	-

YEAR 1919.

Population—Census 1901, - - - 989.

Do. Do. 1911, - - - 1,171.

Do. estimated to middle of 1919, 1,246.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Kingussie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	2	10	2	8
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	6	-	-	-	-	-
Deaths - - -	22	6	2	18	8	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	6.4	8.0	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	17.7	14.4	14.3
Do. —Phthisis - - - - -	-	4.01	-
Do. —All Tuberculosis - - - - -	-	4.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	3	-	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	2	-	-	-	-	-	1	1	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	1	-	-
Nephritis and Bright's Disease - - -	2	-	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	8	10	-	-	-	4	1	1	3	2	5	2	-

YEAR 1919.

Population—Census 1901, - - - 9,269.
Do. Do. 1911, - - - 9,142.
Do. estimated to middle of 1919, 8,518.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Inverness** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	137	0	7	144	72	72
Illegitimate Births -	13	0	5	18	14	4
Marriages - - -	24	-	-	-	-	-
Deaths - - -	212	86	12	138	71	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.9	-
Marriage-rate - - - - -	2.8	-	-
Death-rate—All Causes - - - - -	24.9	16.2	14.2
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - - - -	-	1.17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 an ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	1	3	1	-	-	-	-	-	-	-	-	2	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	3	3	-	-	1	-	1	1	1	1	1	-	-		
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	1	1	-	-	-	1	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	7	8	-	-	-	-	-	-	1	3	4	1	6		
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	7	11	-	-	-	-	-	-	1	2	2	2	13		
Bronchitis - - - - -	4	2	1	-	-	-	-	-	-	1	-	2	2		
Pneumonia (all forms) - - - - -	14	11	2	1	-	1	4	7	4	1	1	2	2		
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1		
*Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Other Diseases of Digestive System - - - - -	2	5	1	-	-	-	1	1	-	1	2	-	1		
Nephritis and Bright's Disease - - - - -	-	2	-	1	-	-	-	-	1	-	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	4	5	1	1	-	2	-	-	1	-	-	2	2		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	15	10	1	-	-	-	1	2	-	2	3	6	10		
Diseases Ill-defined or Unknown - - - - -	2	3	1	-	-	-	-	-	1	-	-	2	1		
Total - - - - -	71	67	15	4	1	3	10	12	10	12	14	20	37		

YEAR 1919.

Population—Census 1901, - - - 8,893.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 8,758.

Do. estimated to middle of 1919, 8,149.

PUBLIC HEALTH DISTRICT—**Aird** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	127	4	11	134	70	64
Illegitimate Births - -	8	0	4	12	7	5
Marriages - - -	31	-	-	-	-	-
Deaths - - -	147	9	19	157	76	81

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·6	16·4	-
Marriage-rate - - - - -	3·8	-	-
Death-rate—All Causes - - - - -	18·0	19·3	15·1
Do. —Phthisis - - - - -	-	1·47	-
Do. —All Tuberculosis - - - - -	-	1·84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·12	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—37.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	5	-	1	-	-	1	-	-	-	1	2	1	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	8	4	-	-	-	-	5	3	-	1	2	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	1	-	-	1	-	-	1	-	-	
Cancer, Malignant Disease - - - - -	3	7	-	-	-	1	-	-	-	2	3	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	
Organic Heart Disease - - - - -	5	8	-	-	-	-	-	-	1	-	1	4	7	
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	-	1	5	
Pneumonia (all forms) - - - - -	8	6	-	-	-	1	1	-	2	3	-	4	3	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	3	3	-	-	-	-	1	-	-	1	2	2	-	
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	-	-	1	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	5	2	-	-	-	-	-	-	1	-	-	1	5	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	28	31	2	-	-	1	-	-	-	2	5	13	36	
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	-	-	-	2	1	
Total - - - - -	76	81	5	2	2	3	8	4	4	11	19	35	64	

YEAR 1919.

Population—Census 1901, - - - 6,511.
Do. Do. 1911, - - - 6,496.
Do. estimated to middle of 1919, 6,111.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Badenoch** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	100	1	7	106	56	50
Illegitimate Births -	15	0	2	17	9	8
Marriages - - -	23	-	-	-	-	-
Deaths - - -	93	2	9	100	55	45

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.4	17.3	-
Marriage-rate - - -	3.8	-	-
Death-rate—All Causes - - -	15.2	16.4	13.1
Do. —Phthisis - - -	-	0.49	-
Do. —All Tuberculosis - - -	-	0.49	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—66.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 a ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	1	-	2	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	1	-	-	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	2	1	2	1	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	4	5	-	-	-	-	-	-	-	1	3	1	-		
Bronchitis - - - - -	5	5	-	-	-	-	-	1	-	1	-	3	-		
Pneumonia (all forms) - - - - -	4	6	1	-	-	1	1	3	-	-	1	2	-		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	5	1	-	-	-	-	2	1	-	-	1	1	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	3	-	3	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-		
Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Other Defined Diseases - - - - -	24	18	2	1	-	-	-	-	3	-	5	9	2		
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	-	-	1	2	-		
Total - - - - -	55	45	7	3	1	1	6	5	7	2	13	19	3		

YEAR 1919.

Population—Census 1901, - - - 7,438.

Do. Do. 1911, - - - 7,039.

Do. estimated to middle of 1919, 6,324.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**Lochaber** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	1	8	72	39	33
Illegitimate Births -	3	0	4	7	6	1
Marriages - - -	20	-	-	-	-	-
Deaths - - -	120	6	15	129	66	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·3	11·4	-
Marriage-rate - - - - -	3·2	-	-
Death-rate—All Causes - - - - -	19·0	20·4	16·4
Do. —Phthisis - - - - -	-	1·42	-
Do. —All Tuberculosis - - - - -	-	1·90	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—23.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	6	6	1	-	-	-	2	-	1	3	1	2	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	7	-	-	-	-	1	4	3	-	-	1	-	
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	3	-	-	-	-	-	-	-	1	2	4	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	2	-	-	-	-	1	1	-	3	-	-	3	
Bronchitis - - - - -	4	4	-	-	-	-	-	-	-	-	4	4	-	
Pneumonia (all forms) - - - - -	5	8	1	1	3	1	2	2	1	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	1	6	-	-	1	-	-	-	-	2	2	2	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	†6	2	-	-	-	-	3	1	2	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	23	19	-	-	-	-	1	1	1	2	1	8	28	
Diseases Ill-defined or Unknown - - - - -	1	3	-	-	-	-	-	-	-	-	-	2	2	
Total - - - - -	†66	63	2	2	4	2	11	9	10	12	12	24	40	

†Including 1 of unstated age.

YEAR 1919.

Population—Census 1901, - - - 14,619.

COUNTY—**Inverness.**

Do. Do. 1911, - - - 13,319.

Do. estimated to middle of 1919, 11,540.

PUBLIC HEALTH DISTRICT—**Skye** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	191	2	3	192	106	86
Illegitimate Births - -	4	0	1	5	4	1
Marriages - - -	51	-	-	-	-	-
Deaths - - -	267	4	15	278	129	149

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.6	16.6	-
Marriage-rate - - - - -	4.4	-	-
Death-rate—All Causes - - - - -	23.1	24.1	16.9
Do. —Phthisis - - - - -	-	1.47	-
Do. —All Tuberculosis - - - - -	-	1.56	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	2	-	1	-	1	-	-	-	-	-	-	-		
Influenza - - - - -	5	4	-	1	-	-	1	-	-	-	3	1	3		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	10	7	-	-	-	1	7	1	5	3	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	8	10	-	-	-	-	-	-	2	4	6	5	1		
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-		
Organic Heart Disease - - - - -	9	16	-	-	-	-	2	1	1	2	3	9	7		
Bronchitis - - - - -	3	9	1	-	-	-	-	-	-	1	1	3	6		
Pneumonia (all forms) - - - - -	29	23	1	7	2	4	5	19	3	3	-	3	5		
Other Diseases of Respiratory Organs - - - - -	4	3	-	1	-	-	-	-	2	1	1	2	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	3	3	-	-	-	-	-	1	-	-	1	1	3		
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	1	2	-	-	-	-	1		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-		
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Other Defined Diseases - - - - -	29	49	-	-	-	1	2	2	1	1	1	12	58		
Diseases Ill-defined or Unknown - - - - -	17	19	7	1	-	-	2	1	-	2	4	4	15		
Total - - - - -	129	149	12	11	3	8	22	29	16	18	20	40	99		

YEAR 1919.

COUNTY—**Inverness.**

PUBLIC HEALTH DISTRICT—**Harris** (County District).

Population—Census 1901, . . . 5,271.
Do. Do. 1911, . . . 5,449.
Do. estimated to middle of 1919, 5,273.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	90	3	1	88	40	48
Illegitimate Births -	9	1	0	8	4	4
Marriages - - -	16	-	-	-	-	-
Deaths - - -	113	2	3	114	46	68

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.1	16.7	-
Marriage-rate - - - - -	3.0	-	-
Death-rate—All Causes - - - - -	21.4	21.6	16.9
Do. —Phthisis - - - - -	-	3.22	-
Do. —All Tuberculosis - - - - -	-	3.79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	4	-	1	-	-	-	-	-	-	3	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	9	2	-	-	1	-	1	1	1	2	1	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	9	8	-	2	-	-	2	2	2	4	2	2	1	
Tuberculous Meningitis - - - - -	3	-	-	-	2	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	1	-	-	1	1	
Bronchitis - - - - -	2	2	1	2	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	20	28	1	1	-	1	1	1	1	1	2	3	36	
Diseases Ill-defined or Unknown - - - - -	2	11	1	2	-	-	1	-	2	2	3	1	1	
Total - - - - -	46	68	7	8	3	2	6	5	8	9	14	10	42	

YEAR 1919.

Population—Census 1901, - - - 3,891.

Do. Do. 1911, - - - 3,677.

Do. estimated to middle of 1919, 3,300.

COUNTY—**Inverness.**PUBLIC HEALTH DISTRICT—**North Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	41	2	2	41	15	26
Illegitimate Births -	4	0	1	5	0	5
Marriages - - -	4	-	-	-	-	-
Deaths - - -	79	3	2	78	40	38

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	12.4	12.4	-
Marriage-rate - - -	1.2	-	-
Death-rate—All Causes - - -	23.9	23.6	17.2
Do. —Phthisis - - -	-	1.82	-
Do. —All Tuberculosis - - -	-	2.73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	13	15	1	1	-	-	2	-	-	2	-	5	17	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	2	-	-	-	-	3	1	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	3	-	-	1	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	2	-	-	-	-	-	-	-	-	1	2	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	-	-	-	-	1	-	1	2	
Bronchitis - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4	
Pneumonia (all forms) - - - - -	5	2	-	3	-	-	2	1	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	3	1	-	-	-	-	-	2	-	-	1	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	7	-	-	-	-	-	-	-	-	-	-	10	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	40	38	1	5	-	-	8	6	5	3	3	10	37	

YEAR 1919.

Population—Census 1901, . . . 8,061.

COUNTY—**Inverness.**

Do. Do. 1911, . . . 8,003.

Do. estimated to middle of 1919, 7,498.

PUBLIC HEALTH DISTRICT—**South Uist** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	157	1	2	158	90	68
Illegitimate Births -	11	0	1	12	8	4
Marriages - - -	18	-	-	-	-	-
Deaths - - -	141	6	3	138	53	85

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.9	21.1	-
Marriage-rate - - - - -	2.4	-	-
Death-rate—All Causes - - - - -	18.8	18.4	14.7
Do. —Phthisis - - - - -	-	1.47	-
Do. —All Tuberculosis - - - - -	-	2.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	6	10	2	2	2	1	2	-	1	-	2	2	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	5	6	-	1	-	-	2	3	2	2	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	3	-	-	-	-	3	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	3	2	-	
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	7	-	-	-	-	-	-	-	-	3	5	1	
Bronchitis - - - - -	3	3	-	1	1	-	-	1	-	-	1	-	2	
Pneumonia (all forms) - - - - -	1	6	-	1	-	-	1	2	2	-	-	1	-	
Other Diseases of Respiratory Organs -	-	3	1	-	-	-	-	-	1	-	-	-	1	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	1	4	-	1	1	-	-	-	1	-	-	2	-	
Nephritis and Bright's Disease - - -	2	3	-	-	-	-	-	-	-	-	2	3	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	17	28	1	-	-	-	-	-	-	1	-	8	35	
Diseases Ill-defined or Unknown -	9	6	3	2	-	-	-	-	1	-	3	3	3	
Total - - - - -	53	85	10	8	6	1	8	6	10	3	16	26	44	

YEAR 1919.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Banchory** (Burgh).

Population—Census 1901, - - - 1,475.
Do. Do. 1911, - - - 1,633.
Do. estimated to middle of 1919, 1,662.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	19	1	0	18	8	10
Illegitimate Births - -	3	1	0	2	1	1
Marriages - - -	16	-	-	-	-	-
Deaths - - -	22	0	4	26	8	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.4	10.8	-
Marriage-rate - - - - -	9.6	-	-
Death-rate—All Causes - - - - -	13.2	15.6	14.0
Do. —Phthisis - - - - -	-	1.20	-
Do. —All Tuberculosis - - - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 ar ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	1	-	2	-		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	-		
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	-	-	2	-	-		
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	2	5	-	1	-	-	-	-	1	-	-	2	3		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	8	18	2	1	-	-	1	1	2	1	3	5	10		

YEAR 1919.

Population—Census 1901, - - - 1,207.

Do. Do. 1911, - - - 1,173.

Do. estimated to middle of 1919, 1,079.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Inverbervie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	1	0	37	22	15
Illegitimate Births -	7	0	0	7	2	5
Marriages - - -	9	-	-	-	-	-
Deaths - - -	18	0	2	20	9	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	35.2	34.3	-
Marriage-rate - - - - -	8.3	-	-
Death-rate—All Causes - - - - -	16.7	18.5	16.2
Do. —Phthisis - - - - -	-	0.93	-
Do. —All Tuberculosis - - - - -	-	3.71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.93	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—135.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	1	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Endocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enterorrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	1	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	2	2	-	-	-	-	-	-	-	-	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	11	5	1	1	1	-	2	-	2	2	1	5	

YEAR 1919.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Laurencekirk** (Burgh).

Population—Census 1901, - - - 1,512.
 Do. Do. 1911, - - - 1,438.
 Do. estimated to middle of 1919, 1,298.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	18	1	1	18	12	6
Illegitimate Births -	5	1	0	4	3	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	30	1	4	33	14	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.9	13.9	-
Marriage-rate - - -	9.2	-	-
Death-rate—All Causes - - -	23.1	25.4	16.8
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.77	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—22.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a o	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	3	-	-	-	-	-	-	1	1	1	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	2	4	-	-	-	-	-	-	-	-	1	1	-	
Bronchitis - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	2	-	-	-	-	-	-	1	-	1	-	-	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	7	5	-	-	-	-	-	-	-	1	-	4	-	
Diseases Ill-defined or Unknown - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Total - - -	14	19	2	1	-	-	2	-	2	2	3	6	-	

YEAR 1919.

Population—Census 1901, - - - 4,577.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 4,266.

Do. estimated to middle of 1919, 3,778.

PUBLIC HEALTH DISTRICT—**Stonehaven** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	65	2	2	65	29	36
Illegitimate Births -	7	1	1	7	3	4
Marriages - - -	51	-	-	-	-	-
Deaths - - -	94	14	7	87	40	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17·2	17·2	-
Marriage-rate - - -	13·5	-	-
Death-rate—All Causes - - -	24·9	23·0	17·1
Do. —Phthisis - - -	-	0·26	-
Do. —All Tuberculosis - - -	-	0·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·06	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—108.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	3	-	1	-	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	1	-	4	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	7	-	-	-	-	-	1	-	-	3	3	3	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	-	-	2	4	
Pneumonia (all forms) - - - - -	8	1	2	-	-	-	-	2	-	1	2	2	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	1	3	-	-	1	-	-	-	-	-	-	1	2	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	12	16	2	-	-	-	1	-	1	-	1	9	14	
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	-	-	2	1	1	
Total - - - - -	40	47	7	1	3	-	1	4	5	3	16	19	28	

YEAR 1919.

Population—Census 1901, - - - 4,907.

Do. Do. 1911, - - - 4,668.

COUNTY—**Kincardine.**

Do. estimated to middle of 1919, 4,214.

PUBLIC HEALTH DISTRICT—**Laurencekirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	117	5	7	119	66	53
Illegitimate Births -	13	1	6	18	11	7
Marriages - - -	18	-	-	-	-	-
Deaths - - -	61	2	12	71	38	33

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	27·8	28·2	-
Marriage-rate - - -	4·3	-	-
Death-rate—All Causes - - -	14·5	16·8	14·3
Do. —Phthisis - - -	-	0·47	-
Do. —All Tuberculosis - - -	-	0·47	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·24	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —76.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	2	2	2	-	-	-	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	1	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	5	1	-	-	-	-	-	-	1	1	6	3	
Bronchitis - - - - -	2	4	-	-	-	-	-	-	-	-	-	2	4	
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Other Diseases of Respiratory Organs	-	1	-	-	1	-	-	-	-	-	-	-	-	
Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	1	-	-	-	-	-	-	1	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	3	-	-	-	-	-	1	-	-	-	-	-	2	
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	1	-	-	1	-	-	-	2	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	10	-	-	-	-	-	-	-	4	2	1	12	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	38	33	9	2	2	1	2	2	5	8	6	12	22	

YEAR 1919.

Population—Census 1901, - - - 4,205.

Do. Do. 1911, - - - 3,934.

Do. estimated to middle of 1919, 3,497.

COUNTY—**Kincardine.**PUBLIC HEALTH DISTRICT—**Lower Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	1	4	54	27	27
Illegitimate Births -	5	1	1	5	3	2
Marriages - - -	34	-	-	1	-	-
Deaths - - -	47	7	7	47	25	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·6	15·4	-
Marriage-rate - - - - -	9·7	-	-
Death-rate—All Causes - - - - -	13·4	13·4	12·6
Do. —Phthisis - - - - -	-	0·86	-
Do. —All Tuberculosis - - - - -	-	1·14	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	1	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	-	4	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	3	-	-	-	1	-	-	-	-	1	2	-	
Bronchitis - - - - -	4	1	-	-	-	-	1	-	-	-	-	1	3	
Pneumonia (all forms) - - - - -	5	3	1	-	-	-	1	1	-	-	1	1	3	
Other Diseases of Respiratory Organs - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	2	-	-	-	-	-	1	-	3	2	3	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - - - -	25	22	5	1	1	1	3	5	2	1	10	7	11	

YEAR 1919.

Population—Census 1901, - - - 5,036.
Do. Do. 1911, - - - 4,761.
Do. estimated to middle of 1919, - 4,273.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**St. Cyrus** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	0	4	80	37	43
Illegitimate Births -	9	0	2	11	8	3
Marriages - - -	32	-	-	-	-	-
Deaths - - -	47	3	8	52	29	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·8	18·7	-
Marriage-rate - - - - -	7·5	-	-
Death-rate—All Causes - - - - -	11·0	12·2	10·5
Do. —Phthisis - - - - -	-	0·47	-
Do. —All Tuberculosis - - - - -	-	0·70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·47	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7- and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	-	2	-	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	5	5	-	-	-	-	-	-	1	2	2	3	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	-		
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - - - -	2	-	-	1	-	-	-	-	1	-	-	-	-		
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-		
Nephritis and Bright's Disease - - - - -	1	2	-	1	-	-	-	-	-	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	1	-	-		
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Other Defined Diseases - - - - -	9	10	2	-	-	-	-	1	1	1	1	1	1		
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	29	23	8	4	-	-	1	2	7	3	5	5	1		

YEAR 1919.

Population—Census 1901, - - - 5,134.
Do. Do. 1911, - - - 4,564.
Do. estimated to middle of 1919, - 3,858.

COUNTY—**Kincardine.**

PUBLIC HEALTH DISTRICT—**Stonehaven** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	2	5	75	39	36
Illegitimate Births -	14	2	1	13	7	6
Marriages - - -	14	-	-	-	-	-
Deaths	55	2	9	62	41	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Trans- fers and for Age and Sex Distribution.
Birth-rate - - - - -	18.7	19.4	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	14.3	16.1	14.1
Do. —Phthisis - - - - -	-	0.78	-
Do. —All Tuberculosis - - - - -	-	1.04	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.52	-

infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	2	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	2	-	-	-	-	-	-	1	1	2	2	-
Rheumatic Fever - - - - -	-	-	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	-	1	-	-	-	-	-	-	-	-	4
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	3
Bronchitis - - - - -	3	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	6	1	3	-	-	-	-	-	1	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	2	-	-	-	1	1	-	1	1	1	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	11	7	1	1	-	1	-	-	2	1	3	9	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	41	21	10	3	-	-	5	1	1	6	5	10	21

YEAR 1919.

Population—Census 1901, - - - 3,484.

COUNTY—**Kincardine.**

Do. Do. 1911, - - - 3,143.

Do. estimated to middle of 1919, 2,696.

PUBLIC HEALTH DISTRICT—**Upper Deeside** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	53	0	4	57	32	25
Illegitimate Births -	5	0	2	7	3	4
Marriages - - -	4	-	-	-	-	-
Deaths - - -	45	8	2	39	24	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19·7	21·1	-
Marriage-rate - - -	1·5	-	-
Death-rate—All Causes - - -	16·7	14·5	12·6
Do. —Phthisis - - -	-	1·85	-
Do. —All Tuberculosis - - -	-	2·23	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - -	1	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - -	3	2	-	-	-	-	1	3	-	1	-	-	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Cancer, Malignant Disease - - -	3	2	-	-	-	-	-	-	-	1	-	2	2		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	4	1	-	-	-	-	-	-	-	-	-	3	2		
Bronchitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-		
Pneumonia (all forms) - - -	4	4	-	-	-	-	-	2	2	2	-	-	2		
Other Diseases of Respiratory Organs -	2	-	-	-	-	-	-	-	-	-	1	-	1		
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	1	-	-	-	-	-	-		
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - -	1	1	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Suicide - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	-	-	4		
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Total - - -	24	15	3	-	-	-	2	6	2	4	3	7	12		

YEAR 1919.

Population—Census 1901. - - - 2,177.

COUNTY—**Kinross.**

Do. Do. 1911, - - - 2,618.

Do. estimated to middle of 1919, 2,810.

PUBLIC HEALTH DISTRICT—**Kinross** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	50	1	3	52	28	24
Illegitimate Births -	4	0	0	4	3	1
Marriages - - -	18	-	-	-	-	-
Deaths - - -	44	3	9	50	18	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·8	18·5	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	15·7	17·8	15·7
Do. —Phthisis - - - - -	-	0·71	-
Do. —All Tuberculosis - - - - -	-	1·78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—96.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	2	-	1	-	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	6	-	-	-	-	-	1	-	-	1	3	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	3	-	-	-	-	-	-	1	-	2	1	2	
Bronchitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	1	3	-	-	-	-	1	-	-	2	-	-	1	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Diarrhœa and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	-	2	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	2	-	-	-	1	1	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	10	-	-	-	-	1	-	-	-	-	6	7	
Diseases Ill-defined or Unknown - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	
Total - - - - -	18	32	5	2	1	1	3	2	3	4	4	11	14	

YEAR 1919.

COUNTY—**Kinross**.PUBLIC HEALTH DISTRICT—**Kinross** (County District).

Population—Census 1901, - - - 4,804.

Do. Do. 1911, - - - 4,909.

Do. estimated to middle of 1919, 4,709.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	82	1	6	87	49	38
Illegitimate Births -	11	0	2	13	6	7
Marriages - - -	38	-	-	-	-	-
Deaths - - -	83	14	11	80	36	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.4	18.5	-
Marriage-rate - - - - -	8.1	-	-
Death-rate—All Causes - - -	17.6	17.0	14.6
Do. —Phthisis - - - - -	-	1.06	-
Do. —All Tuberculosis - - -	-	1.91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	1	1	2	-	-	1	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	2	-	-	-	2	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	-	2	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	4	-	-	-	-	-	-	1	-	-	5	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - -	5	4	1	1	-	-	-	-	3	1	-	2	-	-
Other Diseases of Respiratory Organs	2	2	2	-	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	3	1	4	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	7	24	1	-	-	-	-	-	2	-	2	8	-	-
Diseases Ill-defined or Unknown - -	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	36	44	8	3	-	3	1	4	8	5	5	18	-	-

YEAR 1919.

Population—Census 1901, - - - 3,018.

Do. Do. 1911, - - - 3,016.

Do. estimated to middle of 1919, 2,841.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Castle-Douglas (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	1	5	51	30	21
Illegitimate Births -	3	1	3	5	3	2
Marriages - - -	17	-	-	-	-	-
Deaths - - -	55	4	3	54	22	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	16.5	18.0	-
Marriage-rate - - -	6.0	-	-
Death-rate—All Causes - - -	19.4	19.0	17.4
Do. —Phthisis - - -	-	0.35	-
Do. —All Tuberculosis - - -	-	0.35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.76	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	2	1	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	1	2	1	1	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	3	3	-	
Bronchitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	2	2	1	-	-	-	-	1	-	1	-	-	1	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	-	-	2	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	8	11	-	-	-	-	-	-	1	1	4	3	10	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	22	32	5	3	2	1	1	1	2	5	8	10	16	

YEAR 1919.

Population—Census 1901, - - - 3,469.

Do. Do. 1911, - - - 3,357.

COUNTY—**Kirkcudbright.**

Do. estimated to middle of 1919, 3,076.

PUBLIC HEALTH DISTRICT—**Dalbeattie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	63	2	1	62	32	30
Illegitimate Births -	10	1	0	9	5	4
Marriages - - -	28	-	-	-	-	-
Deaths - - -	43	0	4	47	20	27

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·5	20·2	-
Marriage-rate - - - - -	9·1	-	-
Death-rate—All Causes - - -	14·0	15·3	13·9
Do. —Phthisis - - - - -	-	0·98	-
Do. —All Tuberculosis - - -	-	0·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—48.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o.
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	-	-	-	-	1	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	-	-	-	1	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	3	2	-	-	-	-	1	1	-	-	-	2	-	-
Bronchitis - - - - -	2	2	1	1	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	6	13	-	-	-	1	2	1	-	2	3	-	-	-
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	20	27	3	1	1	-	2	4	2	4	7	9	-	-

YEAR 1919.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Gatehouse (Burgh).**

Population—Census 1901, : : : 1,013.
 Do. Do. 1911, : : : 1,032.
 Do. estimated to middle of 1919, 987.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	17	0	2	19	8	11
Illegitimate Births -	0	0	1	1	0	1
Marriages - - -	2	-	-	-	-	-
Deaths - - -	12	0	0	12	7	5

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.2	19.3	-
Marriage-rate - - - - -	2.0	-	-
Death-rate—All Causes - - - - -	12.2	12.2	8.6
Do. —Phthisis - - - - -	-	1.01	-
Do. —All Tuberculosis - - - - -	-	1.01	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts 5.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysiphus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Al Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	1	-	2	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	7	5	-	1	-	-	-	1	-	-	2	-	8	

YEAR 1919.

Population—Census 1901, - - - 2,386.

Do. Do. 1911, - - - 2,205.

COUNTY—**Kirkcudbright.**

Do. estimated to middle of 1919, 1,937.

PUBLIC HEALTH DISTRICT—**Kirkcudbright** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	1	2	21	11	10
Illegitimate Births -	1	0	2	3	1	2
Marriages - - -	22	-	-	-	-	-
Deaths - - -	41	4	2	39	17	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	10·3	10·8	-
Marriage-rate - - - - -	11·4	-	-
Death-rate—All Causes - - - - -	21·2	20·1	16·8
Do. —Phthisis - - - - -	-	2·07	-
Do. —All Tuberculosis - - - - -	-	4·13	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—286.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	-	1	-	-	-	-	-	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	1	1	-	-	-	1		
Tuberculous Meningitis - - - - -	-	3	1	2	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	-	-	3	1	1		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	1	-	2	-	3		
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1		
Pneumonia (all forms) - - - - -	-	2	-	-	1	-	-	-	-	-	-	-	1		
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nephritis and Bright's Disease - - - - -	-	2	-	-	-	-	-	-	-	-	1	-	1		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	4	-	3	1	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	3	4	1	-	-	-	-	-	-	-	2	1	3		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	17	22	6	3	1	-	1	1	2	-	10	3	12		

YEAR 1919.

Population—Census 1901, - - - 5,796.

Do. Do. 1911, - - - 6,200.

Do. estimated to middle of 1919, 6,157.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**Maxwelltown** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	109	2	2	109	52	57
Illegitimate Births -	6	1	0	5	2	3
Marriages - - -	37	-	-	-	-	-
Deaths - - -	92	2	12	102	38	64

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	17.7	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	14.9	16.6	16.9
Do. —Phthisis - - - - -	-	1.30	-
Do. —All Tuberculosis - - - - -	-	2.11	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.81	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—147.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	2	2	-	3	-	1	-	-	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	1	-	-	1	-	-	-	-	-	1	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	7	-	-	-	-	-	1	2	2	3	4	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	5	-	-	-	-	-	-	1	2	3	2	1	
Bronchitis - - - - -	-	6	1	1	-	-	-	-	-	1	-	1	2	
Pneumonia (all forms) - - - - -	2	6	-	2	-	-	2	1	1	-	2	-	-	
Other Diseases of Respiratory Organs - - - - -	-	2	-	-	-	-	-	-	-	1	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	8	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	13	15	2	-	-	-	1	2	-	2	4	9	8	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	38	64	16	6	2	3	6	6	9	8	16	17	13	

YEAR 1919.

Population—Census 1901, - - - 376.

Do. Do. 1911, - - - 352.

Do. estimated to middle of 1919, 313.

COUNTY—**Kirkcudbright.**PUBLIC HEALTH DISTRICT—**New Galloway (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	4	0	0	4	2	2
Illegitimate Births -	0	0	0	0	0	0
Marriages - - -	2	-	-	-	-	-
Deaths - - -	4	0	0	4	2	2

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12·8	12·8	-
Marriage-rate - - - - -	6·4	-	-
Death-rate—All Causes - - - - -	12·8	12·8	10·6
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	2	-	-	-	-	1	1	-	-	-	2	-	

YEAR 1919.

Population—Census 1901, . . . 8,021.

COUNTY—**Kirkcudbright.**

Do. Do. 1911, . . . 7,553.

Do. estimated to middle of 1919, 6,755.

PUBLIC HEALTH DISTRICT—**Eastern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	140	6	11	145	72	73
Illegitimate Births -	22	0	5	27	14	13
Marriages - - -	49	-	-	-	-	-
Deaths - - -	94	4	22	112	59	53

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	21·5	-
Marriage-rate - - - - -	7·3	-	-
Death-rate—All Causes - - - - -	13·9	16·6	14·5
Do. —Phthisis - - - - -	-	0·89	-
Do. —All Tuberculosis - - - - -	-	1·18	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births) corrected—97.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—18·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	3	-	-	-	-	-	-	1	-	-	1	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	4	1	-	-	-	-	2	2	1	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	1	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	5	-	-	-	-	-	-	1	2	4	2	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	2	-	1	1	2	3	2	
Bronchitis - - - - -	3	4	3	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	3	5	-	-	1	-	2	1	1	-	-	2	1	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	1	2	1	1	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	3	3	-	-	-	-	-	-	-	1	3	1	1	
Septic Perforal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	5	-	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	2	-	1	-	1	-	-	-	-	-	
Homicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	18	2	1	-	1	-	-	2	5	2	4	-	
Diseases Ill-defined or Unknown - - - - -	3	1	1	1	-	-	-	-	-	1	1	-	15	
Total - - - - -	59	53	14	9	1	4	4	5	8	11	12	16	28	

YEAR 1919.

Population—Census 1901, 2,926.
Do. Do. 1911, 2,814.
Do. estimated to middle of 1919, 2,564.

COUNTY—**Kirkcudbright.**

PUBLIC HEALTH DISTRICT—**Northern Kirkcudbright** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	2	1	31	17	14
Illegitimate Births -	5	1	0	4	2	2
Marriages - - -	14	-	-	-	-	-
Deaths - - -	34	0	5	39	17	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	12.5	12.1	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - -	13.3	15.2	12.9
Do. —Phthisis - - - - -	-	1.17	-
Do. —All Tuberculosis - - -	-	1.17	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	-	1	1	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	5	-	-	-	-	-	-	-	2	3	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	1	2	-	2	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - -	-	3	-	-	-	-	2	-	-	1	-	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	1	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	2	1	1	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	5	5	1	-	-	-	-	-	-	1	1	2	5	
Diseases Ill-defined or Unknown - -	-	2	-	-	-	-	-	-	-	-	1	-	1	
Total - - - - -	17	22	2	-	-	-	2	1	2	8	7	4	13	

YEAR 1919.

Population—Census 1901, - - - 8,363.
Do. Do. 1911, - - - 8,257.
Do. estimated to middle of 1919, 7,699.

COUNTY—Kirkcudbright.

PUBLIC HEALTH DISTRICT—Southern Kirkcudbright (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	144	4	7	147	84	63
Illegitimate Births -	24	1	2	25	15	10
Marriages - - -	55	-	-	-	-	-
Deaths - - -	113	15	15	113	50	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·7	19·1	-
Marriage-rate - - - - -	7·1	-	-
Death-rate—All Causes - - - - -	14·7	14·7	13·5
Do. —Phthisis - - - - -	-	0·91	-
Do. —All Tuberculosis - - - - -	-	1·30	-
Do. --Principal Epidemic Diseases (those asterisked below.)	-	0·39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—17·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	2	-	-	-	1	-	-	-	1	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	5	-	-	-	-	3	1	-	2	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	1	-	-	-	1	-	-	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	6	9	-	-	-	-	-	-	1	1	5	3	5	
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	5	-	-	-	-	-	-	-	1	5	-	5	
Bronchitis - - - - -	-	8	2	-	-	-	-	-	-	1	-	-	5	
Pneumonia (all forms) - - - - -	8	10	1	1	-	-	5	2	3	-	3	2	1	
Other Diseases of Respiratory Organs - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	1	-	-	1	-	-	-	1	-	1	-	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Urperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	3	6	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	14	2	1	1	-	1	1	-	1	3	5	13	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	50	63	13	4	2	3	9	4	5	11	18	12	32	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	44	2	0	42	20	22
Illegitimate Births -	4	2	0	2	0	2
Marriages - - -	18	-	-	-	-	-
Deaths - - -	36	1	6	41	21	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.5	13.8	-
Marriage-rate - - - - -	5.9	-	-
Death-rate—All Causes - - - - -	11.8	13.5	12.8
Do. —Phthisis - - - - -	-	0.99	-
Do. —All Tuberculosis - - - - -	-	0.99	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—24.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	2	-	-	1	-	-	-	1	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	2	-	-	-	-	-	-	-	-	2	1	3	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	4	3	-	-	-	-	-	3	1	1	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	-	-	-	-	1	2	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	3	-	-	1	-	-	-	-	-	1	1	7	
Diseases ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	21	20	1	1	2	-	-	5	3	3	5	6	15	

YEAR 1919.

Population—Census 1901, - - - 22,288.

Do. Do. 1911, - - - 24,388.

Do. estimated to middle of 1919, 24,618.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Airdrie (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	672	4	18	686	348	338
Illegitimate Births -	34	1	8	41	25	16
Marriages - - -	210	-	-	-	-	-
Deaths - - -	336	2	53	387	202	185

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	27·3	27·9	-
Marriage-rate - - -	8·5	-	-
Death-rate—All Causes - - -	13·6	15·7	17·3
Do. —Phthisis - - -	-	0·69	-
Do. —All Tuberculosis - - -	-	1·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·69	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 102.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	3	3	4	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	3	-	5	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	-	1	-	-	-	1	4	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	12	-	-	1	-	7	2	5	2	-	-	-	
Tuberculous Meningitis - - - - -	1	2	-	2	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	2	-	-	-	-	1	2	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	19	12	-	-	-	-	1	-	6	6	8	6	4	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	1	3	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	14	15	-	-	-	1	2	4	1	-	10	6	5	
Bronchitis - - - - -	24	15	10	1	-	2	-	1	-	1	8	8	8	
Pneumonia (all forms) - - - - -	29	32	14	9	4	2	4	12	4	2	2	1	7	
Other Diseases of Respiratory Organs - - - - -	1	2	-	2	-	-	-	-	-	1	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	2	-	-	1	
Other Diseases of Digestive System - - - - -	3	4	-	1	-	-	-	1	1	2	-	1	1	
Nephritis and Bright's Disease - - - - -	6	4	-	-	-	1	1	2	3	2	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	-	5	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	16	11	27	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	4	1	2	2	-	3	1	2	-	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	51	43	10	1	1	-	1	2	1	5	17	23	33	
Diseases Ill-defined or Unknown - - - - -	5	6	1	-	-	-	-	-	2	1	1	1	5	
Total - - - - -	202	185	70	31	8	7	24	32	25	26	49	51	64	

YEAR 1919.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Biggar** (Burgh).

Population—Census 1901, - - - 1,366.
Do. Do. 1911, - - - 1,326.
Do. estimated to middle of 1919, 1,219.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	21	2	2	21	10	11
Illegitimate Births -	4	1	0	3	3	0
Marriages - - -	8	-	-	-	-	-
Deaths - - -	25	0	1	26	8	18

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·2	17·2	-
Marriage-rate - - - - -	6·6	-	-
Death-rate—All Causes - - - - -	20·5	21·3	17·2
Do. —Phthisis - - - - -	-	1·64	-
Do. —All Tuberculosis - - - - -	-	2·46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·82	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —48.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	2	-	-	-	-	-	-	-	-	1	2	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	7	-	-	-	-	-	-	-	2	1	3	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	8	18	1	1	-	-	1	1	-	3	3	7	-	

YEAR 1919.

Population—Census 1901, - - - 36,995.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 43,290.

Do. estimated to middle of 1919, 44,513.

PUBLIC HEALTH DISTRICT—**Coatbridge (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1271	12	27	1286	678	608
Illegitimate Births - -	62	6	9	65	37	28
Marriages - - -	330	-	-	-	-	-
Deaths - - -	735	37	49	747	416	331

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·6	28·9	-
Marriage-rate - - - - -	7·4	-	-
Death-rate—All Causes - - - - -	16·5	16·8	18·2
Do. —Phthisis - - - - -	-	0·63	-
Do. —All Tuberculosis - - - - -	-	0·92	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2·27	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected — 105.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	7	4	2	9	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	3	-	3	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	29	32	20	38	3	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	3	1	2	-	-	1	1	2	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	11	17	-	-	1	1	9	6	6	3	2	-	-	
Tuberculous Meningitis - - - - -	3	3	1	3	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	3	1	2	1	-	1	2	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	23	19	-	-	-	-	-	1	5	9	10	11	6	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Meningitis - - - - -	8	9	3	10	2	1	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	33	11	1	-	-	-	1	1	4	11	9	12	5	
Bronchitis - - - - -	45	29	8	8	-	-	-	2	5	7	19	15	10	
Pneumonia (all forms) - - - - -	82	57	14	37	11	2	14	24	14	6	15	1	1	
Other Diseases of Respiratory Organs - - - - -	4	4	2	1	1	-	1	-	-	1	-	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	15	7	17	5	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	2	3	-	-	-	-	1	-	1	1	1	1	-	
Other Diseases of Digestive System - - - - -	10	10	-	6	1	1	-	2	4	2	-	2	2	
Nephritis and Bright's Disease - - - - -	5	6	-	1	-	-	1	1	1	4	1	2	-	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	-	1	1	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	1	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	22	26	48	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	26	8	-	5	2	-	2	4	5	5	6	3	2	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	76	63	16	5	-	-	3	4	10	8	19	37	37	
Diseases Ill-defined or Unknown - - - - -	2	4	1	1	-	-	-	-	-	1	3	-	-	
Total - - - - -	416	331	135	136	26	5	36	52	62	60	86	85	64	

YEAR 1919.

Population—Census 1901, - - - 953,800.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 1,008,487.

Do. estimated to middle of 1919, 1,113,454.

PUBLIC HEALTH DISTRICT—**Glasgow (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males	Females
Births - - -	26,104	1605	1336	25,835	13,209	12,626
Illegitimate Births -	2,179	317	70	1,932	1,017	915
Marriages - - -	12,999	-	-	-	-	-
Deaths - - -	18,610	1305	932	18,237	9,169	9,068

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	23·4	23·2	-
Marriage-rate - - - - -	11·7	-	-
Death-rate—All Causes - - - - -	16·7	16·4	18·0
Do. —Phthisis - - - - -	-	1·04	-
Do. —All Tuberculosis - - - - -	-	1·51	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	1·37	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—114.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGES											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	8	8	-	-	-	3	3	3	2	2	3	-	-	
Typhus Fever - - - - -	4	3	-	-	-	-	-	1	2	4	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	170	158	72	230	23	-	1	2	-	-	-	-	-	
*Scarlet Fever - - - - -	18	31	3	26	11	1	4	4	-	-	-	-	-	
*Whooping-cough - - - - -	284	346	193	399	36	1	1	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	90	74	14	90	53	2	2	2	1	-	-	-	-	
Influenza - - - - -	113	136	14	22	4	3	18	23	27	24	46	38	30	
Erysipelas - - - - -	19	17	10	-	-	-	2	3	3	5	3	6	-	
Phthisis, Pulmonary Tuberculosis - - - - -	567	592	1	26	31	52	244	266	220	193	93	31	-	
Tuberculous Meningitis - - - - -	94	83	35	68	31	25	11	4	1	1	1	-	-	
Abdominal Tuberculosis - - - - -	64	89	18	52	27	15	13	13	4	8	1	2	-	
Other Tuberculous Diseases - - - - -	99	90	11	23	28	22	43	15	10	17	11	7	-	
Cancer, Malignant Disease - - - - -	521	723	1	2	2	1	8	26	109	283	396	299	117	
Rheumatic Fever - - - - -	12	14	-	-	2	5	9	2	1	5	2	-	-	
Meningitis - - - - -	108	91	67	66	21	9	16	6	8	3	3	-	-	
Organic Heart Disease - - - - -	580	641	7	2	11	19	54	68	104	182	289	297	188	
Bronchitis - - - - -	788	855	171	92	13	4	8	49	57	169	351	416	313	
Pneumonia (all forms) - - - - -	1829	1684	533	781	121	48	268	414	262	308	348	293	132	
Other Diseases of Respiratory Organs - - - - -	129	126	32	47	4	1	12	14	15	29	30	40	33	
*Diarrhoea and Enteritis (under 2 years) - - - - -	197	144	275	66	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	55	48	-	4	11	20	26	11	11	10	7	3	-	
All Liver Diseases (not Malignant) - - - - -	34	49	1	1	1	2	2	3	11	14	26	13	-	
Other Diseases of Digestive System - - - - -	241	253	68	57	26	11	20	25	52	72	69	52	42	
Nephritis and Bright's Disease - - - - -	304	249	6	13	12	9	21	24	43	96	132	125	75	
Puerperal Sepsis - - - - -	-	53	-	-	-	-	9	31	13	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	125	-	-	-	-	21	70	34	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	590	435	101	11	8	2	1	-	1	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	398	159	34	57	38	29	56	63	76	63	60	47	34	
Suicide - - - - -	25	10	-	-	-	-	1	8	11	7	6	2	-	
Other Defined Diseases - - - - -	1634	1644	322	111	27	34	84	102	200	321	532	735	810	
Diseases Ill-defined or Unknown - - - - -	†194	138	38	20	1	3	4	7	28	40	80	74	36	
Total - - - - -	†9169	9068	2937	2263	536	321	962	1259	1306	1856	2489	2480	1829	

† Including 1 of unstated age.

YEAR 1919.

Population—Census 1901, - - - 32,775.

Do. Do. 1911, - - - 38,644.

Do. estimated to middle of 1919, 39,531.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Hamilton** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,164	16	29	1,177	595	582
Illegitimate Births -	59	4	11	66	29	37
Marriages - - -	260	-	-	-	-	-
Deaths - - -	480	28	67	519	287	232

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.4	29.8	-
Marriage-rate - - - - -	6.6	-	-
Death-rate—All Causes - - - - -	12.1	13.1	14.2
Do. —Phthisis - - - - -	-	0.78	-
Do. —All Tuberculosis - - - - -	-	1.37	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	3	-	-	-	-	1	2	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	9	4	5	8	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	5	3	1	5	2	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	4	-	-	-	1	1	1	-	1	2	-	-	
Erysipelas - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	10	21	-	-	1	5	7	7	7	1	1	-	2	
Tuberculous Meningitis - - - - -	5	6	5	3	3	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	6	-	4	1	3	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	-	-	1	1	-	-	1	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	14	15	1	-	-	-	-	-	2	6	8	10	2	
Rheumatic Fever - - - - -	1	1	-	-	1	-	1	-	-	-	-	-	-	
Meningitis - - - - -	4	2	2	4	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	23	21	-	-	-	1	1	2	5	8	9	13	5	
Bronchitis - - - - -	25	27	18	3	-	-	-	-	-	3	7	11	10	
Pneumonia (all forms) - - - - -	48	23	11	11	5	-	6	10	8	6	6	7	1	
Other Diseases of Respiratory Organs - - - - -	3	1	1	-	1	-	-	-	-	1	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	8	4	10	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	2	3	-	-	-	-	2	-	1	-	2	-	-	
All Liver Diseases (not Malignant) - - - - -	2	1	-	-	-	-	-	1	1	-	-	1	-	
Other Diseases of Digestive System - - - - -	2	4	-	1	1	-	-	-	-	1	3	-	-	
Nephritis and Bright's Disease - - - - -	7	7	-	-	-	-	1	-	3	4	1	3	2	
Septic Peritonitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	34	15	49	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	13	5	-	2	1	2	3	2	1	2	3	1	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	54	48	15	3	1	1	2	3	4	7	16	20	30	
Diseases Ill-defined or Unknown - - - - -	4	6	2	1	-	-	-	1	-	1	1	3	1	
Total - - - - -	287	232	121	51	19	14	27	29	32	42	61	69	54	

YEAR 1919.

Population—Census 1901, - - - 5,359.

Do. Do. 1911, - - - 5,900.

Do. estimated to middle of 1919, 5,982.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Lanark** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	120	10	3	113	59	54
Illegitimate Births -	9	1	2	10	5	5
Marriages - - -	73	-	-	-	-	-
Deaths - - -	82	5	8	85	31	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·1	18·9	-
Marriage-rate - - - - -	12·2	-	-
Death-rate—All Causes - - - - -	13·7	14·2	13·9
Do. —Phthisis - - - - -	-	1·00	-
Do. —All Tuberculosis - - - - -	-	1·84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
* Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
* Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	5	-	-	-	-	2	1	-	1	1	1	-	
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	1	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	6	-	-	-	-	-	-	-	1	2	5	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	4	5	-	-	-	-	1	-	1	-	2	3	2	
Bronchitis - - - - -	-	4	-	-	-	-	-	-	-	-	-	2	2	
Pneumonia (all forms) - - - - -	5	1	-	-	1	-	1	1	-	-	3	-	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
* Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	1	-	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	4	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	1	-	-	1	-	-	-	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	9	21	1	-	1	-	3	1	2	1	5	4	12	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	54	6	3	4	1	10	7	3	4	13	16	18	

YEAR 1919.

Population—Census 1901, - - - 31,144.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 40,380.

Do. estimated to middle of 1919, 42,130.

PUBLIC HEALTH DISTRICT—**Motherwell (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1186	9	31	1208	615	593
Illegitimate Births -	52	3	15	64	41	23
Marriages - - -	286	-	-	-	-	-
Deaths - - -	466	6	65	525	269	256

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·2	28·7	-
Marriage-rate - - - - -	6·8	-	-
Death-rate—All Causes - - - - -	11·1	12·5	14·2
Do. —Phthisis - - - - -	-	0·76	-
Do. —All Tuberculosis - - - - -	-	1·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·81	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iyphus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	7	1	5	3	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	2	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	2	3	2	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	3	-	3	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	1	-	-	-	-	1	-	1	1	1	-	1	
Erysipelas - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	10	22	-	-	-	1	7	8	6	4	3	2	1	
Tuberculous Meningitis - - - - -	4	8	4	7	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	3	2	2	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	14	24	-	-	-	-	-	-	4	5	11	14	4	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	2	4	2	3	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	16	21	-	-	-	1	1	2	3	7	9	9	5	
Bronchitis - - - - -	25	19	6	4	-	-	-	-	-	5	6	15	8	
Pneumonia (all forms) - - - - -	48	38	23	17	-	1	8	9	6	4	7	6	5	
Other Diseases of Respiratory Organs	2	2	1	1	-	-	-	-	1	1	-	-	-	
Diarrhoea and Enteritis (under 2 years)	10	5	15	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	1	2	-	-	1	-	1	1	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	4	-	-	-	-	-	-	-	2	2	-	1	
Other Diseases of Digestive System	12	4	2	1	1	-	1	-	-	3	4	3	1	
Nephritis and Bright's Disease - -	11	17	-	1	-	1	2	2	5	5	4	6	2	
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	22	16	37	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	17	2	-	4	-	2	4	3	3	2	1	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	50	44	16	1	1	1	6	2	8	6	14	14	25	
Diseases Ill-defined or Unknown -	4	5	-	-	-	-	1	-	1	-	2	3	2	
Total - - - - -	269	256	117	52	6	7	35	30	40	46	64	73	55	

YEAR 1919.

Population—Census 1901, 18,593.

Do. Do. 1911, 24,319.

Do. estimated to middle of 1919, 27,371.

COUNTY—**Lanark.**PUBLIC HEALTH DISTRICT—**Rutherglen** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	455	5	24	474	239	235
Illegitimate Births - -	8	0	7	15	8	7
Marriages - - -	205	-	-	-	-	-
Deaths - - -	304	6	89	387	171	216

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.6	17.3	-
Marriage-rate - - - - -	7.5	-	-
Death-rate—All Causes - - -	11.1	14.1	15.5
Do. —Phthisis - - - - -	-	0.80	-
Do. —All Tuberculosis - - -	-	1.21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.58	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o.
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	4	1	4	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	1	2	1	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	4	-	3	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	3	-	-	-	-	1	1	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis -	5	17	-	-	-	-	6	7	6	1	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	4	2	-	2	2	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - -	2	3	1	1	1	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	20	21	-	-	-	-	-	1	5	14	8	8	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	9	13	-	-	-	-	2	-	4	1	5	5	-	-
Bronchitis - - - - -	24	18	7	2	-	-	-	1	-	4	12	9	-	-
Pneumonia (all forms) - - - -	37	43	9	13	3	1	5	15	9	11	7	7	-	-
Other Diseases of Respiratory Organs	1	1	-	-	-	-	-	-	-	-	1	1	-	-
*Diarrhoea and Enteritis (under 2 years)	1	2	3	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	3	1	-	-	1	1	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) -	2	3	-	-	-	-	-	-	-	1	-	4	-	-
Other Diseases of Digestive System	5	4	1	1	1	-	-	-	2	1	-	2	-	-
Nephritis and Bright's Disease - -	4	6	-	-	-	-	-	-	2	1	5	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	8	9	17	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	6	-	-	1	-	-	1	-	1	-	2	-	-	-
Suicide - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Other Defined Diseases - - - -	27	57	3	3	-	-	3	1	3	7	19	24	-	-
Diseases Ill-defined or Unknown - -	2	2	-	-	-	-	-	-	1	1	-	1	-	-
Total - - - - -	171	216	47	32	9	4	20	30	35	43	61	63	-	-

YEAR 1919.

Population—Census 1901, - - - 20,873.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 25,263.

Do. estimated to middle of 1919, 27,223.

PUBLIC HEALTH DISTRICT—**Wishaw** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	762	4	16	774	390	384
Illegitimate Births -	50	0	7	57	32	25
Marriages - - -	243	-	-	-	-	-
Deaths - - -	323	4	42	361	188	173

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·0	28·4	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - - - -	11·9	13·3	14·4
Do. —Phthisis - - - - -	-	0·92	-
Do. —All Tuberculosis - - - - -	-	1·21	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·03	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—119.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females												
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	1	-	-	1	-	-	-	1	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	4	1	2	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	2	3	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	1	-	-	-	-	2	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	15	10	-	2	-	1	2	9	5	6	-	-	-	
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	-	-	1	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	-	-	1	2	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	10	16	-	-	-	-	-	1	5	4	6	7	3	
Pneumatic Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Encephalitis - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	21	-	-	-	1	-	-	3	6	11	3	6	
Trachitis - - - - -	33	16	11	6	1	-	-	1	4	4	8	11	3	
Pneumonia (all forms) - - - - -	19	14	4	10	1	-	3	1	1	5	7	1	-	
Other Diseases of Respiratory Organs - - - - -	6	3	1	2	1	-	-	1	1	1	-	1	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	7	6	12	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	3	-	-	2	-	1	-	-	-	1	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	1	-	-	1	-	
Other Diseases of Digestive System - - - - -	5	10	5	-	-	2	-	-	1	1	3	3	-	
Nephritis and Bright's Disease - - - - -	2	6	-	-	-	-	-	1	3	1	3	-	-	
Septic Peritonitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	23	15	37	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	6	-	-	-	-	-	2	1	1	-	2	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	34	30	14	4	-	1	-	3	5	5	5	13	14	
Diseases Ill-defined or Unknown - - - - -	3	2	1	-	-	-	-	-	-	1	2	-	1	
Total - - - - -	188	173	92	36	9	8	12	20	32	34	48	42	28	

YEAR 1919.

COUNTY—**Lanark.**

PUBLIC HEALTH DISTRICT—**Lower Lanark** (County District).

Population—Census 1901, 20,860.
Do. Do. 1911, 28,466.
Do. estimated to middle of 1919, 32,742.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	601	6	28	623	320	303
Illegitimate Births -	24	1	5	28	11	17
Marriages - - -	181	-	-	-	-	-
Deaths - - -	561	225	55	391	213	178

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.4	19.0	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	17.1	11.9	12.6
Do. —Phthisis - - - - -	-	0.43	-
Do. —All Tuberculosis - - - - -	-	0.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.92	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—130.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	9	3	6	6	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	3	1	1	1	1	-	-	-	-	-	-	-		
Influenza - - - - -	6	4	-	-	-	-	2	3	-	-	1	3	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	8	6	-	-	-	1	1	2	8	2	-	-	-		
Tuberculous Meningitis - - - - -	2	1	-	3	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - - - -	11	11	-	1	-	-	1	1	3	5	5	3	3		
Rheumatic Fever - - - - -	1	1	-	-	-	1	-	-	-	-	1	-	-		
Meningitis - - - - -	6	4	5	4	-	-	1	-	-	-	-	-	-		
Organic Heart Disease - - - - -	19	12	-	-	1	1	3	-	4	2	7	9	4		
Bronchitis - - - - -	14	19	9	1	1	-	-	-	1	2	6	7	6		
Pneumonia (all forms) - - - - -	30	25	5	10	2	-	4	10	7	4	4	5	4		
Other Diseases of Respiratory Organs - - - - -	2	3	-	1	-	-	-	-	2	1	1	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	10	3	11	2	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	4	7	1	1	1	-	-	1	2	-	2	1	2		
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	1	-	-	2	1	1	-	-		
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	18	17	35	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	14	6	2	1	3	-	5	2	2	3	-	1	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	48	44	5	2	2	-	3	2	6	7	11	23	31		
Diseases Ill-defined or Unknown - - - - -	4	3	1	-	-	-	-	-	-	-	2	3	1		
Total - - - - -	213	178	81	36	11	6	21	22	38	27	41	55	53		

YEAR 1919.

Population—Census 1901 - - - 178,633.

COUNTY—**Lanark.**

Do. Do. 1911, - - - 202,659.

PUBLIC HEALTH DISTRICT—**Middle Lanark** (County District).

Do. estimated to middle of 1919, 209,678.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	6,269	130	176	6,315	3,217	3,098
Illegitimate Births -	280	32	70	318	160	158
Marriages - - -	1,433	-	-	-	-	-
Deaths - - -	2,862	237	304	2,929	1,519	1,410

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.9	30.1	-
Marriage-rate - - - - -	6.8	-	-
Death-rate—All Causes - - - - -	13.6	14.0	14.9
Do. —Phthisis - - - - -	-	0.69	-
Do. —All Tuberculosis - - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.20	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Interic Fever - - - - -	6	5	-	2	1	1	-	4	2	1	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
mall-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
leasles - - - - -	21	21	7	31	4	-	-	-	-	-	-	-	-	
carlet Fever - - - - -	7	12	1	9	8	-	-	1	-	-	-	-	-	
Whooping-cough - - - - -	29	38	30	35	2	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	11	19	-	21	9	-	-	-	-	-	-	-	-	
Influenza - - - - -	18	21	3	5	1	1	6	5	3	3	-	4	8	
Erysipelas - - - - -	2	-	1	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	64	80	2	5	4	7	42	27	29	21	5	2	-	
Tuberculous Meningitis - - - - -	21	16	6	19	4	4	2	1	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	11	12	2	7	4	2	2	3	1	1	1	-	-	
Other Tuberculous Diseases - - - - -	18	8	1	4	4	2	6	4	2	2	1	-	-	
Cancer, Malignant Disease - - - - -	77	97	-	-	-	-	2	6	12	49	48	45	12	
Septicæmic Fever - - - - -	5	4	-	1	-	1	1	1	-	3	1	-	1	
Encephalitis - - - - -	27	24	21	16	4	4	2	2	1	-	-	1	-	
Organic Heart Disease - - - - -	91	119	2	1	1	3	14	16	16	23	50	42	42	
Bronchitis - - - - -	149	105	70	18	2	1	1	5	11	19	47	47	33	
Pneumonia (all forms) - - - - -	274	202	105	119	16	6	36	55	26	31	36	31	15	
Other Diseases of Respiratory Organs - - - - -	21	20	8	9	-	-	2	3	4	2	3	5	5	
Diarrhoea and Enteritis (under 2 years) - - - - -	49	34	66	17	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	16	12	-	3	6	7	9	1	2	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	10	10	-	-	-	-	-	2	2	5	6	4	1	
Other Diseases of Digestive System - - - - -	31	45	6	12	9	3	5	3	6	3	13	11	5	
Nephritis and Bright's Disease - - - - -	27	25	2	-	-	1	3	11	4	6	8	13	4	
Septicæmic Sepsis - - - - -	-	16	-	-	-	-	2	11	3	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	32	-	-	-	-	5	10	16	1	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	138	110	245	2	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	118	29	3	24	9	8	15	17	20	19	20	9	3	
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-	-	
Other Defined Diseases - - - - -	246	270	66	12	12	16	14	16	26	49	59	113	133	
Diseases Ill-defined or Unknown - - - - -	30	24	8	5	-	-	1	2	5	4	9	10	10	
Total - - - - -	1519	1410	655	377	101	67	170	207	192	243	308	337	272	

YEAR 1919.

Population—Census 1901, - - - 40,145.

Do. Do. 1911, - - - 42,978.

COUNTY—**Lanark.**

Do. estimated to middle of 1919, 42,708.

PUBLIC HEALTH DISTRICT—**Upper Lanark** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	969	30	44	983	498	485
Illegitimate Births -	59	3	19	75	31	44
Marriages - - -	278	-	-	-	-	-
Deaths - - -	615	21	52	646	322	324

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.7	23.0	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	14.4	15.1	15.3
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	1.05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.82	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—109.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	3	1	2	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	5	4	6	3	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	5	6	-	5	4	1	1	-	-	-	-	-	-	
Influenza - - - - -	3	12	-	2	-	1	1	4	-	1	1	4	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	5	19	-	-	4	1	7	7	3	1	1	-	-	
Tuberculous Meningitis - - - - -	1	4	1	2	1	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	2	1	1	3	-	-	-	-	-	-	1	-	
Other Tuberculous Diseases - - - - -	7	3	-	3	1	2	1	1	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	22	26	-	-	-	-	-	1	1	5	18	16	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	8	2	2	3	2	-	2	-	1	-	-	-	-	
Organic Heart Disease - - - - -	29	36	1	-	-	-	-	1	1	7	13	18	24	
Bronchitis - - - - -	20	17	6	3	-	-	-	-	-	2	8	9	-	
Pneumonia (all forms) - - - - -	61	41	20	15	2	8	10	10	4	11	11	7	-	
Other Diseases of Respiratory Organs - - - - -	7	1	2	2	-	-	-	-	1	-	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	6	4	8	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	1	-	-	-	-	1	1	-	1	1	1	-	
All Liver Diseases (not Malignant) - - - - -	-	4	-	-	-	-	-	-	-	-	1	1	-	
Other Diseases of Digestive System - - - - -	10	12	7	2	1	1	1	2	2	1	1	1	-	
Nephritis and Bright's Disease - - - - -	6	8	-	1	-	1	1	-	1	6	2	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	-	1	4	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	21	22	43	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	18	4	-	1	2	1	-	2	4	7	1	3	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	71	80	5	2	2	1	2	8	8	16	14	36	57	
Diseases Ill-defined or Unknown - - - - -	7	6	4	-	-	-	-	-	1	1	2	3	-	
Total - - - - -	322	324	107	51	22	17	27	40	33	60	75	102	119	

YEAR 1919.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Armadale (Burgh).**

Population—Census 1901, - - - 3,921.
Do. Do. 1911, - - - 4,739.
Do. estimated to middle of 1919, 5,102.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	143	2	3	144	73	71
Illegitimate Births - -	4	0	0	4	2	2
Marriages - - -	24	-	-	-	-	-
Deaths - - -	40	1	13	52	28	24

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·0	28·2	-
Marriage-rate - - - - -	4·7	-	-
Death-rate—All Causes - - - - -	7·8	10·2	11·1
Do. —Phthisis - - - - -	-	0·59	-
Do. —All Tuberculosis - - - - -	-	0·78	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·59	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2·8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
eric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
hus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
all-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ales - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
let Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
oping-cough - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
antheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ienza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
nsis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	3	-	-	-	-	-	-	
erculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
er Tuberculous Diseases - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
er, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	1	2	-	1	-	
umatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ingitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
mic Heart Disease - - - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	
chitis - - - - -	3	2	3	-	-	-	-	-	-	1	-	1	-	
monia (all forms) - - - - -	6	-	1	2	1	-	-	-	2	-	-	-	-	
r Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
hœa and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
ndicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
iver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
r Diseases of Digestive System - - - - -	2	1	1	-	-	-	-	-	1	1	-	-	-	
ritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
peral Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
r Diseases and Accidents of regnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
enital Debility and Malforma- a, including Premature Birth - - - - -	-	3	3	-	-	-	-	-	-	-	-	-	-	
nt Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	2	-	-	-	
de - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Defined Diseases - - - - -	7	9	2	-	-	-	-	1	-	-	5	4	4	
ses Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	28	24	12	5	1	-	3	1	5	6	9	6	4	

YEAR 1919.

Population—Census 1901, - - - 6,786.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 8,226.

Do. estimated to middle of 1919, 8,872.

PUBLIC HEALTH DISTRICT—**Bathgate** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	211	7	7	211	109	102
Illegitimate Births -	12	1	4	15	5	10
Marriages - - -	61	-	-	-	-	-
Deaths - - -	90	0	20	110	56	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	23·8	23·8	-
Marriage-rate - - -	6·9	-	-
Death-rate—All Causes - - -	10·1	12·4	13·5
Do. —Phthisis - - -	-	0·23	-
Do. —All Tuberculosis - - -	-	0·79	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·79	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—76.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	4	1	-	1	-	-	1	-	2	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	2	1	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Cancer, Malignant Disease - - -	6	3	-	1	-	-	-	-	2	1	3	1	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	4	-	-	-	-	-	-	-	2	2	-	1	
Bronchitis - - -	8	3	1	2	-	-	-	-	-	-	6	2	-	
Pneumonia (all forms) - - -	5	5	1	2	2	-	-	2	1	1	1	-	-	
Other Diseases of Respiratory Organs - - -	2	-	-	-	1	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	2	-	-	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Other Diseases of Digestive System - - -	2	4	1	-	-	-	-	-	-	-	-	3	2	
Nephritis and Bright's Disease - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	5	4	9	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	-	-	-	1	-	-	1	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	14	14	1	1	1	-	-	-	-	4	8	6	7	
Diseases Ill-defined or Unknown - - -	3	-	-	-	-	-	-	-	-	-	2	1	-	
Total - - -	56	54	16	11	8	-	2	8	4	10	26	14	11	

YEAR 1919.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Borrowstounness** (Burgh).

Population—Census 1901, - - - 9,306.
 Do. Do. 1911, - - - 10,862.
 Do. estimated to middle of 1919, - 11,447.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers.		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	237	3	6	240	136	104
Illegitimate Births -	14	1	0	13	7	6
Marriages - - -	62	-	-	-	-	-
Deaths - - -	117	1	21	137	83	54

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20·7	21·0	-
Marriage-rate - - - - -	5·4	-	-
Death-rate—All Causes - - - - -	10·2	12·0	13·2
Do. —Phthisis - - - - -	-	0·35	-
Do. —All Tuberculosis - - - - -	-	1·05	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —133.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	6	2	4	3	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	-	2	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	2	2	-	-	-	-	-	-	1	1	1	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	1	1	-	1	-	1	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	4	1	-	1	-	-	2	-	2	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	3	-	-	-	-	-	-	1	-	4	3	-	
Pneumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	1	-	-	1	1	1	1	
Trachitis - - - - -	7	5	2	2	-	-	-	-	-	-	2	3	1	
Pneumonia (all forms) - - - - -	12	9	4	3	-	-	2	1	2	3	2	2	3	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	-	-	-	1	-	
Dysentery and Enteritis (under 2 years) - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	1	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	1	-	1	-	1	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	7	15	-	-	-	-	-	-	-	-	-	-	
Silent Deaths, excluding Suicide - - - - -	5	1	-	1	-	1	1	2	1	-	-	-	-	
Accidents - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	7	2	1	2	-	-	-	1	2	3	6	4	
Diseases Ill-defined or Unknown - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Total - - - - -	83	54	32	19	7	2	7	6	8	10	14	20	12	

YEAR 1919.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow** (Burgh).

Population—Census 1901, - - - 4,279.
 Do. Do. 1911, - - - 4,002.
 Do. estimated to middle of 1919, - 3,557.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	87	0	0	87	51	36
Illegitimate Births -	4	0	0	4	3	1
Marriages - - -	34	-	-	-	-	-
Deaths - - -	57	1	6	62	31	31

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24.5	24.5	-
Marriage-rate - - - - -	9.6	-	-
Death-rate—All Causes - - - - -	16.0	17.4	17.1
Do. —Phthisis - - - - -	-	0.28	-
Do. —All Tuberculosis - - - - -	-	0.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.41	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	-	-	1	-	1	-	1	1	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	-	4	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	6	2	-	-	-	-	-	1	-	-	4	1	-	
Bronchitis - - - - -	4	1	-	-	-	-	-	1	-	-	2	-	-	
Pneumonia (all forms) - - - - -	3	3	-	-	1	-	1	1	-	1	-	2	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	-	-	-	2	-	-	-	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	4	8	-	-	-	-	-	-	-	2	-	8	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	31	7	3	2	1	5	5	-	5	12	15	-	

YEAR 1919.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Queensferry (Burgh).**

Population—Census 1901, - - - 1,850.

Do. Do. 1911, - - - 3,510.

Do. estimated to middle of 1919, 3,425.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	1	3	59	31	28
Illegitimate Births -	4	0	1	5	2	3
Marriages - - -	8	-	-	-	-	-
Deaths - - -	59	36	4	27	15	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16·6	17·2	-
Marriage-rate - - - - -	2·3	-	-
Death-rate—All Causes - - - - -	17·2	7·9	11·6
Do. —Phthisis - - - - -	-	0·29	-
Do. —All Tuberculosis - - - - -	-	0·29	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—51.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	1	-	2	
Pneumonia (all forms) - - - - -	2	-	-	-	1	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	-	2	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	15	12	3	1	2	1	-	1	4	1	2	5	7	

YEAR 1919.

COUNTY—**Linlithgow.**

PUBLIC HEALTH DISTRICT—**Whitburn** (Burgh).

Population—Census 1901, - - - 1,442.
Do. Do. 1911, - - - 1,876.
Do. estimated to middle of 1919, 2,105.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	61	0	1	62	28	34
Illegitimate Births -	6	0	0	6	2	4
Marriages - - -	23	-	-	-	-	-
Deaths - - -	18	0	6	24	13	11

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.0	29.5	-
Marriage-rate - - - - -	10.9	-	-
Death-rate—All Causes - - - - -	8.6	11.4	12.2
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—81.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	1	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	
Bronchitis - - - - -	3	-	-	1	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	4	1	-	1	-	-	-	-	-	1	-	-	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	13	11	5	5	4	-	1	-	-	1	2	1	-	

YEAR 1919.

Population—Census 1901, - - - 25,214.

COUNTY—**Linlithgow.**

Do. Do. 1911, - - - 31,725

Do. estimated to middle of 1919, 34,962.

PUBLIC HEALTH DISTRICT—**Bathgate** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	998	8	27	1,017	522	495
Illegitimate Births -	34	1	12	45	24	21
Marriages - - -	185	-	-	-	-	-
Deaths - - -	367	7	59	419	215	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28.5	29.1	-
Marriage-rate - - - - -	5.3	-	-
Death-rate—All Causes - - - - -	10.5	12.0	12.7
Do. —Phthisis - - - - -	-	0.40	-
Do. —All Tuberculosis - - - - -	-	0.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected - 99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	12	6	3	15	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	5	4	5	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	4	3	-	3	3	-	1	-	-	-	-	-	-	
Influenza - - - - -	3	4	2	-	-	3	-	-	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	7	-	-	-	1	2	3	3	3	2	-	-	
Tuberculous Meningitis - - - - -	4	3	1	4	1	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	2	2	-	1	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	2	3	-	2	-	-	2	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	22	-	-	-	-	-	3	-	5	9	8	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	4	5	3	2	1	1	2	-	-	-	-	-	-	
Organic Heart Disease - - - - -	18	17	-	-	1	1	1	1	3	7	7	6	8	
Bronchitis - - - - -	12	15	8	2	1	1	-	-	-	4	2	7	2	
Pneumonia (all forms) - - - - -	32	16	14	12	1	-	2	5	4	5	5	-	-	
Other Diseases of Respiratory Organs - - - - -	5	4	1	3	2	-	-	1	-	-	-	2	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	7	1	7	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	3	-	-	-	-	-	-	-	1	2	1	-	
Other Diseases of Digestive System - - - - -	5	8	1	3	2	-	1	-	1	3	1	1	-	
Nephritis and Bright's Disease - - - - -	4	5	-	2	-	-	-	1	1	3	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	8	-	-	-	-	3	2	3	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	23	21	43	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	12	2	1	-	2	1	2	-	4	3	-	1	-	
Suicide - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Defined Diseases - - - - -	42	38	10	3	1	-	2	4	2	7	9	20	22	
Diseases Ill-defined or Unknown - - - - -	2	4	1	1	-	-	-	-	-	2	-	1	1	
Total - - - - -	215	204	101	61	17	8	20	21	22	45	39	49	36	

YEAR 1919.

Population—Census 1901, - - - 12,910.

Do. Do. 1911, - - - 15,215.

Do. estimated to middle of 1919, 16,132.

COUNTY—**Linlithgow.**PUBLIC HEALTH DISTRICT—**Linlithgow** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	358	9	15	364	187	177
Illegitimate Births -	14	2	7	19	11	8
Marriages - - -	97	-	-	-	-	-
Deaths - - -	226	69	32	189	99	90

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.2	22.6	-
Marriage-rate - - - - -	6.0	-	-
Death-rate—All Causes - - - - -	14.1	11.7	12.0
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.87	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	6	3	4	4	1	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	4	-	-	-	1	-	-	2	-	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	7	-	-	-	-	2	5	-	2	-	-	-		
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	3	-	1	-	1	-	1	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-		
Cancer, Malignant Disease - - - - -	6	6	-	-	-	-	-	-	3	3	5	1	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	3	1	2	-	-	1	1	-	-	-	-	-		
Organic Heart Disease - - - - -	5	7	-	-	-	-	-	2	1	1	2	4	2		
Bronchitis - - - - -	5	7	2	-	-	-	-	2	-	1	-	4	3		
Pneumonia (all forms) - - - - -	21	12	3	9	1	-	8	4	2	3	1	2	-		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	3	1	2	2	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	3	-	-	-	-	1	-	-	2	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	3	2	1	-	-	-	1	-	-	1	2	-	-		
Nephritis and Bright's Disease - - - - -	4	-	-	1	-	-	-	-	-	1	1	1	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	-	2	2	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	9	6	15	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	13	2	1	2	1	-	2	2	1	2	3	1	-		
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Other Defined Diseases - - - - -	13	22	3	-	-	1	2	3	3	1	4	8	10		
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	99	90	32	23	4	2	17	24	13	18	19	21	16		

YEAR 1919.

Population—Census 1901, - - - 4,487.

COUNTY—**Nairn**.

Do. Do. 1911, - - - 4,661.

Do. estimated to middle of 1919, 4,528.

PUBLIC HEALTH DISTRICT—**Nairn** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	93	0	1	94	51	43
Illegitimate Births -	11	0	1	12	3	9
Marriages - - -	47	-	-	-	-	-
Deaths - - -	69	2	4	71	31	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.5	20.8	-
Marriage-rate - - - - -	10.4	-	-
Death-rate—All Causes - - - - -	15.2	15.7	14.2
Do. —Phthisis - - - - -	-	0.66	-
Do. —All Tuberculosis - - - - -	-	1.55	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—64.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	-	2	1	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	6	3	-	-	-	-	-	-	1	-	1	5	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	-	-	-	1	3	2	4	
Bronchitis - - - - -	2	3	-	1	-	-	-	-	1	-	-	3	-	
Pneumonia (all forms) - - - - -	2	4	1	-	-	-	1	1	-	1	-	-	2	
Other Diseases of Respiratory Organs - - - - -	1	1	-	1	-	-	-	-	1	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1	
Nephritis and Bright's Disease - - - - -	-	4	-	-	-	-	-	-	-	-	2	2	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	-	-	1	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	10	2	2	-	-	-	-	-	-	4	2	7	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	31	40	6	8	-	-	1	2	5	6	10	17	16	

YEAR 1919.

Population—Census 1901, - - - 4,804.

Do. Do. 1911, - - - 4,658.

COUNTY—**Nairn**.

Do. estimated to middle of 1919, 4,276.

PUBLIC HEALTH DISTRICT—**Nairn** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	5	1	62	29	33
Illegitimate Births -	6	2	1	5	4	1
Marriages - -	16	-	-	-	-	-
Deaths - - -	76	2	4	78	34	44

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.4	14.5	-
Marriage-rate - - - - -	3.7	-	-
Death-rate—All Causes - - -	17.8	18.2	15.8
Do. —Phthisis - - - - -	-	0.70	-
Do. —All Tuberculosis - - -	-	0.94	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	2	2	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	-	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	2	-	-	-	-	-	-	-	-	-	4	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	9	-	-	-	-	-	1	1	1	1	3	-	
Bronchitis - - - - -	-	3	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	5	7	-	2	-	-	1	1	-	2	2	1	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	1	-	2	-	-	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	-	-	-	2	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	9	12	-	-	-	1	1	1	-	-	2	2	1	
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	34	44	4	5	-	2	3	4	5	6	8	13	20	

YEAR 1919.

Population—Census 1901, - - - 3,711.

COUNTY—Orkney.

Do. Do. 1911, - - - 3,810.

Do. estimated to middle of 1919, 3,667.

PUBLIC HEALTH DISTRICT—Kirkwall (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	66	8	3	61	36	25
Illegitimate Births -	7	0	0	7	3	4
Marriages - - -	85	-	-	-	-	-
Deaths - - -	80	10	5	75	35	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.0	16.6	-
Marriage-rate - - - - -	23.2	-	-
Death-rate—All Causes - - - - -	21.8	20.5	16.6
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - - - -	-	1.36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.09	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—148.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	1	-	-	1	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	1	-	-	-	2	-	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	3	6	-	-	-	1	1	-	-	1	2	4	4	
Bronchitis - - - - -	3	4	-	-	-	-	-	1	-	-	2	4	4	
Pneumonia (all forms) - - - - -	3	6	1	-	-	1	-	-	-	-	4	3	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	2	1	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	12	11	1	-	-	1	-	-	3	1	6	11	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	35	40	9	-	1	2	4	3	6	7	2	18	23	

YEAR 1919.

Population—Census 1901, - - - 2,550.

COUNTY—Orkney.

Do. Do. 1911, - - - 1,770.

Do. estimated to middle of 1919, 1,566.

PUBLIC HEALTH DISTRICT—Stromness (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	1	2	39	24	15
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	15	-	-	-	-	-
Deaths - - -	36	2	2	36	15	21

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·3	24·9	-
Death-rate—All Causes - - - - -	9·6	-	-
Do. —Phthisis - - - - -	23·0	23·0	18·6
Do. —All Tuberculosis - - - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·92	-
	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—128.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Cancer, Malignant Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	2	-	-	-	-	-	-	-	-	-	3	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	3	1	-	-	-	-	1	-	-	1	3	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	-	-	-	2	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	10	1	-	1	-	1	-	-	1	-	-	9	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	15	21	5	2	1	-	1	1	2	1	3	7	13	

YEAR 1919.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Mainland (County District).

Population—Census 1901, - - - 10,044.

Do. Do. 1911, - - - 9,187.

Do. estimated to middle of 1919, 7,993.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	133	2	4	135	75	60
Illegitimate Births - -	15	0	0	15	6	9
Marriages - - -	53	-	-	-	-	-
Deaths - - -	144	0	10	154	60	94

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.6	16.9	-
Marriage-rate - - - - -	6.6	-	-
Death-rate—All Causes - - - -	18.0	19.3	14.2
Do. —Phthisis - - - - -	-	0.88	-
Do. —All Tuberculosis - - - -	-	1.38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.13	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Crouping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	3	-	-	-	-	-	-	-	1	1	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	5	-	-	-	-	2	1	1	1	2	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cerebral Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	3	-	-	-	-	1	1	1	1	-	-	-	
Cancer, Malignant Disease - - -	3	4	-	-	-	-	-	-	1	-	-	1	5	
Chronic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leucitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Coronary Heart Disease - - - -	8	20	-	-	-	-	-	-	-	-	3	9	16	
Myocarditis - - - - -	4	2	-	-	-	-	-	-	-	-	-	2	4	
Pneumonia (all forms) - - - - -	11	13	4	1	1	-	3	1	4	4	1	3	2	
Other Diseases of Respiratory Organs	1	3	-	-	-	-	1	-	-	-	-	2	1	
Enteritis and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Diseases of Digestive System	1	1	-	-	-	-	-	-	-	2	-	-	-	
Nephritis and Bright's Disease -	3	1	-	-	-	-	-	-	-	1	-	2	1	
Septicæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	-	2	1	-	-	-	
Genital Debility and Malformation, including Premature Birth	2	3	5	-	-	-	-	-	-	-	-	-	-	
Unnatural Deaths, excluding Suicide	3	-	-	-	-	-	-	1	1	1	-	-	-	
Side - - - - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Defined Diseases - - - - -	14	26	-	-	-	-	1	1	-	2	2	10	24	
Cases Ill-defined or Unknown - -	4	2	1	1	-	-	-	-	-	-	1	1	2	
Total - - - - -	60	94	10	2	1	-	11	5	10	16	11	31	57	

YEAR 1919.

Population—Census 1901, - - - 7,845.

Do. Do. 1911, - - - 7,095.

Do. estimated to middle of 1919, 6,103.

COUNTY—**Orkney.**PUBLIC HEALTH DISTRICT—**North Isles** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	96	2	5	99	44	55
Illegitimate Births -	2	0	0	2	0	2
Marriages - - -	31	-	-	-	-	-
Deaths - - -	109	1	5	113	55	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.7	16.2	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	17.9	18.5	13.0
Do. —Phthisis - - - - -	-	0.49	-
Do. —All Tuberculosis - - - - -	-	0.49	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.33	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—40.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	1	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - -	2	3	-	-	-	-	-	-	-	-	-	3	2	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	6	-	-	-	-	-	-	-	1	1	6	3	
Bronchitis - - - - -	1	6	-	-	-	-	-	-	-	-	-	2	5	
Pneumonia (all forms) - - - - -	4	8	1	1	-	-	1	2	-	1	2	2	2	
Other Diseases of Respiratory Organs	4	5	-	-	-	-	-	-	-	1	1	2	5	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	-	1	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	2	-	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	2	1	-	-	-	-	1	1	-	2	2	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	28	20	-	-	-	-	-	-	-	5	2	13	28	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	55	58	4	1	2	-	1	5	3	9	9	33	46	

YEAR 1919.

Population—Census 1901, - - - 2,707.

Do. Do. 1911, - - - 2,395.

Do. estimated to middle of 1919, 2,014.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—South Ronaldshay (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	51	0	2	53	28	25
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	15	-	-	-	-	-
Deaths - - -	41	0	1	42	23	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	25·3	26·3	-
Marriage-rate - - - - -	7·4	-	-
Death-rate—All Causes - - - - -	20·4	20·9	13·9
Do. —Phthisis - - - - -	-	2·48	-
Do. —All Tuberculosis - - - - -	-	2·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	3	1	-	-	-	1	-
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	-	1	1	1
Bronchitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	1	1	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	2	-	-	-	-	-	1	-	-	-	-	1	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - -	2	1	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	2	-	-	-	-	-	-	1	-	-	-	-	1
Suicide - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	7	12	1	1	-	-	-	-	-	-	1	4	12
Diseases Ill-defined or Unknown - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	23	19	4	3	1	-	5	4	1	-	2	7	15

YEAR 1919.

COUNTY—Orkney.

PUBLIC HEALTH DISTRICT—Walls (County District).

Population—Census 1901, - - - 1,842.
Do. Do. 1911, - - - 1,640.
Do. estimated to middle of 1919, 1,388.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	20	0	1	21	11	10
Illegitimate Births -	2	0	0	2	2	0
Marriages - - -	13	-	-	-	-	-
Deaths - - -	33	0	0	33	20	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.4	15.1	-
Marriage-rate - - - - -	9.4	-	-
Death-rate—All Causes - - -	23.8	23.8	16.3
Do. —Phthisis - - - - -	-	3.60	-
Do. —All Tuberculosis - - -	-	3.60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.72	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	-	1	1	1	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	1	-	-	-	-	-	-	-	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	3	-	-	-	-	-	1	-	-	-	2	6	
Diseases Ill-defined or Unknown -	3	4	-	-	-	-	-	-	-	-	-	2	5	
Total - - - - -	20	13	-	1	-	-	1	3	2	3	-	5	18	

YEAR 1919.

Population—Census 1901, - - - 2,181.

Do. Do. 1911, - - - 2,547.

Do. estimated to middle of 1919, 2,685.

COUNTY—Peebles.

PUBLIC HEALTH DISTRICT—Innerleithen (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	3	0	22	8	14
Illegitimate Births -	4	1	0	3	1	2
Marriages - - -	23	-	-	-	-	-
Deaths - - -	26	1	4	29	9	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	9.3	8.2	-
Marriage-rate - - -	8.6	-	-
Death-rate—All Causes - - -	9.7	10.8	10.4
Do. —Phthisis - - -	-	1.12	-
Do. —All Tuberculosis - - -	-	1.12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.74	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	-	-	-	1	2	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	4	-	-	-	-	-	-	-	2	2	2	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
Bronchitis - - -	-	3	-	-	-	-	-	-	-	-	2	-	1	
Pneumonia (all forms) - - -	2	-	-	-	1	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of	-	1	-	-	-	-	1	-	-	-	-	-	-	
Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma-	-	-	-	-	-	-	-	-	-	-	-	-	-	
tion, including Premature Birth	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	4	-	-	-	-	-	-	-	-	1	1	3	
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Total - - -	9	20	-	2	1	1	-	3	-	3	7	7	5	

YEAR 1919.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Peebles (Burgh).**

Population—Census 1901, - - - 5,266.
Do. Do. 1911, - - - 5,579.
Do. estimated to middle of 1919, 5,502.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	72	1	7	78	35	43
Illegitimate Births -	1	0	3	4	2	2
Marriages - - -	33	-	-	-	-	-
Deaths - - -	60	4	9	65	30	35

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.1	14.2	-
Marriage-rate - - -	6.0	-	-
Death-rate—All Causes - - -	10.9	11.8	11.6
Do. —Phthisis - - -	-	1.45	-
Do. —All Tuberculosis - - -	-	2.18	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.18	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—13.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	6	-	-	-	-	3	1	2	-	2	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	2	-	1	-	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	2	-	-	-	-	-	2	1	-	-	4	2	
Bronchitis - - - - -	2	5	1	-	-	-	-	-	-	1	1	1	3	
Pneumonia (all forms) - - - - -	4	4	-	-	-	-	3	3	-	-	1	1	-	
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	1	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	1	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	8	-	-	-	-	-	-	-	2	1	5	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	30	35	1	2	1	-	7	6	6	6	8	13	15	

YEAR 1919.

COUNTY—**Peebles.**

PUBLIC HEALTH DISTRICT—**Peebles** (County District).

Population—Census 1901, 7,619.
Do. Do. 1911, 7,132.
Do. estimated to middle of 1919, 6,344.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	110	7	10	113	61	52
Illegitimate Births -	7	0	4	11	5	6
Marriages - - -	40	-	-	-	-	-
Deaths - - -	83	5	20	98	43	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.3	17.8	-
Marriage-rate - - - - -	6.3	-	-
Death-rate—All Causes - - - - -	13.1	15.4	14.7
Do. —Phthisis - - - - -	-	0.63	-
Do. —All Tuberculosis - - - - -	-	1.10	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.16	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—53.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	1	1	1	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	2	-	-	-	-	1	-	-	1	-	-	-	
Cancer, Malignant Disease - - - - -	4	8	-	-	-	-	-	1	2	3	-	3	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	6	-	-	-	-	-	-	-	3	-	6	1	
Bronchitis - - - - -	1	4	3	-	-	-	-	-	-	-	-	2	-	
Pneumonia (all forms) - - - - -	6	4	1	1	-	-	-	1	1	4	-	-	2	
Other Diseases of Respiratory Organs - - - - -	2	1	-	1	-	-	-	-	-	1	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Other Diseases of Digestive System - - - - -	3	2	-	-	-	1	-	-	-	2	1	1	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	1	-	-	1	-	-	-	-	1	-	
Suicide - - - - -	3	-	-	-	-	-	-	-	1	1	1	-	-	
Other Defined Diseases - - - - -	12	17	-	-	-	-	1	1	1	3	4	5	14	
Diseases Ill-defined or Unknown - - - - -	1	3	1	1	-	-	-	-	-	-	1	-	1	
Total - - - - -	43	55	6	6	1	1	4	4	6	20	8	20	22	

YEAR 1919.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Aberfeldy (Burgh).

Population—Census 1901, - - - 1,508.
Do. Do. 1911, - - - 1,592.
Do. estimated to middle of 1919, 1,565.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	24	0	0	24	15	9
Illegitimate Births -	3	0	0	3	3	0
Marriages - - -	15	-	-	-	-	-
Deaths - - -	22	3	2	21	8	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.3	15.3	-
Marriage-rate - - -	9.6	-	-
Death-rate—All Causes - - -	14.1	13.4	11.6
Do. —Phthisis - - -	-	0.00	-
Do. —All Tuberculosis - - -	-	0.64	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	2	-	-	-	-	-	-	-	-	2	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	3	2	-	-	-	-	-	-	-	1	-	1	3	
Bronchitis - - -	2	4	1	1	-	-	-	-	-	-	-	1	3	
Pneumonia (all forms) - - -	1	1	1	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	3	-	-	-	-	-	-	-	-	2	1	1	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	8	13	2	1	-	-	1	-	-	1	5	3	8	

Population—Census 1901,	-	-	623.
Do. Do. 1911,	-	-	593.
Do. estimated to middle of 1919,			535.

Do.	Do. 1911,	538.
Do.	estimated to middle of 1919,	535.

Do.	Do. 1911,	538.
Do.	estimated to middle of 1919,	535.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	8	0	0	8	4	4
Illegitimate Births - -	0	0	0	0	0	0
Marriages - - -	6	-	-	-	-	-
Deaths - - -	9	0	2	11	4	7

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.0	15.0	-
Marriage-rate - - - - -	11.2	-	-
Death-rate—All Causes - - - - -	16.8	20.6	15.7
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—0·0.

CAUSES OF DEATH (corrected for Transfers).

[illegible]

YEAR 1919.

Population—Census 1901, 1,965.

COUNTY—Perth.

Do. Do. 1911, 1,860.

Do. estimated to middle of 1919 1,671.

PUBLIC HEALTH DISTRICT—Alyth (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	13	1	3	15	5	10
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	18	-	-	-	-	-
Deaths - - -	31	0	6	37	18	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	7·8	9·0	-
Marriage-rate - - - - -	10·8	-	-
Death-rate—All Causes - - - - -	18·6	22·1	18·2
Do. —Phthisis - - - - -	-	1·80	-
Do. —All Tuberculosis - - - - -	-	1·80	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—133.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	-	3	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	3	-	-	-	-	-	-	-	1	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	-	-	1	4	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	1	
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	1	-	-	-	-	1	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	7	-	-	-	-	-	-	-	1	1	5	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	19	2	-	-	-	1	3	1	2	4	12	12	

YEAR 1919.

Population—Census 1901, - - - 2,308.

COUNTY—Perth.

Do. Do. 1911, - - - 2,294.

Do. estimated to middle of 1919, 2,152.

PUBLIC HEALTH DISTRICT—Auchterarder (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	42	2	1	41	28	13
Illegitimate Births -	6	1	0	5	1	4
Marriages - - -	14	-	-	-	-	-
Deaths - - -	31	3	7	35	20	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.5	19.1	-
Marriage-rate - - - - -	6.5	-	-
Death-rate—All Causes - - - - -	14.4	16.3	13.6
Do. —Phthisis - - - - -	-	0.46	-
Do. —All Tuberculosis - - - - -	-	0.93	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—98.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	1	1	1	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	1	-	1	-	1	-	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	1	-	-	1	1	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	7	8	-	-	-	-	1	1	1	3	2	7	-	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	2	-	-	
Total - - - - -	20	15	4	-	-	2	2	3	3	7	6	8	-	

YEAR 1919.

Population—Census 1901, - - - 3,378.

COUNTY—Perth.

Do. Do. 1911, - - - 3,249.

Do. estimated to middle of 1919, 2,962.

PUBLIC HEALTH DISTRICT—Blairgowrie (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	46	0	2	48	28	20
Illegitimate Births -	5	0	1	6	5	1
Marriages - - -	23	-	-	-	-	-
Deaths - - -	61	12	5	54	24	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	15.5	16.2	-
Marriage-rate - - -	7.8	-	-
Death-rate—All Causes - - -	20.6	18.2	14.8
Do. —Phthisis - - -	-	0.34	-
Do. —All Tuberculosis - - -	-	0.34	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7- an ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	2	-	-	-	-	1	-	-	-	1	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	2	-	-	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	3	-	-	-	-	-	-	-	-	2	4	1	-	
Bronchitis - - -	2	4	1	-	-	-	-	-	-	-	2	2	1	-	
Pneumonia (all forms) - - -	3	3	-	2	-	-	1	-	-	-	-	2	1	-	
Other Diseases of Respiratory Organs -	3	3	-	-	1	-	-	-	-	-	1	1	3	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Digestive System -	1	2	-	1	-	-	-	1	-	-	-	1	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - -	5	12	-	-	-	1	-	-	-	1	3	2	10	-	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	23	31	3	3	1	1	2	2	2	1	11	12	16	-	

YEAR 1919.

Population—Census 1901, - - - 1,458,

Do. Do. 1911, - - - 1,504.

Do. estimated to middle of 1919, 1,453.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Callander (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	26	3	1	24	11	13
Illegitimate Births - -	2	1	1	2	1	1
Marriages - - -	9	-	-	-	-	-
Deaths - - -	13	1	2	14	5	9

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.9	16.5	-
Marriage-rate - - - - -	6.2	-	-
Death-rate—All Causes - - - -	8.9	9.6	8.5
Do. —Phthisis - - - - -	-	0.00	-
Do. —All Tuberculosis - - - -	-	0.00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.38	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	3	-	-	-	-	-	-	-	-	2	1	2	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	5	9	2	-	-	-	-	1	-	1	2	3	5	

YEAR 1919.

Population—Census 1901, - - - 2,064.

Do. Do. 1911, - - - 2,095.

Do. estimated to middle of 1919, 1,999.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Coupar-Angus (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	36	0	0	36	24	12
Illegitimate Births -	2	0	0	2	1	1
Marriages - - -	12	-	-	-	-	-
Deaths - - -	18	0	6	24	12	12

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	18.0	18.0	-
Marriage-rate - - -	6.0	-	-
Death-rate—All Causes - - -	9.0	12.0	9.6
Do. —Phthisis - - -	-	0.50	-
Do. —All Tuberculosis - - -	-	0.50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—139.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over		
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	-	-	-	-	-	1	-		
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cancer, Malignant Disease - - -	1	1	-	-	-	-	-	-	-	-	1	-	1		
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - -	1	1	1	-	-	-	-	-	-	-	-	1	-		
Bronchitis - - -	1	1	-	-	-	-	-	-	-	-	-	-	2		
Pneumonia (all forms) - - -	1	-	-	-	-	1	-	-	-	-	-	-	-		
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	-	-	-	2	-		
Nephritis and Bright's Disease - -	1	-	-	-	-	-	-	1	-	-	-	-	-		
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - -	-	3	3	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	1	-	-	-	-	-	-	-	1	-	-	-	-		
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - -	4	5	1	-	-	-	-	-	-	-	1	4	3		
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - -	12	12	5	-	-	-	1	-	1	1	2	8	6		

YEAR 1919.

Population—Census 1901, - - - 5,208.

Do. Do. 1911, - - - 5,571.

Do. estimated to middle of 1919, 5,533.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Crieff.(Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	76	4	2	74	48	26
Illegitimate Births -	8	1	0	7	6	1
Marriages - - -	35	-	-	-	-	-
Deaths - - -	73	9	16	80	40	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·7	13·4	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - - - -	13·2	14·5	12·8
Do. —Phthisis - - - - -	-	0·36	-
Do. —All Tuberculosis - - - - -	-	0·36	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·36	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—41.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·5.

CAUSES OF DEATH (corrected for Transfers)

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	1	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	4	-	-	-	-	-	1	2	-	-	-	3	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	11	6	-	-	-	-	2	1	1	5	4	4	4	
Bronchitis - - - - -	-	4	1	-	-	-	-	-	-	1	1	1	1	
Pneumonia (all forms) - - - - -	5	7	1	-	-	-	2	2	1	4	-	2	-	
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	-	-	-	1	-	-	1	-	-	-	1	-	
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Defined Diseases - - - - -	12	14	-	-	-	1	-	-	-	2	1	9	13	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	40	40	3	-	2	2	3	6	4	10	9	19	22	

YEAR 1919.

Population—Census 1901, - - - 930.
Do. Do. 1911, - - - 893.
Do. estimated to middle of 1919, 813.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Doune (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	25	1	0	24	13	11
Illegitimate Births -	3	0	0	3	0	3
Marriages - - -	5	-	-	-	-	-
Deaths - - -	12	0	0	12	8	4

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	30·8	29·5	-
Marriage-rate - - -	6·2	-	-
Death-rate—All Causes - - -	14·8	14·8	13·7
Do. —Phthisis - - -	-	1·23	-
Do. —All Tuberculosis - - -	-	2·46	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7 an ov	
*Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Tuberculous Meningitis - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - -	1	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Suicide - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	3	1	1	-	-	-	-	-	-	-	2	-	-	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - -	8	4	1	1	1	-	-	1	-	1	3	2	-	

YEAR 1919.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Dunblane (Burgh).

Population—Census 1901, - - - 2,516.
Do. Do. 1911, - - - 2,978.
Do. estimated to middle of 1919, 3,167.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	47	1	2	48	28	20
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	14	-	-	-	-	-
Deaths - - -	31	3	3	31	12	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14·8	15·2	-
Marriage-rate - - - - -	4·4	-	-
Death-rate—All Causes - - - - -	9·8	9·8	9·1
Do. —Phthisis - - - - -	-	0·95	-
Do. —All Tuberculosis - - - - -	-	0·95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	2	-	-	-	-	-	-	-	-	1	1	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	4	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	10	1	-	-	-	-	-	2	2	3	3	4	
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Total - - - - -	12	19	4	-	-	-	-	1	4	2	4	6	10	

YEAR 1919.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (Burgh).

Population—Census 1901, - - - 33,995.
Do. Do. 1911, - - - 35,854.
Do. estimated to middle of 1919, 36,214.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	583	26	28	585	306	279
Illegitimate Births -	64	9	15	70	36	34
Marriages - - -	383	-	-	-	-	-
Deaths - - -	656	128	20	548	262	286

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.1	16.2	-
Marriage-rate - - - - -	10.6	-	-
Death-rate—All Causes - - - - -	18.1	15.1	14.8
Do. —Phthisis - - - - -	-	0.94	-
Do. —All Tuberculosis - - - - -	-	1.46	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and ove	
*Enteric Fever - - - - -	1	4	-	-	-	-	2	1	1	1	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	1	2	-	-	1	-	-	-	-	-	1	1	
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	18	16	-	1	2	1	4	7	5	9	2	3	-	
Tuberculous Meningitis - - - - -	2	4	3	2	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	7	1	1	3	1	-	1	-	-	1	1	-	-	
Other Tuberculous Diseases - - - - -	1	4	-	-	-	1	-	1	2	1	-	-	-	
Cancer, Malignant Disease - - - - -	14	31	-	-	-	1	1	-	4	7	8	19	5	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	3	1	-	1	1	-	1	-	-	1	-	-	-	
Organic Heart Disease - - - - -	34	38	-	-	-	-	1	1	7	10	16	19	18	
Bronchitis - - - - -	16	20	3	2	-	-	-	-	-	2	5	15	9	
Pneumonia (all forms) - - - - -	32	45	12	6	2	1	6	12	11	9	10	3	5	
Other Diseases of Respiratory Organs - - - - -	1	6	-	-	-	-	-	1	-	-	1	2	3	
*Diarrhoea and Enteritis (under 2 years) - - - - -	8	4	10	2	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	2	-	-	-	1	-	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	6	6	1	-	-	-	-	1	-	1	3	2	4	
Nephritis and Bright's Disease - - - - -	8	3	-	1	-	-	-	-	2	-	4	2	2	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	3	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	14	8	22	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	11	5	-	1	1	3	-	1	1	2	2	-	5	
Suicide - - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1	
Other Defined Diseases - - - - -	77	75	6	1	-	-	6	2	4	10	26	40	57	
Diseases Ill-defined or Unknown - - - - -	2	3	-	1	-	-	-	-	-	1	1	1	1	
Total - - - - -	262	286	60	21	9	9	24	31	38	55	82	108	111	

YEAR 1919.

Population—Census 1901, - - - 2,019.

COUNTY—Perth.

Do. Do. 1911, - - - 1,730.

PUBLIC HEALTH DISTRICT—Rattray (Burgh).

Do. estimated to middle of 1919, 1,406.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	27	7	0	20	8	12
Illegitimate Births -	5	1	0	4	2	2
Marriages - - -	11	-	-	-	-	-
Deaths - - -	23	1	12	34	12	22

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19·2	14·2	-
Marriage-rate - - - - -	7·8	-	-
Death-rate—All Causes - - - - -	16·4	24·2	20·0
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - - - -	-	0·71	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·71	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—20·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	1	-	-	-	-	-	-	1	1	-	-	-	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	1	4	-	-	-	-	-	-	2	1	1	1	1	
Bronchitis - - - - -	4	6	-	-	-	-	1	1	2	1	1	1	4	
Pneumonia (all forms) - - - - -	3	1	-	1	-	-	1	1	-	-	-	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	3	6	-	-	-	1	-	1	-	1	-	3	3	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	12	22	-	2	-	1	-	4	2	6	4	5	10	

YEAR 1919.

Population—Census 1901, - - - 9,963.

COUNTY—Perth.

Do. Do. 1911, - - - 9,830.

Do. estimated to middle of 1919, 9,161.

PUBLIC HEALTH DISTRICT—**Blairgowrie** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	156	7	6	155	90	65
Illegitimate Births -	13	2	2	13	6	7
Marriages - - -	39	-	-	-	-	-
Deaths - - -	95	4	20	111	48	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.0	16.9	-
Marriage-rate - - - - -	4.3	-	-
Death-rate—All Causes - - - - -	10.4	12.1	10.6
Do. —Phthisis - - - - -	-	0.44	-
Do. —All Tuberculosis - - - - -	-	0.65	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.22	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—52.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-		
Influenza - - - - -	1	1	-	-	-	-	-	-	1	-	-	1	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	2	2	-	-	-	-	-	2	1	1	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	4	8	-	-	-	-	-	-	1	1	1	5	4		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	5	8	-	-	-	-	1	-	1	1	2	4	4		
Bronchitis - - - - -	3	3	-	1	-	-	-	-	-	-	-	1	4		
Pneumonia (all forms) - - - - -	6	2	1	1	1	-	-	1	1	1	1	-	1		
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	2		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	2	-	-	1	-	1	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	2	1	-	1	1	-	-	-	-	-	-	1	-		
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	1	-	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malformation, including Premature Birth - - - - -	4	1	5	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	6	4	-	-	-	-	1	-	-	2	3	1	3		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	13	23	2	-	-	-	-	1	1	2	1	8	21		
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-		
Total - - - - -	48	63	8	3	4	2	3	4	9	8	9	22	39		

YEAR 1919.

Population—Census 1901, - - - 11,099.

Do. Do. 1911, - - - 10,417.

Do. estimated to middle of 1919, 9,287.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Central Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	161	6	7	162	92	70
Illegitimate Births -	10	2	6	14	6	8
Marriages - - -	47	-	-	-	-	-
Deaths - - -	152	8	25	169	81	88

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.3	17.4	-
Marriage-rate - - - - -	5.1	-	-
Death-rate—All Causes - - - - -	16.4	18.2	15.6
Do. —Phthisis - - - - -	-	0.22	-
Do. —All Tuberculosis - - - - -	-	0.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected —56.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	1	1	-	-	-	-	1	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	5	16	-	-	-	-	-	-	3	-	4	7	7	
Pneumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	2	-	1	-	-	-	1	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	13	-	-	-	-	-	-	1	3	4	6	8	
Bronchitis - - - - -	8	4	1	-	-	-	-	-	-	1	1	5	4	
Pneumonia (all forms) - - - - -	8	8	-	2	1	2	2	4	1	1	-	2	1	
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	-	1	-	1	2	
Dysentery and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	2	1	-	-	-	-	-	-	1	-	-	1	1	
Nephritis and Bright's Disease - - - - -	5	1	-	-	-	-	-	-	1	-	3	1	1	
Cerebral Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	3	1	4	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	2	-	-	-	-	-	-	-	2	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	27	36	-	-	1	-	1	1	-	5	8	18	29	
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Total - - - - -	81	88	9	5	2	2	5	6	9	16	21	41	52	

YEAR 1919.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Highland Perth (County District).

Population--Census 1901, - - - 13,389.
Do. Do. 1911, - - - 12,900.
Do. estimated to middle of 1919, 11,778.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	161	8	12	165	92	73
Illegitimate Births -	10	1	3	12	5	7
Marriages - - -	56	-	-	-	-	-
Deaths - - -	180	29	25	176	81	95

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·7	14·0	-
Marriage-rate - - - - -	4·8	-	-
Death-rate—All Causes - - - - -	15·3	14·9	12·4
Do. —Phthisis - - - - -	-	0·59	-
Do. —All Tuberculosis - - - - -	-	1·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	4	-	2	-	-	1	1	-	-	-	-	-		
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - -	6	1	-	-	-	-	2	1	2	-	1	-	-		
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	1	2	-	-	-	1	1	1	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-		
Cancer, Malignant Disease - - - - -	4	10	-	-	-	-	-	-	-	-	2	5	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	11	17	1	-	-	-	-	-	-	2	4	7	1		
Bronchitis - - - - -	2	4	-	1	-	-	-	-	-	-	-	3	-		
Pneumonia (all forms) - - - - -	5	3	1	1	-	-	3	-	1	-	1	1	-		
Other Diseases of Respiratory Organs -	1	1	-	-	-	-	-	-	-	-	1	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-		
All Liver Diseases (not Malignant) -	-	2	-	-	-	-	-	-	-	-	1	1	-		
Other Diseases of Digestive System -	4	2	2	-	-	-	-	-	1	1	1	-	-		
Nephritis and Bright's Disease - -	1	2	-	-	-	-	-	-	-	2	1	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	1	-	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	2	3	4	1	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide -	3	3	1	-	-	1	1	-	1	1	-	1	-		
Suicide - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-		
Other Defined Diseases - - - - -	34	31	4	-	-	-	1	-	1	2	4	12	4		
Diseases Ill-defined or Unknown - -	2	4	1	-	-	-	-	-	-	-	1	3	-		
Total - - - - -	81	95	14	7	-	2	11	3	6	9	20	33	7		

YEAR 1919.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Perth (County District).

Population—Census 1901, - - - 20,683.
Do. Do. 1911, - - - 20,852.
Do. estimated to middle of 1919, 19,782.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	350	9	25	366	209	157
Illegitimate Births -	23	1	8	30	21	9
Marriages - - -	110	-	-	-	-	-
Deaths - - -	235	9	63	289	139	150

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.7	18.5	-
Marriage-rate - - - - -	5.6	-	-
Death-rate—All Causes - - - - -	11.9	14.6	12.8
Do. —Phthisis - - - - -	-	0.45	-
Do. —All Tuberculosis - - - - -	-	0.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.15	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—74.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												
	Males.	Females													
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over		
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	4	-	-	-	1	2	2	2	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Dominal Tuberculosis - - - - -	1	3	1	-	1	-	1	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	13	20	-	-	-	-	-	-	1	7	2	13	10	-	-
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	17	26	-	-	-	-	-	1	1	1	7	12	21	-	-
Bronchitis - - - - -	3	9	1	1	-	-	-	1	-	1	-	2	6	-	-
Pneumonia (all forms) - - - - -	19	18	2	4	-	1	3	9	4	1	4	5	4	-	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	1	-	-	-	1	1	-	-	-
Enterorrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System - - - - -	1	5	-	1	1	-	1	1	-	-	1	1	-	-	-
Nephritis and Bright's Disease - - - - -	7	7	-	-	-	-	-	1	2	2	1	3	5	-	-
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	13	5	17	-	1	-	-	-	-	-	-	-	-	-	-
Sudden Deaths, excluding Suicide - - - - -	10	1	-	1	1	1	2	-	2	1	-	-	3	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	36	40	2	1	-	-	2	2	1	6	8	18	36	-	-
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	-	1	2	1	1	-	-
Total - - - - -	139	150	27	10	5	4	13	22	15	21	28	57	87	-	-

YEAR 1919.

Population—Census 1901, - - - 10,177.

Do. Do. 1911, - - - 10,130.

Do. estimated to middle of 1919, 9,511.

COUNTY—Perth.

PUBLIC HEALTH DISTRICT—Western Perth (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	108	5	9	112	57	55
Illegitimate Births -	7	0	1	8	5	3
Marriages - - -	44	-	-	-	-	-
Deaths - - -	114	6	8	116	55	61

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11.4	11.8	-
Marriage-rate - - - - -	4.6	-	-
Death-rate—All Causes - - -	12.0	12.2	11.6
Do. —Phthisis - - - - -	-	0.21	-
Do. —All Tuberculosis - - -	-	0.32	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.32	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	8	2	-	-	-	-	-	-	1	2	2	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	3	12	-	-	-	-	-	1	-	1	1	8	-	
Bronchitis - - - - -	5	3	3	-	-	-	-	-	-	1	-	2	-	
Pneumonia (all forms) - - - - -	6	6	1	1	-	1	-	1	4	-	1	3	-	
Other Diseases of Respiratory Organs - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	3	-	-	-	-	-	-	1	2	-	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	3	-	1	1	-	-	-	1	-	-	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	19	20	1	1	1	-	-	-	3	5	4	10	-	
Diseases Ill-defined or Unknown - - - - -	3	5	-	-	-	-	-	-	-	1	-	4	-	
Total - - - - -	55	61	9	3	3	1	-	5	10	13	9	33	-	

YEAR 1919.

Population—Census 1901, - - - 9,855.

COUNTY—**Renfrew.**

Do. Do. 1911, - - - 11,387.

Do. estimated to middle of 1919, - 11,923.

PUBLIC HEALTH DISTRICT—**Barrhead (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	273	8	4	269	130	139
Illegitimate Births -	13	2	0	11	5	6
Marriages - - -	84	-	-	-	-	-
Deaths - - -	141	3	24	162	72	90

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22·9	22·6	-
Marriage-rate - - - - -	7·0	-	-
Death-rate—All Causes - - - - -	11·8	13·6	15·2
Do. —Phthisis - - - - -	-	0·92	-
Do. —All Tuberculosis - - - - -	-	1·09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·34	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	5	-	1	-	-	2	-	-	1	-	-	1	
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	7	-	-	1	1	2	4	2	-	-	1	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Cancer, Malignant Disease - - - - -	7	9	-	-	-	-	-	-	-	3	7	3	3	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	6	-	-	1	1	-	-	1	2	4	3	1	
Bronchitis - - - - -	5	6	-	-	-	-	-	-	-	-	3	7	1	
Pneumonia (all forms) - - - - -	12	11	4	3	2	1	2	4	1	2	4	-	-	
Other Diseases of Respiratory Organs - - - - -	5	3	4	-	-	-	-	1	1	-	2	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	3	1	2	-	-	-	-	-	-	-	2	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	4	12	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	14	29	2	-	-	1	1	1	-	2	6	7	23	
Diseases Ill-defined or Unknown - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	72	90	28	7	5	6	7	12	5	11	29	23	29	

YEAR 1919.

Population—Census 1901, - - - - 5,261.

Do. Do. 1911, - - - - 7,442.

Do. estimated to middle of 1919, 8,710.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Gourock** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	196	4	10	202	102	100
Illegitimate Births -	7	2	4	9	5	4
Marriages - - -	48	-	-	-	-	-
Deaths - - -	102	8	17	111	49	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	22.5	23.2	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	11.7	12.7	12.9
Do. —Phthisis - - - - -	-	1.03	-
Do. —All Tuberculosis - - - - -	-	1.72	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.23	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—45.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—4.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	5	-	-	-	-	3	4	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	3	-	-	2	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	1	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - -	2	8	-	-	-	-	-	-	1	1	2	6	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	8	-	-	-	-	-	3	1	1	4	5	-	-
Bronchitis - - - - -	2	6	1	-	-	-	-	-	-	1	-	2	-	-
Pneumonia (all forms) - - - - -	6	4	2	-	-	-	-	-	1	2	3	1	-	-
Other Diseases of Respiratory Organs	1	2	-	2	-	-	-	-	-	1	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System -	2	1	1	-	1	-	-	-	1	-	-	-	-	-
Nephritis and Bright's Disease - -	-	2	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	1	1	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	15	1	-	-	-	-	1	3	7	3	6	-	-
Diseases Ill-defined or Unknown -	1	1	-	-	-	-	-	-	1	-	-	1	-	-
Total - - - - -	49	62	9	5	3	-	6	11	9	18	12	21	-	-

YEAR 1919.

Population—Census 1901, - - - 68,911.

Do. Do. 1911, - - - 75,140.

Do. estimated to middle of 1919, 79,613.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Greenock** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	2,271	20	37	2,288	1,135	1,153
Illegitimate Births -	122	13	18	127	63	64
Marriages - - -	707	-	-	-	-	-
Deaths - - -	1,406	75	43	1,374	696	678

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	28·5	28·7	-
Marriage-rate - - - - -	8·9	-	-
Death-rate—All Causes - - - - -	17·7	17·3	17·5
Do. —Phthisis - - - - -	-	0·94	-
Do. —All Tuberculosis - - - - -	-	1·53	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·07	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—99.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	13	14	5	20	2	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	4	1	-	3	2	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	9	6	7	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	1	-	2	1	-	-	-	1	-	-	-	-	
Influenza - - - - -	8	9	1	2	-	-	2	3	3	-	2	3	1	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis -	31	44	2	2	1	8	10	24	16	9	2	-	1	
Tuberculous Meningitis - - - - -	11	9	4	10	2	3	-	-	-	1	-	-	-	
Abdominal Tuberculosis - - - - -	7	2	2	3	1	1	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	9	9	1	2	1	3	3	1	4	3	-	-	-	
Cancer, Malignant Disease - - - - -	34	58	-	1	-	-	1	5	3	19	28	27	8	
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Meningitis - - - - -	14	9	8	8	2	1	4	-	-	-	-	-	-	
Organic Heart Disease - - - - -	57	66	-	-	1	-	5	10	7	20	23	34	23	
Bronchitis - - - - -	48	66	21	10	3	1	4	4	6	8	17	25	15	
Pneumonia (all forms) - - - - -	139	89	35	50	6	3	26	27	16	28	17	16	4	
Other Diseases of Respiratory Organs	18	7	3	2	-	-	1	3	7	3	1	2	3	
Diarrhoea and Enteritis (under 2 years)	17	19	26	10	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	4	7	-	-	2	3	2	2	1	-	1	-	-	
All Liver Diseases (not Malignant) -	1	2	-	-	-	-	-	-	-	-	2	1	-	
Other Diseases of Digestive System	12	12	-	4	-	3	2	2	4	2	4	1	2	
Nephritis and Bright's Disease - - -	15	18	1	-	-	-	1	4	7	7	9	3	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	12	-	-	-	-	6	4	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	40	46	85	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	34	11	-	4	2	1	6	3	5	11	8	3	2	
Suicide - - - - -	3	3	-	-	-	-	1	1	1	2	-	1	-	
Other Defined Diseases - - - - -	151	144	21	6	4	-	5	10	14	37	49	66	83	
Diseases Ill-defined or Unknown -	17	11	5	4	-	-	-	2	1	2	6	7	1	
Total - - - - -	696	678	226	151	30	27	80	106	98	153	169	190	144	

YEAR 1919.

COUNTY—**Renfrew.**

PUBLIC HEALTH DISTRICT—**Johnstone** (Burgh).

Population—Census 1901, - - - 11,155.
Do. Do. 1911, - - - 12,045.
Do. estimated to middle of 1919. 12,044.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	322	3	12	331	163	168
Illegitimate Births -	13	0	6	19	8	11
Marriages - - -	118	-	-	-	-	-
Deaths - - -	151	1	40	190	86	104

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.7	27.5	-
Marriage-rate - - - - -	9.8	-	-
Death-rate—All Causes - - -	12.5	15.8	17.5
Do. —Phthisis - - -	-	0.66	-
Do. —All Tuberculosis - - -	-	0.91	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.83	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—103.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	80+
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	1	2	-	3	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	2	-	1	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	4	4	-	-	-	-	3	2	1	1	-	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	2	1	-	1	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - -	5	6	-	-	-	-	-	-	-	1	5	4	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	2	1	-	-	-	1	1	-	-	-	-	-	-
Organic Heart Disease - - -	5	11	-	-	-	-	-	1	-	3	3	6	-	-
Bronchitis - - - - -	9	17	4	2	-	-	1	-	-	5	7	5	-	-
Pneumonia (all forms) - - -	13	11	4	6	-	-	3	2	2	3	1	1	-	-
Other Diseases of Respiratory Organs	1	2	1	2	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	3	1	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System -	4	5	-	2	3	-	-	-	1	-	1	1	-	-
Nephritis and Bright's Disease - -	2	3	-	-	-	-	-	-	1	-	2	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	4	-	-	-	-	1	2	1	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	10	5	15	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	1	1	-	-	1	2	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	17	22	5	-	1	1	-	1	3	3	8	5	-	-
Diseases Ill-defined or Unknown -	1	3	-	-	-	-	-	-	1	-	1	1	-	-
Total - - - - -	86	104	34	21	7	1	10	11	12	17	28	26	-	-

YEAR 1919.

COUNTY—Renfrew.

PUBLIC HEALTH DISTRICT—Paisley (Burgh).

Population—Census 1901, - - - 79,363.
Do. Do. 1911, - - - 84,455.
Do. estimated to middle of 1919, 89,425.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,936	33	45	1,948	996	952
Illegitimate Births -	137	16	15	136	65	71
Marriages - - -	718	-	-	-	-	-
Deaths - - -	1,345	121	46	1,270	591	679

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·6	21·8	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - - - -	13·4	14·2	15·7
Do. —Phthisis - - - - -	-	0·77	-
Do. —All Tuberculosis - - - - -	-	1·12	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·68	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	7	11	5	12	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	1	2	-	2	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	5	10	6	8	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	3	3	-	4	1	-	-	1	-	-	-	-	-	
Influenza - - - - -	5	17	2	2	1	-	-	3	3	5	2	3	1	
Erysipelas - - - - -	1	1	1	-	-	-	-	-	1	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	26	43	-	2	1	5	21	15	15	7	3	-	-	
Tuberculous Meningitis - - - - -	9	2	1	7	2	-	-	-	1	-	-	-	-	
Abdominal Tuberculosis - - - - -	4	7	-	4	2	3	-	2	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	5	4	-	-	-	3	2	-	1	1	1	1	-	
Cancer, Malignant Disease - - - - -	41	58	-	-	1	-	2	1	10	17	33	28	7	
Pneumatic Fever - - - - -	1	2	-	-	1	-	-	-	1	-	1	-	-	
Encephalitis - - - - -	12	7	7	5	4	-	1	1	1	-	-	-	-	
Organic Heart Disease - - - - -	54	64	-	-	-	3	3	7	2	19	27	33	24	
Bronchitis - - - - -	64	85	18	6	2	-	4	1	11	15	25	39	28	
Pneumonia (all forms) - - - - -	107	99	29	43	8	2	19	32	14	19	23	16	1	
Other Diseases of Respiratory Organs	4	6	2	-	-	-	1	1	2	1	1	1	1	
Diarrhoea and Enteritis (under 2 years)	12	7	18	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	3	14	-	-	3	7	4	1	-	-	2	-	-	
All Liver Diseases (not Malignant) -	4	2	-	-	-	-	-	-	-	1	-	2	3	
Other Diseases of Digestive System	24	17	6	5	1	3	2	-	2	5	8	4	5	
Nephritis and Bright's Disease - -	14	20	-	1	3	-	3	4	3	8	4	7	1	
Uræmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	9	-	-	-	-	3	4	2	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth	39	42	80	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	15	9	4	4	2	1	3	2	-	3	2	2	1	
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-	-	
Other Defined Diseases - - - - -	122	133	14	7	1	3	5	2	13	26	39	59	86	
Diseases Ill-defined or Unknown -	7	5	2	-	-	-	-	-	-	1	4	3	2	
Total - - - - -	591	679	195	114	36	30	73	77	83	128	176	198	160	

YEAR 1919.

Population—Census 1901, - - - 17,306.

Do. Do. 1911, - - - 18,529.

Do. estimated to middle of 1919, 18,415.

COUNTY—**Renfrew.**PUBLIC HEALTH DISTRICT—**Port-Glasgow (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	592	4	13	601	305	296
Illegitimate Births -	27	0	10	37	19	18
Marriages - - -	171	-	-	-	-	-
Deaths - - -	288	10	40	318	171	147

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	32.1	32.6	-
Marriage-rate - - - - -	9.3	-	-
Death-rate—All Causes - - - - -	15.6	17.3	18.9
Do. —Phthisis - - - - -	-	1.47	-
Do. —All Tuberculosis - - - - -	-	1.95	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—92.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	6	8	3	11	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	5	1	1	1	-	-	-	-	-	3	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	15	-	-	-	2	9	6	5	4	1	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	3	-	-	-	2	1	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	10	-	1	-	-	-	-	3	5	5	3	-	-
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	13	14	-	-	-	2	2	-	2	3	9	2	-	-
Bronchitis - - - - -	19	12	8	3	-	-	1	1	-	2	4	8	-	-
Pneumonia (all forms) - - - - -	24	26	12	12	3	1	2	4	5	7	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	1	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	4	2	2	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	6	3	3	-	1	1	-	1	-	-	-	2	-	-
Nephritis and Bright's Disease - - - - -	2	4	-	-	-	-	-	-	-	5	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	-	2	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	11	7	18	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	4	-	4	3	-	2	2	-	2	2	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	31	27	3	1	3	-	3	3	3	8	10	15	-	-
Diseases Ill-defined or Unknown - - - - -	5	2	2	-	-	-	-	-	1	-	2	-	-	-
Total - - - - -	171	147	55	43	12	8	21	19	20	41	36	32	-	-

YEAR 1919.

COUNTY—Renfrew.

PUBLIC HEALTH DISTRICT—Renfrew (Burgh).

Population—Census 1901, - - - 9,313.
Do. Do. 1911, - - - 12,583.
Do. estimated to middle of 1919, 14,402.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	302	0	11	313	177	136
Illegitimate Births -	4	0	4	8	3	5
Marriages - - -	79	-	-	-	-	-
Deaths - - -	124	1	29	152	74	78

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21.0	21.7	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - - - -	8.6	10.6	12.0
Do. —Phthisis - - - - -	-	0.56	-
Do. —All Tuberculosis - - - - -	-	0.62	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.04	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—58.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	5	2	4	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	4	2	2	4	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	4	-	3	-	-	-	1	3	1	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	-	-	1	4	3	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	7	5	-	-	-	-	-	-	4	2	2	2	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	3	1	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	10	8	-	-	1	-	2	-	3	4	4	4	-	
Bronchitis - - - - -	5	6	1	2	-	-	-	-	1	-	4	1	2	
Pneumonia (all forms) - - - - -	7	6	-	2	1	-	2	1	1	2	3	-	1	
Other Diseases of Respiratory Organs - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	6	4	-	2	-	-	-	-	3	2	3	-	-	
Nephritis and Bright's Disease - - - - -	1	2	-	1	-	-	-	-	-	2	-	-	-	
Urperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	6	4	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	1	-	-	-	1	-	1	-	-	-	-	
Suicide - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
Other Defined Diseases - - - - -	13	19	-	1	1	-	-	2	3	2	4	6	13	
Diseases Ill-defined or Unknown - - - - -	-	2	-	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	74	78	18	22	4	2	5	7	23	19	20	14	18	

YEAR 1919.

Population—Census 1901, - - - 25,218.

Do. Do. 1911, - - - 34,541.

COUNTY—Renfrew.

Do. estimated to middle of 1919, 39,802.

PUBLIC HEALTH DISTRICT—Upper Renfrew (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	656	29	39	666	356	310
Illegitimate Births - -	36	8	15	43	23	20
Marriages - - -	217	-	-	-	-	-
Deaths - - -	622	221	79	480	219	261

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.5	16.7	-
Marriage-rate - - - - -	5.5	-	-
Death-rate—All Causes - - -	15.6	12.1	13.0
Do. —Phthisis - - - - -	-	0.68	-
Do. —All Tuberculosis - - -	-	1.03	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.40	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—84.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	80+
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	1	2	1	1	1	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	3	1	1	1	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	2	3	-	3	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	6	9	1	1	-	1	2	-	1	1	1	5	-	-
Erysipelas - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	15	12	-	2	-	-	6	4	8	5	1	1	-	-
Tuberculous Meningitis - - -	-	3	1	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	2	-	1	1	1	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - -	5	2	-	-	1	1	-	2	1	1	1	-	-	-
Cancer, Malignant Disease - - -	14	19	-	-	-	-	-	-	4	7	7	9	-	-
Rheumatic Fever - - - - -	1	2	-	-	-	1	-	-	2	-	-	-	-	-
Meningitis - - - - -	1	3	1	1	-	-	1	-	-	-	-	-	1	-
Organic Heart Disease - - -	23	21	-	-	-	-	1	-	5	4	14	13	-	-
Bronchitis - - - - -	11	18	4	-	-	-	-	1	1	3	5	5	-	-
Pneumonia (all forms) - - -	38	33	13	11	2	1	5	13	8	8	2	7	-	-
Other Diseases of Respiratory Organs	6	2	-	-	-	-	-	2	2	1	2	1	-	-
*Diarrhoea and Enteritis (under 2 years)	4	-	3	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	3	-	-	-	-	-	-	3	1	-	-	-	-
All Liver Diseases (not Malignant) -	3	-	-	-	-	-	-	-	-	1	-	2	-	-
Other Diseases of Digestive System	9	9	3	3	-	1	-	2	-	1	1	4	-	-
Nephritis and Bright's Disease - -	6	7	-	-	-	-	-	-	2	3	4	3	-	-
Puerperal Sepsis - - - - -	-	2	-	-	-	-	-	-	2	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	-	5	-	-	-	-	-	3	2	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth	11	14	24	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	10	7	-	2	4	-	3	-	3	1	1	3	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - -	47	74	4	3	-	1	1	2	8	9	15	35	-	-
Diseases Ill-defined or Unknown -	1	5	-	1	-	-	-	-	-	1	1	3	-	-
Total - - - - -	219	261	56	35	11	8	20	29	52	49	55	92	-	-

YEAR 1919.

Population—Census 1901, - - - 21,520.

Do. Do. 1911, - - - 22,962.

Do. estimated to middle of 1919, 22,762.

COUNTY—Renfrew.

PUBLIC HEALTH DISTRICT--Lower Renfrew (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	359	8	16	367	204	163
Illegitimate Births -	23	2	7	28	17	11
Marriages - - -	81	-	-	-	-	-
Deaths - - -	288	56	62	294	145	149

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.8	16.1	-
Marriage-rate - - - - -	3.6	-	-
Death-rate—All Causes - - - - -	12.7	12.9	13.6
Do. —Phthisis - - - - -	-	0.88	-
Do. —All Tuberculosis - - - - -	-	1.27	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Interic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	1	1	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	3	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	9	11	-	-	-	1	3	7	6	1	2	-	-	
Tuberculous Meningitis - - - - -	3	-	1	1	-	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	2	2	-	1	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	3	-	-	-	-	-	1	-	1	1	-	-	
Cancer, Malignant Disease - - - - -	8	20	-	-	-	-	-	1	3	5	9	9	1	
Rheumatic Fever - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Encephalitis - - - - -	1	1	-	1	-	1	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	21	13	-	-	1	-	2	3	-	6	5	10	7	
Bronchitis - - - - -	5	8	1	-	-	-	-	-	1	2	1	2	6	
Pneumonia (all forms) - - - - -	25	25	5	6	-	2	4	9	6	6	5	4	3	
Other Diseases of Respiratory Organs -	3	3	1	-	-	1	-	1	-	-	-	-	3	
Diarrhoea and Enteritis (under 2 years)	2	-	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	2	2	1	1	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System -	3	4	1	1	-	-	-	-	-	1	2	1	1	
Nephritis and Bright's Disease - - -	5	2	-	-	-	-	1	1	-	-	-	2	3	
Septic Peritonitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth	9	4	13	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	5	2	-	-	1	1	1	2	2	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	33	41	5	3	1	-	-	-	4	5	11	15	30	
Diseases Ill-defined or Unknown - -	4	2	-	-	-	-	-	-	-	-	1	3	2	
Total - - - - -	145	149	34	14	5	6	11	27	25	31	38	47	56	

YEAR 1919.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Cromarty** (Burgh).

Population—Census 1901, - - - 1,242.
Do. Do. 1911, - - - 1,928.
Do. estimated to middle of 1919, 1,712.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	38	0	2	40	20	20
Illegitimate Births -	1	0	1	2	0	2
Marriages -	7	-	-	-	-	-
Deaths - - -	26	6	1	21	11	10

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22·2	23·4	-
Marriage-rate - - -	4·1	-	-
Death-rate—All Causes - - -	15·2	12·3	14·3
Do. —Phthisis - - -	-	1·17	-
Do. —All Tuberculosis - - -	-	1·75	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—25.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7	and over
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	1	-	1	-	-	-	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	2	-	-	-	-	-	-	-	2	-	1	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - -	1	3	1	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - -	4	-	-	-	-	-	-	1	1	-	-	1	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	2	1	-	-	-	-	1	-	1	-	-	-	-	-
Diseases Ill-defined or Unknown -	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Total - - -	11	10	1	1	-	-	2	1	3	3	1	4	-	-

YEAR 1919.

Population—Census 1901, - - - 2,519.

Do. Do. 1911, - - - 2,639.

Do. estimated to middle of 1919, 2,580.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Dingwall (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	2	1	40	22	18
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	47	-	-	-	-	-
Deaths - - -	56	20	4	40	24	16

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.9	15.5	-
Marriage-rate - - - - -	18.2	-	-
Death-rate—All Causes - - - - -	21.7	15.5	13.9
Do. —Phthisis - - - - -	-	1.94	-
Do. —All Tuberculosis - - - - -	-	1.94	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—75.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis -	4	1	-	-	-	-	1	-	-	1	3	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	2	-	-	-	-	-	-	-	1	1	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Organic Heart Disease - - - - -	2	4	-	-	-	-	-	-	-	-	2	1	3	
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia (all forms) - - - - -	2	1	-	1	-	-	-	1	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Septic Peritonitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	5	1	-	-	-	-	-	1	1	-	3	5	
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	24	16	3	1	-	-	1	2	2	4	6	7	14	

YEAR 1919.

Population—Census 1901, - - - 1,065.

Do. Do. 1911, - - - 970.

Do. estimated to middle of 1919, 841.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Fortrose (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	17	2	0	15	5	10
Illegitimate Births -	6	2	0	4	1	3
Marriages - - -	9	-	-	-	-	-
Deaths - - -	23	7	3	19	4	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.2	17.8	-
Marriage-rate - - - - -	10.7	-	-
Death-rate—All Causes - - - - -	27.3	22.6	16.1
Do. —Phthisis - - - - -	-	1.19	-
Do. —All Tuberculosis - - - - -	-	1.19	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—26.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85-
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	-	-	2	1	-	-
Bronchitis - - - - -	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	3	5	-	-	-	-	-	-	-	-	1	1	-	-
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	4	15	-	-	-	-	-	-	1	-	4	5	-	-

YEAR 1919.

COUNTY—Ross and Cromarty.

PUBLIC HEALTH DISTRICT—Invergordon (Burgh).

Population—Census 1901, - - - 1,047.
 Do. Do. 1911, - - - 1,051.
 Do. estimated to middle of 1919, 993.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	41	1	3	43	21	22
Illegitimate Births -	3	0	2	5	4	1
Marriages - - -	11	-	-	-	-	-
Deaths - - -	19	8	7	18	10	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	41·3	43·3	-
Marriage-rate - - - - -	11·1	-	-
Death-rate—All Causes - - - - -	19·1	18·1	14·8
Do. —Phthisis - - - - -	-	1·01	-
Do. —All Tuberculosis - - - - -	-	3·02	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1·01	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—47.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11·6.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Eric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
all-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
isles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
rlet Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
oping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
htheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
uenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
his, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
erculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
er Tuberculous Diseases - - - - -	2	-	-	-	-	-	2	-	-	-	-	-	-	
cer, Malignant Disease - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
umatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ingitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
anic Heart Disease - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
chitis - - - - -	1	2	2	-	-	-	-	-	-	-	-	1	-	
amonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
er Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
rhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
endicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	2	-	-	-	-	-	-	-	-	-	2	-	
er Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
peral Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
er Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
enital Debility and Malforma- on, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
nt Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	1	-	-	
ide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
er Defined Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
ases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Total - - - - -	10	8	2	-	-	-	3	2	3	-	3	4	1	

YEAR 1919.

Population—Census 1901, - - - 3,885.

Do. Do. 1911, - - - 3,806.

COUNTY—**Ross and Cromarty.**

Do. estimated to middle of 1919, 3,526.

PUBLIC HEALTH DISTRICT—**Stornoway (Burgh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	62	0	3	65	34	31
Illegitimate Births - -	3	0	2	5	2	3
Marriages - - -	46	-	-	-	-	-
Deaths - - -	68	5	5	68	38	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - - - -	17.6	18.4	-
Marriage-rate - - - - -	13.0	-	-
Death-rate—All Causes - - -	19.3	19.3	18.1
Do. —Phthisis - - - - -	-	1.13	-
Do. —All Tuberculosis - - -	-	1.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.85	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—77.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE									
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
*Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	1	1	2	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	3	-	-	-	-	1	1	-	-	2	-
Tuberculous Meningitis - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - -	3	1	-	-	-	-	-	-	-	-	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - -	2	6	-	-	-	-	-	-	-	-	2	4
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - - -	5	8	1	3	1	1	-	1	1	2	1	1
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System -	1	1	-	-	-	-	-	-	2	-	-	-
Nephritis and Bright's Disease - -	4	1	-	-	-	-	-	-	-	1	3	-
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - -	10	6	-	-	-	-	1	-	3	-	-	7
Diseases Ill-defined or Unknown - -	3	1	1	-	-	-	-	1	-	-	-	2
Total - - - - -	38	30	5	3	2	2	4	4	6	4	12	17

YEAR 1919.

Population—Census 1901, - - - 1,645

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 1,599.

PUBLIC HEALTH DISTRICT—**Tain** (Burgh).

Do. estimated to middle of 1919, 1,471.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	32	0	0	32	19	13
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	50	-	-	-	-	-
Deaths - - -	29	1	5	33	14	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·8	21·8	-
Marriage-rate - - - - -	34·0	-	-
Death-rate—All Causes - - - - -	19·7	22·4	17·9
Do. —Phthisis - - - - -	-	2·04	-
Do. —All Tuberculosis - - - - -	-	3·40	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—91.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—3·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	2	-	-	-	-	2	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-
Cancer, Malignant Disease - - - -	1	1	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	3	-	-	-	-	-	-	-	-	-	2	1
Bronchitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	2	1	1	-	-	1	-	-	-	-	-	1
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	2	-	-	-	-	1	-	-	-	1	-	-	-
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	6	7	-	-	-	-	-	-	1	1	-	4	7
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	14	19	3	1	-	1	4	-	1	4	2	7	10

YEAR 1919.

Population—Census 1901, - - - - 6,331.

Do. Do. 1911, - - - - 8,922.

Do. estimated to middle of 1919, 7,953.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Black Isle** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	95	2	5	98	60	38
Illegitimate Births -	7	1	3	9	5	4
Marriages - - -	17	-	-	-	-	-
Deaths - - -	91	4	19	106	59	47

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	11·9	12·3	-
Marriage-rate - - - - -	2·1	-	-
Death-rate—All Causes - - - - -	11·4	13·3	14·8
Do. —Phthisis - - - - -	-	0·38	-
Do. —All Tuberculosis - - - - -	-	0·38	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—61.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	-	-	1	-	2	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	7	-	-	-	-	-	-	-	2	6	1	-	
Rheumatic Fever - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	3	1	-	-	-	2	-	-	-	2	-	-	-	
Organic Heart Disease - - - - -	4	8	-	-	-	-	-	1	-	1	1	6	-	
Bronchitis - - - - -	2	3	-	-	-	-	-	-	-	-	1	2	-	
Pneumonia (all forms) - - - - -	8	2	-	1	-	-	2	3	-	1	2	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	2	1	1	-	-	-	-	1	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	-	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	-	-	1	-	-	1	-	1	-	-	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	17	1	-	-	-	-	-	-	1	6	6	-	
Diseases Ill-defined or Unknown - - - - -	4	-	1	-	-	-	-	-	-	1	-	1	-	
Total - - - - -	59	47	6	2	-	2	7	7	4	8	17	20	-	

YEAR 1919.

Population—Census 1901, - - - 11,181.

Do. Do. 1911, - - - 10,385.

Do. estimated to middle of 1919, 9,168.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Easter Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	223	10	14	227	117	110
Illegitimate Births -	20	3	5	22	12	10
Marriages - - -	57	-	-	-	-	-
Deaths - - -	214	17	22	219	104	115

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·3	24·8	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	23·3	23·9	18·1
Do. —Phthisis - - - - -	-	0·87	-
Do. —All Tuberculosis - - - - -	-	1·20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·44	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—101.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	8	6	1	-	1	-	2	5	2	-	1	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	5	-	-	-	-	1	2	2	2	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	2	-	-	-	1	1	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	9	10	-	-	-	-	-	-	2	1	4	12	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	7	12	-	-	-	-	-	1	-	-	6	4	8	
Bronchitis - - - - -	6	6	2	-	-	-	-	-	-	1	2	3	4	
Pneumonia (all forms) - - - - -	19	13	2	3	3	1	2	5	3	5	4	1	3	
Other Diseases of Respiratory Organs - - - - -	3	1	1	-	-	-	1	-	-	1	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	3	-	-	-	-	1	1	1	-	-	-	1	
Nephritis and Bright's Disease - - - - -	4	2	-	-	-	-	2	2	-	-	-	-	2	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	5	6	11	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	1	-	-	-	-	1	-	1	
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Other Defined Diseases - - - - -	31	36	2	1	-	1	2	1	2	2	3	12	11	
Diseases Ill-defined or Unknown - - - - -	4	5	2	-	1	-	1	-	-	1	2	1	1	
Total - - - - -	104	115	23	6	6	4	13	20	13	13	24	35	62	

YEAR 1919.

Population—Census 1901 - - - 25,064.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 25,797.

PUBLIC HEALTH DISTRICT—**Lews** (County District).

Do. estimated to middle of 1919, 24,883.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	425	3	3	425	204	221
Illegitimate Births -	11	0	1	12	3	9
Marriages - - -	131	-	-	-	-	-
Deaths - - -	694	225	12	481	223	258

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	17.1	17.1	-
Marriage-rate - - -	5.3	-	-
Death-rate—All Causes - - -	27.9	19.3	16.2
Do. —Phthisis - - -	-	2.09	-
Do. —All Tuberculosis - - -	-	2.61	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	2.05	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—80.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—2.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	8	10	-	6	1	6	4	1	-	-	-	-	-	
*Scarlet Fever - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	16	10	6	14	6	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	3	2	-	2	3	-	-	-	-	-	-	-	-	
Influenza - - -	14	19	1	2	5	3	2	3	3	1	4	2	-	
Erysipelas - - -	-	2	-	-	-	-	-	-	-	-	1	1	-	
Phthisis, Pulmonary Tuberculosis - -	18	34	-	-	-	3	17	10	12	4	5	1	-	
Tuberculous Meningitis - - -	3	3	2	2	-	-	2	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	5	1	-	-	1	-	-	3	1	-	-	1	-	
Cancer, Malignant Disease - - -	3	12	-	-	-	-	-	-	-	3	5	4	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	1	1	1	-	1	-	-	-	-	-	-	
Organic Heart Disease - - -	16	9	-	-	-	-	2	1	-	1	5	4	1	
Bronchitis - - -	4	19	2	2	-	-	-	-	1	2	2	8	-	
Pneumonia (all forms) - - -	47	50	8	16	7	6	11	16	6	5	8	8	-	
Other Diseases of Respiratory Organs -	-	3	-	-	-	1	-	1	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	5	6	-	-	-	-	-	1	2	-	2	2	-	
Nephritis and Bright's Disease - -	4	3	-	-	-	1	-	-	-	1	3	1	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	2	5	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	2	-	-	1	1	-	-	1	-	-	2	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	53	55	5	-	1	1	2	-	1	1	4	18	7	
Diseases Ill-defined or Unknown -	15	9	3	1	-	-	1	3	-	-	3	4	-	
Total - - -	223	258	34	47	27	23	42	41	27	18	42	57	19	

YEAR 1919.

Population—Census 1901, - - - 12,953.

Do. Do. 1911, - - - 11,887.

Do. estimated to middle of 1919, 10,374.

COUNTY—**Ross and Cromarty.**PUBLIC HEALTH DISTRICT—**Mid-Ross** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	197	4	10	203	96	107
Illegitimate Births -	20	2	5	23	13	10
Marriages - - -	54	-	-	-	-	-
Deaths - - -	179	5	33	207	108	99

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.0	19.6	-
Marriage-rate - - - - -	5.2	-	-
Death-rate—All Causes - - - - -	17.3	20.0	14.5
Do. —Phthisis - - - - -	-	0.77	-
Do. —All Tuberculosis - - - - -	-	1.06	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.39	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE.											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
typhoid Fever - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-	
typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
typhoid Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
influenza - - - - -	5	2	1	-	-	-	-	-	1	2	-	1	2	
erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
phthisis, Pulmonary Tuberculosis - - - - -	5	3	-	-	-	-	2	5	-	1	-	-	-	
tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
chronic Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
other Tuberculous Diseases - - - - -	2	-	-	-	-	-	1	-	-	1	-	-	-	
cancer, Malignant Disease - - - - -	10	13	-	-	-	-	-	1	-	7	6	3	6	
pneumatic Fever - - - - -	1	1	-	-	-	-	2	-	-	-	-	-	-	
meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
organic Heart Disease - - - - -	7	7	-	-	-	-	-	-	-	-	-	7	7	
bronchitis - - - - -	-	3	-	1	-	-	-	-	-	-	-	-	2	
pneumonia (all forms) - - - - -	20	11	1	3	-	1	4	7	3	5	1	4	2	
other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	1	-	-	1	
dysentery and Enteritis (under 2 years) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
peritonitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases of Digestive System - - - - -	3	3	-	1	-	1	-	-	-	-	1	-	3	
nephritis and Bright's Disease - - - - -	3	4	-	-	-	-	-	-	-	1	1	2	3	
septicæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	2	-	-	-	-	1	1	-	-	-	-	-	
congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
violent Deaths, excluding Suicide - - - - -	2	1	-	1	-	-	-	-	1	-	-	-	1	
suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
other Defined Diseases - - - - -	34	45	3	-	-	-	2	-	3	5	3	18	45	
Diseases Ill-defined or Unknown - - - - -	8	2	-	1	-	-	-	-	1	-	2	2	4	
Total - - - - -	108	99	8	8	-	2	14	14	10	23	14	38	76	

YEAR 1919.

Population—Census 1901, - - - 4,106.

COUNTY—**Ross and Cromarty.**

Do. Do. 1911, - - - 3,622.

Do. estimated to middle of 1919, 3,037.

PUBLIC HEALTH DISTRICT—**South-Western** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	31	0	2	33	17	16
Illegitimate Births -	1	0	1	2	0	2
Marriages - - -	6	-	-	-	-	-
Deaths - - -	79	1	6	84	29	55

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - -	10.2	10.9	-
Marriage-rate - - -	2.0	-	-
Death-rate—All Causes - - -	26.0	27.7	18.2
Do. —Phthisis - - -	-	1.65	-
Do. —All Tuberculosis - - -	-	1.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—121.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	3	1	-	-	-	-	-	-	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	4	1	-	-	-	1	1	1	-	1	1	-	
Tuberculous Meningitis - - -	-	1	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	2	6	-	-	-	-	-	-	-	1	2	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	5	-	-	-	-	-	-	1	-	-	2	
Bronchitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - -	6	3	-	3	-	-	-	1	2	1	-	-	
Other Diseases of Respiratory Organs - - -	-	4	-	-	-	-	-	1	-	-	-	2	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	-	1	
Other Diseases of Digestive System - - -	-	3	-	-	-	-	-	1	-	-	-	1	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	3	-	3	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	1	2	-	1	-	-	-	1	-	-	-	-	
Suicide - - -	1	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - -	8	26	-	-	-	-	-	1	-	-	2	4	
Diseases Ill-defined or Unknown - - -	-	1	-	-	-	-	-	-	-	-	-	-	
Total - - -	29	55	4	5	-	1	1	6	3	4	5	15	

YEAR 1919.

COUNTY—**Ross and Cromarty.**

PUBLIC HEALTH DISTRICT—**Western** (County District).

Population—Census 1901, - - - 5,412.
Do. Do. 1911, - - - 4,758.
Do. estimated to middle of 1919, 3,976.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	55	0	0	55	35	20
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	8	-	-	-	-	-
Deaths - - -	81	0	4	85	45	40

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·8	13·8	-
Marriage-rate - - - - -	2·0	-	-
Death-rate—All Causes - - - - -	20·4	21·4	13·5
Do. —Phthisis - - - - -	-	0·25	-
Do. —All Tuberculosis - - - - -	-	0·50	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·25	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—36.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5·5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	3	-	-	-	-	-	-	1	1	2	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	1	-	1	-	-	-	-
Organic Heart Disease - - - - -	5	2	-	-	-	-	-	-	-	-	3	4	-
Bronchitis - - - - -	4	2	-	-	-	-	1	1	-	1	-	3	-
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	1	-	-	1	1	2	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	1	-	-	-	-	-	-	1	-	2	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	19	23	-	-	-	-	1	-	2	1	3	35	-
Diseases Ill-defined or Unknown - - - - -	1	4	-	-	-	-	-	-	-	3	-	2	-
Total - - - - -	45	40	2	-	-	-	4	2	2	5	8	13	49

YEAR 1919.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Hawick** (Burgh).

Population—Census 1901, - - - 17,303.
Do. Do. 1911, - - - 16,877.
Do. estimated to middle of 1919, 15,574.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	248	12	4	240	124	116
Illegitimate Births -	30	3	0	27	17	10
Marriages - - -	159	-	-	-	-	-
Deaths - - -	277	16	23	284	121	163

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15.9	15.4	-
Marriage-rate - - - - -	10.2	-	-
Death-rate—All Causes - - -	17.8	18.2	18.3
Do. —Phthisis - - - - -	-	0.58	-
Do. —All Tuberculosis - - -	-	1.03	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.45	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	3	1	1	-	-	1	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	6	-	-	-	-	3	4	-	-	1	1	-	
Tuberculous Meningitis - - -	2	-	-	1	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	3	2	-	-	-	2	-	1	1	1	-	-	-	
Cancer, Malignant Disease - - -	15	18	-	-	-	-	-	-	1	6	10	6	5	
Rheumatic Fever - - - - -	1	2	-	-	-	-	1	-	-	-	2	-	-	
Meningitis - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - -	11	19	-	-	-	-	1	-	1	6	6	13	3	
Bronchitis - - - - -	9	17	4	-	-	-	-	-	1	1	5	12	3	
Pneumonia (all forms) - - -	20	25	6	5	-	1	3	8	2	2	8	6	4	
Other Diseases of Respiratory Organs	2	2	-	1	-	-	-	-	-	-	1	1	1	
*Diarrhoea and Enteritis (under 2 years)	1	1	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System	2	7	-	1	-	-	1	-	-	2	1	3	1	
Nephritis and Bright's Disease - -	4	2	-	-	-	-	1	-	1	1	1	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	3	-	-	-	-	1	-	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	8	7	15	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	8	2	-	-	2	-	-	1	1	2	2	1	1	
Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	30	44	2	1	-	-	-	4	2	8	13	15	29	
Diseases Ill-defined or Unknown -	-	2	-	-	-	-	-	2	-	-	-	-	-	
Total - - - - -	121	163	31	12	2	3	13	21	12	31	50	60	49	

YEAR 1919.

Population—Census 1901, - - - 3,136.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 2,752.

PUBLIC HEALTH DISTRICT—**Jedburgh (Burgh).**

Do. estimated to middle of 1919, 2,295.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	43	1	3	45	25	20
Illegitimate Births -	5	1	0	4	2	2
Marriages - - -	31	-	-	-	-	-
Deaths - - -	40	2	3	41	15	26

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18.7	19.6	-
Marriage-rate - - - - -	13.5	-	-
Death-rate—All Causes - - - - -	17.4	17.9	17.0
Do. —Phthisis - - - - -	-	0.44	-
Do. —All Tuberculosis - - - - -	-	0.87	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—44.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
nteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
yphus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
mall-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
iphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
rysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
nthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
uberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
bdominal Tuberculosis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
ther Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ancer, Malignant Disease - - - - -	1	3	-	-	-	-	-	-	-	1	2	-	1	
heumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
eningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
rganic Heart Disease - - - - -	3	5	-	-	1	-	-	1	-	-	2	2	2	
ronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	2	
neumonia (all forms) - - - - -	3	4	-	1	-	-	-	1	2	-	2	1	-	
ther Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
iarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ppendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ll Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Diseases of Digestive System - - - - -	1	3	1	-	-	-	-	-	1	1	-	-	1	
ephritis and Bright's Disease - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
erperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ongenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
iolent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Defined Diseases - - - - -	4	7	1	-	-	-	1	-	1	1	-	2	5	
iseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	15	26	2	1	2	-	2	2	5	3	7	6	11	

YEAR 1919.

Population—Census 1901, - - - 4,008.
Do. Do. 1911, - - - 3,982.
Do. estimated to middle of 1919, 3,732.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Kelso** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	61	3	1	59	34	25
Illegitimate Births -	8	2	1	7	2	5
Marriages - - -	23	-	-	-	-	-
Deaths - - -	59	13	6	52	29	23

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - -	16.3	15.8	-
Marriage-rate - - -	6.2	-	-
Death-rate—All Causes - - -	15.8	13.9	12.1
Do. —Phthisis - - -	-	0.54	-
Do. —All Tuberculosis - - -	-	0.54	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—85.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—11.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	all over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	-	2	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	2	-	-	1	-	-	1	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	4	-	-	-	-	-	-	-	1	1	3	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	4	4	-	-	-	-	-	-	-	-	3	2	-	
Bronchitis - - - - -	3	1	-	-	-	-	-	-	-	1	-	1	-	
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System - - - - -	2	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	5	7	2	-	-	-	-	-	-	-	2	-	-	
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Total - - - - -	29	23	5	-	1	-	1	1	-	4	8	11	-	

YEAR 1919.

Population—Census 1901, - - - 2,195.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 2,166.

PUBLIC HEALTH DISTRICT—**Melrose (Burgh).**

Do. estimated to middle of 1919, 2,019.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	20	0	2	22	13	9
Illegitimate Births -	1	0	1	2	2	0
Marriages - - -	10	-	-	-	-	-
Deaths - - -	60	37	2	25	10	15

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	9.9	10.9	-
Marriage-rate - - - - -	5.0	-	-
Death-rate—All Causes - - - - -	29.7	12.4	10.5
Do. —Phthisis - - - - -	-	1.98	-
Do. —All Tuberculosis - - - - -	-	1.98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	-	-	-	2	-	-	2	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	1	-	-	-	-	-	-	-	-	3	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Organic Heart Disease - - - - -	-	4	-	-	-	-	-	-	1	-	2	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Pneumonia (all forms) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	1	6	-	-	-	-	-	-	-	-	-	2	5	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	10	15	-	-	-	-	2	-	2	3	4	6	8	

YEAR 1919.

Population—Census 1901, - - - 3,265.

COUNTY—**Roxburgh.**

Do. Do. 1911, - - - 3,258.

Do. estimated to middle of 1919, 3,066.

PUBLIC HEALTH DISTRICT—**Hawick** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	47	0	1	48	21	27
Illegitimate Births -	5	0	0	5	2	3
Marriages - - -	30	-	-	-	-	-
Deaths - - -	50	5	5	50	30	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	15·3	15·7	-
Marriage-rate - - - - -	9·8	-	-
Death-rate—All Causes - - - - -	16·3	16·3	15·9
Do. —Phthisis - - - - -	-	0·65	-
Do. —All Tuberculosis - - - - -	-	1·30	-
Do. —Principal Epidemic Diseases (those asterisked below.)•	-	0·65	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—83.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10·4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	a	o
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	3	-	-	-	-	-	-	1	-	-	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	3	-	-	-	1	-	-
Bronchitis - - - - -	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	3	4	-	2	-	-	-	-	-	3	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System - - - - -	3	-	1	-	-	-	-	2	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	3	-	-	-	-	1	3	-	1	2	1	-	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	30	20	4	3	-	1	2	13	3	4	5	5	10	-

YEAR 1919.

COUNTY--**Roxburgh.**

PUBLIC HEALTH DISTRICT--**Jedburgh** (County District).

Population--Census 1901, - - - 5,257.
Do. Do. 1911, - - - 4,855.
Do. estimated to middle of 1919, 4,263.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	89	4	5	90	50	40
Illegitimate Births -	14	0	3	17	13	4
Marriages - - -	38	-	-	-	-	-
Deaths - - -	56	2	7	61	29	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers ² and for Age and Sex Distribution.
Birth-rate - - - - -	20.9	21.1	-
Marriage-rate - - - - -	8.9	-	-
Death-rate--All Causes - - - - -	13.1	14.3	14.0
Do. --Phthisis - - - - -	-	0.23	-
Do. --All Tuberculosis - - - - -	-	0.47	-
Do. --Principal Epidemic Diseases (those asterisked below.)	-	0.00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected --33
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts--18.9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	4	-	-	-	-	-	-	-	4	1	2	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	8	-	-	-	-	1	-	-	-	1	5	6	
Bronchitis - - - - -	1	5	-	-	-	-	-	-	-	-	-	2	4	
Pneumonia (all forms) - - - - -	4	1	-	-	1	-	1	1	1	1	1	-	-	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - - - -	1	2	-	-	-	-	1	-	-	-	-	1	1	
Nephritis and Bright's Disease - - - - -	2	1	-	-	-	-	-	2	-	-	-	-	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	2	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	6	9	1	-	-	-	-	-	-	2	4	2	6	
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	29	32	3	-	2	-	3	5	1	7	8	13	19	

YEAR 1919.

Population—Census 1901, - - - 6,653.
Do. Do. 1911, - - - 6,321.
Do. estimated to middle of 1919, 5,699.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Kelso** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	100	1	3	102	49	53
Illegitimate Births -	15	0	1	16	8	8
Marriages - - -	50	-	-	-	-	-
Deaths - - -	93	1	10	102	44	58

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17.5	17.9	-
Marriage-rate - - - - -	8.8	-	-
Death-rate—All Causes - - -	16.3	17.9	17.5
Do. —Phthisis - - - - -	-	0.88	-
Do. —All Tuberculosis - - -	-	0.88	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—39.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—15.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Influenza - - - - -	3	2	-	1	-	1	1	-	-	-	-	-	2	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	3	2	-	-	-	-	1	2	1	-	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	3	3	-	-	-	-	-	-	-	2	2	2	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	11	11	-	-	-	-	-	-	1	1	5	10	5	
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	1	1	-	-	
Pneumonia (all forms) - - -	8	9	1	2	-	-	-	10	2	-	1	-	1	
Other Diseases of Respiratory Organs -	-	2	-	-	-	-	-	-	-	1	-	1	-	
*Diarrhœa and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other Diseases of Digestive System -	-	5	-	-	-	-	-	-	1	1	-	-	3	
Nephritis and Bright's Disease - -	1	1	-	-	-	-	-	1	-	-	-	1	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	1	1	-	-	-	1	-	-	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	8	15	1	-	-	-	-	1	1	-	4	9	7	
Diseases Ill-defined or Unknown -	-	2	-	-	-	1	-	-	-	-	1	-	-	
Total - - - - -	44	58	4	4	1	2	3	17	7	6	16	23	19	

YEAR 1919.

Population—Census 1901, - - - 1,872.

Do. Do. 1911, - - - 1,934.

Do. estimated to middle of 1919, 1,872.

COUNTY—**Roxburgh.**PUBLIC HEALTH DISTRICT—**Liddesdale** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	35	2	1	34	20	14
Illegitimate Births -	5	1	1	5	2	3
Marriages - - -	18	-	-	-	-	-
Deaths - - -	28	0	4	32	19	13

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	18·7	18·2	-
Marriage-rate - - - - -	9·6	-	-
Death-rate—All Causes - - - - -	15·0	17·1	13·7
Do. —Phthisis - - - - -	-	1·60	-
Do. —All Tuberculosis - - - - -	-	2·67	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—118.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14·7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	2	1	-	-	1	-	-	1	-	-	1	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	1	
Cancer, Malignant Disease - - - - -	-	4	-	-	-	-	-	1	1	-	-	-	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	1	-	-	-	-	-	-	-	-	1	1	1	
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malformation, including Premature Birth - - - - -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	-	-	-	-	-	-	1	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	8	1	-	-	-	2	-	-	-	-	2	1	4	
Diseases Ill-defined or Unknown - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	19	13	4	-	1	2	2	1	1	2	5	4	10	

YEAR 1919.

COUNTY—**Roxburgh.**

PUBLIC HEALTH DISTRICT—**Melrose** (County District).

Population—Census 1901, - - - 5,115.
Do. Do. 1911, - - - 5,047.
Do. estimated to middle of 1919, 4,704.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	70	2	7	75	34	41
Illegitimate Births -	4	0	4	8	4	4
Marriages - - -	34	-	-	-	-	-
Deaths - - -	76	2	12	86	35	51

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14.9	15.9	-
Marriage-rate - - -	7.2	-	-
Death-rate—All Causes - - -	16.2	18.3	15.9
Do. —Phthisis - - -	-	0.85	-
Do. —All Tuberculosis - - -	-	1.06	-
Do. —Principal Epidemic Diseases (those asterisked below.) -	-	1.28	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—93.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7 and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	1	3	-	-	-	1	-	1	-	1	1	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	3	11	-	-	-	-	-	1	3	-	2	3	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	5	6	-	-	-	-	-	-	1	-	1	3	-	
Bronchitis - - -	5	1	-	-	-	-	-	-	-	-	-	3	-	
Pneumonia (all forms) - - -	6	2	1	-	-	-	1	2	1	1	-	2	-	
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	-	-	-	-	-	1	-	
*Diarrhoea and Enteritis (under 2 years) -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	-	4	-	-	-	-	-	1	-	-	-	1	-	
Nephritis and Bright's Disease - -	2	1	-	-	-	-	-	-	2	-	1	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth -	2	1	3	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	4	14	-	-	-	-	1	-	-	-	6	4	-	
Diseases Ill-defined or Unknown -	3	3	-	-	-	-	-	-	-	-	2	-	-	
Total - - -	35	51	7	1	2	1	2	5	7	3	13	18	2	

YEAR 1919.

COUNTY—**Selkirk.**PUBLIC HEALTH DISTRICT—**Galashiels (Burgh).**

Population—Census 1901, - - - 13,615.

Do. Do. 1911, - - - 14,531.

Do. estimated to middle of 1919, 14,407.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	187	10	8	185	105	80
Illegitimate Births -	18	2	3	19	11	8
Marriages - - -	129	-	-	-	-	-
Deaths - - -	181	5	13	189	100	89

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	13.0	12.8	-
Marriage-rate - - -	9.0	-	-
Death-rate—All Causes - - -	12.6	13.1	13.4
Do. —Phthisis - - -	-	0.62	-
Do. —All Tuberculosis - - -	-	0.76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	1	2	-	-	3	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - - - -	4	5	-	-	-	-	3	1	2	2	-	1	-	
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	6	10	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	1	-	3	2	2	3	5	
Meningitis - - - - -	2	3	1	4	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	17	15	-	-	-	-	1	1	2	4	8	9	7	
Bronchitis - - - - -	2	2	1	-	-	-	-	-	-	4	-	1	-	
Pneumonia (all forms) - - - - -	21	11	2	3	1	-	1	4	7	2	6	3	3	
Other Diseases of Respiratory Organs - - - - -	3	2	-	-	-	-	-	-	1	1	-	1	2	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	2	1	-	-	-	-	-	-	-	1	-	-	
Nephritis and Bright's Disease - - - - -	5	4	-	-	-	-	-	-	-	-	-	1	1	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	1	2	3	3	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	7	3	10	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	1	2	-	1	-	-	-	-	-	-	-	1	1	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	19	26	-	1	-	-	-	-	-	1	-	-	-	
Diseases Ill-defined or Unknown - - - - -	4	-	1	-	-	-	-	1	1	3	12	12	15	
Total - - - - -	100	89	18	11	4	-	7	8	17	17	35	36	36	

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	57	0	2	59	32	27
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	53	-	-	-	-	-
Deaths - - -	60	2	7	65	26	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	10.0	10.3	-
Marriage-rate - - -	9.3	-	-
Death-rate—All Causes - - -	10.5	11.3	11.0
Do. —Phthisis - - -	-	0.70	-
Do. —All Tuberculosis - - -	-	0.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.17	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—34.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over	
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	3	-	-	-	-	-	-	2	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	8	-	-	-	-	-	-	-	2	2	5	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	5	-	-	-	-	-	-	-	-	3	1	-	-	-	-
Bronchitis - - - - -	1	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Pneumonia (all forms) - - - - -	2	4	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	10	-	-	-	-	1	-	-	-	5	6	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Total - - - - -	26	39	2	1	-	-	4	1	4	5	14	14	-	-	-	-

YEAR 1919.

Population—Census 1901, - - - 4,086.

COUNTY—**Selkirk**.

Do. Do. 1911, - - - 4,184.

Do. estimated to middle of 1919, 4,019.

PUBLIC HEALTH DISTRICT—**Selkirk** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	48	2	3	49	19	30
Illegitimate Births -	4	1	2	5	3	2
Marriages - - -	20	-	-	-	-	-
Deaths - - -	39	2	1	38	18	20

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	11.9	12.2	-
Death-rate—All Causes - - -	5.0	-	-
Do. —Phthisis - - -	9.7	9.5	9.5
Do. —All Tuberculosis - - -	-	0.25	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.25	-
	-	0.50	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—41.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75	
													and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	1	-	-	-	-	-	-	-	-	1	1	2	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	2	5	-	-	-	-	-	-	-	1	1	3	2	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	1	-	-	1	1	-	1	
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Other Defined Diseases - - - - -	6	7	-	-	-	-	-	-	-	-	2	3	8	
Diseases Ill-defined or Unknown - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Total - - - - -	18	20	2	3	1	-	2	-	1	4	5	7	13	

YEAR 1919.

COUNTY—**Shetland.**

PUBLIC HEALTH DISTRICT—**Lerwick** (Burgh).

Population—Census 1901, - - - 4,281.
Do. Do. 1911, - - - 4,664.
Do. estimated to middle of 1919, 4,694.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	81	3	1	79	47	32
Illegitimate Births -	7	0	0	7	4	3
Marriages - - -	141	-	-	-	-	-
Deaths - - -	111	13	6	104	42	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	17·3	16·8	-
Marriage-rate - - - - -	30·0	-	-
Death-rate—All Causes - - -	23·6	22·2	18·2
Do. —Phthisis - - - - -	-	2·13	-
Do. —All Tuberculosis - - -	-	2·98	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—65.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												75 and over
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-		
Influenza - - - - -	2	5	-	1	2	-	-	-	-	-	-	-	-		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - - - - -	6	4	-	-	-	1	3	1	2	3	-	-	-		
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Tuberculous Diseases - - - - -	-	4	-	-	-	1	-	-	1	1	1	-	-		
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	3	1	-	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	2	1	1	2	-	-	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	4	13	-	-	-	-	-	-	-	-	4	3	10		
Bronchitis - - - - -	3	5	1	-	-	-	-	1	-	-	-	3	3		
Pneumonia (all forms) - - - - -	5	5	1	2	-	-	2	3	1	-	1	-	-		
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-		
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - - - - -	1	2	-	1	-	-	-	-	-	1	1	-	-		
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	-	2	-	-	-		
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	1	1	2	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	1		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	12	13	-	-	-	1	-	-	2	2	5	4	11		
Diseases Ill-defined or Unknown - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	1		
Total - - - - -	42	62	5	7	4	3	6	6	6	13	13	10	31		

YEAR 1919.

Population—Census 1901, - - - 19,109.

COUNTY—**Shetland.**

Do. Do. 1911, - - - 18,543.

Do. estimated to middle of 1919, 17,036.

PUBLIC HEALTH DISTRICT—**Mainland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	233	1	7	239	135	104
Illegitimate Births -	16	1	2	17	6	11
Marriages - - -	50	-	-	-	-	-
Deaths - - -	258	7	31	282	102	180

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·7	14·0	-
Marriage-rate - - - - -	2·9	-	-
Death-rate—All Causes - - - - -	15·1	16·6	11·4
Do. —Phthisis - - - - -	-	1·53	-
Do. —All Tuberculosis - - - - -	-	1·82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—42.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—7·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	9	-	-	-	-	1	-	1	2	-	-	7	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	13	13	-	-	-	9	11	3	2	1	-	-	-	
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	2	1	-	1	-	-	1	1	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	3	14	-	-	-	-	-	2	3	2	4	6	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Encephalitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	12	14	-	-	-	-	-	-	1	5	9	11	-	
Bronchitis - - - - -	4	12	1	2	1	-	-	-	-	1	1	10	-	
Pneumonia (all forms) - - - - -	6	11	1	1	1	3	3	4	1	-	2	-	-	
Other Diseases of Respiratory Organs -	2	3	-	-	-	1	-	-	-	1	2	1	-	
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	6	6	1	1	-	1	-	-	1	3	2	3	-	
Nephritis and Bright's Disease - - -	4	5	-	-	-	-	-	-	3	1	1	4	-	
Septicæmia - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - -	2	3	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	5	7	-	-	2	1	1	-	1	-	1	6	-	
Homicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Other Defined Diseases - - - - -	34	74	2	2	-	1	-	4	4	5	22	68	-	
Diseases Ill-defined or Unknown - -	3	6	-	-	1	-	-	1	-	1	2	4	-	
Total - - - - -	102	180	10	9	4	5	15	17	16	16	23	46	121	

YEAR 1919.

Population—Census 1901, - - - 4,776.

Do. Do. 1911, - - - 4,704.

Do. estimated to middle of 1919, 4,377.

COUNTY—**Shetland.**PUBLIC HEALTH DISTRICT—**North Isles** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	63	1	1	63	38	25
Illegitimate Births -	6	0	0	6	4	2
Marriages - - -	11	-	-	-	-	-
Deaths - - -	59	2	4	61	22	39

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14.4	14.4	-
Marriage-rate - - -	2.5	-	-
Death-rate—All Causes - - -	13.5	13.9	10.3
Do. —Phthisis - - -	-	1.60	-
Do. —All Tuberculosis - - -	-	1.60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.46	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—63.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	70-	all over
*Enteric Fever - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Influenza - - -	-	3	-	-	-	-	-	1	-	-	1	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis -	1	6	-	-	-	1	1	1	2	-	1	1	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	1	4	-	-	-	-	-	-	-	1	1	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	1	3	-	-	-	-	-	-	-	-	2	1	-	-
Bronchitis - - -	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - -	3	1	1	-	1	-	1	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - -	1	2	3	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide -	3	2	-	-	1	1	-	-	1	-	-	1	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	16	-	-	-	-	-	-	-	3	1	2	-	-
Diseases Ill-defined or Unknown - -	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Total - - -	22	39	4	-	3	2	3	2	3	4	8	7	-	-

YEAR 1919.

Population—Census 1901, - - - 3,240.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 3,121.

Do. estimated to middle of 1919, 2,849.

PUBLIC HEALTH DISTRICT—**Bridge of Allan (Bargh).**

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	29	0	2	31	19	12
Illegitimate Births -	2	0	2	4	3	1
Marriages - - -	19	-	-	-	-	-
Deaths - - -	51	2	17	66	36	30

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	10·2	10·9	-
Marriage-rate - - -	6·7	-	-
Death-rate—All Causes - - -	17·9	23·2	20·7
Do. —Phthisis - - -	-	1·40	-
Do. —All Tuberculosis - - -	-	1·76	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·35	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—129.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—12·9.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	1	2	-	-	-	-	-	1	-	1	-	-	1	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	2	2	-	-	-	-	-	2	2	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Cancer, Malignant Disease - - -	2	2	-	-	-	-	-	-	1	-	-	2	1	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	2	-	-	-	-	-	1	-	-	2	2	1	
Bronchitis - - -	2	-	-	-	-	-	-	-	-	-	-	-	2	
Pneumonia (all forms) - - -	5	5	-	-	-	-	4	-	2	1	-	1	2	
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - -	4	1	-	-	-	-	1	-	-	2	1	-	1	
Nephritis and Bright's Disease - - -	2	1	-	-	-	-	-	-	-	1	1	1	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	2	-	-	-	-	-	-	2	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	8	14	1	-	1	-	-	1	1	1	1	3	13	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	36	30	4	-	1	-	5	7	6	6	6	10	21	

YEAR 1919.

Population—Census 1901, - - - 5,288.
Do. Do. 1911, - - - 5,164.
Do. estimated to middle of 1919, 4,771.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Denny and Dunipace** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	141	3	7	145	80	65
Illegitimate Births -	8	0	1	9	5	4
Marriages - - -	32	-	-	-	-	-
Deaths - - -	68	4	8	72	40	32

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	29.6	30.4	-
Marriage-rate - - - - -	6.7	-	-
Death-rate—All Causes - - - - -	14.3	15.1	16.4
Do. —Phthisis - - - - -	-	0.84	-
Do. —All Tuberculosis - - - - -	-	1.68	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.84	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—110.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	2	1	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	3	1	-	1	-	-	1	1	-	1	-	-	-	
Tuberculous Meningitis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - - - -	1	1	-	1	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	2	3	-	1	-	-	-	-	1	-	2	-	1	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	5	3	-	-	-	-	-	-	-	3	-	4	1	
Bronchitis - - - - -	3	1	2	-	-	-	-	-	-	1	-	1	-	
Pneumonia (all forms) - - - - -	7	4	-	1	-	-	1	2	2	2	2	1	-	
Other Diseases of Respiratory Organs - - - - -	-	1	-	-	-	-	-	-	-	1	-	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	-	2	2	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - - - -	8	3	10	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	1	-	1	1	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	5	6	-	-	-	-	-	-	1	-	-	4	6	
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	1	-	-	-	-	
Total - - - - -	40	32	16	6	3	-	4	5	7	9	4	10	8	

YEAR 1919.

Population—Census 1901, - - - 29,280.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 33,574.

Do. estimated to middle of 1919, 34,881.

PUBLIC HEALTH DISTRICT—**Falkirk** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	732	7	17	742	353	389
Illegitimate Births -	62	5	8	65	30	35
Marriages - - -	310	-	-	-	-	-
Deaths - - -	502	65	39	476	272	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution
Birth-rate - - -	21.0	21.3	-
Marriage-rate - - -	8.9	-	-
Death-rate—All Causes - - -	14.4	13.6	14.9
Do. —Phthisis - - -	-	0.80	-
Do. —All Tuberculosis - - -	-	1.20	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.43	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—97.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—8.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	2	-	-	1	1	-	-	-	-	-	-	-	
Whooping-cough - - - - -	17	15	12	19	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	4	-	-	2	2	-	-	-	-	-	-	-	-	
Influenza - - - - -	1	4	1	-	-	-	1	1	-	-	1	1	-	
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	16	12	-	-	-	2	4	5	8	5	1	3	-	
Tuberculous Meningitis - - - - -	3	2	1	2	-	-	2	-	-	-	-	-	-	
Chromal Tuberculosis - - - - -	-	2	-	-	-	1	-	-	1	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	7	1	-	-	-	1	3	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	15	8	-	-	-	-	-	-	1	6	7	8	1	
Pneumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-	
Meningitis - - - - -	3	2	2	-	1	-	1	-	-	1	-	-	-	
Organic Heart Disease - - - - -	31	20	-	-	-	-	2	2	2	4	11	20	10	
Onchitis - - - - -	29	14	4	2	1	-	-	1	2	5	11	10	7	
Pneumonia (all forms) - - - - -	49	26	15	6	1	-	10	10	12	8	6	6	1	
Other Diseases of Respiratory Organs - - - - -	2	3	-	-	-	-	-	1	1	2	-	1	-	
Enterorrhoea and Enteritis (under 2 years) - - - - -	6	4	9	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	1	
Other Diseases of Digestive System - - - - -	8	4	1	-	2	1	1	1	-	1	3	1	1	
Nephritis and Bright's Disease - - - - -	5	8	-	-	-	-	1	1	3	4	4	-	-	
Septicæmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	5	-	-	-	-	1	2	2	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - - - -	17	7	24	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	10	3	-	3	1	-	4	2	-	1	1	1	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	49	48	2	2	-	1	2	2	8	9	9	32	30	
Diseases Ill-defined or Unknown - - - - -	2	7	-	-	-	-	-	-	1	2	1	2	3	
Tota - - - - -	272	204	72	38	11	6	30	31	43	50	56	85	54	

YEAR 1919.

Population—Census 1901, - - - 8,999.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 10,219.

PUBLIC HEALTH DISTRICT—**Grangemouth** (Burgh).

Do. estimated to middle of 1919, 10,580.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	193	1	7	199	108	91
Illegitimate Births - -	10	0	2	12	5	7
Marriages - - -	62	-	-	-	-	-
Deaths - - -	125	5	20	140	73	67

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfer and for Age and Sex Distribution.
Birth-rate - - -	18.2	18.8	-
Marriage-rate - - -	5.9	-	-
Death-rate—All Causes - - -	11.8	13.2	14.7
Do. —Phthisis - - -	-	0.38	-
Do. —All Tuberculosis - - -	-	0.85	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - -	-	1.42	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—111.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
*Enteric Fever - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
*Whooping-cough - - -	5	7	4	8	-	-	-	-	-	-	-	-	-
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	3	1	-	-	-	1	1	1	1	-	-	-	-
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	1	1	-	-	-	2	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	2	1	1	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	6	-	-	-	1	-	-	1	1	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	1	1	-	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	12	6	-	-	-	-	-	-	-	2	4	5	-
Bronchitis - - -	3	9	2	2	-	-	1	-	1	3	1	1	-
Pneumonia (all forms) - - -	2	5	-	-	-	1	-	1	4	-	-	1	-
Other Diseases of Respiratory Organs - - -	1	-	-	1	-	-	-	-	-	-	-	-	-
*Diarrhoea and Enteritis (under 2 years) - - -	2	-	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System - - -	5	6	1	1	1	1	2	1	2	-	-	1	-
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - -	8	1	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	8	-	-	1	1	-	-	4	1	1	-	-	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	18	21	3	3	1	-	1	2	3	1	5	6	-
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - -	73	67	22	19	3	3	6	11	9	13	14	16	-

YEAR 1919.

Population—Census 1901, - - - - 7,292.

COUNTY—**Stirling.**

Do. Do. 1911, - - - - 8,106.

PUBLIC HEALTH DISTRICT—**Kilsyth** (Burgh).

Do. estimated to middle of 1919, 8,272.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	219	5	6	220	118	102
Illegitimate Births -	10	1	3	12	7	5
Marriages - - -	64	-	-	-	-	-
Deaths - - -	96	2	19	113	50	63

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	26.5	26.6	-
Marriage-rate - - - - -	7.7	-	-
Death-rate—All Causes - - - - -	11.6	13.7	14.5
Do. —Phthisis - - - - -	-	0.24	-
Do. —All Tuberculosis - - - - -	-	0.60	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.97	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—68.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.5.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
nteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ypbus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
mall-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
measles - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
carlet Fever - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
iphtheria and Croup - - - - -	-	2	-	2	-	-	-	-	-	-	-	-	-	
influenza - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
rysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
hthisis, Pulmonary Tuberculosis - - - - -	1	1	-	-	1	-	-	-	-	1	-	-	-	
uberculous Meningitis - - - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
bdominal Tuberculosis - - - - -	1	1	-	1	1	-	-	-	-	-	-	-	-	
ther Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ancer, Malignant Disease - - - - -	1	4	-	-	-	-	-	-	-	-	2	2	1	
heumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
eningitis - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
rganic Heart Disease - - - - -	6	11	-	-	-	-	1	1	-	3	1	5	6	
ronchitis - - - - -	5	5	1	-	-	-	-	-	2	1	1	4	1	
neumonia (all forms) - - - - -	6	3	2	4	-	-	1	1	-	-	1	-	-	
ther Diseases of Respiratory Organs - - - - -	-	3	-	1	-	-	-	-	-	-	1	1	-	
diarrhoea and Enteritis (under 2 years) - - - - -	1	2	1	2	-	-	-	-	-	-	-	-	-	
ppendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
ll Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Diseases of Digestive System - - - - -	1	4	1	1	-	-	-	-	-	1	1	1	-	
ephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
uerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Diseases and Accidents of - - - - -	-	3	-	-	-	-	-	1	2	-	-	-	-	
Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ongenital Debility and Malforma- tion, including Premature Birth	4	3	7	-	-	-	-	-	-	-	-	-	-	
olent Deaths, excluding Suicide - - - - -	6	2	-	-	-	-	2	1	1	2	1	-	1	
icide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
ther Defined Diseases - - - - -	12	14	1	1	-	-	2	-	3	1	6	6	6	
iseases Ill-defined or Unknown - - - - -	4	-	1	-	-	-	-	-	-	1	1	1	-	
Total - - - - -	50	63	15	14	4	-	7	5	8	10	15	20	15	

YEAR 1919.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Stirling** (Burgh).

Population—Census 1901, - - 18,403.
Do. Do. 1911, - - 21,200.
Do. estimated to middle of 1919, 22,154.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	433	13	21	441	229	212
Illegitimate Births -	41	5	10	46	21	25
Marriages - - -	230	-	-	-	-	-
Deaths - - -	410	71	29	368	178	190

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	19.5	19.9	-
Marriage-rate - - - - -	10.4	-	-
Death-rate—All Causes - - -	18.5	16.6	16.8
Do. —Phthisis - - - - -	-	0.63	-
Do. —All Tuberculosis - - -	-	1.22	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	1.04	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—104.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	3	-	-	-	-	-	2	1	-	-	-	-	-	
*Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
*Whooping-cough - - - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	2	10	-	4	7	-	-	1	-	-	-	-	-	
Influenza - - - - -	9	6	2	1	-	-	1	1	1	2	-	4	-	
Erysipelas - - - - -	-	1	-	-	-	-	-	-	-	-	1	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	7	7	-	-	-	-	1	2	3	5	3	-	-	
Tuberculous Meningitis - - - - -	1	3	-	1	1	1	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	3	2	-	5	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	4	1	1	-	-	-	-	1	1	-	-	-	
Cancer, Malignant Disease - - - - -	15	16	-	-	-	-	-	-	1	1	14	9	-	
Rheumatic Fever - - - - -	1	1	-	1	-	-	1	-	-	-	-	-	-	
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	22	10	-	-	-	-	1	-	4	3	5	10	-	
Bronchitis - - - - -	15	13	7	3	-	-	-	-	-	1	7	5	-	
Pneumonia (all forms) - - - - -	24	26	6	8	1	-	1	11	7	3	5	5	-	
Other Diseases of Respiratory Organs - - - - -	3	1	-	1	1	-	-	-	1	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - - - -	1	5	5	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	6	5	-	1	1	-	1	-	-	3	3	1	-	
Nephritis and Bright's Disease - - - - -	5	4	-	-	-	-	-	-	2	1	2	2	-	
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	3	-	-	-	-	-	2	1	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	8	9	17	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	9	3	-	1	1	-	-	3	4	1	2	-	-	
Suicide - - - - -	3	-	-	-	-	-	-	-	-	3	-	-	-	
Other Defined Diseases - - - - -	35	53	8	-	3	-	1	4	2	12	6	16	3	
Diseases ill-defined or Unknown - - - - -	3	5	-	1	-	-	-	-	-	2	2	2	-	
Total - - - - -	178	190	46	30	16	2	11	26	27	38	51	54	6	

YEAR 1919.

Population—Census 1901, - - - 19,217.

Do. Do. 1911, - - - 26,203.

Do. estimated to middle of 1919, 30,127.

COUNTY—**Stirling.**PUBLIC HEALTH DISTRICT—**Central Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	667	13	15	669	357	312
Illegitimate Births -	31	3	7	35	21	14
Marriages - - -	140	-	-	-	-	-
Deaths - - -	270	22	41	289	157	132

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	22.1	22.2	-
Marriage-rate - - -	4.6	-	-
Death-rate—All Causes - - -	9.0	9.6	9.8
Do. —Phthisis - - -	-	0.40	-
Do. —All Tuberculosis - - -	-	0.73	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.60	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—8.1.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.2.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	1	-	-	1	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Whooping-cough - - -	4	1	3	2	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	2	1	-	2	1	-	-	-	-	-	-	-	-	
Influenza - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Erysipelas - - -	2	-	-	-	-	-	-	-	1	-	-	1	-	
Phthisis, Pulmonary Tuberculosis - - -	6	6	1	1	1	1	3	3	2	-	-	1	-	
Tuberculous Meningitis - - -	2	4	1	1	3	-	-	1	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	2	-	1	-	-	-	1	1	-	-	-	-	
Cancer, Malignant Disease - - -	3	20	-	-	-	-	-	1	3	6	7	4	2	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	14	11	-	-	-	1	1	-	3	2	6	7	5	
Bronchitis - - -	10	9	4	2	-	-	-	-	-	2	1	7	5	
Pneumonia (all forms) - - -	25	15	6	10	-	1	3	6	4	2	3	4	1	
Other Diseases of Respiratory Organs - - -	3	2	-	1	-	-	-	-	-	-	-	3	1	
Diarrhoea and Enteritis (under 2 years) - - -	7	1	7	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	2	2	-	1	-	1	1	1	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - -	10	4	3	-	-	1	-	-	1	2	1	3	3	
Nephritis and Bright's Disease - - -	4	4	2	-	1	-	-	-	1	2	-	2	-	
Puerperal Sepsis - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	4	-	-	-	-	-	2	2	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	14	8	20	2	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	5	2	-	-	-	-	-	1	-	2	1	1	2	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	34	31	6	1	4	-	1	3	2	4	5	10	29	
Diseases Ill-defined or Unknown - - -	4	1	1	-	-	-	-	-	-	2	-	1	1	
Total - - -	157	132	56	28	10	5	10	20	21	22	25	43	49	

YEAR 1919.

COUNTY—**Stirling.**

PUBLIC HEALTH DISTRICT—**Eastern Stirling** (County District).

Population—Census 1901, - - - 39,474.
Do. Do. 1911, - - - 41,745.
Do. estimated to middle of 1919, 41,109.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	1,009	17	17	1,009	516	493
Illegitimate Births -	53	0	11	64	38	26
Marriages - - -	255	-	-	-	-	-
Deaths - - -	470	50	79	499	262	237

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	24·5	24·5	-
Marriage-rate - - - - -	6·2	-	-
Death-rate—All Causes - - - - -	11·4	12·1	12·9
Do. —Phthisis - - - - -	-	0·44	-
Do. —All Tuberculosis - - - - -	-	0·78	-
Do. —Principal Epidemic Diseases (those asterisked below.) - - - - -	-	0·92	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—88.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—6·3.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE													7 an ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-				
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
*Measles - - - - -	3	2	2	3	-	-	-	-	-	-	-	-	-			
*Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-			
*Whooping-cough - - - - -	5	13	10	7	1	-	-	-	-	-	-	-	-			
*Diphtheria and Croup - - - - -	2	2	2	2	-	-	-	-	-	-	-	-	-			
Influenza - - - - -	6	-	-	-	-	2	3	1	-	-	-	-	-			
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Phthisis, Pulmonary Tuberculosis - - - - -	8	10	-	-	-	1	7	4	4	2	-	-	-			
Tuberculous Meningitis - - - - -	2	3	1	3	-	1	-	-	-	-	-	-	-			
Abdominal Tuberculosis - - - - -	1	3	-	1	2	-	1	-	-	-	-	-	-			
Other Tuberculous Diseases - - - - -	3	2	1	-	1	-	1	-	1	-	1	-	-			
Cancer, Malignant Disease - - - - -	20	16	-	-	-	-	-	-	5	4	9	11	7			
Rheumatic Fever - - - - -	1	1	-	-	-	-	-	1	1	-	-	-	-			
Meningitis - - - - -	3	3	1	3	-	1	1	-	-	-	-	-	-			
Organic Heart Disease - - - - -	22	18	-	-	-	1	2	5	2	4	8	11	7			
Bronchitis - - - - -	15	16	4	2	1	-	-	-	1	1	9	6	7			
Pneumonia (all forms) - - - - -	44	29	15	18	6	1	9	9	3	7	3	1	1			
Other Diseases of Respiratory Organs - - - - -	4	2	-	-	-	-	-	-	-	3	1	1	1			
*Diarrhoea and Enteritis (under 2 years) - - - - -	5	5	7	3	-	-	-	-	-	-	-	-	-			
Appendicitis and Typhlitis - - - - -	2	3	-	-	1	1	2	-	-	1	-	-	-			
All Liver Diseases (not Malignant) - - - - -	1	2	-	-	-	-	-	-	-	1	1	1	-			
Other Diseases of Digestive System - - - - -	10	6	2	4	-	-	3	3	-	1	1	2	-			
Nephritis and Bright's Disease - - - - -	5	3	-	1	-	-	1	-	2	-	2	2	-			
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	4	-	-	-	-	1	2	1	-	-	-	-			
Congenital Debility and Malformation, including Premature Birth - - - - -	18	17	35	-	-	-	-	-	-	-	-	-	-			
Violent Deaths, excluding Suicide - - - - -	17	6	-	3	1	2	6	4	2	3	1	-	1			
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-			
Other Defined Diseases - - - - -	61	67	8	3	3	2	4	2	8	11	13	30	44			
Diseases Ill-defined or Unknown - - - - -	2	4	1	1	-	-	-	-	1	1	-	2	-			
Total - - - - -	262	237	89	54	17	12	41	31	31	40	49	67	68			

YEAR 1919.

Population—Census 1901, - - - 11,098.

COUNTY—**Stirling.**

Do. Do. 1911, - - - 11,659.

Do. estimated to middle of 1919, 11,424.

PUBLIC HEALTH DISTRICT **Western Stirling** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	153	9	12	156	80	76
Illegitimate Births - -	7	2	3	8	6	2
Marriages - - -	51	-	-	-	-	-
Deaths - - -	166	24	20	162	78	84

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13.4	13.7	-
Marriage-rate - - - - -	4.5	-	-
Death-rate—All Causes - - - -	14.5	14.2	13.0
Do. —Phthisis - - - - -	-	0.26	-
Do. —All Tuberculosis - - - -	-	0.70	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.26	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—141.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—5.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	2	1	-	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	2	2	-	1	-	-	-	1	-	1	-	-	1	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	3	-	-	-	-	-	1	1	1	-	-	-	
Tuberculous Meningitis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - -	-	3	1	-	1	-	-	-	-	1	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	1	-	-	-	1	-	-	-	
Cancer, Malignant Disease - - -	10	12	-	-	-	-	-	-	1	5	5	8	3	
Pneumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - -	11	9	-	-	-	-	-	1	1	1	4	6	7	
Bronchitis - - - - -	9	10	6	-	-	-	-	-	1	1	2	3	6	
Pneumonia (all forms) - - - -	7	5	3	1	-	-	-	3	1	2	1	-	1	
Other Diseases of Respiratory Organs	2	1	-	1	-	-	-	-	-	-	1	1	-	
Diarrhoea and Enteritis (under 2 years)	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liver Diseases (not Malignant) -	1	-	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System	2	2	-	-	-	-	-	-	1	-	1	2	-	
Nephritis and Bright's Disease -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Periperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	4	1	5	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	3	1	-	-	-	-	-	-	2	-	1	-	1	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - -	21	29	4	1	1	-	1	-	-	2	6	13	22	
Diseases Ill-defined or Unknown -	2	1	-	-	-	-	-	-	1	-	-	1	1	
Total - - - - -	78	84	22	5	4	1	2	6	9	15	21	35	42	

YEAR 1919.

Population—Census 1901, - - - - 624.
Do. Do. 1911, - - - - 741.
Do. estimated to middle of 1919, 789.

COUNTY—**Sutherland.**

PUBLIC HEALTH DISTRICT—**Dornoch** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	11	0	0	11	7	4
Illegitimate Births -	1	0	0	1	0	1
Marriages - - -	5	-	-	-	-	-
Deaths - - -	8	1	1	8	2	6

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	13·9	13·9	-
Marriage-rate - - - - -	6·3	-	-
Death-rate—All Causes - - -	10·1	10·1	9·2
Do. —Phthisis - - - - -	-	0·00	-
Do. —All Tuberculosis - - -	-	0·00	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·00	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—0.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7 and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	1	1	-	-	-	-	-	1	1	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	1	4	-	-	-	-	-	-	-	-	-	-	3	
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	2	6	-	-	-	-	-	1	1	-	-	3	-	

YEAR 1919.

Population—Census 1901, - - - 20,816.

Do. Do. 1911, - - - 19,438

Do. estimated to middle of 1919, 17,249.

COUNTY—**Sutherland.**PUBLIC HEALTH DISTRICT—**Sutherland** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	250	3	9	256	139	117
Illegitimate Births - -	23	2	3	24	13	11
Marriages - - -	58	-	-	-	-	-
Deaths - - -	350	4	20	366	162	204

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	14.5	14.8	-
Marriage-rate - - -	3.4	-	-
Death-rate—All Causes - - -	20.3	21.2	15.1
Do. —Phthisis - - -	-	1.39	-
Do. —All Tuberculosis - - -	-	1.57	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.29	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—7.4

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—9.4.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	1	3	-	3	1	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	3	5	-	1	-	-	3	-	1	-	-	1	2	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - -	14	10	-	-	-	1	11	6	4	1	1	-	-	
Tuberculous Meningitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	1	-	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	-	-	-	-	-	1	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	10	18	-	-	-	-	-	1	1	4	7	10	5	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	2	3	1	1	1	-	-	1	1	-	-	-	-	
Organic Heart Disease - - -	13	16	-	-	-	-	-	-	-	3	6	9	11	
Bronchitis - - -	8	17	1	-	1	-	-	3	-	-	4	6	10	
Pneumonia (all forms) - - -	25	15	-	1	-	1	6	10	7	4	4	3	4	
Other Diseases of Respiratory Organs -	3	2	-	1	-	-	-	1	-	-	1	1	1	
Diarrhoea and Enteritis (under 2 years) -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	1	-	-	-	-	1	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - -	1	1	-	-	-	-	-	-	-	1	-	1	-	
Other Diseases of Digestive System - -	3	8	1	-	2	1	-	-	2	1	2	2	-	
Nephritis and Bright's Disease - - -	6	3	1	-	-	-	-	-	-	-	4	3	1	
Erysipelas - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	1	-	-	-	-	-	-	1	-	-	-	-	
Constitutional Debility and Malforma- tion, including Premature Birth - - -	4	4	7	1	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - -	4	2	-	-	1	-	-	1	-	1	-	1	2	
Suicide - - -	1	1	-	-	-	-	-	-	-	-	1	1	-	
Other Defined Diseases - - -	48	78	-	2	-	1	1	-	2	3	7	11	99	
Diseases Ill-defined or Unknown - - -	14	13	7	-	-	-	-	-	-	-	2	6	12	
Total - - -	162	204	19	10	6	5	24	23	20	18	39	55	147	

YEAR 1919.

Population—Census 1901, - - - - 2,204.
Do. Do. 1911, - - - - 2,063.
Do. estimated to middle of 1919, 1,834.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Newton-Stewart** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	30	0	0	30	10	20
Illegitimate Births -	3	0	0	3	1	2
Marriages - - -	20	-	-	-	-	-
Deaths - - -	24	0	4	28	9	19

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	16.4	16.4	-
Marriage-rate - - - - -	10.9	-	-
Death-rate—All Causes - - - - -	13.1	15.3	13.5
Do. —Phthisis - - - - -	-	1.09	-
Do. —All Tuberculosis - - - - -	-	1.09	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.55	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—100.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—10.0.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	1	1	-	-	-	-	2	-	-	-	-	-	-	
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	1	3	-	-	-	-	1	1	1	-	-	-	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Bronchitis - - - - -	1	2	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	2	-	-	-	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diarrhoea and Enteritis (under 2 years)	1	-	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System -	-	2	1	-	-	-	-	-	-	1	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth	1	1	2	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - - - -	2	7	-	-	-	-	1	-	-	1	1	1	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - - - -	9	19	3	1	-	-	1	3	1	5	2	3	-	

YEAR 1919.

Population—Census 1901, - - - 6,036.

Do. Do. 1911, - - - 6,444.

Do. estimated to middle of 1919, 6,390.

COUNTY—**Wigtown.**PUBLIC HEALTH DISTRICT—**Stranraer** (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	123	4	3	122	56	66
Illegitimate Births -	18	3	1	16	9	7
Marriages - - -	64	-	-	-	-	-
Deaths - - -	118	11	5	112	50	62

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	19.2	19.1	-
Marriage-rate - - -	10.0	-	-
Death-rate—All Causes - - -	18.5	17.5	15.7
Do. —Phthisis - - -	-	0.78	-
Do. —All Tuberculosis - - -	-	1.41	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.10	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—164.

Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—13.1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	2	2	2	2	-	-	-	-	-	-	-	-	-	
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - -	-	3	-	3	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis -	2	3	-	-	-	1	1	2	1	-	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	1	1	-	-	-	-	-	1	-	1	-	-	-	
Cancer, Malignant Disease - - -	1	5	-	-	-	-	-	-	-	-	3	-	3	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	1	1	2	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	4	6	-	-	-	-	-	-	-	-	-	7	3	
Bronchitis - - -	3	6	-	1	-	-	-	-	-	-	3	2	3	
Pneumonia (all forms) - - -	3	2	1	2	-	-	-	-	-	-	1	1	-	
Other Diseases of Respiratory Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	1	-	-	-	-	-	-	-	-	-	-	1	-	
All Liver Diseases (not Malignant) -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System -	5	4	2	1	-	-	-	-	-	1	2	-	3	
Nephritis and Bright's Disease - -	2	2	-	-	1	-	-	1	1	1	-	-	-	
Septic Peritonitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth -	5	2	7	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide -	1	-	1	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	17	24	3	-	1	1	-	-	1	1	5	11	18	
Diseases Ill-defined or Unknown -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	50	62	20	9	2	2	1	4	3	4	14	23	30	

YEAR 1919.

Population—Census 1901, - - - 1,188.

Do. Do. 1911, - - - 1,170.

COUNTY—Wigtown.

Do. estimated to middle of 1919, 1,089.

PUBLIC HEALTH DISTRICT—Whithorn (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	7	1	0	6	2	4
Illegitimate Births -	1	0	0	1	1	0
Marriages - - -	9	-	-	-	-	-
Deaths - - -	13	0	1	14	6	8

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - -	6.4	5.5	-
Marriage-rate - - -	8.3	-	-
Death-rate—All Causes - - -	11.9	12.9	9.6
Do. —Phthisis - - -	-	0.92	-
Do. —All Tuberculosis - - -	-	1.84	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.92	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—167.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75- and over	
*Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Measles - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	
*Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
*Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
Tuberculous Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cancer, Malignant Disease - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis - - -	1	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia (all forms) - - -	-	1	-	-	-	-	-	1	-	-	-	-	-	
Other Diseases of Respiratory Organs - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
*Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - -	-	1	-	-	-	-	-	-	-	-	-	1	-	
Other Diseases of Digestive System - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malforma- tion, including Premature Birth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Defined Diseases - - -	2	2	-	-	-	-	-	-	-	-	1	-	-	
Diseases Ill-defined or Unknown - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total - - -	6	8	1	1	1	-	-	1	-	1	2	2	-	

YEAR 1919.

Population—Census 1901, - - - 1386.

Do. Do. 1911, - - - 1369.

Do. estimated to middle of 1919, 1278.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT--Wigtown (Burgh).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females.
Births - - -	19	1	0	18	11	7
Illegitimate Births - -	3	0	0	3	1	2
Marriages - - -	11	-	-	-	-	-
Deaths - - -	35	0	2	37	23	14

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	14.9	14.1	-
Marriage-rate - - - - -	8.6	-	-
Death-rate—All Causes - - - - -	27.4	29.0	24.3
Do. —Phthisis - - - - -	-	2.35	-
Do. —All Tuberculosis - - - - -	-	2.35	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.78	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—22.2.
 Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—16.7.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE										
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	2	-	-	-	1	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	4	-	-	-	-	1	-	-	1	3	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	3	-	-	-	-	-	-	-	1	1	3	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	2	-
Pneumonia (all forms) - - - - -	5	1	1	1	-	-	-	1	-	1	-	2	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	2	-	-	-	-	-	1	-	-	2	1	-
Septic Perforal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Premature Birth - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	2	-	1	-	-	-	-	-	-	-	1	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	23	14	4	2	-	-	1	1	3	1	3	8	14

YEAR 1919.

Population—Census 1901, - - - 9,186.
Do. Do. 1911, - - - 8,853.
Do. estimated to middle of 1919, 8,084.

COUNTY—**Wigtown.**

PUBLIC HEALTH DISTRICT—**Machars** (County District).

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	167	7	9	169	84	85
Illegitimate Births -	21	1	5	25	12	13
Marriages - - -	39	-	-	-	-	-
Deaths - - -	134	3	8	139	66	73

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	20.7	20.9	-
Marriage-rate - - - - -	4.8	-	-
Death-rate—All Causes - - - - -	16.6	17.2	15.0
Do. —Phthisis - - - - -	-	0.62	-
Do. —All Tuberculosis - - - - -	-	1.86	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0.49	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—107.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—14.8.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE												7 a ov
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-			
*Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
*Whooping-cough - - - - -	1	1	1	1	-	-	-	-	-	-	-	-	-		
*Diphtheria and Croup - - - - -	-	2	-	1	-	-	1	-	-	-	-	-	-		
Influenza - - - - -	3	-	1	-	-	-	-	-	1	-	-	-	1		
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Phthisis, Pulmonary Tuberculosis - -	3	2	-	-	-	-	3	1	-	-	-	-	1		
Tuberculous Meningitis - - - - -	2	2	-	2	2	-	-	-	-	-	-	-	-		
Abdominal Tuberculosis - - - - -	-	3	-	1	-	-	-	1	-	1	-	-	-		
Other Tuberculous Diseases - - - - -	1	2	-	-	-	-	-	2	1	-	-	-	-		
Cancer, Malignant Disease - - - - -	9	8	-	-	-	-	-	-	-	1	1	8	-		
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-		
Organic Heart Disease - - - - -	6	7	-	-	-	-	-	-	-	1	3	4	-		
Bronchitis - - - - -	5	7	1	-	-	-	-	-	1	-	2	4	-		
Pneumonia (all forms) - - - - -	8	10	2	1	3	1	2	3	2	1	2	1	-		
Other Diseases of Respiratory Organs -	1	-	-	-	-	-	1	-	-	-	-	-	-		
*Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-		
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Liver Diseases (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Diseases of Digestive System - -	2	2	1	-	1	-	-	-	-	-	1	1	-		
Nephritis and Bright's Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Puerperal Sepsis - - - - -	-	1	-	-	-	-	-	-	1	-	-	-	-		
Other Diseases and Accidents of Pregnancy and Parturition	-	1	-	-	-	-	-	-	1	-	-	-	-		
Congenital Debility and Malforma- tion, including Premature Birth	5	3	8	-	-	-	-	-	-	-	-	-	-		
Violent Deaths, excluding Suicide - -	2	2	-	1	-	-	-	-	-	-	1	-	-		
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other Defined Diseases - - - - -	18	19	4	-	-	-	-	-	-	1	3	8	2		
Diseases Ill-defined or Unknown - -	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total - - - - -	66	73	18	7	6	2	7	7	7	5	13	28	3		

YEAR 1919.

COUNTY—Wigtown.

PUBLIC HEALTH DISTRICT—Rhins (County District).

Population—Census 1901, - - - 12,685.
Do. Do. 1911, - - - 12,099.
Do. estimated to middle of 1919, 10,947.

REGISTRATION RETURNS.

	Numbers Registered in District.	Transfers		Corrected Number.		
		To Elsewhere from District.	To District from Elsewhere.	Both Sexes.	Males.	Females
Births - - -	236	8	7	235	122	113
Illegitimate Births -	54	0	5	59	32	27
Marriages - - -	88	-	-	-	-	-
Deaths - - -	168	0	12	180	78	102

PRINCIPAL RATES PER 1000 OF ESTIMATED POPULATION.

	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and for Age and Sex Distribution.
Birth-rate - - - - -	21·6	21·5	-
Marriage-rate - - - - -	8·0	-	-
Death-rate—All Causes - - - - -	15·3	16·4	15·0
Do. —Phthisis - - - - -	-	0·46	-
Do. —All Tuberculosis - - - - -	-	0·82	-
Do. —Principal Epidemic Diseases (those asterisked below.)	-	0·37	-

Infantile Mortality Rate (Deaths of Children of under One Year per 1000 Births), corrected—72.
Illegitimate Rate (Illegitimate Births per 100 Total Births), corrected for Transcripts—25·1.

CAUSES OF DEATH (corrected for Transfers).

Causes of Death.	SEXES.		AGE											
	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping-cough - - - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	-	2	-	-	-	-	2	-	-	-	-	-	-	
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis, Pulmonary Tuberculosis - - - - -	-	5	-	-	-	1	-	2	-	2	-	-	-	
Tuberculous Meningitis - - - - -	1	1	-	2	-	-	-	-	-	-	-	-	-	
Abdominal Tuberculosis - - - - -	-	1	-	-	-	1	-	-	-	-	-	-	-	
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-	
Cancer, Malignant Disease - - - - -	4	7	-	-	-	1	-	1	2	4	2	1	-	
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organic Heart Disease - - - - -	9	13	-	-	-	-	1	-	1	4	9	7	-	
Bronchitis - - - - -	4	7	2	2	-	-	-	1	-	1	3	2	-	
Pneumonia (all forms) - - - - -	10	18	3	7	1	1	5	5	1	-	1	3	1	
Other Diseases of Respiratory Organs - - - - -	2	1	1	-	-	-	-	1	-	-	-	1	-	
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	-	-	-	-	-	-	-	-	-	
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Digestive System - - - - -	3	5	1	1	-	-	-	-	-	-	1	2	3	
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	1	-	-	-	3	1	-	
Quarperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital Debility and Malformation, including Premature Birth - - - - -	4	4	8	-	-	-	-	-	-	-	-	-	-	
Violent Deaths, excluding Suicide - - - - -	4	1	-	1	-	1	1	-	-	-	1	1	-	
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other Defined Diseases - - - - -	29	32	1	-	-	-	1	3	2	7	7	18	22	
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	2	-	
Total - - - - -	78	102	17	14	3	2	10	13	8	10	25	42	36	

NOTES ON STATISTICAL TABLES.

The " Height of Station " is that of the cistern of the Barometer above Mean Sea-Level, or, where no barometer is in use, the height of the rain-gauge above Mean Sea-Level.

It is to be noted that the observations of pressure have not been adjusted to mean sea-level or Lat. 45° , but are at the heights and latitudes of the various stations.

The Air Temperatures are from standard thermometers exposed in the regulation " Stevenson Screen," or in a screen closely approaching the regulation pattern.

The averages for Temperature and Rainfall referred to in the statistics for individual stations are in general for the 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period, averages have been adjusted by comparison with neighbouring stations. The Sunshine averages are also for the 35-year period 1881-1915, or have been adjusted to that period.

The amount of cloud is estimated on a scale of 0-10, and a day is reckoned as a day of " clear sky " if the average of the estimates at the hours of observation is less than 2, and as an " overcast " day if the average is greater than 8.

The hours of observation refer to Greenwich Mean Time (G.M.T.). Thus 7h. or 7 = 7 a.m., 9 = 9 a.m., 13 = 1 p.m., 15 = 3 p.m., 18 = 6 p.m., 21 = 9 p.m., all G.M.T. During the operation of the Summer Time Act (from March 24th to September 29th) observations at a few stations were made at times which differed slightly from the times at which they were made during the rest of the year.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Shetland.											
BALTASOUND—	31	Jan.	...	42·8	35·5	39·2	...	47	9th, 24th	28	17th
T. Edmonston		Feb.	...	39·6	31·8	35·7	...	46	9th	21	5th
Saxby,		Mch.	...	40·3	31·5	35·9	...	47	17th	24	4th
F.R.F.P.S.		Apl.	...	46·2	35·4	40·8	...	52	22nd	29	3rd
(Glas.), J.P.		May	...	53·6	43·2	48·4	...	64	27th	33	2nd
(9, —, —.)		June	...	54·6	45·3	50·0	...	60	6th, 7th	38	22nd
		July	...	56·4	48·2	52·3	...	63	1st	42	12th
		Aug.	...	55·6	47·0	51·3	...	61	17th	39	4th
		Sept.	...	54·2	44·4	49·3	...	63	3rd, 4th, 6th	32	29th
		Oct.	...	48·6	40·2	44·4	...	57	4th	30	25th
		Nov.	...	41·4	33·2	37·3	...	50	22nd	20	15th
		Dec.	...	41·8	34·3	38·1	...	48	19th	23	28th
		Year	...	47·9	39·2	43·6	...	64		20	
LERWICK—	483	Jan.	29·093	40·6	35·4	38·0	+0·3	46	24th	27	1st
The Meteorologi-		Feb.	29·541	37·5	31·5	34·5	-2·4	42	9th, 10th, 13th	21	18th
cal Office.	59	Mch.	29·627	40·4	32·0	36·2	-2·5	45	12th, 17th	27	8th
Ander Hill till		Apl.	29·687	45·7	36·1	40·9	-0·6	50	21st	29	27th
28th Feb.		May	30·011	53·3	44·2	48·8	+3·6	62	12th, 27th	33	2nd
(7, 13, 21.)		June	29·819	54·2	46·8	50·5	+1·0	61	7th	41	1st
		July	29·907	56·4	48·0	52·2	-0·4	62	2nd, 18th	42	13th, 14
		Aug.	29·669	56·3	48·5	52·4	-0·4	62	17th	42	25th
		Sept.	29·639	55·0	46·2	50·6	0·0	62	6th	35	29th
		Oct.	29·976	49·0	40·6	44·8	-1·4	59	5th, 6th	34	25th, 26th 2
		Nov.	29·654	42·2	34·0	38·1	-4·5	49	22nd, 23rd	28	14th
		Dec.	29·396	43·1	36·2	39·7	-0·4	47	19th, 20th	28	26th
		Year	...	47·8	40·0	43·9	...	62		21	
Orkney.											
DEERNESS—	163	Jan.	29·414	42·3	37·1	39·7	+0·7	46	9th, 24th	30	1st
W. Delday.		Feb.	29·609	40·0	33·4	36·7	-1·8	45	24th	26	4th
(9, —, 21.)		Mch.	29·527	40·9	32·4	36·7	-2·5	46	11th	26	28th
	165	Apl.	29·593	46·5	36·8	41·7	-0·6	53	18th	30	26th, 27
		May	29·866	52·5	43·2	47·9	+1·6	65	27th	32	2nd
		June	29·739	54·9	46·4	50·7	0·0	61	6th	43	2nd, 3rd, 1
		July	29·827	55·7	47·5	51·6	-1·9	60	10th, 18th, 19th	42	14th
		Aug.	29·597	56·3	48·5	52·4	-1·0	63	17th	44	25th, 28
		Sept.	29·553	54·9	46·1	50·5	-0·9	65	10th	37	19th, 24th, 2
		Oct.	29·894	49·1	41·7	45·4	-1·5	59	5th	34	28th
		Nov.	29·528	41·5	34·9	38·2	-4·6	50	23rd	28	15th, 16
		Dec.	29·275	42·6	36·6	39·6	-0·4	48	20th	29	26th
		Year	29·619	48·1	40·4	44·3	-1·1	65		26	
KIRKWALL—	72	Jan.	...	42·0	35·5	38·8	-0·7	47	24th	26	28th
A. G. Spence.		Feb.	...	41·6	31·6	36·6	-2·5	47	25th	24	5th
(9, —, —.)		Mch.	...	42·2	32·0	37·1	-2·6	46	2nd, 17th	25	29th
		Apl.	...	47·8	37·4	42·6	-0·9	54	18th	30	27th
		May	...	56·3	43·2	49·8	+1·8	67	30th	30	2nd
		June	...	56·5	46·2	51·4	-1·5	67	6th	40	17th
		July	...	57·9	47·1	52·5	-2·5	67	13th, 14th,	42	14th
		Aug.	...	57·5	48·6	53·1	-1·7	66	17th	42	25th, 28th, 3
		Sept.	...	56·3	45·5	50·9	-1·5	67	10th	33	29th
		Oct.	...	50·2	41·5	45·9	-1·2	61	5th, 21st	34	25th
		Nov.	...	41·9	33·9	37·9	-5·1	51	22nd	24	15th
		Dec.	...	41·7	36·1	38·9	-1·9	48	19th	27	25th, 26
		Year	...	49·3	39·9	44·6	-1·7	67		24	

* See Note, p. 15c.

HYGROMETER.			CLOUD. Mean (0-10.)†	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.						WIND DIRECTIONS.†									
Mean.†				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	Inch.	%		Inch.	Inch.	Inch.																		
1.0	.231	92	8.4	28	5.50	...	0.68	6th	0	5	0	0	18	1	3	2	4	6	16	14	16	2	2	0
1.3	.194	90	8.8	20	2.45	...	0.64	18th	10	3	0	0	18	0	1	6	6	16	0	8	8	8	4	0
1.8	.186	85	7.7	28	4.58	...	0.52	10th	16	12	1	0	14	0	5	8	8	14	8	8	6	10	0	0
2.0	.225	85	8.3	27	4.58	...	0.56	27th	7	6	0	1	20	0	2	8	6	12	2	6	14	10	2	0
2.8	.293	81	5.8	10	0.52	...	0.15	1st	1	2	1	6	9	3	2	0	2	0	24	20	8	4	4	0
2.6	.315	82	8.2	21	3.63	...	0.50	13th, 29th	0	1	3	0	17	3	4	14	4	2	2	6	12	18	2	0
1.8	.355	88	8.6	15	1.21	...	0.45	21st	0	0	0	0	20	10	0	8	16	4	4	2	4	12	12	0
2.6	.331	83	8.0	27	3.44	...	0.73	27th	0	0	0	0	15	3	1	4	2	4	0	4	10	24	14	0
1.9	.316	87	7.9	26	6.88	...	1.17	18th	0	3	1	0	16	3	5	8	0	4	6	2	20	12	8	0
1.7	.269	88	8.1	29	3.78	...	0.51	22nd	3	9	0	0	15	2	2	18	10	8	0	6	10	10	0	0
2.1	.194	83	7.5	28	5.26	...	0.83	17th	5	12	2	0	9	0	3	8	14	10	4	6	2	10	4	2
1.5	.212	88	8.2	31	5.29	...	0.77	15th	10	9	0	0	18	0	10	6	4	2	4	14	14	14	4	0
				290	47.12		1.17																	
0.5	.228	96	7.5	27	3.17	-1.09	0.31	1st	0	3	0	0	11	2	12	2	4	7	19	14	7	1	6	2
0.4	.194	96	7.6	13	1.15	-2.01	0.39	23rd	10	1	0	0	10	0	5	12	3	9	11	6	3	4	7	1
1.0	.192	91	7.9	28	3.43	+0.29	0.43	4th	18	4	0	0	13	0	8	14	3	3	5	7	12	7	7	4
1.4	.227	89	8.7	26	3.53	+1.25	0.75	6th	3	3	0	0	20	4	3	10	3	1	5	5	19	6	9	2
1.2	.300	92	7.0	5	0.54	-1.55	0.32	1st	1	0	0	0	10	3	1	1	2	1	14	25	9	7	1	2
1.1	.327	93	8.7	19	2.46	+0.68	0.39	22nd	6	0	1	0	18	4	2	10	3	1	3	13	11	13	5	1
0.9	.354	94	9.0	14	1.19	-1.10	0.59	21st	0	0	0	0	21	7	0	15	9	1	3	4	6	12	11	1
0.6	.362	96	8.7	24	3.69	+0.68	1.26	27th	0	0	0	0	17	4	1	3	3	1	1	5	18	18	9	4
0.4	.349	98	7.6	26	6.05	+3.04	0.87	16th	0	1	0	0	7	5	1	5	1	0	3	15	13	16	6	1
0.4	.289	97	8.4	23	2.77	-1.18	0.47	22nd	0	6	0	0	13	0	4	13	8	1	1	11	8	8	10	2
0.7	.219	94	8.1	23	4.87	+0.62	0.79	17th	9	7	2	0	14	0	7	7	8	5	3	3	7	6	7	14
1.1	.220	91	8.0	29	5.69	+0.90	0.71	16th	9	5	0	0	16	0	9	6	2	2	9	17	7	7	3	9
				257	38.54	+0.53	1.26																	
1.3	.217	89	6.6	19	2.74	-0.71	0.64	2nd	0	0	0	1	9	1	2	5	4	6	17	16	6	0	5	3
1.5	.187	87	7.0	15	1.35	-1.66	0.24	20th	7	0	0	5	13	0	1	1	4	9	9	8	4	7	7	7
1.3	.189	89	6.6	25	3.02	+0.21	0.50	26th	18	3	0	3	8	0	4	9	5	9	4	8	8	6	11	2
1.3	.239	91	7.8	25	3.53	+1.46	0.41	4th	5	2	0	0	17	6	2	6	3	4	2	8	14	12	10	1
1.4	.298	90	7.3	7	0.56	-1.43	0.32	1st	3	0	0	1	15	8	0	3	1	4	36	5	5	4	3	1
1.8	.319	88	8.4	23	3.07	+1.23	0.46	12th	1	0	2	0	17	3	2	5	2	2	4	10	10	13	13	1
1.6	.340	89	8.5	19	1.21	-1.36	0.36	21st	1	0	0	0	22	8	0	17	3	0	3	6	3	8	20	2
1.2	.357	91	8.2	27	6.86	+3.99	3.64	26th	0	0	0	0	23	0	1	3	2	2	5	3	7	31	8	1
2.1	.310	86	6.9	22	3.78	+0.88	0.52	17th	3	2	0	4	16	3	1	2	0	1	4	11	13	14	11	3
2.3	.250	83	7.6	27	2.67	-1.12	0.39	12th	4	2	0	1	16	2	1	14	5	0	2	13	5	7	15	1
1.8	.193	85	7.3	28	6.13	+2.20	0.91	18th	9	0	2	0	13	1	2	8	9	8	5	3	8	9	5	5
1.8	.209	85	7.0	28	6.56	+2.37	0.95	15th	7	0	1	1	13	0	6	6	1	2	12	15	8	10	7	1
				265	41.48	+6.06	3.64																	
...	23	2.82	-1.13	0.60	2nd	1	0	0	2	0	2	8	8	12	6	14	8	4	0
...	14	1.49	-1.92	0.22	20th	6	0	0	0	0	0	4	10	12	4	6	12	6	2
...	20	3.32	-0.01	0.42	26th	11	0	0	0	4	4	16	6	6	0	20	2	8	0
...	21	3.30	+1.16	0.50	10th	3	1	0	2	2	6	6	2	2	4	18	14	8	0
...	6	0.65	-1.14	0.43	1st	1	0	0	2	1	0	0	4	26	8	12	4	6	2
...	21	3.08	+1.42	0.50	12th	0	0	1	2	3	10	8	0	2	2	14	16	8	0
...	7	0.98	-1.63	0.38	21st	0	0	0	1	0	12	10	0	2	4	2	6	26	0
...	24	7.08	+4.06	3.85	26th	0	0	0	0	2	2	0	2	2	0	14	22	20	0
...	19	4.43	+1.11	0.48	25th	0	1	0	0	4	0	2	2	6	4	18	18	10	0
...	18	2.50	-1.72	0.33	22nd	0	0	0	0	2	20	6	6	2	2	10	6	10	0
...	26	6.00	+1.69	0.82	18th	5	2	2	0	1	0	14	8	4	8	8	14	2	2
...	27	6.64	+2.00	0.85	5th	3	0	0	0	2	0	6	0	10	14	14	8	10	0
				226	42.29	+3.89	3.85																	

For Stations observing only once a day the means in these columns are the means of the observations at other Stations they are the means of the morning and evening observations.
adjusted to 62 or 60 observations for the various months; to 56 for February.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr. †	A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
				Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Caithness. WICK— The Meteorologi- cal Office. (7, 13, 21.)	94	Jan.	29·493	42·5	36·4	39·5	+1·6	47	24th	25	28th
		Feb.	29·694	39·7	30·1	34·9	-2·9	45	28th	17	5th, 6
		Mar.	29·608	40·9	31·2	36·1	-3·3	47	2nd, 11th	24	7th
		Apl.	29·688	48·5	36·8	42·7	-0·3	61	18th	30	27th
		May	29·925	51·5	43·3	47·4	+0·3	59	13th, 23rd	32	2nd
		June	29·811	56·3	45·8	51·1	-0·7	65	6th	41	17th
		July	29·895	56·7	46·9	51·8	-2·7	66	10th, 31st	38	14th
		Aug.	29·681	58·4	47·8	53·1	-1·3	70	12th	36	25th
		Sept.	29·651	56·0	44·1	50·1	-1·8	66	10th	31	29th
		Oct.	29·975	50·3	40·5	45·4	-1·2	65	4th	30	25th
		Nov.	29·601	42·3	32·4	37·4	-4·6	51	22nd, 23rd	18	15th
		Dec.	29·351	42·2	32·9	37·6	-1·4	48	19th	23	26th, 2
		Year	29·698	48·8	39·0	43·9	-1·5	70		17	
Sutherland. DUNROBIN— D. Melville, for the Duke of Sutherland. (9, —, —.)	12	Jan.	...	42·7	33·1	37·9	-0·3	50	24th	25	29th
		Feb.	...	40·0	30·0	35·0	-3·5
		Mar.	...	42·3	30·8	36·6	-3·5	50	2nd	22	28th, 5
		Apl.	...	50·6	36·4	43·5	-0·2	60	18th	28	27th
		May	...	57·2	43·6	50·4	+2·3	67	23rd	34	2nd
		June	...	60·2	46·1	53·2	+0·1	68	5th	40	25th
		July	...	61·3	47·0	54·2	-1·4	73	10th
		Aug.	...	61·9	47·0	54·5	-1·0	72	17th
		Sept.	...	58·4	45·0	51·7	-0·8	68	10th
		Oct.	...	52·0	41·2	46·6	-1·8	64	21st	32	25th
		Nov.	...	42·8	32·3	37·6	-4·6	55	23rd	15	14th
		Dec.	...	43·0	33·5	38·3	-0·4	52	19th	25	25th
		Year	...	51·0	38·8	44·9	-1·3	73		15	
Ross & Cromarty. FORTROSE— Archd. Thom, M.A. (9, —, —.)	69	Jan.	...	42·0	33·2	37·6	...	49	24th	24	28th
		Feb.	...	40·0	29·9	35·0	...	44	23rd, 24th, 25th	20	18th
		Mar.	...	42·5	32·0	37·3	...	49	16th	26	29th
		Apl.	...	50·4	37·9	44·2	...	56	17th, 22nd	30	27th, 1
		May	...	60·8	45·4	53·1	...	77	27th	33	2nd
		June	...	62·0	48·3	55·2	...	67	4th, 5th	42	25th
		July	...	64·9	49·3	57·1	...	73	30th	42	7th, 1
		Aug.	...	64·4	49·4	56·9	...	74	13th, 16th	34	25th
		Sept.	...	58·6	46·2	52·4	...	66	1st, 4th, 5th	34	20th
		Oct.	...	52·0	41·5	46·8	...	64	5th, 6th	33	26th
		Nov.	...	41·6	32·6	37·1	...	50	23rd	17	15th
		Dec.	...	43·3	34·8	39·1	...	54	19th	28	9th
		Year	...	51·9	40·0	46·0	...	77		17	
Strathpeffer— W. Macrae. (9, —, —.)	125	Jan.	...	39·6	29·9	34·8	-2·5	48	24th	17	28th
		Feb.	...	37·3	26·3	31·8	-5·8	45	28th	11	18th
		Mar.	...	41·5	29·4	35·5	-3·9	49	16th	20	4th
		Apl.	...	50·4	37·0	43·7	-0·3	60	18th	28	14th
		May	...	63·7	44·0	53·9	+4·8	78	28th	30	4th
		June	...	60·9	46·8	53·9	-0·9	66	6th	38	22nd
		July	...	64·9	47·9	56·4	-0·5	75	29th	38	14th
		Aug.	...	62·0	49·0	55·5	-0·7	72	15th, 16th	34	27th
		Sept.	...	59·0	44·4	51·7	-1·1	71	5th	32	2nd
		Oct.	...	51·7	40·2	46·0	-0·2	69	5th	29	2nd
		Nov.	...	39·3	30·3	34·8	-6·7	56	22nd	9	1st
		Dec.	...	41·3	31·2	36·3	-1·3	51	19th	22	26th
		Year	...	51·0	38·0	44·5	-1·6	78		9	

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS. †										
Mean. †				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
°	Inch.	%		Inch.	Inch.	Inch.																		
1.2	.222	91	7.7	24	3.21	+0.75	0.51	2nd	3	2	0	0	11	0	3	3	5	5	14	17	10	4	4	0
1.0	.182	91	7.3	21	1.50	-0.77	0.43	20th	5	0	0	1	11	0	0	2	1	9	8	8	6	13	8	1
1.6	.177	86	7.0	26	1.87	-0.40	0.35	26th	11	6	0	1	9	0	2	9	7	3	6	7	7	10	12	1
1.0	.246	93	8.1	23	2.02	+0.03	0.32	4th	1	2	0	0	16	0	1	9	2	2	1	7	11	14	13	1
0.9	.298	94	6.9	9	0.63	-1.44	0.20	25th	1	1	0	0	7	5	0	1	3	2	23	21	3	3	3	3
1.5	.326	90	8.1	26	2.86	+1.06	0.39	5th	0	1	2	0	15	1	0	6	1	3	2	7	11	12	17	1
1.4	.338	90	8.4	12	0.76	-1.87	0.39	31st	0	0	0	0	19	2	0	14	2	1	4	4	5	5	25	2
1.4	.347	90	7.6	21	3.39	+0.64	1.42	26th	0	0	0	0	11	2	1	1	0	2	3	7	8	21	19	1
1.6	.308	89	6.7	19	3.81	+1.31	0.63	22nd	0	2	0	2	10	0	0	3	0	0	4	11	17	11	14	0
1.7	.263	87	7.3	25	2.77	-0.19	0.51	12th	0	5	0	0	7	2	2	13	6	2	0	7	13	5	16	0
1.1	.204	91	7.8	25	4.87	+1.73	0.63	7th	9	4	0	0	11	0	1	6	10	5	6	2	11	12	8	0
0.4	.222	97	7.1	24	4.86	+1.78	0.51	15th, 18th	5	4	0	0	6	0	4	0	5	0	0	5	15	15	14	8
				255	32.55	+2.63	1.42																	
...	18	1.98	-0.77	0.30	15th	1	0	0	0	0
...	13	1.92	-0.62	3	0	0	0	0
...	10	2.77	+0.14	0.55	26th	3	0	0	0	1	4	0	0	12	0	8	2	34	2
...	17	2.70	+0.57	0.50	27th	4	0	0	0	1	2	0	0	8	0	6	4	26	14
...	8	0.50	-1.77	0.20	11th	0	0	1	1	0	0	0	2	48	0	4	0	4	4
...	11	1.78	-0.14	0.33	10th	0	0	1	0	1	0	0	0	0	44	0	16	0	0
...	6	1.41	-1.45	0.45	19th	0	0	0	0	0	0	8	0	12	0	6	0	34	2
...	9	3.59	+0.88	1.40	26th	0	0	0	0	0	2	12	0	0	18	0	22	8	8
...	16	2.85	+0.44	0.53	22nd	0	0	0	0	1	0	0	0	0	14	2	42	2	2
...	12	3.00	+0.11	0.60	12th	0	0	0	0	0	10	0	0	2	0	4	2	42	2
...	17	4.89	+1.57	0.75	18th	8	0	0	0	0	0	12	0	10	0	8	2	28	0
...	16	3.85	+0.63	0.55	24th	2	0	0	0	3	4	16	0	4	0	18	10	10	0
				153	31.24	-0.41	1.40																	
1.7	.196	85	...	21	1.72	...	0.34	6th	3	0	0	0	0	8	0	6	2	0	4	18	16	8
1.2	.177	88	...	14	1.31	...	0.32	15th	3	0	0	2	0	0	0	2	2	0	0	16	28	8
1.8	.184	85	...	20	1.95	...	0.23	27th, 29th	5	1	0	0	0	12	6	2	0	2	8	10	14	8
2.2	.241	82	...	25	3.25	...	0.67	15th	2	0	1	1	1	8	8	2	2	0	2	6	32	0
2.7	.316	82	...	7	0.35	...	0.08	1st, 4th	1	0	1	3	0	0	2	12	0	2	4	20	8	14
2.6	.342	82	...	14	1.81	...	0.35	16th	0	0	0	0	0	0	4	4	0	0	22	18	12	
3.3	.383	80	...	4	0.44	...	0.27	21st	0	0	0	2	0	2	2	2	0	0	0	40	4	12
2.8	.429	83	...	12	2.07	...	0.85	26th	0	0	0	1	0	2	0	0	0	0	0	28	26	6
2.5	.347	83	...	15	2.40	...	1.00	22nd	0	0	0	1	0	2	2	2	0	0	2	34	12	6
2.6	.262	82	...	14	1.82	...	0.32	29th	0	0	0	1	0	2	2	16	0	2	0	24	16	0
4	.189	88	...	18	3.65	...	0.50	7th	4	0	0	1	0	12	14	8	0	0	0	10	12	4
7	.207	86	...	20	2.23	...	0.30	26th	3	0	0	1	1	8	4	2	0	0	2	26	20	0
				184	23.00		1.00																	
...	11	1.96	-1.17	0.53	26th	1	0	0	0	0
...	10	1.25	-1.44	0.57	15th	2	0	0	0	0
...	18	3.21	+0.59	0.71	26th	8	1	0	0	0
...	18	3.27	+1.32	0.59	27th	3	0	0	0	2
...	6	0.60	-1.23	0.27	1st	1	1	0	0	0
...	19	2.06	+0.24	0.34	10th	0	0	1	0	0
...	4	0.42	-2.18	0.27	31st	0	0	0	0	0
...	13	2.15	-0.45	0.75	25th	0	0	0	0	0
...	16	2.94	+0.73	0.63	19th	1	0	0	0	0
...	13	1.60	-0.97	0.35	14th	2	0	0	0	0
...	17	4.47	+1.43	0.83	20th	5	0	0	0	0
...	18	3.83	+0.35	0.49	21st	2	0	0	1	1
				163	27.76	-2.78	0.83																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
			Inch.	°	°	°	°	°		°	
Ross & Cromarty (<i>contd.</i>)	Feet.										
GLENCARRON— D. D. Munro.	504	Jan.	29·029	40·5	31·8	36·2	−0·9	48	24th	19	28th
		Feb.	29·219	37·7	27·4	32·6	−4·5	42	23rd 24th 25th	17	4th, 5th
		Mar.	29·172	40·1	29·1	34·6	−3·8	46	2nd 10th 17th	21	22nd 24th
(9, —, 21.)		Apl.	29·283	45·3	35·8	40·6	−2·1	51	20th	28	2nd 24th
		May	29·398	61·9	44·0	53·0	+5·0	73	29th	32	2nd 24th
		June	29·405	55·0	44·7	49·9	−3·4	60	12th	38	3rd 24th
		July	29·468	60·9	46·0	53·5	−1·3	70	25th	38	14th 24th
		Aug.	29·304	56·9	48·1	52·5	−2·0	67	15th	39	25th 24th
		Sept.	29·273	55·5	43·4	49·5	−2·2	67	5th	33	19th, 24th
		Oct.	29·573	49·7	40·0	44·9	−0·8	61	5th	30	29th 24th
		Nov.	29·173	37·7	29·2	33·5	−7·5	50	23rd	12	14th, 24th
		Dec.	28·932	42·5	33·3	37·9	+0·2	49	14th	23	25th, 24th
		Year	29·269	43·6	37·7	43·2	−2·0	73		12	
STORNOWAY— The Meteorologi- cal Office.	52	Jan.	29·502	42·7	35·1	38·9	−0·4	50	24th	25	27th
		Feb.	29·716	41·7	32·5	37·1	−2·1	47	11th	25	5th
		Mar.	29·682	42·2	31·9	37·1	−2·8	50	16th	25	29th
(7, 13, 21.)		Apl.	29·766	48·5	38·6	43·6	+0·1	53	11th 17th 18th	28	27th, 24th
		May	29·904	58·0	45·1	51·6	+4·1	68	15th, 27th	34	2nd 24th
		June	29·884	56·1	47·2	51·7	−0·7	61	27th	42	21st, 24th
		July	29·969	57·4	49·2	53·3	−1·3	61	9th	45	7th 8th 24th
		Aug.	29·765	58·7	50·9	54·8	+0·3	65	11th	44	31st 24th
		Sept.	29·716	55·9	47·0	51·5	−0·5	62	1st, 4th, 5th	35	20th, 24th
		Oct.	30·072	50·9	41·1	46·0	−0·7	59	4th	30	15th 24th
		Nov.	29·674	42·2	33·5	37·9	−4·9	51	17th	21	14th, 24th
		Dec.	29·379	43·2	35·7	39·5	−0·4	50	19th	26	26th 24th
		Year	29·752	49·8	40·7	45·3	−0·8	68		21	
Inverness. CASTLEBAY— The Meteorologi- cal Office.	48	Jan.	29·521	44·7	39·0	41·9	...	49	23rd, 24th	33	27th, 24th
		Feb.	29·708	43·2	37·3	40·3	...	46	11th 21st 24th	32	5th 17th 24th
		Mar.	29·711	42·5	35·7	39·1	...	48	16th	27	29th 24th
(7, 13, 21.)		Apl.	29·828	47·2	40·5	43·9	...	50	10th 11th 19th	29	28th 24th
		May	29·904	55·1	47·1	51·1	...	66	30th	36	2nd 24th
		June	29·948	54·2	48·9	51·6	...	57	1st 4th 11th	46	2nd 24th
		July	29·994	57·4	50·1	53·8	...	63	3rd	46	7th 24th
		Aug.	29·832	57·2	51·6	54·4	...	60	4th 16th 17th	45	28th 24th
		Sept.	29·771	55·6	49·3	52·5	...	61	5th, 10th	38	20th 24th
		Oct.	30·118	51·3	45·2	48·3	...	57	4th	37	13th 24th
		Nov.	29·696	45·1	37·8	41·5	...	52	17th	31	14th, 24th
		Dec.	29·434	46·3	39·5	42·9	...	50	5th, 19th	34	22nd 24th
		Year	29·789	50·0	43·5	46·8	...	66		27	
INVERNESS— Kenneth McLean	114	Jan.	...	42·5	32·0	37·3	−1·2	50	25th	22	28th
		Feb.	...	39·8	28·9	34·4	−4·6	46	24th	18	6th 24th
		Mar.	29·596	42·5	31·0	36·8	−4·0	48	10th, 17th	25	24th 24th
		Apl.	29·704	50·9	37·0	44·0	−1·3	58	6th 18th 19th	30	27th 24th
(9, —, 21.)		May	29·881	64·6	45·2	54·9	+5·7	76	16th, 27th	32	4th 24th
		June	29·839	60·7	48·7	54·7	0·0	69	7th	44	17th, 24th
		July	29·887	62·9	49·0	56·0	−1·0	71	9th, 18th	39	14th 24th
		Aug.	29·691	62·1	50·1	56·1	−0·6	70	5th, 11th	39	25th 24th
		Sept.	...	60·7	46·2	53·5	+0·4	71	5th	35	20th 24th
		Oct.	30·002	52·4	42·9	47·7	+0·8	67	5th	31	25th 24th
		Nov.	29·605	40·9	32·3	36·6	−5·1	55	23rd	12	15th 24th
		Dec.	29·375	43·4	34·5	39·0	+0·3	52	20th	28	25th 24th
		Year		52·0	39·8	45·9	−0·9	76		12	

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS. ‡									
Mean. †				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	Inch.	%		Inch.	Inch.	Inch.																			
2.0	.182	84	6.9	22 5.23	-4.84	0.80	15th	5	0	0	1 14	0	0	14	0	22	0	0	0	25	1	0			
1.6	.153	82	5.8	13 1.09	-6.27	0.46	28th	1	0	0	7 11	1	0	24	2	18	0	0	0	12	0	0			
2.7	.157	75	6.3	22 5.25	-2.32	1.50	26th	7	0	0	3 12	0	2	11	0	14	0	0	0	29	8	0			
2.4	.211	81	8.1	25 11.43	+5.44	1.70	10th	4	1	0	0 19	0	2	10	1	7	0	0	0	42	0	0			
4.9	.277	69	5.5	11 1.38	-3.14	0.32	2nd	2	2	0	6 9	1	0	14	0	14	0	0	0	34	0	0			
3.1	.285	79	9.2	26 8.67	+4.53	1.16	6th	0	0	0	0 26	1	0	5	0	9	0	0	0	46	0	0			
3.2	.318	79	6.8	12 1.90	-3.45	0.88	30th	0	0	1	4 15	0	0	6	0	21	0	0	0	34	0	1			
2.7	.328	82	8.7	24 7.89	+0.95	1.00	17th	0	0	0	2 20	0	0	8	0	6	1	0	0	47	0	0			
2.6	.290	82	6.2	24 9.53	+1.98	1.72	25th	0	1	0	3 12	0	2	5	0	5	0	0	0	50	0	0			
2.5	.238	81	7.0	24 5.88	-2.44	0.80	22nd	2	0	0	0 13	0	0	12	0	16	0	0	0	34	0	0			
1.9	.165	81	7.5	20 7.40	-2.08	1.38	17th	9	0	0	5 17	0	0	15	2	15	1	0	0	25	2	0			
2.6	.183	79	7.4	26 8.28	-2.18	1.21	14th	8	0	1	1 17	0	1	12	0	8	0	0	0	42	0	0			
				249	73.93	-13.82	1.72																		
1.3	.213	89	6.5	27 4.90	-0.27	0.51	2nd 11th 13th	5	2	0	2 7	0	0	8	3	6	5	19	5	7	5	4			
0.9	.196	92	6.7	16 2.21	-2.25	0.71	20th	2	1	0	4 10	0	0	7	4	7	10	13	2	7	1	5			
1.5	.184	87	6.9	27 5.86	+1.76	1.54	1st	12	6	0	0 9	0	2	15	6	10	6	3	8	8	5	1			
1.6	.244	87	7.7	26 4.24	+1.21	0.75	10th	3	2	0	0 9	0	0	9	5	3	1	6	17	15	4	0			
2.2	.312	85	6.7	12 1.61	-0.95	0.28	4th, 20th	1	4	0	0 7	0	0	0	5	12	9	17	6	5	1	7			
2.0	.323	86	8.6	25 5.42	+3.10	0.71	15th	0	0	0	0 17	0	0	8	1	2	1	7	16	18	7	0			
1.5	.346	89	8.4	15 2.44	-0.59	0.59	18th	0	0	0	0 17	0	0	12	16	3	2	6	7	7	6	3			
1.8	.351	88	8.0	21 4.46	+0.49	0.75	29th	0	0	0	0 14	0	0	8	3	0	0	3	7	31	10	0			
1.8	.313	88	7.7	26 5.12	+1.17	0.59	19th	0	1	0	0 13	0	0	6	1	1	1	10	22	8	10	1			
1.7	.262	88	7.9	25 3.87	-1.31	0.43	22nd	0	2	0	0 15	0	0	21	3	4	1	6	11	8	8	0			
1.3	.194	89	7.0	25 5.78	-0.05	0.63	18th	2	4	0	1 11	0	0	5	13	9	1	3	5	15	5	4			
1.6	.214	87	6.3	28 6.51	+0.26	0.75	13th	2	2	0	3 10	0	2	3	1	0	3	17	15	14	4	5			
				273	52.42	+2.57	1.54																		
2.4	.221	82	6.8	26 4.04	...	0.59	9th	4	4	1	0 11	1	1	8	8	9	8	7	5	7	7	3			
2.2	.204	82	6.5	14 1.63	...	0.47	19th	1	1	0	3 11	1	0	3	13	17	9	6	1	3	3	1			
2.2	.194	83	6.3	23 4.40	...	1.22	19th	12	7	1	3 11	0	2	11	10	8	4	3	4	11	8	3			
1.5	.256	88	7.0	25 1.71	...	0.28	25th	2	1	0	1 12	5	0	10	1	2	1	4	10	17	14	1			
2.4	.311	84	6.5	14 1.30	...	0.28	4th	1	2	0	2 9	4	0	1	5	21	11	7	5	5	3	4			
2.0	.325	86	8.1	27 2.72	...	0.47	11th	0	0	0	0 17	9	0	4	3	0	1	4	13	16	17	2			
1.5	.365	90	6.8	14 1.20	...	0.63	18th	0	0	0	3 13	4	0	9	9	0	2	0	8	11	22	1			
1.8	.363	87	8.1	27 3.79	...	1.02	15th	0	0	1	0 14	5	1	7	2	1	3	3	7	20	17	2			
2.1	.335	86	7.4	23 2.86	...	0.35	21st	0	3	0	2 17	3	0	4	1	1	4	4	13	15	13	5			
1.7	.291	88	7.4	22 2.19	...	0.35	12th	1	3	0	1 16	7	0	21	7	1	3	6	9	5	7	3			
2.4	.213	82	6.9	22 4.07	...	1.06	8th	6	10	1	0 9	0	0	17	11	6	1	3	2	12	4	4			
1.9	.243	86	7.0	27 4.57	...	1.22	13th	2	8	0	0 11	2	3	6	1	0	10	7	5	24	6	3			
				264	34.48	1.22																			
1.7	.202	86	...	18 1.80	-0.68	3	0	0	0	0	0	4	2	0	9	32	2	13	0		
1.8	.168	82	4.9	13 0.90	-1.28	0.33	14th	4	0	0	6 7	1	0	0	4	7	6	4	20	12	3	0			
2.6	.176	78	5.9	18 1.55	-0.58	0.20	26th, 30th	14	6	0	3 8	0	0	0	5	12	1	7	17	3	17	0			
3.3	.232	77	8.1	20 2.44	+0.85	0.50	15th	6	4	1	0 16	2	0	3	10	0	0	0	20	7	13	7			
4.4	.301	72	5.1	8 0.29	-1.52	0.10	1st	1	2	0	4 5	4	0	0	3	5	2	3	9	4	5	31			
4.1	.307	74	7.3	16 1.89	+0.02	0.31	16th	0	0	0	0 13	2	2	2	4	0	0	0	13	18	14	9			
4.8	.326	71	...	11 0.31	-2.24	0.10	21st	0	0	0	0	0	22	1	3	0	20	1	15	0			
4.6	.330	72	7.7	17 2.62	+0.13	0.89	26th	0	0	0	0 11	1	1	0	9	0	0	0	28	2	20	3			
3.5	.300	77	5.5	19 2.26	-0.03	0.90	22nd	1	2	0	1 2	3	2	2	1	0	0	0	14	16	8	19			
3.1	.256	79	6.6	18 1.44	-0.94	0.26	22nd	0	7	0	0 7	1	0	4	13	3	1	1	16	7	17	0			
1.6	.188	87	7.2	21 3.91	+1.41	0.77	7th	11	4	0	2 14	1	1	2	5	3	1	0	12	6	8	23			
2.0	.205	84	7.2	20 2.38	-0.22	0.30	3rd, 18th	10	4	0	0 15	2	2	0	0	0	0	0	19	12	18	13			
				199	21.79	-5.08	0.90																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.				
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	
Feet.	Inch.	°	°	°	°	°	°	°	°	°		
Inverness (contd.) FORT AUGUSTUS— Rev. Aelred White, O.S.B. (9, —, —.)	68	Jan.	...	41·7	31·0	36·4	−1·3	48	24th	22	3rd	
		Feb.	...	39·5	28·7	34·1	−3·6	49	20th	12	10th	
		Mar.	...	42·1	29·8	36·0	−3·7	49	10th	18	22nd	
		Apl.	
		May	
		June	...	59·5	46·5	53·0	−1·3	66	5th	41	22nd	
		July	
		Aug.	
		Sept.	
		Oct.	
		Nov.	
		Dec.	
		Year										
		FORT WILLIAM— W. T. Kilgour. (9, —, 21.)	38	Jan.	29·566	41·9	32·8	37·4	−1·5	47	24th	19
Feb.	29·748			40·1	28·8	34·5	−4·3	46	23rd	18	18th	
Mar.	29·719			42·7	30·5	36·6	−4·0	49	17th	21	22nd	
Apl.	29·831			49·1	37·9	43·5	−1·3	55	20th 24th 30th	29	2nd	
May	29·953			64·5	45·7	55·1	+5·0	77	15th	33	2nd, 4th	
June	29·950			59·9	46·8	53·4	−2·2	67	1st	39	26th	
July	29·993			65·3	47·8	56·6	−0·6	74	25th	39	14th	
Aug.	29·827			62·4	49·6	56·0	−0·6	71	15th	37	28th	
Sept.	29·793			58·5	45·0	51·8	−1·7	70	5th	33	14th, 28th	
Oct.	30·117			51·8	40·9	46·4	−1·1	61	7th	30	25th	
Nov.	29·716			40·1	29·7	34·9	−7·8	53	23rd	11	15th	
Dec.	29·491			43·8	35·1	39·5	−0·2	50	14th, 15th	23	26th	
Year	29·809			51·7	39·2	45·5	−1·7	77		11		
KINGUSSIE— Mrs. de Watte- ville. (9, —, 21.)	840			Jan.	...	40·1	27·0	33·6	−1·3	45	14th, 24th	4
		Feb.	...	38·3	21·8	30·1	−5·4	45	24th	2	5th	
		Mar.	...	41·1	26·3	33·7	−3·6	47	17th	15	21st	
		Apl.	...	47·9	33·8	40·9	−0·9	57	11th	22	2nd	
		May	...	62·1	41·3	51·7	+4·1	79	28th, 30th	23	4th	
		June	...	62·0	45·0	53·5	−0·4	
		July	...	64·4	45·1	54·8	−0·9	74	15th	32	14th	
		Aug.	...	63·6	46·7	55·2	+0·5	74	9th	31	25th	
		Sept.	...	57·8	39·0	48·4	−2·4	67	10th	26	14th	
		Oct.	...	51·3	39·2	45·3	+1·2	67	5th	27	7th, 25th	
		Nov.	...	37·0	25·4	31·2	−7·7	55	23rd	−5	14th, 15th	
		Dec.	...	41·2	29·9	35·6	+0·4	49	19th	14	26th	
		Year		50·6	35·0	42·8	−1·4	79		−5		
		Nairn. NAIRN— The Meteorologi- cal Office. (7, 13, 18.)	82	Jan.	29·500	40·8	30·5	35·7	−1·5	51	24th	21
Feb.	29·703			38·1	26·3	32·2	−5·4	44	28th	13	5th	
Mar.	29·642			41·5	29·5	35·5	−4·0	50	2nd	21	22nd	
Apl.	29·727			50·9	36·1	43·5	−0·4	62	18th	29	14th	
May	29·902			63·8	42·5	53·2	+4·4	76	15th 23rd 27th	29	4th	
June	29·860			61·4	47·1	54·3	+0·1	71	7th	40	17th	
July	29·919			63·5	47·4	55·5	−0·7	74	15th	35	14th	
Aug.	29·722			63·5	49·0	56·3	+0·1	73	16th, 17th	34	25th	
Sept.	29·692			60·1	43·9	52·0	−0·7	72	5th	33	20th, 29th	
Oct.	30·023			51·5	40·3	45·9	−0·2	69	5th	30	7th	
Nov.	29·639			39·7	30·2	35·0	−6·2	53	22nd, 23rd	8	15th	
Dec.	29·400			41·7	32·7	37·2	−0·4	51	19th	25	10th	
Year	29·727			51·4	38·0	44·7	−1·2	76		8		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr.†	A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Elgin or Moray. GORDON CASTLE— C. Webster, for the Duke of Richmond and Gordon, K.G. (9, —, 21.)	107	Jan.	29·483	42·0	32·4	37·2	−0·9	50	24th	23	28th
		Feb.	29·681	39·4	28·4	33·9	−4·7	45	14th 24th 28th	11	6th
		Mar.	29·620	41·8	30·5	36·2	−3·9	52	2nd	23	24th
		Apl.	29·702	50·7	37·9	44·3	+0·1	66	18th	30	27th
		May	29·907	62·6	44·4	53·5	+4·5	76	23rd	32	2nd
		June	29·834	61·9	47·7	54·8	+0·3	76	7th	43	2nd, 26th
		July	29·900	61·8	47·5	54·7	−2·1	74	10th, 18th	37	14th
		Aug.	29·693	63·6	49·6	56·6	+0·2	74	15th, 16th	42	28th
		Sept.	29·680	60·8	45·1	53·0	−0·2	75	10th	34	20th
		Oct.	29·995	52·5	40·7	46·6	−0·5	73	5th	30	29th
		Nov.	29·614	40·3	30·5	35·4	−6·8	54	23rd	11	15th
		Dec.	29·387	42·1	34·2	38·2	−0·4	50	20th	23	25th
		Year	29·708	1·6	39·1	45·4	−1·2	76		11	
Banff. BANFF— A. J. Leigh, B.Sc. (9, —, 18.)	64	Jan.	29·558	42·4	33·8	38·1	...	47	24th	26	13th
		Feb.	29·740	39·4	29·3	34·4	...	47	14th	18	5th, 6th
		Mar.	29·657	41·7	31·3	36·5	...	51	2nd	24	8th
		Apl.	29·736	51·5	38·3	44·9	...	67	18th	30	2nd
		May	29·957	60·1	43·8	52·0	...	74	23rd	31	3rd, 4th
		June	29·873	59·9	47·7	53·8	...	74	7th	43	22nd
		July	29·937	59·1	48·7	53·9	...	72	18th	42	2nd, 13th
		Aug.	29·737	62·5	48·9	55·7	...	78	16th	33	25th
		Sept.	29·710	60·5	45·3	52·9	...	74	10th	33	14th, 15th
		Oct.	30·033	53·2	42·7	48·0	...	72	5th	33	7th
		Nov.	29·649	41·2	31·2	36·2	...	49	3rd 22nd 23rd	5	14th, 15th
		Dec.	29·428	42·0	34·2	38·1	...	50	20th	24	26th
		Year	29·751	51·1	39·6	45·4	...	78		5	
Aberdeen. BRAEMAR— A. M. Shirran. (9, —, 21.)	1114	Jan.	28·403	37·9	27·8	32·9	−1·4	43	14th	12	1st, 4th
		Feb.	28·584	37·5	22·3	29·9	−4·5	46	11th	3	5th
		Mar.	28·515	37·8	24·2	31·0	−5·0	43	2nd, 9th, 10th	7	23rd
		Apl.	28·644	46·7	34·0	40·4	−0·3	60	18th	16	2nd
		May	28·843	59·8	38·2	49·0	+2·8	77	28th	23	4th
		June	28·774	59·4	43·3	51·4	−1·2	72	12th	32	12th
		July	28·842	65·7	43·3	54·5	−0·3	76	10th, 11th	32	14th
		Aug.	28·659	62·4	45·1	53·8	+0·2	73	16th	30	25th
		Sept.	28·629	57·6	40·5	49·1	−0·8	67	10th	28	15th 20th 28th
		Oct.	28·923	49·2	36·9	43·1	−0·4	66	5th	20	7th
		Nov.	28·523	36·8	22·7	29·8	−8·6	51	23rd	−10	14th
		Dec.	28·288	39·1	29·8	34·5	−0·3	46	19th	11	26th
		Year	28·636	49·2	34·0	41·6	−1·7	77		−10	
BALMORAL— J. M. Troup. (9, —, —.)	927	Jan.	28·604	37·7	28·1	32·9	−1·8	44	24th, 25th	15	19th
		Feb.	28·767	36·3	23·4	29·9	−5·1	42	11th 13th 14th	5	5th
		Mar.	28·711	37·3	25·3	31·3	−5·5	46	2nd	11	25th
		Apl.	28·816	47·0	34·1	40·6	−0·6	61	18th	22	2nd
		May	29·038	60·7	38·2	49·5	+2·9	78	28th	23	4th
		June	...	59·4	43·3	51·4	−1·8	71	7th, 12th	34	14th
		July	...	63·9	42·9	53·4	−2·2	77	10th	29	14th
		Aug.	...	63·3	46·5	54·9	+0·6	75	16th	29	25th
		Sept.	...	57·8	40·7	49·3	−1·0	70	10th	27	14th
		Oct.	...	48·9	37·6	43·3	−0·3	68	5th	24	7th
		Nov.	...	36·3	24·8	30·6	−8·1	52	22nd	−6	14th
		Dec.	...	38·1	29·5	33·8	−1·2	46	19th	14	26th
		Year	...	48·9	34·5	41·7	−2·0	78		−6	

THERMOMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—							WIND DIRECTIONS. ‡ Number of Observations.									
Wet Bulb.	Vapour Pressure	Humidity.		Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Inch.	%			Inch.	Inch.	Inch.																			
5	193	87	7.4	21	3.96	+1.94	0.78	2nd	3	0	1	0	12	0	0	3	4	1	14	19	9	3	9	0	
2	162	86	6.8	14	1.55	-0.37	0.34	20th	3	0	0	3	10	0	0	2	9	4	17	17	7	0	0	0	
8	177	84	6.7	20	2.09	-0.23	0.33	31st	11	0	0	1	12	0	1	12	2	2	15	13	2	15	0	0	
6	231	80	7.7	18	3.08	+1.33	0.92	15th	4	0	0	0	16	0	1	9	3	1	2	8	27	4	6	0	
4	298	72	5.9	6	0.28	-1.84	0.08	4th, 11th	0	0	2	2	6	0	0	1	7	0	26	16	5	4	3	0	
3	309	73	7.4	17	2.70	+0.66	0.71	30th	0	0	1	0	12	0	2	4	0	0	1	10	20	1	24	0	
7	342	82	7.8	11	0.59	-2.61	0.17	31st	0	0	0	0	17	0	0	24	2	0	0	2	7	6	21	0	
4	347	79	7.1	15	2.25	-0.92	0.56	25th	0	0	1	2	12	0	0	0	1	2	3	6	18	12	20	0	
3	323	83	6.7	18	3.27	+0.77	1.19	22nd	0	0	0	1	10	0	1	5	0	0	4	12	24	3	12	0	
4	264	83	7.1	20	3.74	+0.58	0.83	22nd	1	3	0	0	10	0	0	2	6	1	2	16	4	7	24	0	
1	190	90	7.2	26	4.51	+1.63	0.83	7th	4	0	0	1	14	0	0	0	15	2	7	12	15	2	7	0	
5	200	87	7.3	22	2.28	-0.41	0.34	15th	4	0	0	1	11	0	2	1	0	0	8	25	15	4	9	0	
				208	30.30	+0.53	1.19																		
0	208	92	6.8	21	3.25	...	0.74	2nd	3	2	0	1	13	0	0	1	5	3	27	10	3	4	7	2	
1	180	92	7.6	13	1.33	...	0.21	20th	11	1	0	2	18	0	0	5	10	0	16	11	2	1	1	10	
6	189	87	7.3	21	1.90	...	0.23	30th	15	5	0	2	14	0	2	4	8	3	12	5	4	3	21	2	
3	260	83	8.1	17	1.57	...	0.51	15th	2	0	0	1	23	0	1	8	9	1	5	3	14	7	12	1	
1	361	87	5.8	10	0.58	...	0.11	1st, 24th	0	0	0	3	7	2	0	9	6	0	10	17	9	2	2	7	
2	357	82	7.4	22	2.28	...	0.43	16th	0	0	1	0	12	0	1	10	2	1	2	10	9	6	16	4	
3	358	83	7.8	15	0.82	...	0.27	22nd	0	0	1	0	16	0	0	24	8	0	2	3	3	3	19	0	
4	373	79	7.0	18	1.85	...	0.38	25th	0	0	2	0	9	0	1	4	3	0	3	8	9	22	9	4	
5	393	93	6.6	19	3.43	...	1.08	22nd	0	3	0	3	12	0	0	4	1	0	2	18	10	8	5	12	
3	322	98	6.8	23	3.00	...	0.59	22nd	0	7	1	0	9	0	1	18	6	0	4	13	4	7	8	2	
1	195	91	6.2	26	3.38	...	0.69	23rd	4	4	0	3	9	0	0	10	11	1	9	8	4	2	6	9	
1	194	84	6.5	24	3.50	...	0.71	15th	5	2	0	2	10	0	1	5	0	0	7	17	17	3	9	4	
				229	26.89		1.08																		
1	160	81	7.8	17	3.18	+0.10	0.59	1st	12	0	0	0	16	0	0	0	12	6	2	10	18	10	4	0	
1	118	73	5.3	7	1.09	-1.64	0.41	20th	8	0	0	7	9	0	0	0	14	4	4	8	16	6	4	0	
1	148	80	5.9	18	4.51	+1.58	1.00	27th	17	0	0	4	11	0	0	8	16	8	2	10	12	2	4	0	
1	209	83	6.5	9	3.16	+0.85	0.82	15th	4	0	0	0	8	0	2	16	0	2	2	0	18	12	10	0	
1	261	70	5.7	8	1.65	-0.74	0.60	30th	1	0	1	5	7	1	0	0	0	4	6	28	20	2	2	0	
1	285	75	6.9	19	1.94	+0.03	0.50	29th	0	0	1	1	10	0	0	8	2	0	0	2	26	8	14	0	
1	300	72	4.3	3	0.49	-2.07	0.24	18th	0	0	0	9	4	0	1	6	0	24	4	2	12	10	4	0	
1	296	72	7.1	12	1.53	-1.83	0.71	25th	0	0	0	0	11	0	0	2	0	6	0	0	8	26	20	0	
1	264	80	6.7	17	2.73	+0.21	0.57	19th	2	0	0	3	12	1	0	6	0	0	2	6	32	12	2	0	
1	223	80	7.1	17	2.63	-1.12	0.95	26th	7	0	0	0	8	0	0	14	8	2	0	2	16	6	14	0	
1	132	81	6.3	20	6.25	+2.36	0.90	9th	15	0	0	4	11	0	0	2	16	10	2	4	12	8	4	2	
1	170	86	6.8	23	5.25	+1.68	0.60	30th	13	1	1	3	10	0	1	10	0	0	0	18	24	4	6	0	
				170	34.41	-0.59	1.00																		
1	165	86	8.2	24	3.23	+0.54	0.83	1st	10	0	0	0	19	2	0	5	4	12	6	0	10	19	6	0	
1	112	73	7.4	12	1.45	-1.21	0.40	15th	15	0	0	2	15	5	0	2	10	15	0	1	5	20	3	0	
1	150	81	7.8	20	3.25	+0.30	1.05	27th	18	0	0	0	14	0	1	8	6	11	1	0	7	15	14	0	
1	205	78	8.3	20	3.28	+1.03	1.30	27th	10	0	0	0	14	2	2	8	4	4	0	0	1	30	13	0	
1	307	81	6.7	13	1.34	-1.08	0.29	7th	1	2	2	0	6	9	0	0	240	6	0	0	10	4	0	0	
1	301	75	7.8	19	2.03	+0.08	0.51	29th	5	1	1	0	13	3	1	5	0	2	5	0	8	22	18	0	
1	313	69	7.3	10	0.34	-2.31	0.09	21st	0	0	1	0	12	1	0	9	12	4	3	0	3	8	23	0	
1	311	73	7.8	9	1.35	-1.79	0.67	25th	0	0	1	1	12	6	0	0	1	5	3	0	3	25	25	0	
1	255	75	8.4	17	3.50	+1.13	1.03	20th	3	0	0	0	17	9	0	3	0	1	4	0	19	27	6	0	
1	211	78	8.9	20	2.76	-0.84	0.80	27th	7	0	0	0	19	0	0	11	2	3	0	0	10	12	24	0	
1	128	73	8.0	22	5.85	+2.17	0.60	4th, 8th, 23rd	13	0	1	0	15	4	0	8	4	14	0	0	4	16	14	0	
1	164	82	6.5	24	4.08	+0.79	0.51	15th	12	0	0	1	10	4	4	10	0	2	4	0	8	14	24	0	
				210	32.46	-1.19	1.30																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.						
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.		
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.
	Feet.		Inch.	°	°	°	°	°		°
Aberdeen (contd.) LOGIE COLD- STONE (The Schoolhouse)— J. B. Anderson. (9, —, —.)	608	Jan.	...	39·2	29·9	34·6	-0·9	44	24th	17
		Feb.	...	38·3	23·5	30·9	-4·9	48	14th	9
		Mar.	...	39·7	27·6	33·7	-3·7	48	2nd	18
		Apl.	...	50·0	35·2	42·6	+0·3	66	18th	27
		May	...	61·3	39·8	50·6	+3·1	76	28th	25
		June	...	62·4	44·2	53·3	-0·7	76	6th	33
		July	...	65·2	45·2	55·2	-0·8	78	10th	32
		Aug.	...	64·4	47·4	55·9	+0·4	78	12th, 15th	30
		Sept.	...	60·2	41·5	50·9	-0·8	76	10th	25
		Oct.	...	51·1	38·5	44·8	+0·6	71	5th	25
		Nov.	...	37·8	27·5	32·7	-6·1	53	22nd, 23rd	-4
		Dec.	...	40·8	30·4	35·6	-0·2	49	20th	16
		Year	...	50·9	35·9	43·4	-1·1	78		-4
LOGIE COLDSTONE (Loanhead)— A. Farquharson. (9, —, 21.)	747	Jan.	...	38·2	30·5	34·4	-1·5	44	24th	20
		Feb.	...	38·3	26·7	32·5	-3·5	47	9th, 10th, 14th	11
		Mar.	...	39·2	27·1	33·2	-4·3	47	2nd	19
		Apl.	...	49·3	34·9	42·1	-0·4	65	18th	26
		May	...	59·9	41·4	50·7	+3·4	78	28th	28
		June	...	60·8	45·6	53·2	-0·5	70	7th, 12th	40
		July	...	63·2	46·1	54·7	-1·1	76	10th	36
		Aug.	...	62·6	47·9	55·3	+0·2	76	12th	33
		Sept.	...	59·0	43·6	51·3	-0·1	74	10th	32
		Oct.	...	49·8	39·1	44·5	-0·1	70	5th	30
		Nov.	...	37·0	28·0	32·5	-6·1	50	23rd	5
		Dec.	...	40·0	32·0	36·0	-0·3	51	20th	20
		Year	...	49·8	36·9	43·4	-1·2	78		5
ABERDEEN (King's Coll.)— The Meteorologi- cal Office. (9, 15, 21.)	88	Jan.	29·540	41·2	34·9	38·1	+0·2	46	9th	28
		Feb.	29·711	39·0	31·3	35·2	-3·1	43	24th	20
		Mar.	29·643	40·8	31·6	36·2	-3·9	49	2nd	26
		Apl.	29·731	50·7	38·1	44·4	+0·7	68	18th	31
		May	29·971	54·3	44·2	49·3	+1·1	67	24th	34
		June	29·858	60·4	47·8	54·1	+0·6	69	6th	42
		July	29·908	60·1	48·4	54·3	-2·3	74	11th	39
		Aug.	29·736	62·4	50·0	56·2	0·0	73	12th	38
		Sept.	29·717	58·8	45·5	52·2	-0·8	71	10th	35
		Oct.	30·018	50·5	41·5	46·0	-1·3	63	5th	34
		Nov.	29·636	40·1	32·2	36·2	-5·9	54	23rd	13
		Dec.	29·430	42·1	35·4	38·8	+0·2	52	20th	26
		Year	29·742	50·0	40·1	45·1	-1·2	74		13
Kincardine. CRATHES— J. Smith, J.P. (9, —, —.)	140	Jan.	...	40·2	31·2	35·7	-0·5	45	24th	21
		Feb.	...	39·8	27·0	33·4	-3·8	48	9th	17
		Mar.	...	42·9	29·2	36·1	-3·2	51	2nd	21
		Apl.	...	53·4	36·3	44·9	+1·4	72	18th	27
		May	...	61·0	42·3	51·7	+2·8	75	30th	29
		June	...	64·6	47·3	56·0	+1·3	75	6th	38
		July	...	67·0	47·2	57·1	-0·3	79	11th	35
		Aug.	...	67·7	47·5	57·6	+1·2	83	12th	33
		Sept.	...	62·6	44·6	53·6	+0·8	76	10th	31
		Oct.	...	52·5	39·3	45·9	-0·2	69	5th	32
		Nov.	...	39·9	28·2	34·1	-6·3	53	22nd	8
		Dec.	...	42·0	31·3	36·7	+0·4	48	18th	22
		Year	...	52·8	37·6	45·2	-0·5	83		8

BROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.						WIND DIRECTIONS.‡									
Mean.†				Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Wet Bulb.	Vapour Pressure	Humidity.									Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.
Inch.	%				Inch.	Inch.	Inch.																	
				20	3.12	+0.91	0.87	1st	8	0	0	2	0	0	0	0	6	2	30	0	10	14
				10	1.72	-0.36	0.57	20th	8	0	0	0	0	2	0	0	2	2	10	2	10	28
				21	2.61	+0.01	0.67	27th	16	0	0	0	2	4	0	0	6	2	10	4	34	2
				19	5.00	+2.99	1.42	27th	5	0	0	0	2	4	0	0	0	0	26	8	22	0
				9	1.03	-1.46	0.42	24th	1	0	3	0	0	0	0	0	14	20	14	4	0	10
				16	1.74	-0.21	0.30	23rd	0	0	1	0	1	0	0	0	2	0	18	12	24	4
				10	0.40	-2.56	0.11	13th	0	0	0	0	0	0	0	0	0	0	6	2	34	20
				15	2.30	-0.87	1.12	25th	0	0	1	0	1	0	0	0	0	0	6	14	32	10
				15	3.60	+1.27	1.20	19th	1	0	0	1	2	0	0	0	0	0	32	4	14	10
				20	3.07	-0.17	0.61	26th	5	0	0	0	0	0	0	0	0	4	14	2	36	6
				24	4.57	+1.50	0.76	4th	13	0	0	0	0	6	0	2	0	2	10	4	16	20
				25	3.05	+0.24	0.58	15th	8	0	0	0	2	0	0	0	2	4	20	12	12	12
				204	32.21	+1.29	1.42																	
				24	3.64	+1.43	0.85	1st	8	0	0	1	0	2	7	3	14	1	8	1	15	11
				13	1.30	-0.78	0.29	15th, 22nd	8	0	0	0	0	2	5	6	5	0	4	1	9	24
				22	2.36	-0.24	0.63	27th	16	0	0	0	2	2	6	2	6	0	5	7	23	11
				20	4.61	+2.60	1.75	15th	4	0	0	0	2	4	4	0	4	0	9	3	29	7
				9	0.87	-1.62	0.27	11th	1	0	2	0	0	3	5	7	26	1	5	4	1	10
				17	1.56	-0.39	0.31	23rd	0	0	1	0	1	1	0	1	2	0	15	8	27	6
				12	0.54	-2.42	0.13	30th	0	0	0	0	0	4	4	4	4	0	3	10	27	6
				18	1.96	-1.21	0.90	25th	0	0	1	0	1	0	1	2	4	1	7	23	14	10
				16	2.95	+0.62	1.06	22nd	1	0	0	1	2	1	0	5	3	0	12	13	9	17
				21	3.13	-0.11	0.63	26th	5	0	0	0	0	1	1	5	3	0	2	2	30	18
				25	4.09	+1.02	0.67	23rd	10	0	0	0	0	1	4	9	2	1	1	9	19	14
				24	2.82	+0.01	0.55	15th	8	0	0	0	2	2	3	4	8	3	8	10	18	6
				221	29.83	-1.09	1.75																	
4	203	88	6.7	19	3.51	+1.33	0.63	2nd	4	3	0	2	13	1	0	4	3	3	9	16	7	7	6	7
7	166	83	6.9	14	1.76	-0.29	0.63	20th	7	4	0	5	14	1	0	3	5	7	4	8	5	9	9	6
3	168	80	5.3	20	1.81	-0.60	0.43	27th	14	7	0	4	7	1	0	6	5	5	5	7	6	12	14	2
4	220	74	6.5	16	2.85	+0.98	0.71	28th	3	4	0	0	10	1	0	6	3	3	2	7	13	11	11	4
8	287	82	5.6	9	0.59	-1.74	0.12	3rd	0	1	3	3	9	7	0	1	3	7	23	15	3	2	1	7
5	298	71	6.7	21	1.33	-0.38	0.32	30th	0	0	1	0	7	0	0	6	3	2	3	12	9	7	15	3
6	317	76	7.5	9	1.06	-1.75	0.32	22nd	0	0	0	0	11	0	0	12	5	3	3	7	2	3	22	5
6	328	72	6.4	11	2.00	-0.74	0.55	26th	0	0	2	1	11	0	0	1	0	2	5	9	7	19	11	8
0	312	80	5.1	17	2.62	+0.40	0.91	22nd	1	0	0	5	5	2	0	2	1	1	3	19	11	10	8	5
3	256	84	6.1	21	2.95	-0.05	0.43	26th	2	4	1	0	5	0	0	10	3	1	2	12	7	8	17	2
7	178	84	5.6	22	4.47	+1.52	0.67	23rd	9	2	0	3	9	0	0	7	3	6	3	4	7	12	13	5
9	195	85	5.4	25	5.67	+2.45	1.26	31st	8	2	0	2	4	1	0	1	0	0	4	17	10	17	7	6
				204	30.62	+1.13	1.26																	
3	182	88	7.7	22	4.06	+1.12	0.96	20th	5	2	0	4	22	7	1	2	2	2	8	16	18	8	4	2
1	145	84	6.5	15	2.04	-0.72	0.44	22nd	9	0	0	8	17	2	0	4	4	0	2	6	6	26	4	4
3	168	80	6.1	21	2.27	-0.63	0.43	27th	16	2	0	9	16	0	0	4	4	2	2	4	16	14	14	2
			7.8	15	3.88	+1.85	0.85	14th	3	0	1	3	17	0	1
			6.1	9	0.93	-1.71	0.43	24th	0	1	1	7	13	4	0
			7.5	20	0.93	-0.62	0.17	23rd	0	0	1	2	15	0	0
				12	0.46	-2.37	0.11	13th	0	0	0	0	0
			6.7	14	2.67	-0.12	1.50	25th	0	0	1	6	14	0	0
			5.9	14	2.13	-0.11	0.60	22nd	1	0	0	9	15	1	0
			6.3	23	2.64	-1.08	0.52	26th	1	0	0	3	11	0	0
			6.3	23	5.46	+2.03	1.24	7th	9	2	0	7	16	0	0
				20	5.65	+1.58	1.14	15th	4	0	0	0	0
				208	33.12	-0.78	1.50																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	
	Feet.		Inch.	°	°	°	°	°		°	
Forfar. MONTROSE (Royal Asylum)— J. JOSS. (9, —, —.)	200	Jan.	...	41·1	32·7	36·9	−0·4	45	9th	24	1
		Feb.	...	40·1	29·4	34·8	−2·8	46	10th, 24th	20	5th
		Mar.	...	42·4	30·2	36·3	−3·0	50	2nd	22	4
		Apl.	...	52·7	37·3	45·0	+1·3	65	18th	29	2
		May	...	57·8	42·5	50·2	+2·1	72	27th	30	2
		June	...	63·3	47·0	55·2	+0·8	70	7th, 12th	39	2
		July	...	68·8	48·2	58·5	+1·0	75	16th	40	1
		Aug.	...	66·1	48·5	57·3	+0·4	77	10th	40	25th
		Sept.	...	61·7	45·0	53·4	+0·6	71	9th	34	1
		Oct.	...	52·2	39·0	45·6	−1·2	68	5th	30	2
		Nov.	...	40·5	30·9	35·7	−5·3	55	22nd	12	1
		Dec.	...	42·0	33·3	37·7	−0·3	52	19th	21	2
		Year		52·4	38·7	45·6	−0·6	77		12	
MONTROSE— S. L. Christie, C.E., Burgh Surveyor. (9, —, 18.)	16	Jan.	...	41·8	32·7	37·3	...	46	9th	24	7th
		Feb.	...	40·4	29·8	35·1	...	47	24th	22	5th, 6
		Mar.	...	42·2	30·9	36·6	...	48	9th	24	4
		Apl.	...	50·7	37·7	44·2	...	66	18th	27	2
		May	...	56·0	42·8	49·4	31	4
		June	...	61·3	47·4	54·4	...	70	7th, 8th	42	2
		July	...	63·2	47·5	55·4	...	74	11th	40	13th
		Aug.	...	64·8	48·9	56·9	...	77	10th	39	2
		Sept.	...	60·1	45·6	52·9	...	70	9th	30	2
		Oct.	...	52·0	40·8	46·4	...	66	5th, 6th	34	2
		Nov.	...	41·2	32·6	36·9	...	54	23rd	17	1
		Dec.	...	42·2	34·7	38·5	...	49	20th	25	2
		Year		51·3	39·3	45·3		77		17	
ARBROATH— J. Campbell, for the Natural History Asso- ciation. (9, —, —.)	70	Jan.	29·547	41·5	33·5	37·5	−0·4	46	9th	25	1
		Feb.	29·735	40·0	30·7	35·4	−3·1	48	24th	22	5
		Mar.	29·667	43·1	31·3	37·2	−3·3	50	9th, 17th	24	4
		Apl.	29·750	52·4	37·5	45·0	+0·6	68	18th	31	2nd, 2
		May	29·985	55·4	44·1	49·8	+1·1	72	28th	33	2
		June	29·903	63·0	47·4	55·2	+0·7	72	4th	41	2
		July	29·941	64·3	48·1	56·2	−1·3	77	10th	40	13th
		Aug.	29·764	66·6	50·0	58·3	+1·2	79	10th	41	2
		Sept.	29·762	60·5	45·9	53·2	−0·3	70	17th	34	2
		Oct.	30·038	52·2	41·0	46·6	−0·3	66	6th	33	2
		Nov.	29·655	42·0	32·6	37·3	−4·0	55	22nd, 23rd	16	1
		Dec.	29·472	42·7	34·1	38·4	−0·5	49	19th, 20th	25	2
		Year	29·768	52·0	39·7	45·8	−0·8	79		16	
LEDNATHIE— W. G. Lindsay, for J. Stor- month Darling. (9, —, —.)	720	Jan.	...	38·8	29·1	34·0	−0·9	43	18th, 24th	17	1
		Feb.	...	38·7	24·9	31·8	−3·4	50	10th	12	5
		Mar.	...	39·4	26·1	32·8	−4·2	49	5th	15	4
		Apl.	...	50·1	35·1	42·6	+0·6	65	18th	24	2
		May	...	58·5	39·7	49·1	+2·0	76	28th	26	3rd
		June	...	62·0	45·4	53·7	+0·5	73	6th, 7th, 12th	35	14th
		July	...	66·5	45·2	55·9	−0·1	78	10th	31	8
		Aug.	...	65·7	46·5	56·1	+1·4	77	5th, 10th	34	2
		Sept.	...	59·2	42·7	51·0	+0·2	71	10th	29	1
		Oct.	...	50·3	39·1	44·7	+0·3	69	5th	27	7
		Nov.	...	38·5	28·0	33·3	−5·6	52	23rd	5	1
		Dec.	...	39·9	30·0	35·0	−0·4	49	19th	13	2
		Year		50·6	36·0	43·3	−0·8	78		5	

BROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS.†										
Mean.†				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.										
Wet Bulb.	Vapour Pressure.	Humidity.					Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
Inch.	%			Inch.	Inch.	Inch																				
				20	3.23	+1.07	0.68	1st	2	0	0	2	0	16	2	2	2	20	14	6	0	0		
				11	2.15	+0.09	0.60	22nd	4	0	0	1	0	28	4	4	0	14	0	4	2	0		
				18	1.54	-0.33	0.20	16th	7	0	0	0	2	22	4	4	2	14	2	6	8	0		
				13	3.15	+1.08	1.22	27th	3	2	1	0	1	6	10	0	2	14	14	10	4	0		
				5	0.70	-1.18	0.34	11th	0	0	0	0	0	0	10	4	8	22	6	12	0	0		
				15	0.91	-1.04	0.11	3rd, 13th	0	0	0	0	0	12	2	2	0	18	6	14	6	0		
				6	0.58	-2.34	0.26	18th	0	0	0	0	0	30	6	2	0	4	2	10	8	0		
				7	2.59	-0.55	1.32	25th	0	0	2	1	0	8	4	2	0	20	4	16	8	0		
				10	1.27	-1.46	0.30	11th	0	0	0	1	0	14	0	0	2	12	16	10	2	4		
				15	2.18	-0.65	0.36	27th	0	0	0	0	0	32	4	0	0	20	0	2	4	0		
				21	4.08	+1.31	0.89	23rd	3	5	0	1	0	30	0	4	0	4	10	10	2	0		
				20	4.75	+1.94	1.06	15th	1	0	0	1	2	14	2	0	0	26	2	12	6	0		
				161	27.13	-2.06	1.32																			
				16	2.02	...	0.32	4th	0	1	0	4	0	5	1	4	2	16	6	8	10	10		
				13	2.10	...	0.52	22nd	2	0	0	2	0	12	4	6	3	3	4	10	5	9		
				13	1.35	...	0.48	10th	1	0	0	1	1	4	10	7	4	7	6	9	12	3		
				15	2.70	...	0.66	15th	4	0	0	1	0	10	4	6	1	4	8	22	5	0		
				4	0.62	...	0.37	11th	0	0	0	9	0	0	3	25	12	10	6	6	0	0		
				13	1.11	...	0.22	13th	0	0	0	0	1	10	2	3	4	8	11	15	7	0		
				6	0.66	...	0.29	21st	0	0	0	0	0	12	13	6	7	4	7	7	6	0		
				12	2.49	...	1.33	25th	0	0	1	0	0	5	0	4	15	4	4	20	10	0		
				10	1.21	...	0.30	11th	0	0	0	1	1	6	2	5	4	7	13	20	3	0		
				15	2.34	...	0.39	22nd	0	0	0	3	1	22	6	2	2	4	14	7	4	1		
				23	3.98	...	0.89	23rd	4	0	1	0	0	12	9	8	1	2	7	10	11	0		
				23	4.87	...	1.00	15th	1	0	0	5	1	4	0	0	2	15	9	25	7	0		
				163	25.45		1.33																			
1.7	.198	86	7.7	20	2.31	+0.15	0.58	1st	2	0	0	2	20	6	1	4	6	0	16	2	18	2	14	0		
1.7	.178	85	7.4	13	1.82	+0.01	0.37	20th, 22nd	3	0	0	6	19	5	0	10	12	0	4	0	12	4	14	0		
2.6	.173	78	6.1	17	1.17	-0.57	0.18	26th	3	0	0	7	15	1	5	6	10	0	6	0	16	4	20	0		
2.6	.232	80	7.5	13	1.86	+0.10	0.62	27th	2	0	0	1	16	1	2	4	6	0	2	0	32	2	14	0		
2.3	.297	84	6.9	7	0.65	-1.20	0.25	11th	0	0	0	5	17	5	0	0	20	6	18	2	16	0	0	0		
4.7	.304	71	7.4	14	0.91	-0.94	0.23	13th	0	0	1	1	16	0	0	8	0	0	8	0	32	4	8	0		
4.8	.333	72	6.2	5	0.90	-1.79	0.40	18th	0	0	0	4	10	2	1	10	10	2	4	4	6	12	14	0		
4.9	.348	72	6.7	11	1.58	-1.30	0.65	25th	0	0	0	3	15	1	0	0	0	6	10	0	14	20	12	0		
3.6	.310	76	6.1	9	1.25	-1.13	0.35	1st	0	0	0	6	14	2	2	6	2	2	4	0	34	4	8	0		
2.7	.260	81	6.2	15	2.00	-0.39	0.38	23rd	1	1	0	6	14	0	1	0	6	0	4	0	20	0	32	0		
1.7	.185	85	6.3	22	3.72	+1.40	0.82	23rd	3	3	1	4	12	4	0	4	10	0	4	2	12	4	22	2		
1.8	.205	85	5.9	20	4.40	+1.96	1.04	30th	2	0	0	5	11	3	2	2	0	0	14	0	30	0	14	2		
				166	22.57	-3.70	1.04																			
				20	4.04	+0.19	1.01	20th	6	0	0	7	0	2	12	0	8	6	6	4	24	0		
				9	2.05	-1.15	0.51	16th	8	0	0	4	0	2	22	2	0	0	8	2	20	0		
				12	2.73	+0.02	0.59	26th	11	0	0	1	2	4	14	2	0	0	14	6	22	0		
				9	2.62	-0.46	0.68	15th	3	2	0	2	1	2	6	4	0	0	8	16	24	0		
				9	2.49	-0.09	0.87	6th	1	1	1	9	0	0	10	18	16	2	2	6	8	0		
				14	1.51	-1.24	0.37	16th	0	1	1	2	1	2	0	6	4	0	18	6	24	0		
				4	1.11	-2.47	0.98	18th	0	0	0	4	0	2	12	2	16	0	4	0	26	0		
				8	2.93	-0.94	2.11	25th	0	0	2	4	1	2	0	2	6	0	4	16	32	0		
				13	2.50	-1.12	0.43	22nd	1	0	0	7	2	0	0	6	2	0	20	18	14	0		
				9	1.70	-2.76	0.48	28th	3	0	0	3	1	8	6	0	4	2	4	10	28	0		
				18	5.45	+0.64	0.75	23rd	8	0	0	1	0	0	24	0	0	0	8	6	22	0		
				20	8.31	+3.94	0.97	26th	10	0	0	7	1	2	2	2	2	6	14	12	22	0		
				145	37.44	-5.44	2.11																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.		
					A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.) CARNOUSTIE— The Burgh Surveyor. (9, —, 18.)	39	Jan.	...	41·5	33·5	37·5	...	46	8th, 14th	23	
		Feb.	...	40·2	30·1	35·2	...	48	24th	22	5th
		Mar.	...	42·5	30·9	36·7	...	51	2nd	23	
		Apl.	...	52·7	37·2	45·0	...	67	18th	29	
		May	...	55·7	43·2	49·5	...	70	24th, 28th	33	2nd
		June	...	63·2	46·9	55·1	...	73	4th	40	
		July	...	65·0	47·1	56·1	...	78	10th	39	
		Aug.	...	66·5	49·8	58·2	...	79	10th	39	
		Sept.	...	60·9	46·1	53·5	...	71	9th	34	
		Oct.	...	52·9	40·5	46·7	...	67	5th, 6th	32	15th
		Nov.	...	41·9	32·1	37·0	...	54	23rd	17	
		Dec.	...	42·5	34·1	38·3	...	49	20th	24	
		Year	...	52·1	39·3	45·7	...	79		17	
DUNDEE (Eastern Necro- polis)— W. Shepherd, for A. Macrae, Curator of Parks. (9, —, 21.)	164	Jan.	29·445	39·4	31·6	35·5	-1·6	45	25th	22	
		Feb.	29·616	37·8	29·0	33·4	-4·1	43	24th, 28th	19	
		Mar.	29·571	41·3	29·5	35·4	-4·4	49	2nd	21	
		Apl.	29·658	51·9	37·1	44·5	+0·4	67	18th	30	2nd
		May	29·880	58·2	43·1	50·7	+1·3	74	27th	31	
		June	29·805	65·2	47·2	56·2	+0·8	78	7th	38	
		July	29·838	68·2	48·2	58·2	-0·2	81	10th	40	
		Aug.	29·668	67·3	50·4	58·9	+1·6	80	10th	40	
		Sept.	29·657	61·4	46·1	53·8	+0·3	72	9th	33	
		Oct.	29·939	52·0	39·2	45·6	-1·1	66	5th	31	
		Nov.	29·547	39·3	30·3	34·8	-6·5	50	22nd, 23rd	12	
		Dec.	29·357	40·4	32·7	36·6	-1·0	48	20th	22	
		Year	29·665	51·9	38·7	45·3	-1·2	81		12	
DUNDEE HAR- BOUR— J. H. Thompson, F.R.S.E. (9, —, —.)	20	Jan.	...	41·3	31·8	36·6	-1·2	45	15th, 24th	27	7th, 11th
		Feb.	...	39·5	31·7	35·6	-3·9	46	24th	26	5th
		Mar.	...	42·9	32·0	37·5	-3·8	50	2nd	26	4th
		Apl.	...	53·6	39·1	46·4	+0·1	65	18th	28	
		May	...	56·8	45·8	51·3	+1·0	70	13th, 28th	37	
		June	...	64·3	49·7	57·0	+0·3	75	4th, 5th	43	
		July	...	65·7	49·8	57·8	-1·5	75	10th	44	
		Aug.	...	66·4	52·0	59·2	+0·2	78	10th, 11th	42	
		Sept.	...	61·0	49·5	55·3	+0·5	68	6th, 10th	38	20th
		Oct.	...	53·5	41·8	47·7	-0·7	65	6th	35	15th
		Nov.	...	41·5	33·3	37·4	-4·7	54	22nd, 23rd	18	1st
		Dec.	...	42·7	34·9	38·8	-0·2	48	18th, 19th, 20th	28	26th
		Year	...	52·4	41·0	46·7	-1·2	78		18	
DUNDEE (College Garden, Kirkton of Mains)— A. Duncan, for J. Malloch, Director of Studies. (9, —, —.)	244	Jan.	...	39·6	30·9	35·3	...	44	9th, 24th	21	1st
		Feb.	...	38·7	28·6	33·7	...	47	24th	20	1st
		Mar.	...	41·8	29·1	35·5	...	49	2nd	19	4th
		Apl.	...	52·4	35·7	44·1	...	62	18th	23	2nd
		May	...	57·5	41·2	49·4	...	73	28th	29	2nd
		June	...	64·3	45·2	54·8	...	76	7th	36	2nd, 3rd
		July	...	66·9	45·7	56·3	...	78	10th	37	8th
		Aug.	...	66·7	47·4	57·1	...	79	10th	36	2nd
		Sept.	...	61·4	44·2	52·8	...	70	5th	30	2nd
		Oct.	...	52·4	38·4	45·4	...	66	6th	29	2nd
		Nov.	...	40·5	29·1	34·8	...	54	23rd	11	1st
		Dec.	...	41·6	30·6	36·1	...	48	19th, 20th	20	2nd
		Year	...	52·0	37·2	44·6	...	79		11	

B. & M. THERMOMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS.†											
Mean. †				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.									
Wet Bulb.	Vapour Pressure.	Humidity.									Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.
Inch.	%				Inch.	Inch.	Inch.																			
...	24	2.74	...	0.76	1st	0	0	0	2	0	8	7	2	3	13	9	17	3	0		
...	16	2.37	...	0.50	22nd	1	0	0	0	0	16	17	5	2	4	2	9	1	0		
...	21	1.61	...	0.44	19th	2	0	0	0	2	13	10	4	3	6	3	16	7	0		
...	13	2.19	...	0.93	27th	1	0	0	0	0	12	8	1	2	2	4	28	3	0		
...	8	0.65	...	0.31	11th	0	0	1	2	0	0	2	14	21	11	5	7	2	0		
...	17	1.26	...	0.38	13th	0	0	0	0	0	0	7	4	3	2	13	22	9	0		
...	6	0.76	...	0.39	18th	0	0	0	0	0	1	14	11	11	1	3	10	11	0		
...	14	1.55	...	0.84	25th	0	0	1	0	0	0	3	6	8	1	7	16	21	0		
...	11	1.18	...	0.39	1st	0	0	0	0	1	2	3	3	4	1	17	16	14	0		
...	16	2.01	...	0.34	22nd	0	0	0	0	0	5	12	4	1	1	9	15	15	0		
...	23	4.23	...	0.79	23rd	2	0	1	2	0	8	11	7	4	2	10	4	14	0		
...	18	4.86	...	1.15	30th	1	0	0	1	1	8	1	1	8	6	10	15	13	0		
...	187	25.41	...	1.15																			
7	200	94	9.0	22	2.60	+0.65	0.80	1st	3	0	0	0.25		3	0	0	14	0	15	1	22	2	8	0		
7	172	92	9.0	15	1.86	-0.02	0.35	22nd	5	0	0	0.21		2	0	0	17	1	14	0	9	1	14	0		
2	178	89	8.0	18	1.64	-0.42	0.42	19th	5	0	0	0.18		0	2	0	13	0	13	0	20	0	16	0		
6	254	87	8.0	13	2.02	+0.32	0.59	14th	3	0	0	0.18		0	1	1	13	0	3	0	34	1	8	0		
4	322	90	8.5	12	1.01	-1.08	0.43	6th	0	0	1	0.17		0	0	0	3	0	42	0	15	0	2	0		
1	376	87	7.8	16	1.56	-0.24	0.26	24th	0	0	1	0.12		0	1	0	4	0	9	0	25	0	22	0		
1	393	86	7.2	5	0.69	-2.05	0.30	18th	0	0	0	0.10		0	0	0	16	0	10	0	22	0	14	0		
2	395	86	7.0	15	2.44	-0.94	1.19	25th	0	0	1	0.9		0	0	0	2	0	5	0	27	1	27	0		
6	342	89	6.7	15	1.18	-0.90	0.31	1st	0	0	0	3.10		0	1	0	3	0	6	0	40	3	8	0		
6	257	88	8.0	15	1.62	-1.04	0.40	22nd	0	0	0	0.14		0	1	3	12	1	1	0	24	1	20	0		
9	182	91	8.6	23	4.77	+2.33	0.90	23rd	5	0	0	1.20		0	0	0	15	0	5	0	14	1	25	0		
0	197	92	9.1	23	4.18	+1.52	0.94	30th	3	0	0	0.26		0	3	0	4	0	5	0	32	0	21	0		
...	192	25.57	-1.87	1.19																			
...	22	2.44	...	0.71	1st	3	0	0	...		2	0	4	10	2	14	4	12	10	6	0		
...	12	1.78	...	0.43	15th	5	0	0	...		2	0	2	20	2	0	2	2	18	10	0		
...	16	1.76	...	0.62	19th	5	0	0	...		0	2	4	12	4	8	0	10	8	16	0		
...	12	1.87	...	0.61	14th	2	2	0	...		0	1	2	12	0	0	0	18	18	10	0		
...	9	0.96	...	0.40	6th	0	1	1	...		1	0	0	4	34	8	0	12	2	2	0		
...	16	1.50	...	0.36	12th	0	0	1	...		0	1	4	4	4	2	0	20	14	12	0		
...	6	0.67	...	0.27	4th, 18th	0	0	0	...		1	0	2	12	10	6	2	14	6	10	0		
...	12	2.05	...	1.15	25th	0	0	0	...		0	2	0	0	8	0	2	6	30	16	0		
...	9	0.93	...	0.30	1st	0	0	0	...		0	4	0	2	4	0	4	18	18	14	0		
...	12	1.39	...	0.38	22nd	0	0	0	...		0	0	2	8	2	4	0	14	24	8	0		
...	23	5.02	...	0.84	23rd	2	3	0	...		0	0	10	12	0	6	0	4	14	14	0		
...	22	4.08	...	1.09	30th	3	0	0	...		0	2	6	0	0	6	4	14	24	8	0		
...	171	24.45	...	1.15																			
1	183	89	7.5	21	2.78	...	0.77	1st	4	1	0	2.18		3	0	8	0	4	16	4	18	8	4	0		
3	154	84	7.0	10	1.76	...	0.37	22nd	6	0	0	4.17		1	0	6	10	12	2	2	10	2	6	6		
2	161	79	6.1	18	1.70	...	0.55	19th	6	1	0	7.9		0	3	4	10	2	6	0	12	8	18	2		
3	233	76	7.8	12	2.20	...	0.69	27th	3	1	0	1.12		0	1	4	6	2	2	0	30	8	8	0		
6	296	77	7.1	8	0.97	...	0.39	6th	0	2	1	4.15		0	0	0	12	18	16	0	14	2	0	0		
9	328	70	7.5	14	1.18	...	0.18	13th	0	0	1	1.12		0	0	2	2	2	0	0	32	10	12	0		
9	327	66	6.4	3	0.58	...	0.34	18th	0	0	0	4.10		0	0	0	10	2	8	0	26	12	4	0		
2	349	70	6.7	16	2.22	...	1.22	25th	0	0	1	1.11		0	1	0	0	2	12	0	18	20	8	2		
7	322	77	6.1	11	1.33	...	0.32	1st	0	0	0	3.13		0	1	2	2	4	6	0	24	12	10	0		
6	255	82	6.3	13	1.60	...	0.40	22nd	1	0	0	2.12		0	1	2	6	0	4	0	26	6	14	4		
5	164	84	6.1	22	4.75	...	0.82	23rd	5	0	0	3.10		1	0	2	22	4	2	0	6	12	12	0		
4	187	88	7.3	21	4.28	...	1.05	30th	4	0	0	2.11		0	2	0	0	2	2	6	26	8	18	0		
...	169	25.35	...	1.22																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr.†	AIR TEMPERATURE.						
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.		
				Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.
	Feet.		Inch.	°	°	°	°	°		°
Forfar (contd.)										
KETTINS	218	Jan.	...	39·3	29·8	34·6		44	9th	12
(The School-		Feb.	...	38·1	26·7	32·4	...	44	23rd	16
house)—		Mar.	...	41·5	28·2	34·9	...	49	2nd	18
W. Andrew.		Apl.	...	51·3	35·9	43·6	...	64	18th	28
(9, —, —.)		May	...	59·6	41·9	50·8	...	75	27th, 28th	29
		June	...	63·2	46·3	54·8	...	74	7th	35
		July	...	67·4	44·6	56·0	...	80	30th	33
		Aug.	...	64·4	47·3	55·9	...	73	8th	34
		Sept.	...	60·3	44·3	52·3	...	70	5th	28
		Oct.	...	52·2	37·5	44·9	...	64	5th	27
		Nov.	...	39·8	27·2	33·5	...	55	23rd	—3
		Dec.	...	41·8	31·0	36·4	...	54	20th	18
		Year		51·6	36·7	44·2	...	80		—3
Perth.										
PERTH—	22	Jan.	29·600	40·6	30·9	35·8	—1·2	46	24th	16
J. Ritchie, Jr.,		Feb.	29·775	38·9	27·3	33·1	—4·5	46	23rd	16
The Museum.		Mar.	29·734	42·7	28·9	35·8	—4·3	51	2nd	19
(9, —, —.)		Apl.	29·832	52·8	37·3	45·1	+0·6	65	18th	27
		May	30·016	61·0	42·3	51·7	+1·9	80	28th	30
		June	29·968	65·5	46·4	56·0	+0·3	75	5th	34
		July	29·992	68·6	46·7	57·7	—0·7	76	25th	38
		Aug.	29·828	67·4	49·2	58·3	+1·0	77	10th	36
		Sept.	29·829	61·0	44·6	52·8	—0·5	70	5th	28
		Oct.	30·110	53·3	38·5	45·9	—0·5	64	5th, 8th	29
		Nov.	29·729	40·6	27·5	34·1	—7·0	56	23rd	—7
		Dec.	29·526	43·4	31·8	37·6	+0·1	51	19th	17
		Year	29·828	53·0	37·6	45·3	—1·2	80		—7
CRIEFF—										
G. Reid, for	482	Jan.	29·098	39·6	31·1	35·4	—1·5	44	15th, 24th 25th	23
Dr. G. Meikle.		Feb.	29·262	38·0	28·4	33·2	—4·7	46	23rd	19
(9, —, 21.)		Mar.	29·229	41·0	28·3	34·7	—5·4	50	5th	19
		Apl.	29·329	50·9	35·9	43·4	—1·3	63	18th	30
		May	29·501	59·5	42·2	50·9	+0·8	78	28th	29
		June	29·465	62·7	46·1	54·4	—1·6	74	6th	40
		July	29·490	67·3	46·3	56·8	—1·6	75	25th	40
		Aug.	29·347	65·1	48·2	56·7	—0·6	75	9th	36
		Sept.	29·335	59·7	43·7	51·7	—1·9	67	5th	31
		Oct.	29·622	52·0	39·2	45·6	—1·3	63	6th	30
		Nov.	29·219	40·0	29·1	34·6	—6·8	57	23rd	6
		Dec.	29·028	41·7	32·4	37·1	—0·4	49	20th	22
		Year	29·327	51·5	37·6	44·5	—2·2	78		6
Fife.										
ST. ANDREWS—	20	Jan.	...	41·5	32·2	36·9	...	46	15th	22
The Burgh Sur-		Feb.	...	39·7	29·8	34·8	...	46	24th	21
veyor.		Mar.	...	42·2	30·1	36·2	...	51	2nd	21
(9, —, 18.)		Apl.	...	52·2	37·1	44·7	...	64	18th	26
		May	...	57·2	42·5	49·9	...	73	23rd	31
		June	...	63·2	46·6	54·9	...	76	7th	37
		July	...	63·2	46·9	55·1	...	79	10th	33
		Aug.	...	66·6	49·7	58·2	...	77	10th	38
		Sept.	...	60·9	46·0	53·5	...	71	5th	34
		Oct.	...	53·3	40·8	47·1	...	65	6th	31
		Nov.	...	42·0	31·7	36·9	...	55	23rd	16
		Dec.	...	42·9	32·4	37·7	...	51	19th	22
		Year		52·1	38·8	45·5		79		16

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER. Number of Days with—						WIND DIRECTIONS. ‡ Number of Observations.											
Mean. †				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																		
Inch.	%			Inch.	Inch.	Inch.																			
2	181	88	7.1	20	2.69	...	0.50	13th	4	0	0	5	17	1	0	6	4	6	4	4	8	4	22		
2	133	73	6.4	11	1.48	...	0.35	15th	6	0	0	7	14	0	0	4	4	2	2	2	6	12	0	24	
1	163	79	6.2	12	2.38	...	1.17	19th	4	1	0	9	15	1	0	6	4	2	4	8	2	8	14	14	
2	230	76	6.4	13	2.12	...	1.14	15th	4	2	0	2	6	0	1	6	8	4	0	0	4	24	10	4	
8	298	75	5.9	10	1.03	...	0.35	6th	0	2	1	7	12	0	0	4	4	12	2	4	8	12	2	14	
0	319	70	6.6	14	1.54	...	0.63	12th	0	1	2	2	12	0	0	6	2	0	0	0	2	34	10	6	
3	340	70	5.4	6	0.50	...	0.23	18th	0	0	0	10	7	0	0	2	2	2	0	0	2	28	6	20	
8	344	72	5.8	14	2.01	...	0.87	25th	0	0	1	3	9	0	0	2	0	0	0	0	10	22	14	14	
4	315	78	4.6	11	0.76	...	0.18	1st	0	1	0	13	9	1	0	8	0	0	0	2	2	32	4	12	
0	246	79	4.9	11	0.94	...	0.33	23rd	1	0	0	10	9	0	0	10	4	0	2	0	4	14	6	22	
5	158	83	5.4	19	5.51	...	0.83	8th	7	0	0	11	11	0	0	6	6	4	0	0	0	22	2	20	
5	186	87	5.2	22	5.05	...	0.72	28th	3	0	0	11	10	0	0	6	2	0	2	2	8	26	2	14	
				163	26.01		1.17																		
...	9.1	19	2.62	+0.11	0.74	2nd	5	0	0	0	23	9	0	6	7	3	1	10	10	9	16	0	
...	8.4	11	1.48	-0.79	0.44	15th	5	0	0	0	17	3	0	12	6	2	1	2	1	0	32	0	
...	7.7	14	2.21	-0.28	1.06	19th	7	0	0	0	14	0	2	11	2	2	4	4	7	5	27	0	
...	7.4	11	2.11	+0.33	1.09	15th	1	2	0	0	13	0	0	12	0	1	0	0	4	23	20	0	
...	7.2	7	1.16	-1.06	0.28	6th, 11th	0	0	1	2	13	0	0	2	15	18	3	4	20	0	0	0	
...	7.8	12	1.14	-0.83	0.28	16th	0	0	2	0	14	0	0	4	0	0	0	2	9	27	18	0	
...	7.0	5	0.71	-2.18	0.23	4th	0	0	0	1	11	0	0	6	16	2	4	4	7	9	14	0	
...	7.8	12	1.47	-1.90	0.57	25th	0	0	1	0	16	0	0	3	0	0	0	2	24	21	12	0	
...	7.4	8	1.01	-1.22	0.39	1st	0	0	0	0	15	0	1	16	2	1	2	2	13	17	7	0	
...	8.2	5	0.70	-2.25	0.37	23rd	0	0	0	0	16	2	0	28	2	0	1	2	9	9	11	0	
...	8.8	20	5.82	+2.94	1.22	18th	3	0	0	0	20	3	0	23	11	1	0	0	9	10	6	0	
...	8.8	19	3.87	+0.64	0.68	30th	6	0	0	0	22	8	1	6	2	0	7	8	5	20	14	0	
				143	24.30	-6.49	1.22																		
5	184	87	7.9	23	4.15	+0.12	0.90	13th	7	0	0	0	17	0	0	5	0	26	1	0	0	27	3	0	
2	166	87	7.5	9	1.24	-2.28	0.26	20th	6	0	0	2	16	0	0	1	2	37	0	0	0	12	4	0	
0	164	80	5.9	15	2.67	-0.53	0.71	19th	13	0	0	6	11	0	1	13	7	23	0	0	2	9	8	0	
5	211	75	7.0	12	0.93	-1.26	0.20	14th	6	1	1	1	12	0	1	4	4	12	0	0	0	33	7	0	
2	285	79	8.3	11	1.77	-0.72	0.36	17th	2	2	1	0	21	0	0	0	0	34	2	11	0	12	3	0	
2	305	73	7.2	16	1.64	-1.00	0.27	16th	0	0	1	0	10	0	1	9	1	3	1	2	6	32	6	0	
8	319	71	6.0	6	1.06	-1.91	0.68	18th	0	0	0	1	10	0	0	8	7	14	0	1	0	18	14	0	
4	326	73	7.3	17	2.48	-1.73	1.11	25th	0	0	2	0	10	0	0	2	8	0	1	0	4	1	10	0	
3	299	78	6.4	18	1.65	-1.21	0.30	4th, 25th	1	1	0	2	9	0	0	4	3	1	0	3	3	38	8	0	
2	240	78	6.2	9	0.76	-3.17	0.23	1st, 23rd	1	0	0	4	12	0	1	22	6	9	0	1	0	22	2	0	
9	169	82	6.4	21	4.59	+0.25	1.04	18th	9	0	0	4	11	0	0	8	14	18	0	1	1	9	9	0	
9	186	84	6.8	22	5.84	+1.36	0.95	10th	6	0	0	1	11	0	1	6	2	6	0	2	13	24	9	0	
				179	28.78	-12.08	1.11																		
...	19	3.14	...	0.95	1st	3	0	0	2	0	0	10	8	8	2	24	2	8	0	
...	10	2.19	...	0.37	20th	2	0	0	1	0	0	18	16	6	0	14	4	8	0	
...	18	1.84	...	0.44	19th	4	1	0	0	0	0	10	4	6	0	16	12	14	0	
...	7	1.74	...	0.57	14th	2	0	0	0	2	2	8	0	4	0	20	20	6	0	
...	9	0.87	...	0.38	6th	0	0	1	3	0	0	18	6	16	0	10	6	6	0	
...	19	1.60	...	0.41	13th	0	0	1	0	0	0	12	0	0	0	26	10	12	0	
...	6	0.84	...	0.32	18th	0	0	0	0	0	0	16	14	2	0	8	18	4	0	
...	15	1.92	...	0.72	25th	0	0	0	0	0	0	6	2	0	0	32	10	12	0	
...	9	1.40	...	0.33	1st	0	0	0	1	0	0	4	0	2	0	36	12	6	0	
...	11	1.65	...	0.59	23rd	0	0	0	0	0	0	12	0	2	2	18	8	20	0	
...	22	5.22	...	1.24	23rd	3	0	0	1	0	0	12	2	0	0	22	4	20	0	
...	17	5.25	...	1.17	30th	2	0	0	1	1	0	2	2	6	4	34	2	12	0	
				162	27.66		1.24																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr. †	A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Fife (contd.).											
CUPAR	210	Jan.	...	41·9	31·8	36·9	-0·2	46	13th, 24th	21	1st,
(Fife and Kinross		Feb.	...	40·0	28·9	34·5	-3·4	46	24th	21	10th,
Asylum)—		Mch.]	...	42·9	29·4	36·2	-3·7	52	2nd	20	4th
The Medical		Apl.	...	52·6	37·4	45·0	+0·9	65	18th	28	28th
Superintendent.		May	...	59·0	42·6	50·8	+1·7	75	28th	32	2nd
(9, —, —.)		June	...	64·5	47·2	55·9	+0·2	77	7th	36	3rd
		July	...	65·9	47·3	56·6	-1·2	76	10th	37	14th
		Aug.	...	66·8	49·2	58·0	+1·2	77	10th	38	28th
		Sept.	...	60·7	45·1	52·9	0·0	70	5th	29	28th
		Oct.	...	53·6	39·2	46·4	-0·1	66	6th, 8th	32	14th,
		Nov.	...	42·6	30·7	36·7	-4·1	55	22nd, 23rd	12	14th
		Dec.	...	43·5	32·4	38·0	-0·2	50	19th, 20th	22	26th
		Year		52·8	38·4	45·6	-0·7	77		12	
LATHALLAN—	522	Jan.	29·053	39·0	31·8	35·4	...	44	15th	23	19th
Alex. M'Rae, for		Feb.	29·225	37·4	29·5	33·5	...	43	24th	24	5th, 9th
Dr. W. H. Bryce.		Mch.	29·177	39·6	29·0	34·3	...	48	2nd	21	4th
(9, —, 21.)		Apl.	29·283	49·7	35·9	42·8	...	61	18th	27	27th,
		May	29·488	55·5	41·5	48·5	...	71	28th	31	2nd
		June	29·431	60·2	45·0	52·6	...	72	7th	37	3rd,
		July	29·451	60·8	46·2	53·5	...	70	10th	38	14th
		Aug.	29·304	63·4	47·9	55·7	...	74	10th	36	28th
		Sept.	29·299	58·2	43·4	50·8	...	67	10th	32	28th
		Oct.
		Nov.
		Dec.
		Year									
KIRKCALDY	66	Jan.	...	41·5	33·3	37·4	24	19th
Francis Braid,		Feb.	...	39·5	31·1	35·3	...	47	24th	23	10th
Sanitary Inspec-		Mch.	...	43·3	30·8	37·1	...	51	2nd	21	4th
tor.		Apl.	...	52·0	38·0	45·0	...	61	18th	30	28th
(9, —, —.)		May	...	57·8	44·2	51·0	...	78	28th	33	2nd
		June	...	64·3	48·0	56·2	...	77	7th	39	2nd,
		July	...	64·7	48·5	56·6	...	74	10th	41	14th
		Aug.	...	66·2	50·9	58·6	...	74	10th, 17th	40	28th
		Sept.	...	60·9	48·1	54·5	...	70	2nd, 3rd, 5th	36	28th
		Oct.	...	53·6	43·6	48·6	...	65	6th, 8th	35	28th
		Nov.	...	41·9	32·2	37·1	...	55	22nd, 23rd	13	14th
		Dec.	...	43·5	34·1	38·8	...	50	3rd, 19th	24	26th,
		Year		52·4	40·2	46·3		78		13	
Stirling.											
STIRLING—	74	Jan.	...	41·5	32·7	37·1	...	47	24th	24	19th
John Fyfe, C.S.I.,		Feb.	...	39·5	30·0	34·8	...	49	23rd	19	10th
Sanitary Inspec-		Mch.	...	44·0	31·2	37·6	...	51	4th	23	23rd
tor		Apl.	...	52·5	39·4	46·0	...	65	18th	30	2nd
(9, —, —.)		May	...	63·2	44·2	53·7	...	80	28th	32	2nd
		June	...	64·4	49·1	56·8	...	75	7th, 12th	40	3rd
		July	...	68·0	48·8	58·4	...	76	15th	41	14th
		Aug.	...	65·9	50·5	58·2	...	76	9th, 17th	38	28th
		Sept.	...	61·0	46·1	53·6	...	69	2nd, 5th, 10th	31	28th
		Oct.	...	54·3	40·7	47·5	...	68	6th	31	14th
		Nov.	...	41·9	30·1	36·0	...	56	23rd	8	14th
		Dec.	...	43·9	34·4	39·2	...	51	19th	27	10th,
		Year		53·3	39·8	46·6		80		8	

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—							WIND DIRECTIONS. ‡ Number of Observations.									
Mean. †				Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																		
°	Inch.	%		Inch.	Inch.	Inch.																			
...	23	3.02	+0.71	0.66	1st	7	2	0	...	3	0	10	6	10	2	2	16	10	6	0	0	
...	12	2.00	+0.02	0.50	20th	7	3	0	...	7	0	4	10	10	4	4	2	14	8	0	0	
...	14	2.29	+0.45	0.80	19th	8	4	0	...	1	0	18	2	6	0	4	12	14	6	0	0	
...	13	2.53	+0.65	0.78	14th	3	1	0	...	2	0	10	2	2	0	2	24	16	4	0	0	
...	7	0.89	-1.00	0.32	6th	0	2	1	...	5	0	0	16	20	0	8	6	12	0	0	0	
...	22	1.91	+0.01	0.60	12th	0	1	1	...	0	0	2	2	2	0	4	14	22	14	0	0	
...	8	0.65	-1.94	0.27	18th	0	0	0	...	0	0	8	4	6	0	4	20	18	2	0	0	
...	15	2.32	-0.89	0.60	25th	0	0	0	...	0	0	2	0	2	2	6	10	38	0	2	0	
...	10	1.07	-1.77	0.30	1st, 25th	0	1	0	...	3	1	6	4	2	0	6	24	12	6	0	0	
...	13	1.89	-0.73	0.52	23rd	2	0	0	...	1	0	14	2	2	0	0	14	12	18	0	0	
...	22	5.39	+2.80	1.28	23rd	5	2	0	...	1	0	10	0	10	2	4	8	24	2	0	0	
...	20	5.41	+2.63	1.30	30th	8	0	0	...	2	1	4	0	2	0	16	14	22	4	0	0	
				179	29.37	+0.94	1.30																		
1.0	.192	91	7.6	21	3.66	...	0.93	1st	8	0	0	2	16	0	0	0	10	1	11	0	24	8	8	0	0
1.0	.169	89	7.2	13	2.79	...	0.68	15th	8	0	0	3	15	0	0	5	18	4	7	0	9	3	10	0	0
1.5	.165	84	5.5	17	1.35	...	0.26	9th	11	0	0	7	9	0	2	5	17	2	5	1	16	1	15	0	0
2.1	.221	85	6.1	11	2.31	...	0.76	14th	5	2	0	2	7	0	1	9	6	1	2	0	26	8	8	0	0
2.2	.286	84	6.6	8	1.12	...	0.38	6th	0	0	1	1	11	4	0	5	12	1	24	1	9	3	7	0	0
3.1	.312	79	6.4	21	2.09	...	0.43	12th	0	2	1	2	6	0	0	1	3	0	2	0	22	6	26	0	0
2.7	.331	81	6.6	8	0.90	...	0.52	18th	0	0	0	1	9	0	0	2	12	0	14	0	13	7	14	0	0
2.6	.357	83	5.8	15	2.33	...	0.97	25th	0	0	1	0	6	0	0	0	0	1	5	0	16	9	31	0	0
1.7	.326	88	6.0	6	1.02	...	0.37	1st	0	0	0	2	7	0	0	0	4	0	5	6	29	9	4	3	0
...	16	2.91	...	0.75	23rd
...	22	5.31	...	1.35	23rd
...	22	4.74	...	1.75	30th
				180	30.53	...	1.75																		
...	23	3.63	...	0.90	13th	2	0	0	...	3	0
...	14	2.14	...	0.63	15th	3	0	0	...	3	0
...	14	1.25	...	0.30	9th	8	1	0	...	0	0	4	6	6	2	0	2	26	14	2	0	0
...	12	2.23	...	0.61	15th	4	1	0	...	0	0	2	6	4	0	0	4	30	14	0	0	0
...	10	1.08	...	0.33	6th	0	0	0	...	1	0	2	18	18	2	2	0	20	0	0	0	0
...	19	1.36	...	0.36	10th	0	0	1	...	0	1	6	0	2	0	0	2	36	14	0	0	0
...	6	1.01	...	0.50	18th	0	0	0	...	0	0	2	2	20	0	0	0	20	14	4	0	0
...	13	2.21	...	0.85	25th	0	0	1	...	1	0	4	0	4	4	0	4	30	14	2	0	0
...	14	2.76	...	0.62	1st	0	0	0	...	0	1	0	0	0	4	2	6	34	10	4	0	0
...	11	2.00	...	0.67	23rd	1	0	0	...	0	0	12	8	0	0	4	2	24	10	2	0	0
...	22	5.81	...	1.75	23rd	5	1	0	...	1	0	18	4	10	0	0	0	18	8	2	0	0
...	22	4.41	...	1.07	30th	1	0	0	...	0	1	10	2	4	0	0	12	18	16	0	0	0
				180	29.89	...	1.75																		
1.1	.195	91	8.1	19	3.48	...	0.84	13th	3	0	0	2	17	6	0	6	10	10	10	8	8	6	4	0	0
1.3	.162	85	7.8	12	1.22	...	0.26	19th	4	0	0	2	18	1	0	8	12	6	2	2	2	10	14	0	0
2.0	.177	83	6.4	14	3.00	...	0.88	19th	10	1	0	4	12	1	1	2	4	2	0	0	10	18	26	0	0
3.5	.231	75	7.5	11	1.33	...	0.40	15th	2	1	0	1	14	0	0	4	8	2	0	0	18	18	10	0	0
4.3	.302	73	6.7	6	0.56	...	0.25	17th	0	0	1	2	12	0	0	8	0	18	8	2	10	12	4	0	0
5.0	.325	70	7.4	15	2.00	...	0.48	12th	0	0	2	0	8	0	0	2	4	0	0	2	18	28	6	0	0
5.4	.339	69	7.0	3	0.65	...	0.50	18th	0	0	0	4	13	0	0	0	4	6	8	6	8	20	10	0	0
5.3	.350	70	6.8	15	2.82	...	0.96	25th	0	0	1	1	15	1	0	0	0	2	4	2	6	38	18	0	0
3.0	.327	80	7.1	18	2.23	...	0.52	25th	0	2	0	4	16	1	1	0	0	2	2	2	22	24	8	0	0
2.8	.262	81	6.2	7	0.66	...	0.23	23rd	0	0	0	4	13	2	0	4	2	2	2	2	10	16	24	0	0
...	6.7	21	4.55	...	1.22	23rd	7	2	0	4	13	2	0	10	4	2	2	0	2	12	28	0	0
1.7	.203	86	7.9	24	6.60	...	0.85	10th	3	3	0	1	19	5	4	2	2	2	2	8	16	20	10	0	0
				165	29.10	...	1.22																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Dumbarton. HELENSBURGH— The Burgh Surveyor. (9, —, —.)	21	Jan.	...	42.2	33.4	37.8	-1.1	49	14th	23	28th
		Feb.	...	40.4	30.1	35.3	-3.4	47	14th 23rd 24th	19	10th
		Mar.	...	44.4	30.8	37.6	-2.9	53	5th	20	4th
		Apl.	...	51.4	39.0	45.2	0.0	57	18th	30	20th
		May	...	63.2	46.0	54.6	+4.5	76	14th	31	2nd
		June	...	61.8	47.0	54.4	-1.0	69	1st	37	3rd
		July	...	65.9	48.0	57.0	-0.5	77	25th	39	1st
		Aug.	...	63.4	49.9	56.7	-0.4	74	9th, 15th	37	28th
		Sept.	...	59.2	45.6	52.4	-1.1	67	10th	33	28th
		Oct.	...	53.0	41.3	47.2	+0.6	62	6th	29	25th
		Nov.	...	43.0	30.8	36.9	-4.3	53	22nd, 23rd	17	14th 15th 16th
		Dec.	...	44.1	35.2	39.7	+0.9	50	2nd, 19th, 20th	23	26th
		Year		52.7	39.8	46.2	-0.7	77		17	
CARDROSS— Claud A. Allan. (9, —, —.)	130	Jan.	...	40.5	33.3	36.9	...	45	13th, 14th	21	28th
		Feb.	...	37.8	30.2	34.0	...	44	23rd, 24th	17	10th
		Mar.	...	41.2	30.7	36.0	...	49	2nd	21	4th
		Apl.	...	51.1	29.3	45.2	...	60	18th	26	1st, 2nd
		May	...	64.0	45.7	54.9	...	76	28th	30	2nd
		June	...	62.0	47.0	54.5	...	72	1st	36	26th
		July	...	67.2	48.3	57.8	...	77	25th	39	1st
		Aug.	...	63.4	49.1	56.3	...	72	9th, 15th	37	28th
		Sept.	...	58.7	46.2	52.5	...	70	2nd	32	28th
		Oct.	...	51.5	40.9	46.2	...	61	6th	26	28th, 29th
		Nov.	...	39.8	30.1	35.0	...	51	23rd	8	14th
		Dec.	...	42.0	33.0	37.5	...	50	19th	23	26th
		Year		51.6	39.5	45.6		77		8	
DUMBARTON— William Denny and Brothers. (9, —, —.)	10	Jan.	...	41.9	33.8	37.9	-1.3	47	13th, 24th	26	30th
		Feb.	...	39.7	29.8	34.8	-4.4	48	23rd	19	10th
		Mar.	...	43.7	30.8	37.3	-3.8	50	2nd	23	4th, 23rd
		Apl.	...	51.3	39.1	45.2	-0.7	58	18th, 19th	29	2nd
		May	...	63.8	45.2	54.5	+4.2	77	28th	33	2nd, 3rd
		June	...	62.5	48.4	55.5	-0.7	71	1st, 7th	41	3rd
		July	...	66.7	49.0	57.9	-0.4	78	25th, 26th	41	20th
		Aug.	...	63.9	50.8	57.4	-0.4	73	9th	38	28th
		Sept.	...	60.4	46.8	53.6	-0.7	68	5th	35	15th
		Oct.	...	53.9	40.3	47.1	-0.4	64	6th	30	25th
		Nov.	...	41.8	30.5	36.2	-5.5	53	23rd	12	16th
		Dec.	...	44.5	35.5	40.0	+0.7	51	19th	23	26th
		Year		52.8	40.0	46.4	-1.1	78		12	
Argyll. ARDTORNISH— W. D. Besant for G. Craig Sellar. (9, —, —.)	40	Jan.	29.552	42.1	35.4	38.8	...	48	24th	25	4th, 29th
		Feb.	29.748	41.4	31.6	36.5	...	50	11th	23	18th
		Mar.	29.718	43.5	32.8	38.2	...	51	5th	24	22nd, 24th
		Apl.	29.843	49.0	38.9	44.0	...	57	21st	27	2nd
		May	29.950	63.4	46.3	54.9	...	76	28th, 29th	32	2nd, 3rd
		June	29.958	58.5	47.4	53.0	...	65	1st, 12th	40	2nd, 17th
		July	29.990	64.9	48.1	56.5	...	76	25th	40	1st, 19th, 20th
		Aug.	29.843	61.8	50.2	56.0	...	72	9th	35	28th
		Sept.	29.800	59.1	45.4	52.3	...	66	1st 3rd 10th	32	28th
		Oct.	30.113	52.9	40.8	46.9	...	63	5th	29	25th 28th 29th
		Nov.	29.694	41.6	30.8	36.2	...	52	17th	17	15th
		Dec.	29.495	44.1	36.6	40.4	...	50	3rd, 5th	26	26th
		Year	29.809	51.9	40.4	46.1		76		17	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.						WIND DIRECTIONS.†										
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.									Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.
°	Inch.	%			Inch.	Inch.	Inch.																		
...	25	4.60	-0.32	1.04	1st	4	0	1	1	0	0	14	10	0	2	8	10	0	18
...	7.3	8	2.06	-1.94	0.67	15th	6	0	0	0	16	0	0	0	14	30	0	0	0	0	0	12
...	7.1	13	4.52	+1.03	1.26	19th	7	0	0	1	15	0	0	0	12	8	0	0	14	16	2	10
...	7.8	19	3.10	+0.59	0.79	10th	1	0	0	1	17	0	0	2	4	4	4	2	16	8	12	8
...	6.7	12	1.15	-1.60	0.38	4th	1	0	1	2	11	0	0	0	12	26	0	0	6	8	0	10
...	7.7	19	3.80	+1.00	0.87	12th	0	0	2	0	16	0	0	2	2	2	0	8	6	34	2	4
...	6.8	9	1.72	-1.60	0.95	31st	0	1	0	1	12	0	0	0	2	12	0	0	6	16	16	10
...	6.6	20	3.77	-0.18	0.99	21st	0	0	0	0	11	0	0	0	2	2	0	0	24	14	14	6
...	7.0	20	3.81	-0.32	0.56	29th	0	0	0	1	10	0	0	4	2	4	0	0	12	22	2	14
...	6.2	12	0.87	-3.81	0.24	22nd	0	0	0	0	11	0	0	0	0	8	4	2	10	16	12	10
...	7.3	19	4.59	-0.16	0.93	17th	8	0	1	0	12	0	0	2	14	16	0	0	0	22	4	2
...	7.8	28	8.55	+2.95	1.04	26th	1	1	0	0	15	0	1	8	0	12	4	0	12	14	12	0
					204	42.54	-4.36	1.26																	
...	22	3.96	...	1.40	1st	4	0	1	2	0	8	14	12	8	2	2	6	4	6
...	10	0.93	...	0.29	15th	5	0	0	1	0	4	2	26	0	2	2	2	0	18
...	14	4.59	...	1.47	19th	7	0	0	0	0	0	4	24	0	0	4	22	4	4
...	22	1.51	...	0.41	10th	3	0	0	0	1	2	6	4	4	2	8	28	6	0
...	10	0.97	...	0.40	2nd	1	3	1	0	0	0	12	14	14	4	12	4	2	0
...	18	3.65	...	1.26	12th	0	0	2	0	0	0	0	14	8	18	12	8	0	0
...	5	0.83	...	0.50	31st	0	0	0	0	0	0	8	0	4	0	0	8	4	0
...	18	2.81	...	0.79	25th	0	0	0	0	0	6	4	0	6	0	0	6	40	0
...	16	2.58	...	0.59	4th	0	1	0	0	0	10	8	0	2	8	6	8	18	0
...	9	0.75	...	0.21	1st	0	0	0	0	0	16	18	0	0	4	0	8	16	0
...	19	4.00	...	0.77	23rd	7	0	0	2	0	14	26	4	0	0	0	12	4	0
...	27	9.22	...	1.14	30th	3	0	1	0	2	6	16	6	0	0	4	24	6	0
					190	35.80		1.47																	
...	23	4.20	-1.12	1.00	1st	3	0	0	3	0	2	6	4	14	4	4	4	10	14
...	11	0.78	-3.42	0.30	15th	4	0	0	1	0	4	8	6	10	2	4	0	8	14
...	14	5.69	+2.08	2.53	19th	8	0	0	2	1	10	4	2	8	2	6	2	12	16
...	18	2.12	-0.54	0.43	10th	1	0	0	0	0	2	4	2	2	0	8	4	26	12
...	8	0.90	-1.82	0.17	1st	0	0	0	0	0	0	6	28	2	2	2	2	10	12
...	18	3.41	+0.71	1.12	12th	0	0	2	0	0	2	0	10	4	4	4	4	30	6
...	4	0.88	-2.28	0.55	31st	0	0	0	0	0	6	4	2	4	2	2	4	22	16
...	16	2.63	-1.40	0.54	17th	0	0	0	0	0	0	0	2	0	2	4	10	30	14
...	17	2.36	-1.72	0.51	25th	0	0	0	1	0	2	2	0	8	6	14	8	12	8
...	7	0.62	-4.07	0.20	1st	0	0	0	1	0	4	6	0	2	10	4	6	16	14
...	19	4.42	-0.53	0.99	23rd	3	0	0	2	0	6	10	6	8	2	0	14	4	10
...	26	8.98	+3.80	1.37	30th	1	0	1	0	2	0	0	2	10	4	4	6	18	18
					181	36.99	-10.31	2.53																	
0	1.4	201	88	7.1	23	6.90	...	1.01	13th	1	1	0	2	14	0	0	1	0	11	8	3	9	7	3	20
8	1.4	174	86	5.9	11	1.20	...	0.27	18th	3	0	0	7	11	0	0	1	2	13	7	2	1	1	1	28
0	1.7	180	85	6.1	18	5.24	...	1.25	18th	9	0	0	8	14	0	0	3	4	9	7	4	1	5	8	21
4	1.8	243	86	7.9	24	7.08	...	1.57	10th	2	0	0	1	16	0	0	9	1	3	2	0	1	18	10	16
6	2.5	342	83	5.3	14	2.22	...	0.34	4th	0	0	1	6	7	0	0	0	1	11	8	4	0	1	4	33
0	2.5	335	83	7.9	25	6.88	...	1.44	7th	0	0	0	2	15	0	0	7	1	0	3	1	6	17	10	15
8	2.5	388	84	5.8	12	2.33	...	0.77	18th	0	0	0	5	9	0	0	7	0	0	1	1	3	10	4	36
1	2.1	374	86	8.0	28	6.29	...	0.75	17th	0	0	0	0	16	0	0	7	1	2	2	5	3	12	9	21
3	1.5	339	90	6.8	27	9.45	...	1.68	24th	0	0	0	3	10	0	0	7	2	3	5	5	3	11	3	21
0	1.6	274	89	5.6	20	4.20	...	0.81	22nd	0	0	0	6	12	0	0	9	5	5	4	9	1	5	1	23
1	1.3	188	88	6.0	17	7.58	...	1.21	22nd	4	2	0	4	10	0	0	6	2	4	8	2	0	6	6	26
9	1.3	220	90	7.7	27	12.02	...	1.25	26th	0	4	0	2	17	0	1	6	1	5	6	5	2	13	9	15
					246	71.39		1.68																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Argyll (contd.)											
OBAN—	32	Jan.	29·579	43·9	35·2	39·6	−1·2	49	14th, 16th 24th	27	4th
The Burgh		Feb.	29·769	42·1	31·8	37·0	−3·3	50	11th	22	18th
Surveyor.		Mch.	29·734	43·6	32·1	37·9	−3·4	51	15th	25	22nd, 2
(9, —, 18.)		Apl.	29·856	48·7	38·5	43·6	−2·0	54	21st	30	2nd
		May	29·966	61·5	46·9	54·2	+4·2	75	14th	35	3rd
		June	29·979	58·9	47·5	53·2	−1·8	66	12th	42	25th
		July	30·003	60·3	48·7	54·5	−2·4	73	25th	42	20th
		Aug.	...	62·0	50·0	56·0	−1·0	70	15th
		Sept.	...	57·4	47·1	52·3	−1·4	66	5th, 10th	34	20th
		Oct.	...	52·7	42·5	47·6	−1·0	63	6th	30	28th
		Nov.	...	42·4	31·8	37·1	−6·7	51	22nd	13	15th
		Dec.	...	44·4	35·9	40·2	−1·4	49	5th	26	26th
		Year		51·5	40·7	46·1	−1·8	75		13	
FORD—	149	Jan.	...	42·8	33·5	38·2	...	47	13th, 14th	24	29th
J. Boyd, Crown		Feb.	...	41·4	30·0	35·7	...	51	11th	19	18th
Forester.		Mch.	...	43·0	29·5	36·3	...	50	15th	20	4th
(9, —, —.)		Apl.	...	49·6	36·9	43·3	...	55	21st	25	2nd
		May	...	62·9	44·7	53·8	...	83	27th	32	2nd, 3rd
		June	...	58·8	46·5	52·7	...	66	1st, 11th, 12th	39	26th
		July	...	62·8	45·8	54·3	...	71	25th	37	1st, 2nd,
		Aug.	...	61·7	49·1	55·4	...	72	9th	35	28th
		Sept.	...	57·9	44·8	51·4	...	65	10th	32	14th
		Oct.	...	52·1	41·0	46·6	...	60	8th	26	25th, 2
		Nov.	...	43·1	29·4	36·3	...	51	17th 22nd 23rd	15	13th
		Dec.	...	44·6	34·8	39·7	...	50	2nd 5th 19th	19	26th
		Year		51·7	38·8	45·3		83		15	
ARDNADAM—	64	Jan.	...	41·1	35·3	38·2	...	46	24th	26	28th
Rev. J. Cairns		Feb.	...	39·9	32·4	36·2	...	47	11th	20	10th
Mitchell, B.D.		Mch.	...	42·4	31·5	37·0	...	49	14th	20	4th
(9, —, 21.)		Apl.	...	48·8	39·3	44·1	...	59	18th	28	2nd
		May	...	60·7	45·7	53·2	...	76	14th, 28th	32	2nd
		June	...	60·2	48·2	54·2	...	68	1st	38	26th
		July	...	64·7	49·1	56·9	...	78	25th	42	6th
		Aug.	...	62·0	50·0	56·0	...	75	9th	40	28th
		Sept.	...	58·6	46·7	52·7	...	67	3rd, 10th	35	14th
		Oct.	...	52·1	42·6	47·4	...	61	6th	31	28th
		Nov.	...	41·3	31·5	36·4	...	54	23rd	17	14th
		Dec.	...	42·3	35·6	39·0	...	50	3rd	23	26th
		Year		51·2	40·7	45·9		78		17	
Bute.	187	Jan.	29·424	41·6	35·1	38·4	−1·2	47	14th	31	2nd, 27th
ROTHESAY		Feb.	29·592	39·6	32·5	36·1	−3·8	45	23rd, 28th	26	10th
(Ardencraig)—		Mch.	29·571	42·5	32·0	37·3	−4·0	50	10th	26	4th, 23rd
J. Davidson, for		Apl.	29·694	49·4	38·1	43·8	−1·7	60	18th	31	2nd, 27th
Sir John Reid.		May	29·818	59·7	45·1	52·4	+2·0	71	28th, 30th	33	2nd
(9, —, 21.)		June	29·820	58·6	46·6	52·6	−3·2	66	1st	41	26th
		July	29·829	62·6	48·5	55·6	−2·1	72	25th	44	20th
		Aug.	29·698	60·7	49·4	55·1	−2·0	67	9th	42	28th
		Sept.	29·671	57·5	46·5	52·0	−2·1	71	8th	32	19th
		Oct.	29·960	51·4	42·2	46·8	−1·4	60	6th	34	28th
		Nov.	29·545	42·1	33·7	37·9	−5·7	52	23rd	25	14th
		Dec.	29·378	43·6	36·1	39·9	−0·5	49	3rd 5th 20th	26	26th
		Year	29·667	50·8	40·5	45·7	−2·1	72		25	

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.						WIND DIRECTIONS. ‡										
Mean. †				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—						Number of Observations.										
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	Inch.	%			Inch.	Inch.	Inch.																		
1.6	.207	87	6.7	22	4.46	...	0.81	13th	0	3	0	7	13	0	0	4	8	4	14	10	8	8	4	2	
1.6	.184	86	5.9	11	1.17	...	0.51	18th	2	0	0	9	14	2	0	8	6	14	12	4	0	0	0	12	
2.4	.185	80	5.7	17	3.16	...	0.70	26th	4	0	0	9	15	0	0	12	8	10	4	6	8	2	8	4	
2.5	.235	80	7.4	22	3.88	...	1.32	10th	0	0	0	4	19	0	0	2	0	2	2	8	26	8	12	0	
4.6	.297	71	5.9	15	1.39	...	0.32	23rd	0	0	1	6	13	0	0	0	8	10	16	8	8	8	4	0	
2.7	.333	82	7.7	23	6.00	...	1.35	15th	0	0	0	2	16	0	0	10	0	2	3	3	22	6	12	2	
3.1	.365	81	6.8	8	1.45	...	0.49	18th	0	0	0	3	11	0	0	12	1	1	0	2	13	15	16	2	
2.4	.380	85	7.0	24	4.27	...	0.77	17th	0	0	0	1	9	0	0	5	0	2	0	4	11	20	17	3	
1.9	.363	87	6.8	24	5.58	...	0.56	29th	0	0	0	2	11	0	0	3	0	0	4	5	13	14	14	7	
1.7	.301	88	6.6	14	1.95	...	0.40	22nd	0	0	0	3	12	0	0	14	4	4	3	6	9	9	9	4	
1.2	.205	89	6.8	15	5.68	...	0.77	16th	2	0	0	3	14	0	0	3	0	30	6	0	2	10	3	6	
0.9	.243	93	7.9	24	7.09	...	0.85	10th	1	0	0	2	17	0	1	3	1	3	8	3	18	13	6	7	
				219	46.08		1.35																		
1.3	.202	90	7.6	23	7.07	...	1.22	13th	5	0	0	3	16	0	0	4	6	10	2	6	8	8	10	8	
1.4	.174	86	6.4	11	1.09	...	0.23	19th, 22nd	5	0	0	5	10	0	0	6	12	22	8	4	0	0	2	2	
1.6	.185	86	6.5	21	5.20	...	1.16	18th	15	0	0	7	15	0	0	8	16	14	0	8	4	0	8	4	
1.9	.248	85	7.6	25	6.90	...	1.63	10th	5	5	0	2	17	0	0	12	4	2	2	4	18	10	8	0	
3.1	.339	79	5.5	13	1.57	...	0.39	4th	2	3	2	6	11	0	0	0	4	6	30	10	4	4	4	0	
1.9	.365	86	7.6	25	6.19	...	1.07	15th	0	0	1	1	15	0	0	8	2	0	2	6	22	12	8	0	
2.2	.390	86	6.8	10	2.93	...	1.11	31st	0	0	1	3	14	0	0	6	12	4	0	0	6	20	14	0	
2.3	.383	86	7.8	27	6.73	...	1.27	21st	0	0	0	0	16	0	0	4	8	2	2	6	10	12	18	0	
1.8	.344	88	7.7	24	7.76	...	1.10	24th	1	0	0	0	17	2	0	2	8	0	10	2	30	2	4	2	
2.0	.283	86	6.1	18	3.60	...	0.91	22nd	0	0	0	5	15	0	0	18	6	8	6	10	8	2	2	2	
1.3	.177	88	6.2	16	6.98	...	0.91	23rd, 30th	6	0	2	6	11	0	0	4	16	16	4	0	2	14	4	0	
1.2	.220	90	7.2	28	12.63	...	1.49	10th	2	7	3	2	12	0	0	2	6	4	2	4	32	2	10	0	
				241	68.65		1.63																		
...	7.9	25	7.13	...	1.08	1st	5	0	1	4	22	3	0	2	2	16	4	6	8	10	4	10	
...	7.7	8	1.18	...	0.29	22nd	3	0	0	3	18	3	0	4	6	18	6	0	0	6	4	12	
...	6.7	14	6.80	...	1.70	19th	6	0	0	5	16	0	2	8	6	20	0	0	2	12	8	6	
...	8.0	22	3.97	...	0.83	10th	0	0	0	2	19	0	3	8	2	0	4	2	6	20	16	2	
...	8.1	13	1.86	...	0.55	4th	1	1	1	2	20	0	0	4	0	22	12	14	2	6	2	0	
...	8.3	20	5.96	...	1.01	12th	0	0	2	0	19	0	2	12	0	2	2	4	12	8	20	0	
...	7.1	5	2.35	...	1.17	31st	0	0	0	6	19	0	0	16	14	2	0	0	2	4	22	2	
...	17	4.54	...	1.10	21st	0	0	0	1	0	
...	7.5	19	6.44	...	1.21	29th	0	0	0	4	20	0	1	8	2	2	8	4	16	10	6	4	
...	6.8	13	2.16	...	0.59	1st	0	0	0	7	18	2	0	12	8	10	0	4	6	8	6	8	
...	7.1	15	5.32	...	1.18	17th	4	2	2	6	19	1	0	6	14	8	4	0	0	12	8	8	
...	8.3	27	13.68	...	1.86	10th	2	1	2	2	22	0	1	8	0	2	0	8	8	22	10	4	
				198	61.39		1.86																		
1.1	.213	92	8.8	27	5.72	+1.22	1.57	1st	5	4	1	1	25	9	2	2	13	4	10	8	13	2	10	0	
1.7	.182	86	8.0	14	1.15	-2.85	0.58	22nd	2	5	0	1	16	6	0	2	33	3	7	2	0	0	9	0	
1.9	.183	84	6.6	22	3.77	+0.18	0.72	9th	4	7	0	0	8	1	1	7	14	0	6	3	4	4	24	0	
2.1	.242	84	8.3	24	2.79	-0.19	0.60	10th	1	4	0	0	15	0	0	10	5	0	2	5	9	17	12	0	
2.4	.316	84	7.2	18	1.61	-1.42	0.24	6th	0	2	1	0	12	0	0	0	21	3	8	12	7	7	4	0	
2.1	.336	85	8.2	25	5.33	+2.26	0.84	12th	0	0	2	0	16	0	1	1	3	0	1	7	10	19	19	0	
3.1	.348	80	7.2	14	1.82	-2.14	0.95	31st	0	0	0	1	12	0	0	0	16	0	0	2	1	12	31	0	
2.2	.364	86	8.0	24	4.11	-0.76	1.08	25th	0	0	0	0	14	1	0	2	5	0	1	0	9	20	25	0	
1.9	.338	87	7.7	20	4.08	+0.03	0.60	29th	0	2	0	0	14	1	0	2	4	0	1	11	14	6	22	0	
2.1	.272	86	7.1	17	1.83	-2.58	0.42	1st	0	0	0	0	13	0	0	4	7	0	2	12	6	5	26	0	
1.4	.201	88	7.3	21	5.44	+0.37	0.76	23rd	7	4	3	2	15	6	0	5	25	3	1	0	5	4	17	0	
1.2	.223	90	8.7	28	11.10	+5.65	1.72	10th	1	10	4	0	22	4	4	1	2	2	6	10	7	23	11	0	
				254	48.75	-0.23	1.72																		

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°		
Renfrew. GREENOCK— J. MacAlister, A.M.Inst. C.E. (9, —, 18.)	233	Jan.	29·376	41·5	34·7	38·1	−0·3	48	13th	29	29th	
		Feb.	29·548	38·7	31·9	35·3	−3·3	44	23rd	25	10th	
		Mch.	29·527	41·2	31·4	36·3	−3·8	47	2nd	24	4th	
		Apl.	29·635	49·2	39·4	44·3	−0·3	57	18th	31	28th	
		May	29·784	61·8	46·2	54·0	+4·2	74	14th, 28th	35	2nd	
		June	29·773	59·7	48·9	54·3	−1·2	69	7th	43	26th	
		July	29·781	63·7	50·0	56·9	−0·7	74	25th	45	20th	
		Aug.	29·649	61·6	50·9	56·3	−0·9	71	9th, 15th	42	28th	
		Sept.	29·627	57·5	47·4	52·5	−1·3	67	5th	35	20th	
		Oct.	29·898	51·9	43·3	47·6	+0·1	61	6th	35	15th, 2	
		Nov.	29·506	41·5	33·8	37·7	−5·0	52	22nd, 23rd	19	14th, 1	
		Dec.	29·325	43·9	36·3	40·1	+0·7	50	19th	28	26th, 2	
		Year	29·619	51·0	41·2	46·1	−1·0	74		19		
PAISLEY— The Coats Observatory. (9, —, 21.)	107	Jan.	29·524	41·7	33·8	37·8	−1·3	47	14th, 17th	26	19th, 2	
		Feb.	29·692	39·5	30·4	35·0	−4·6	48	23rd, 24th	20	10th	
		Mch.	29·667	43·2	30·8	37·0	−4·8	51	2nd, 17th	22	4th	
		Apl.	29·783	51·8	39·1	45·5	−0·7	61	18th	31	2nd	
		May	29·916	64·4	46·2	55·3	+3·7	77	28th	35	2nd	
		June	29·914	63·6	48·2	55·9	−1·4	75	7th	41	26th	
		July	29·918	67·8	49·4	58·6	−0·7	79	25th	45	13th 20th	
		Aug.	29·788	65·3	50·3	57·8	−0·7	76	9th	39	28th	
		Sept.	29·766	60·3	45·6	53·0	−1·9	70	5th	34	20th	
		Oct.	30·055	53·8	41·2	47·5	−0·9	64	6th, 8th	30	16th	
		Nov.	29·646	41·8	31·1	36·5	−6·5	55	23rd	10	16th	
		Dec.	29·466	43·7	35·7	39·7	−0·2	50	20th	25	26th	
		Year	29·761	53·1	40·1	46·6	−1·7	79		10		
Ayr. KILMARNOCK (Holmes Farm)— Peter Caldwell, for West of Scotland Coll. of Agriculture. (9, —, —.)	90	Jan.	...	42·0	33·6	37·8	+0·3	48	13th	14	28th	
		Feb.	...	41·2	30·1	35·7	−2·9	47	14th 23rd 28th	20	10th	
		Mch.	...	44·0	30·7	37·4	−2·8	51	2nd	21	23rd, 2	
		Apl.	...	51·7	38·6	45·2	+0·8	60	18th	25	2nd	
		May	...	65·7	46·5	56·1	+6·3	79	15th	33	2nd	
		June	...	62·5	48·2	55·4	+0·3	73	7th	35	26th	
		July	...	65·4	46·9	56·2	−1·0	72	24th, 25th	37	1st	
		Aug.	...	64·2	50·5	57·4	+1·2	74	9th	39	24th, 2	
		Sept.	...	59·8	45·5	52·7	−0·2	70	10th	29	28th	
		Oct.	...	53·7	40·3	47·0	+0·1	63	6th	27	29th	
		Nov.	...	42·7	30·7	36·7	−4·9	55	23rd	13	14th, 1	
		Dec.	...	44·8	35·7	40·3	+1·4	50	3rd	21	26th	
		Year	...	53·1	39·8	46·5	−0·1	79		13		
TURNBERRY— J. Richards (9, —, —.)	96	Jan.	
		Feb.	
		Mch.	...	44·3	32·6	38·5	−2·7	52	15th	23	4th	
		Apl.	...	50·4	39·3	44·9	−0·3	61	18th	30	2nd	
		May	...	63·1	47·1	55·1	+5·9	80	15th	37	9th	
		June	...	60·5	48·6	54·6	+0·1	71	7th	41	3rd	
		July	...	61·8	49·7	55·8	−1·7	68	18th	44	1st, 2	
		Aug.	...	62·8	51·6	57·2	−0·1	73	15th	43	28th	
		Sept.	...	60·0	47·1	53·6	−1·0	68	6th	34	29th	
		Oct.	...	55·2	43·4	49·3	+0·1	61	21st	30	29th	
		Nov.	...	44·1	33·2	38·7	−5·9	55	23rd	20	14th	
		Dec.	...	45·9	37·2	41·6	−1·0	51	3rd, 5th	28	26th	
		Year	

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—						WIND DIRECTIONS. † Number of Observations.									
Mean. †				Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																	
°	Inch.	%			Inch.	Inch.	Inch.																	
1.4	.202	88	7.7	24	5.24	-1.60	1.06	1st	4	0	0	1	14	7	0	0	7	12	13	1	9	15	4	1
1.3	.175	87	7.6	13	2.30	-3.32	0.74	15th	9	0	0	0	14	2	0	0	7	19	14	0	1	5	6	4
2.0	.176	84	6.5	16	6.27	+1.34	2.11	19th	8	0	0	1	7	1	1	0	9	8	7	0	6	11	21	0
2.9	.228	78	7.0	20	3.11	-0.53	0.74	10th	3	2	0	1	10	0	0	2	7	1	1	0	10	28	11	0
4.0	.288	74	6.5	13	1.17	-2.28	0.29	4th	1	2	1	0	6	0	0	0	7	15	13	0	12	14	1	0
4.2	.315	74	7.2	22	6.16	+2.86	1.16	12th	0	0	2	0	7	0	0	0	2	1	3	0	13	20	21	0
4.4	.331	73	6.2	7	1.60	-2.32	1.27	31st	0	0	0	0	4	0	0	0	7	6	3	0	7	15	24	0
3.7	.351	77	6.5	22	4.06	-1.38	1.00	25th	0	0	0	0	6	0	1	1	1	4	2	0	10	24	20	0
2.6	.327	82	7.3	21	5.78	+1.03	1.23	29th	0	0	0	0	12	0	0	0	3	3	1	0	18	20	14	1
2.8	.259	80	6.9	10	1.19	-4.19	0.36	20th	0	0	0	0	11	0	0	1	11	2	4	0	14	13	17	0
1.6	.186	86	7.2	20	4.94	-1.48	0.84	17th	5	1	1	0	10	4	0	2	9	12	9	0	7	10	7	4
1.6	.214	87	7.4	28	10.85	+2.96	1.26	26th	4	3	2	0	8	4	1	0	1	4	12	0	17	19	9	0
				216	52.67	-8.91	2.11																	
1.3	.203	89	7.2	22	4.14	+0.15	1.06	1st	5	3	0	2	14	8	0	2	8	7	4	9	8	5	4	15
1.5	.173	85	7.4	7	0.87	-2.64	0.28	15th	9	2	0	3	18	19	0	1	12	13	2	2	1	2	2	21
2.5	.172	79	6.6	12	4.04	+0.86	0.87	18th	12	4	0	2	12	9	0	5	5	5	2	6	5	9	11	14
3.0	.237	78	6.3	14	1.37	-0.95	0.30	10th	1	7	0	1	11	0	0	6	3	1	1	5	18	16	8	2
4.1	.309	74	6.4	10	0.50	-1.99	0.12	6th	0	2	4	4	11	0	0	0	8	18	7	7	6	7	1	8
3.7	.334	76	6.4	17	4.92	+2.44	2.10	12th	0	0	3	1	6	0	0	2	3	3	0	8	13	15	15	1
4.6	.344	73	6.5	7	0.99	-1.87	0.55	31st	0	0	0	4	13	0	0	3	6	10	1	2	6	14	16	4
3.3	.369	79	5.3	17	2.30	-1.61	0.70	25th	0	0	0	4	5	1	2	0	0	1	2	3	10	27	12	7
2.5	.333	83	7.0	17	2.82	-0.19	0.61	25th	0	1	0	3	13	0	1	0	1	1	0	12	19	7	9	11
2.9	.265	80	5.0	8	0.68	-3.06	0.29	23rd	0	0	0	5	8	0	0	6	8	2	2	8	10	9	11	6
1.5	.187	87	7.7	19	4.47	+0.29	1.00	18th	3	5	3	1	18	18	1	4	11	4	0	2	6	8	4	21
1.6	.215	87	7.3	27	7.08	+2.03	0.74	30th	8	4	2	1	16	17	1	2	0	3	5	10	10	14	8	10
				177	34.18	-6.54	2.10																	
1.1	.203	91	8.6	22	4.26	+0.70	0.89	1st	1	2	0	1	22	2	0	2	8	8	18	10	10	6	0	0
1.6	.170	84	6.5	8	0.62	-2.44	0.20	22nd	1	1	0	6	15	1	0	2	10	12	24	6	0	0	2	0
2.4	.189	81	6.9	11	2.72	-0.09	0.65	17th	6	4	0	7	17	1	1	2	8	4	2	8	12	12	14	0
3.2	.236	78	8.1	20	1.58	-0.63	0.24	15th	1	1	0	0	19	0	1	10	6	0	2	4	18	18	2	0
5.5	.320	68	5.5	9	0.70	-1.77	0.17	4th	0	0	1	10	12	0	0	0	12	4	10	20	6	6	2	2
4.1	.338	75	8.1	16	5.39	+3.08	2.20	12th	0	0	2	0	19	0	0	2	4	0	0	24	16	8	6	0
4.7	.353	72	7.6	8	0.84	-2.41	0.52	31st	0	0	0	4	20	0	0	0	6	8	0	4	30	10	2	2
3.2	.379	80	8.0	20	3.00	-1.20	0.62	17th	0	0	0	2	21	0	0	2	0	2	2	10	40	6	0	0
2.7	.338	81	7.4	19	3.63	+0.40	0.50	4th	0	0	0	4	18	0	0	0	0	4	8	14	20	10	2	2
2.6	.265	82	6.8	9	0.84	-2.64	0.33	22nd	0	0	0	8	19	0	0	2	6	0	6	20	12	12	4	0
1.3	.188	89	6.6	18	3.89	+0.11	0.83	23rd	5	1	1	8	15	2	0	10	14	4	6	8	12	0	2	4
1.6	.216	87	7.4	26	7.76	+3.64	0.74	30th	1	5	2	3	16	1	2	0	0	4	16	10	20	8	4	0
				186	35.23	-3.25	2.20																	
...	20	3.50	+0.01
...	8	0.50	-2.38
...	6.0	12	1.99	-0.83	0.45	19th	2	3	0	7	14	0	2	10	16	2	12	0	6	6	10	0
...	7.2	13	0.91	-1.04	0.21	15th	2	0	0	3	16	0	1	10	4	0	8	10	14	8	4	2
...	4.6	10	0.62	-1.50	0.16	11th	0	0	1	11	8	0	0	2	14	6	6	24	2	6	0	2
...	6.4	16	4.41	+2.11	2.05	12th	0	0	2	3	9	0	1	2	10	2	2	24	4	14	0	0
...	7.3	4	1.01	-1.83	0.45	31st	0	0	0	2	13	0	0	12	8	0	0	4	6	18	14	0
...	6.9	12	2.40	-1.47	0.65	25th	0	0	0	1	10	0	0	4	0	2	0	8	14	18	16	0
...	7.6	17	4.05	+0.32	0.93	11th	0	0	0	1	17	0	0	4	4	2	8	12	20	2	8	0
...	7.5	8	1.14	-2.72	0.50	22nd	0	0	0	1	15	3	0	12	20	2	2	14	2	6	4	0
...	6.4	11	2.28	-1.50	0.56	30th	3	1	1	2	11	0	1	4	28	10	2	0	8	6	2	0
...	8.6	24	4.83	+1.13	1.19	10th	0	0	2	0	22	1	5	0	8	2	12	6	14	16	4	0
				155	27.64	-9.70	2.05																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	
	Feet.		Inch.	°	°	°	°	°		°	
Ayr (contd.).											
COLMONELL	150	Jan.	29·460	42·9	35·0	39·0	+0·2	47	13th, 24th	27	4
(Knockdolian)—		Feb.	29·628	43·3	30·5	36·9	-1·9	54	11th	21	1
Andrew Ogg, for		Mar.	29·622	44·5	31·2	37·9	-3·0	52	10th	20	4
J.W. M'Connel.		Apl.	29·754	52·0	38·9	45·5	+0·8	62	18th	26	2
(9, —, —.)		May	29·842	63·4	45·6	54·5	+4·6	74	15th, 30th	33	3rd
		June	29·883	60·5	47·9	54·2	-0·3	68	11th	40	3
		July	29·875	63·3	48·3	55·8	-0·8	68	24th, 25th	36	2
		Aug.	29·765	63·9	51·3	57·6	+1·4	76	9th	41	24th
		Sept.	29·732	60·7	47·0	53·9	+0·2	73	9th	33	1
		Oct.	29·998	54·2	43·8	49·0	+0·8	62	7th	31	28th
		Nov.	29·601	44·3	30·9	37·6	-5·7	55	23rd	15	1
		Dec.	...	46·0	37·0	41·5	+1·0	51	3rd, 19th	24	26th
		Year	...	53·3	40·6	47·0	-0·2	76		15	
Lanark.											
GLASGOW (The	184	Jan.	29·432	41·1	34·6	37·9	-0·7	46	14th 24th 25th	25	2
Observatory)—		Feb.	29·598	38·7	31·1	34·9	-4·2	46	23rd	21	1
James Connell.		Mar.	29·577	41·4	31·5	36·5	-4·1	50	2nd	23	4
(9, —, 21.)		Apl.	29·689	49·9	39·6	44·8	-0·2	60	18th	31	2nd
		May	29·828	62·6	46·5	54·6	+4·3	75	14th, 28th	35	2
		June	29·818	61·1	48·7	54·9	-0·9	71	7th	42	2
		July	29·835	65·6	49·8	57·7	-0·3	75	25th	45	1
		Aug.	29·699	62·6	50·9	56·8	-0·3	74	9th, 15th	41	2
		Sept.	29·680	58·4	46·7	52·6	-0·9	67	5th, 10th	34	2
		Oct.	29·964	51·9	42·2	47·1	-0·3	62	6th	34	14th 1
		Nov.	29·548	40·4	32·2	36·3	-6·3	54	23rd	12	1
		Dec.	29·378	43·5	36·5	40·0	+0·5	50	20th	26	2
		Year	29·671	51·4	40·9	46·2	-1·1	75		12	
GLASGOW											
(Springburn	355	Jan.	29·241	40·2	32·2	36·2	...	45	13th 15th 24th	21	2
Park)—		Feb.	29·403	38·0	28·7	33·4	...	45	23rd	18	1
The Meteoro-		Mar.	29·391	41·1	28·6	34·9	...	50	2nd	20	5
logical Office.		Apl.	29·499	49·3	37·0	43·2	...	57	18th	30	2
(7, 13, 21.)		May	29·634	61·8	44·2	53·0	...	75	14th, 28th	33	2
		June	29·631	60·7	47·1	53·9	...	70	7th	40	3rd
		July	29·641	65·2	47·8	56·5	...	77	25th	43	13th
		Aug.	29·511	62·1	49·2	55·7	...	74	9th	39	2
		Sept.	29·491	57·9	44·9	51·4	...	67	5th, 10th	33	2
		Oct.	29·761	51·8	40·1	46·0	...	63	6th	32	14th 1
		Nov.	29·363	40·2	30·5	35·4	...	53	23rd	11	1
		Dec.	29·191	42·7	34·3	38·5	...	49	19th	23	2
		Year	29·480	50·9	38·7	44·8	...	77		11	
THORNTONHALL—											
J. Dowie, for	440	Jan.	...	39·8	30·8	35·3	...	46	13th	16	2
A. Henderson		Feb.	...	38·0	27·8	32·9	...	45	14th	17	10
Bishop.		Mar.	...	40·5	28·4	34·5	...	48	2nd, 10th	17	4
(9, —, —.)		Apl.	...	49·2	36·4	42·8	...	58	18th	23	1
		May	...	62·6	43·5	53·1	...	75	28th, 30th	31	2
		June	...	61·0	45·1	53·1	...	71	7th	34	3
		July	...	64·6	44·9	54·8	...	77	25th	36	1
		Aug.	...	62·4	48·0	55·2	...	74	9th, 15th	36	2
		Sept.	...	58·1	43·9	51·0	...	70	5th	30	2
		Oct.	...	51·6	38·7	45·2	...	63	6th	28	1
		Nov.	...	39·8	28·7	34·3	...	53	23rd	6	1
		Dec.	...	42·2	33·3	37·8	...	48	2nd, 19th	24	2
		Year	...	50·8	37·5	44·2	...	77		6	

BROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS. †										
Mean. †				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.									
Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	Inch.	%		Inch.	Inch.	Inch.																				
5	202	88	7.4	24	4.22	-0.11	0.67	13th	1	0	0	3	17	1	1	2	0	16	10	6	6	10	4	8		
3	168	86	6.0	7	0.99	-2.87	0.58	22nd	1	0	0	7	13	3	1	2	0	22	8	10	2	0	0	12		
0	186	83	5.6	13	4.15	+0.77	1.37	19th	2	1	0	9	14	1	2	4	6	12	8	4	2	4	14	8		
8	259	86	7.2	17	1.71	-0.82	0.63	13th	1	1	0	4	19	1	1	6	8	4	2	2	6	24	8	0		
7	335	77	5.1	13	1.15	-1.41	0.27	2nd	0	0	1	8	9	1	0	0	4	4	4	22	14	4	0	10		
3	365	86	6.7	17	4.91	+2.38	2.70	12th	0	0	1	6	17	0	0	6	2	0	2	2	14	16	18	0		
9	374	82	6.7	7	1.34	-1.81	0.71	31st	0	0	0	3	17	0	0	8	2	2	2	0	6	20	18	4		
1	397	86	7.3	20	2.88	-1.12	0.47	17th	0	0	0	2	16	0	0	10	0	0	4	2	10	20	12	4		
0	347	86	7.0	18	4.32	+0.85	0.81	12th	0	0	0	6	17	0	2	6	4	6	2	8	10	14	2	8		
2	283	85	6.5	12	1.46	-2.99	0.44	22nd	0	0	0	4	11	0	0	18	6	8	0	8	8	8	2	4		
2	194	90	5.8	16	2.99	-2.00	0.65	16th	4	1	1	10	14	1	0	0	4	24	0	2	4	8	8	10		
8	224	87	6.7	26	9.89	+4.31	1.97	10th	0	0	2	3	14	0	1	0	2	8	4	10	4	18	14	2		
				190	40.01	-4.82	2.70																			
4	200	89	8.7	21	3.32	+0.05	0.87	1st	5	0	0	0	23	3	0	4	9	10	4	4	13	10	1	7		
4	170	86	8.0	8	0.90	-1.98	0.43	15th	8	0	0	1	16	1	0	3	16	19	4	2	3	2	1	6		
1	172	82	6.9	13	3.21	+0.54	0.79	19th	7	1	0	2	13	1	0	6	9	7	2	3	7	13	10	5		
1	225	76	7.9	19	1.72	-0.36	0.27	10th	1	2	0	0	14	0	0	6	4	3	0	2	19	20	6	0		
1	297	74	7.7	8	0.62	-1.97	0.17	4th	0	2	0	1	14	0	0	0	11	18	7	3	11	11	1	0		
8	315	75	7.5	17	4.52	+2.00	2.35	12th	0	0	3	0	15	0	0	2	7	2	0	3	17	23	6	0		
2	337	74	6.7	6	0.98	-2.11	0.56	31st	0	0	0	0	14	0	0	2	7	12	1	1	5	25	8	1		
1	353	81	7.4	18	2.77	-1.14	0.84	25th	0	0	0	0	13	0	0	0	1	2	0	1	14	35	6	3		
3	323	84	7.5	18	2.48	-0.50	0.54	4th	0	1	0	1	15	0	0	1	1	4	0	8	21	18	5	2		
7	257	81	6.7	10	1.01	-2.39	0.37	22nd	0	0	0	5	11	0	0	9	8	5	0	3	18	9	8	2		
6	182	86	7.8	21	3.98	+0.34	1.02	18th	4	0	0	1	14	4	0	14	20	5	1	2	3	9	3	3		
7	210	86	8.1	27	5.42	+1.27	0.70	30th	3	3	2	1	16	1	0	1	1	5	7	9	12	15	7	5		
				186	30.93	-6.25	2.35																			
9	197	92	7.7	25	3.66	...	0.95	1st	7	0	0	0	16	1	0	2	10	12	6	7	12	7	2	4		
2	163	86	7.3	12	1.01	...	0.43	15th	11	1	0	0	15	3	0	1	17	17	5	3	3	5	1	4		
5	161	84	6.2	16	2.93	...	0.71	19th	17	2	0	0	9	3	1	3	12	5	5	6	7	11	6	7		
0	225	85	7.5	23	1.76	...	0.35	10th	3	2	0	0	15	0	1	5	4	3	1	4	22	15	5	1		
2	295	84	7.3	12	0.81	...	0.20	18th	0	2	0	0	12	0	0	1	13	14	8	8	7	9	1	1		
3	319	84	7.2	19	4.14	...	2.13	12th	0	0	3	0	12	0	0	1	3	3	0	7	17	22	6	1		
7	331	81	6.9	6	1.22	...	0.83	31st	0	0	0	0	10	0	0	1	9	11	0	4	8	21	5	3		
9	348	87	7.7	19	2.80	...	0.87	25th	0	0	0	0	12	0	0	0	1	5	1	3	20	25	2	5		
6	314	89	7.2	19	2.70	...	0.59	1st	0	2	0	0	13	0	3	1	1	4	0	8	26	14	4	3		
9	248	85	6.3	14	0.95	...	0.39	23rd	0	0	0	0	10	0	0	5	10	3	1	5	15	12	8	3		
4	177	86	6.9	23	4.17	...	0.75	19th	10	5	1	0	9	5	0	4	15	11	3	3	9	9	2	4		
5	206	88	7.4	28	5.19	...	0.55	28th	11	8	2	0	14	0	3	3	1	5	6	10	17	17	3	0		
				216	31.34		2.13																			
7	194	94	7.7	24	3.56	...	0.68	1st	2	1	0	1	14	0	0	2	8	0	2	10	26	2	6	6		
7	163	91	7.2	12	0.54	...	0.23	15th	4	0	0	2	12	0	0	2	18	2	6	2	6	2	8	10		
3	172	86	6.6	18	2.85	...	0.63	26th	8	2	0	1	11	0	1	0	18	2	2	4	14	0	20	2		
6	229	80	7.7	23	1.81	...	0.41	15th	2	3	0	0	14	1	1	2	8	0	0	2	26	10	12	0		
7	311	76	6.2	9	0.40	...	0.09	4th	0	2	0	3	5	0	0	0	18	4	16	0	8	6	10	0		
3	334	78	7.3	18	3.62	...	0.76	12th	0	0	2	0	10	0	0	0	4	0	0	0	26	8	22	0		
8	342	76	7.2	6	0.75	...	0.51	31st	0	0	0	2	13	0	0	2	16	0	0	0	12	6	24	2		
7	368	83	7.2	20	2.54	...	0.62	17th	0	0	0	0	9	0	0	0	4	0	0	0	32	6	18	2		
2	329	86	7.4	18	3.46	...	0.60	25th	0	2	1	1	14	0	2	2	0	0	4	0	34	2	18	0		
9	254	86	6.6	12	0.73	...	0.27	22nd	0	1	0	2	11	0	0	2	8	2	2	4	20	0	20	4		
...	6.9	22	4.22	...	0.86	23rd	5	2	1	2	13	1	0	0	16	2	10	0	14	2	14	2		
0	207	91	6.8	28	7.70	...	0.82	30th	5	7	2	0	12	0	2	0	0	2	12	2	24	4	16	2		
				210	32.18		0.86																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum. A	Minimum. B			Maximum. Day of Month.	Minimum. Day of Month.		
Lanark (contd.).	Feet.		Inch.	°	°	°	°	°	°		
DUNGAVAL—	798	Jan.	...	38·3	30·3	34·3	...	44	13th	19	28
H. C. Webster,		Feb.	...	37·1	26·9	32·0	...	45	14th	18	10
for the Duke of		Mch.	...	39·8	27·3	33·6	...	47	2nd, 10th	18	4th
Hamilton and		Apl.	...	47·8	35·0	41·4	...	55	18th	23	21
Brandon.		May	...	61·1	42·5	51·8	...	75	15th	30	2
(9, —, —.)		June	...	58·3	43·8	51·1	...	72	1st	34	2
		July	...	65·6	44·7	55·2	...	73	25th	37	1
		Aug.	...	59·9	46·1	53·0	...	71	9th, 15th	37	24th
		Sept.	...	55·5	43·1	49·3	...	64	5th	30	2
		Oct.	...	50·5	37·3	43·9	...	62	21st	27	2
		Nov.	...	39·1	28·6	33·9	...	55	23rd	12	1
		Dec.	...	41·2	32·1	36·7	...	47	2nd, 19th	24	20
		Year		49·5	36·5	43·0		75		12	
LEADHILLS (The	1310	Jan.	...	37·2	29·5	33·4	−0·1	44	24th	15	2
Schoolhouse)—		Feb.	...	37·3	25·5	31·4	−2·5	48	14th	17	18th
J. M'Farlane,		Mch.	...	38·2	23·7	31·0	−4·6	47	6th	14	4
J.P.		Apl.	...	47·0	31·5	39·3	−0·6	55	18th	19	1
(9, —, —.)		May	...	61·7	40·7	51·2	+5·6	79	30th	30	2
		June	...	58·9	40·7	49·8	−1·9	69	12th	30	2
		July	...	61·0	43·1	52·1	−1·8	72	25th	35	1
		Aug.	...	59·4	45·4	52·4	−0·3	74	9th	36	2
		Sept.	...	55·7	41·1	48·4	−0·8	68	11th	29	23
		Oct.	...	47·1	35·2	41·2	−1·5	56	16th	26	28
		Nov.	...	36·1	25·2	30·7	−6·2	53	22nd	10	14th
		Dec.	...	38·9	29·2	34·1	+0·2	47	2nd, 3rd, 19th	17	2
		Year		48·2	34·2	41·2	−1·2	79		10	
Linlithgow.											
BANGOUR (The	584	Jan.	28·986	39·2	30·4	34·8	...	44	9th, 14th, 15th	19	28
Asylum)—		Feb.	29·148	37·3	28·1	32·7	...	44	23rd	15	9
D. Hendry, for		Mch.	29·130	39·9	27·6	33·8	...	49	2nd	12	4
John Keay, M.D.		Apl.	29·236	48·5	35·8	42·2	...	57	18th	24	2
(9 —, 21.)		May	29·394	59·7	42·5	51·1	...	74	27th, 28th	31	2
		June	29·373	61·0	45·4	53·2	...	75	7th	35	20
		July	29·397	63·2	44·9	54·1	...	70	15th, 29th	35	14
		Aug.	29·262	62·0	49·5	55·8	35	28
		Sept.	29·242	58·2	43·1	50·7	...	69	10th	29	28
		Oct.	29·505	50·7	38·5	44·6	...	63	6th	29	18
		Nov.	29·101	39·4	28·7	34·1	...	53	23rd, 24th	5	14
		Dec.	28·938	41·4	33·7	37·6	...	48	20th	22	20
		Year	29·226	50·0	37·4	43·7	...	75		5	
Midlothian.											
EDINBURGH (The	441	Jan.	29·147	40·6	34·2	37·4	−0·6	47	14th	28	28
Royal Obser- vatory)—		Feb.	29·312	38·4	31·1	34·8	−3·5	44	14th, 23rd	23	9th
Professor R. A.		Mch.	29·289	40·5	30·8	35·7	−4·2	50	2nd	23	4th
Sampson, F.R.S.		Apl.	29·388	49·6	38·0	43·8	0·0	59	11th, 18th, 21st	28	28
(9, —, 21.)		May	29·566	59·4	43·8	51·6	+3·1	74	28th	33	2
		June	29·523	62·3	47·7	55·0	+1·0	76	7th	40	20
		July	29·548	62·5	48·4	55·5	−1·4	71	9th, 10th	43	13th
		Aug.	29·403	64·6	50·1	57·4	+0·7	74	9th	41	28
		Sept.	29·388	60·1	46·5	53·3	0·0	70	10th, 11th	33	20
		Oct.	29·660	51·5	41·6	46·6	−0·8	65	5th	33	28
		Nov.	29·252	40·3	32·7	36·5	−5·7	55	23rd, 24th	18	1
		Dec.	29·088	42·8	35·5	39·2	+0·3	49	3rd, 5th, 20th	26	20
		Year	29·380	51·1	40·0	45·6	−0·9	76		18	

B. & M. THERMOMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER. Number of Days with—							WIND DIRECTIONS. ‡ Number of Observations.									
Mean. †				Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N. .	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																	
°	Inch.	%		Inch.	Inch.	Inch.																		
...	25	5·64	...	1·60	1st	8	0	0	0	1	0	0	12	4	24	10	8	2	2
...	8	0·61	...	0·15	20th	8	0	0	0	0	4	16	10	6	12	6	2	0	0
...	17	3·93	...	0·68	10th	10	1	0	0	4	26	6	6	2	8	12	2	0	0
...	19	3·23	...	0·90	15th	4	1	0	1	2	10	4	2	0	4	12	24	4	0
...	9	0·79	...	0·18	4th	0	0	0	0	0	0	14	16	12	4	8	8	0	0
...	21	5·01	...	0·85	12th	0	0	1	0	0	10	4	0	0	10	28	6	2	0
...	7	0·75	...	0·30	31st	0	0	0	0	0	0	6	0	0	6	32	6	12	0
...	17	4·44	...	0·72	21st	0	0	0	0	1	0	0	2	0	2	34	20	4	0
...	18	6·55	...	1·39	12th	1	1	0	0	1	2	0	4	0	10	34	2	6	2
...	9	2·47	...	0·60	17th	0	0	0	0	0	2	24	6	0	2	28	0	0	0
...	20	5·58	...	0·87	17th, 23rd	11	1	1	0	1	8	24	10	0	0	12	6	0	0
...	25	12·46	...	1·75	30th	6	2	0	0	2	6	4	0	6	8	38	0	0	0
...	195	51·46	...	1·75																	
...	20	7·51	...	1·11	1st	14	0	0	1	1	14	0	2	12	2	8	2	2	20
...	12	1·78	...	0·41	22nd	10	0	0	0	0	6	0	4	2	4	0	2	0	38
...	18	5·87	...	0·80	10th	15	1	0	0	1	6	0	2	14	8	4	2	0	26
...	20	6·23	...	0·90	28th	4	4	0	0	1	4	4	0	2	14	2	2	8	24
...	11	1·71	...	0·45	5th	0	3	2	0	0	0	4	20	6	10	2	4	0	16
...	20	4·12	...	1·02	12th	0	1	2	0	0	2	0	0	2	22	4	16	6	8
...	7	1·69	...	1·40	31st	0	0	0	0	0	10	2	0	0	8	4	6	8	24
...	20	4·63	...	1·40	25th	0	0	0	0	0	0	2	0	0	14	10	26	0	10
...	20	6·10	...	1·18	29th	1	2	1	0	1	4	0	0	2	24	12	6	2	10
...	11	2·27	...	0·92	24th	1	0	0	0	0	8	0	2	6	20	4	8	6	8
...	24	5·99	...	0·93	17th, 30th	16	4	1	0	0	12	0	0	4	14	2	4	2	22
...	27	11·79	...	2·63	10th	12	5	3	0	0	0	0	0	0	36	12	6	4	4
...	210	59·69	...	2·63																	
1	·184	89	7·0	21	2·74	...	0·42	1st	7	0	0	1	11	1	0	2	11	2	8	0	23	8	8	0
0	·162	88	7·1	13	1·40	..	0·51	15th	5	0	0	2	15	4	0	0	22	6	6	0	12	4	6	0
1	·171	89	6·4	18	1·47	...	0·24	10th, 26th	10	0	0	0	9	0	0	2	9	8	4	1	10	10	18	0
7	·229	87	7·3	13	2·44	...	1·17	15th	2	2	0	1	12	2	1	6	6	1	2	0	9	25	11	0
0	·312	86	7·4	9	0·65	...	0·20	17th	0	0	0	0	12	5	0	0	10	16	12	1	9	9	5	0
2	·341	85	7·1	18	2·24	...	0·66	12th	0	0	1	0	8	1	3	2	4	3	1	0	14	15	21	0
3	·351	85	7·2	5	0·92	...	0·45	31st	0	0	0	0	8	3	0	1	19	9	2	0	5	8	18	0
2	·350	85	...	13	2·54	...	0·84	25th	0	0	0	1	0	1	2	4	2	0	6	32	15	0
3	·326	91	6·3	19	2·80	...	0·92	12th	0	1	0	2	8	0	0	1	1	1	4	0	18	18	17	0
3	·260	89	6·2	10	1·55	...	0·48	23rd	1	1	0	2	9	0	0	6	9	1	2	0	14	15	15	0
1	·169	88	6·9	25	5·20	...	1·03	23rd	9	1	1	0	13	0	0	6	18	0	4	0	10	8	14	0
2	·198	89	6·8	25	3·29	...	0·64	30th	4	0	0	0	8	1	0	1	3	1	4	0	21	26	6	0
...	189	27·24	...	1·17																	
4	·197	88	7·0	22	2·06	+0·30	0·40	1st	3	0	0	2	13	2	1	4	4	5	6	12	10	9	3	9
9	·178	90	7·4	16	1·75	+0·19	0·50	15th	11	0	0	0	17	3	0	3	6	10	9	4	5	9	1	9
8	·169	82	6·0	19	1·34	-0·43	0·26	26th	11	1	0	1	12	0	2	7	4	7	5	3	8	15	8	5
0	·219	77	6·8	14	3·04	+1·67	0·91	14th	4	1	0	2	12	3	0	8	2	3	2	3	14	19	6	3
2	·293	79	6·8	7	0·66	-1·09	0·24	6th	0	0	0	1	10	7	0	1	14	5	18	8	3	10	1	2
3	·303	73	6·5	16	1·70	-0·23	0·47	12th	0	0	1	0	7	1	0	3	5	1	0	7	16	21	6	1
7	·319	76	6·6	8	0·63	-1·98	0·16	18th	0	0	0	1	10	2	0	4	13	8	4	1	6	18	5	3
2	·356	80	6·2	15	1·52	-1·40	0·51	25th	0	0	0	0	5	1	1	0	2	2	1	3	15	34	3	2
6	·355	88	5·3	15	2·23	+0·40	0·77	12th	0	0	0	4	5	0	1	1	1	1	3	8	21	13	5	7
9	·247	79	6·2	10	2·37	-0·21	0·82	23rd	1	0	0	3	12	0	0	6	9	1	3	8	9	14	10	2
4	·188	88	6·6	25	4·99	+2·83	0·95	23rd	10	1	0	1	11	2	0	9	9	6	2	3	8	8	8	7
1	·196	84	6·2	22	3·14	+0·98	1·01	30th	4	0	0	2	7	1	2	2	2	2	5	9	18	15	5	4
...	189	25·43	+1·03	1·01																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr.†	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	
Midlothian (<i>contd.</i>)	Feet.		Inch.	°	°	°	°	°		°	
EDINBURGH (Liberton Mains)— J. M'Aulay, for the Edinburgh and East of Scotland College of Agriculture. (9, —, —.)	190	Jan.	...	41·7	33·5	37·6	...	48	13th	22	19
		Feb.	...	38·4	30·3	34·4	...	47	24th	18	10
		Mar.	...	42·4	30·7	36·6	...	52	2nd	21	4
		Apl.	...	52·0	38·7	45·4	...	60	11th, 18th	27	28
		May	...	61·3	44·2	52·8	...	75	28th	34	2
		June	...	64·1	48·5	56·3	...	79	7th	40	26
		July	...	64·6	49·0	56·8	...	74	18th	43	14
		Aug.	...	66·6	51·6	59·1	...	77	17th	44	28th,
		Sept.	...	61·3	46·7	54·0	...	72	10th, 11th	35	16
		Oct.	...	52·8	41·2	47·0	...	67	5th	31	16
		Nov.	...	41·4	31·2	36·3	...	56	23rd	10	14
		Dec.	...	44·0	35·5	39·8	...	51	2nd	22	26
		Year		52·5	40·1	46·3		79		10	
EDINBURGH (The Univer- sity)— Professor T. Hudson Beare, F.R.S.E. (9, —, —.)	227	Jan.	...	42·0	34·8	38·4	...	48	13th	28	28
		Feb.	...	39·5	31·9	35·7	...	45	23rd, 24th	25	10
		Mar.	...	41·9	32·2	37·1	...	52	2nd	25	29
		Apl.	...	51·2	39·4	45·3	...	60	18th	28	28
		May	...	60·7	46·0	53·4	...	75	28th	36	2
		June	...	63·6	48·8	56·2	...	75	7th	42	9
		July	...	63·2	49·9	56·6	...	72	10th	45	13
		Aug.	...	65·7	51·9	58·8	...	74	17th	44	28
		Sept.	...	60·8	48·6	54·7	...	71	10th	35	20
		Oct.	...	52·9	43·3	48·1	...	65	5th	36	13th 15
		Nov.	...	42·0	34·2	38·1	...	56	23rd	20	14
		Dec.	...	44·1	36·4	40·3	...	50	19th, 20th	27	26
		Year		52·3	41·5	46·9		75		20	
LEITH (Nautical College)— J. Bolam. (9, —, —.)	76	Jan.	29·550	40·9	34·1	37·5	-1·6	47	13th	26	19
		Feb.	29·726	38·1	31·5	34·8	-4·7	44	23rd	22	10
		Mar.	29·685	41·7	31·5	36·6	-4·7	51	2nd	23	27
		Apl.	29·789	51·0	39·4	45·2	-0·2	61	18th	31	28
		May	29·984	59·6	45·4	52·5	+2·4	75	22nd, 28th	36	2
		June	29·938	62·3	49·1	55·7	0·0	76	7th	41	3
		July	29·950	62·7	49·4	56·1	-2·5	73	18th	45	13th, 14
		Aug.	29·793	65·4	51·6	58·5	+0·2	75	17th	43	25th,
		Sept.	29·788	59·9	48·0	54·0	-0·7	71	10th	35	20
		Oct.	30·061	52·1	42·8	47·5	-1·0	64	5th	36	15th,
		Nov.	29·674	40·5	33·7	37·1	-6·2	55	22nd, 23rd	14	14
		Dec.	29·496	43·0	36·1	39·6	-0·3	50	19th, 20th	25	26
		Year	29·786	51·4	41·1	46·3	-1·6	76		14	
LEITH— The Meteorolo- gical Office. (7, —, 18.	76	Jan.	29·534	42·0	34·2	38·1	-1·0	49	14th	27	19
		Feb.	29·707	39·2	31·6	35·4	-4·1	45	23rd	23	10
		Mar.	29·673	42·3	31·1	36·7	-4·6	54	2nd	24	4th,
		Apl.	29·776	51·5	39·0	45·3	-0·1	61	18th	30	28
		May	29·947	59·6	45·2	52·4	+2·3	74	14th	35	2
		June	29·907	63·1	49·1	56·1	+0·4	75	7th	41	3
		July	29·917	63·3	49·5	56·4	-2·2	72	18th	42	13
		Aug.	29·774	65·2	51·0	58·1	-0·2	74	17th	44	29
		Sept.	29·759	60·7	47·0	53·9	-0·8	71	10th	35	20th,
		Oct.	30·036	53·1	42·3	47·7	-0·8	65	5th	35	15
		Nov.	29·637	42·1	33·6	37·9	-5·4	55	22nd, 23rd	15	14
		Dec.	29·469	44·4	35·7	40·1	+0·2	52	3rd	26	26th,
		Year	29·761	52·2	40·8	46·5	-1·4	75		15	

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS.†										
Mean.†				Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.					Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
°	Inch.	%			Inch.	Inch.	Inch.																			
1.4	.196	88	7.3	20	1.94	...	0.40	1st	3	0	0	0	13	4	1	0	2	8	10	10	2	30	0	0		
1.1	.173	88	7.9	13	1.79	...	0.56	15th	6	0	0	1	15	5	0	0	2	4	14	12	14	6	4	0		
1.9	.178	83	6.7	15	1.69	...	0.46	26th	9	0	0	0	10	5	2	2	2	12	6	0	14	20	6	0		
3.4	.229	75	7.3	14	3.34	...	1.15	27th	4	2	0	0	11	0	1	4	6	8	0	0	2	38	2	0		
3.2	.312	79	6.4	7	0.63	...	0.24	6th	0	0	0	2	13	7	0	0	0	16	22	0	2	18	4	0		
3.5	.364	78	6.1	16	1.63	...	0.45	12th	0	0	1	0	7	0	0	6	2	2	6	2	4	36	2	0		
3.8	.355	77	7.6	7	0.48	...	0.21	18th	0	0	0	1	15	2	0	0	0	18	6	0	0	34	4	0		
4.0	.369	76	6.0	12	1.42	...	0.56	25th	0	0	0	1	8	0	1	0	0	4	0	4	52	2	0			
3.7	.325	77	6.4	10	2.48	...	0.90	12th	0	0	0	1	11	0	1	0	0	2	2	4	8	40	4	0		
3.0	.259	80	6.7	11	2.49	...	1.02	23rd	0	0	0	1	11	0	0	2	0	8	8	0	6	34	4	0		
...	6.8	24	5.21	...	0.86	23rd	9	4	0	0	12	1	0	4	2	20	8	2	0	20	4	0		
2.0	.197	84	5.8	19	3.57	...	1.32	30th	4	0	0	0	9	0	2	2	0	4	2	12	10	30	2	0		
				168	26.67		1.32																			
1.8	.197	86	7.5	24	1.99	+0.31	0.35	1st	6	0	0	1	17	4	1	0	4	10	10	2	16	14	2	4		
1.4	.175	87	8.4	16	2.03	+0.44	0.56	15th	7	0	0	1	19	1	0	0	4	30	2	2	4	4	6	4		
2.4	.173	80	6.5	22	1.34	-0.53	0.25	10th	12	3	0	0	13	0	2	2	8	8	6	0	10	14	12	2		
3.9	.217	72	7.8	16	2.78	+1.36	0.86	27th	6	1	0	1	17	0	1	6	4	4	0	0	0	38	6	2		
3.5	.299	77	6.0	10	0.63	-1.35	0.23	6th	0	0	0	5	13	1	0	0	0	38	6	4	0	12	0	2		
5.8	.310	67	7.2	17	1.63	-0.25	0.37	12th	0	0	1	1	16	0	0	4	4	4	2	4	10	28	4	0		
4.8	.323	71	7.5	8	0.63	-2.06	0.22	31st	0	0	0	1	19	1	0	0	0	26	2	0	4	28	2	0		
4.8	.352	72	6.2	13	1.64	-1.42	0.57	25th	0	0	0	0	12	0	1	0	0	4	0	0	4	54	0	0		
4.3	.316	74	5.7	13	1.89	-0.06	0.64	11th	0	0	0	8	11	0	1	6	0	6	0	2	8	32	6	0		
3.1	.254	78	6.0	10	2.90	+0.30	1.24	23rd	0	0	0	5	11	0	0	6	2	8	0	0	0	40	6	0		
1.6	.192	87	6.8	24	5.22	+3.10	0.81	23rd	9	3	0	4	15	2	0	2	4	24	0	0	6	20	4	0		
2.2	.206	83	6.0	22	2.99	+0.83	0.99	30th	3	0	0	6	10	1	2	4	4	0	4	4	14	20	8	4		
				195	25.67	+0.67	1.24																			
1.4	.203	88	6.6	24	2.20	+0.40	0.44	1st	2	0	0	8	18	6	0	4	4	8	8	8	12	12	0	6		
1.3	.176	88	8.3	19	1.92	+0.27	0.52	20th	4	1	0	4	21	4	0	0	10	16	2	4	4	14	4	2		
2.2	.179	82	6.5	19	1.19	-0.78	0.28	10th	7	2	0	6	17	0	2	4	6	10	4	2	4	26	6	0		
3.1	.227	77	8.4	16	2.18	+0.68	0.60	14th	0	0	0	2	23	0	1	10	8	0	2	0	14	26	0	0		
2.6	.309	82	6.1	11	0.87	-1.24	0.29	6th	0	0	0	1	18	3	0	0	12	24	8	2	2	10	4	0		
3.5	.342	78	6.1	19	1.48	-0.44	0.39	10th	0	0	1	7	13	0	0	4	6	0	0	4	16	20	10	0		
3.5	.342	78	7.1	8	0.72	-2.10	0.23	31st	0	0	0	8	20	0	0	2	8	20	0	0	8	20	4	0		
4.5	.365	74	7.4	13	1.56	-1.71	0.55	25th	0	0	0	2	17	0	0	2	0	4	0	4	18	30	4	0		
2.7	.342	82	6.0	12	2.07	+0.10	0.66	12th	0	0	0	1	16	0	0	4	2	2	2	6	20	16	6	2		
2.5	.273	83	6.1	10	1.98	-0.71	0.71	23rd	0	1	0	10	16	0	0	12	8	4	0	2	10	20	4	2		
1.2	.196	89	6.4	23	5.25	+3.01	0.77	23rd	2	3	0	7	16	4	0	8	4	14	2	2	8	18	4	0		
1.7	.211	87	5.0	24	2.82	+0.62	0.78	30th	4	0	0	4	13	0	2	4	0	2	2	12	16	22	2	2		
				198	24.24	-1.90	0.78																			
1.7	.198	86	7.0	23	2.63	+0.97	0.75	20th	2	0	0	3	15	2	0	0	9	9	10	3	21	8	2	0		
1.2	.183	89	7.8	15	2.00	+0.58	0.51	15th	5	0	0	2	17	0	0	1	1	15	6	5	11	6	1	0		
2.1	.176	82	7.1	14	1.17	-0.58	0.35	10th	9	1	0	1	13	0	1	4	6	7	8	2	9	13	13	0		
2.6	.241	81	7.5	15	2.41	+1.12	0.79	15th	2	1	0	1	14	0	1	6	5	5	0	0	13	25	6	0		
3.4	.301	78	6.6	9	0.83	-1.00	0.32	6th	0	0	0	2	13	3	0	0	12	18	8	4	7	8	4	1		
4.3	.329	73	6.9	17	1.58	-0.15	0.39	10th	0	0	2	0	7	0	0	1	5	4	0	0	16	16	18	0		
3.7	.353	77	6.6	8	0.89	-1.66	0.39	18th	0	0	0	0	9	0	0	2	5	21	3	0	6	13	12	0		
4.4	.353	74	6.1	14	1.92	-1.02	0.67	25th	0	0	0	2	9	0	0	0	1	4	3	2	13	23	14	2		
3.9	.311	75	6.4	12	1.91	+0.15	0.59	12th	0	0	0	4	13	0	0	3	0	4	0	6	19	2	7	0		
2.8	.255	81	7.3	10	2.28	-0.13	0.98	23rd	0	1	0	2	14	0	1	3	11	4	1	1	14	22	6	0		
1.8	.193	85	7.1	24	4.87	+2.92	0.87	23rd	5	1	0	4	18	0	0	2	18	4	2	2	18	8	5	1		
2.0	.209	85	6.3	23	3.13	+1.13	0.83	30th	4	0	0	4	13	0	2	2	2	0	10	1	30	12	5	0		
				184	25.62	+2.33	0.98																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Station at 32° Fahr. †	Maximum.	Minimum.						
Midlothian (<i>contd.</i>)	Feet.		Inch.	°	°	°	°	°		°	
DALKEITH--	190	Jan.	...	41·9	32·3	37·1	-0·2	47	13th, 14th	25	18th
J. Whytock, for		Feb.	...	39·0	29·7	34·4	-3·6	45	23rd	19	9th
the Duke of		Mar.	...	41·7	31·3	36·5	-4·1	50	2nd	24	23rd, 5th
Buccleuch, K.T.		Apl.	...	51·2	37·9	44·6	-1·2	61	18th	27	28th
(9, —, —.)		May	...	61·8	44·8	53·3	+3·9	75	28th	35	2nd, 3rd
		June	..	63·6	47·7	55·7	-0·1	74	7th	37	3rd
		July	...	64·5	48·7	56·6	-1·4	73	15th	39	13th
		Aug.	...	65·3	50·9	58·1	+1·1	74	15th, 17th	44	25th, 28th
		Sept.	...	61·0	46·0	53·5	+0·1	72	10th, 11th	31	28th
		Oct.	...	52·8	41·0	46·9	-0·2	64	5th, 6th	32	15th,
		Nov.	...	40·9	32·9	36·9	-4·6	56	23rd	10	14th
		Dec.	...	43·8	34·8	39·3	+1·0	51	19th	23	26th
		Year		52·3	39·8	46·1	-0·8	75		10	
Haddington.											
SMEATON--	100	Jan.	...	41·2	32·2	36·7	-1·0	47	15th	23	19th
J. Chapman, for		Feb.	...	39·3	30·3	34·8	-3·4	45	24th, 28th	20	9th
Sir A. Buchan-		Mar.	...	42·4	30·4	36·4	-4·6	53	2nd	20	4th
Hepburn, Bart.		Apl.	...	52·6	38·0	45·3	-1·0	61	11th 18th 19th	29	2nd
(9, —, —.)		May	...	61·2	43·9	52·6	+2·1	75	23rd, 28th	32	2nd
		June	...	64·6	47·5	56·1	-0·6	80	7th	36	3rd
		July	...	63·1	48·9	56·0	-3·4	75	10th, 19th	37	13th
		Aug.	...	67·3	50·9	59·1	+1·0	78	17th	39	28th
		Sept.	...	62·0	46·4	54·2	+0·3	75	10th	31	28th
		Oct.	...	53·6	40·8	47·2	+0·4	70	5th	30	15th
		Nov.	...	41·8	33·2	37·5	-3·4	56	22nd	14	14th,
		Dec.	...	43·0	34·7	38·9	+0·7	50	19th, 20th	23	26th
		Year		52·7	39·8	46·2	-1·1	80		14	
Berwick.											
MARCHMONT--	500	Jan.	29·087	39·5	30·5	35·0	-1·4	46	15th	25	19th
J. A. Wood.		Feb.	29·244	39·0	28·2	33·6	-3·6	47	14th	18	9th
(9, —, 21.)		Mar.	29·225	41·0	28·7	34·9	-4·1	49	2nd	20	4th
		Apl.	29·332	51·1	35·3	43·2	-0·1	62	18th	26	28th
		May	29·516	61·1	42·2	51·7	+3·4	78	28th	32	2nd,
		June	29·475	62·8	45·6	54·2	+0·3	78	7th	37	3rd
		July	29·487	62·5	45·5	54·0	-2·7	74	11th	36	13th
		Aug.	29·350	65·7	47·5	56·6	+0·4	76	10th, 15th	40	28th
		Sept.	29·349	60·2	44·1	52·2	-0·4	74	11th	32	20th
		Oct.	29·596	51·7	38·9	45·3	-0·9	65	6th	31	14th, 1
		Nov.	29·206	40·3	29·8	35·1	-5·8	56	23rd	12	16th
		Dec.	29·038	42·5	31·9	37·2	+0·2	50	19th	22	26th
		Year	29·325	51·5	37·3	44·4	-1·2	78		12	
DUNS--											
P. Smith, for	500	Jan.	...	39·6	31·9	35·8	-1·1	45	14th	23	18th
F. S. Hay.		Feb.	...	38·7	30·0	34·4	-3·4	48	14th	16	9th
(9, —, 21.)		Mar.	...	42·3	28·1	35·2	-4·0	51	2nd	20	4th, 2
		Apl.	...	51·5	35·6	43·6	-0·5	64	18th	26	27th
		May	...	61·9	40·8	51·4	+3·2	76	28th	28	3rd
		June	...	62·6	45·4	54·0	-0·2	74	12th	37	3rd, 1
		July	...	63·0	44·7	53·9	-3·0	73	19th, 30th	37	15th
		Aug.	...	67·0	46·7	56·9	+0·9	77	10th	38	28th, 2
		Sept.	...	61·8	42·5	52·2	-0·1	76	11th	32	20th
		Oct.	...	52·0	38·4	45·2	-0·5	65	6th	32	25th
		Nov.	...	40·7	30·7	35·7	-4·4	56	23rd	17	14th
		Dec.	...	42·2	32·9	37·6	+0·9	49	3rd	22	26th
		Year		51·9	37·3	44·6	-1·0	77		16	

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER.							WIND DIRECTIONS.											
Mean.†				Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	Inch.	%		Inch.	Inch.	Inch.																				
...	21	2.51	...	0.38	1st	3	2	0	...	0	0	4	6	10	8	8	16	6	4	0			
...	10	1.40	...	0.29	20th	7	0	0	...	4	0	4	6	10	10	10	8	6	2	0			
...	17	1.94	...	0.45	19th	12	0	0	...	0	2	6	0	12	6	4	14	4	16	0			
...	12	3.00	...	0.87	14th	3	2	0	...	0	1	4	6	2	2	4	20	20	2	0			
...	8	0.82	...	0.31	6th	0	0	0	...	2	0	10	14	4	6	6	8	8	6	0			
...	15	1.73	...	0.25	10th	0	0	1	...	0	0	2	2	0	0	2	12	32	10	0			
...	7	0.72	...	0.21	18th	0	0	0	...	0	0	12	8	6	0	2	14	6	14	0			
...	13	1.59	...	0.51	25th	0	0	0	...	0	0	2	0	0	0	4	24	26	6	0			
...	11	2.36	...	1.07	12th	0	0	0	...	0	0	2	2	2	2	4	20	24	4	0			
...	12	2.67	...	0.86	23rd	0	0	0	...	0	0	10	4	0	4	4	10	12	18	0			
...	22	4.80	...	0.95	23rd	5	2	0	...	1	0	8	10	2	0	8	18	4	10	0			
...	23	3.27	...	1.10	30th	3	1	0	...	0	2	2	0	0	4	14	12	14	16	0			
...	171	26.81	...	1.10																			
...	19	3.50	+1.70	0.96	4th	3	0	0	...	1	0	2	6	8	2	6	6	26	6	0			
...	13	2.01	+0.44	0.39	20th	1	1	0	...	1	0	2	6	26	2	0	2	14	4	0			
...	16	2.07	+0.52	0.80	19th	7	3	0	...	0	1	2	8	10	4	0	4	22	12	0			
...	10	2.42	+0.91	1.04	14th	3	0	0	...	0	0	4	6	4	2	0	0	36	8	0			
...	7	0.69	-1.07	0.35	6th	0	0	2	...	3	0	0	22	6	4	4	26	0	0	0			
...	15	2.07	+0.20	0.36	10th	0	0	1	...	0	0	4	0	8	0	2	6	34	6	0			
...	7	0.81	-2.26	0.33	15th	0	0	0	...	0	0	2	22	2	0	4	26	4	0	0			
...	10	2.39	-0.56	0.71	25th	0	0	0	...	0	0	0	0	0	0	2	46	14	0	0			
...	14	2.43	+0.14	0.70	12th	0	0	0	...	0	0	2	4	4	0	2	6	36	6	0			
...	13	2.49	+0.01	0.90	23rd	0	0	0	...	0	0	4	18	14	2	2	6	14	2	0			
...	23	5.91	+3.53	0.84	23rd	7	4	0	...	0	0	6	4	26	4	0	0	18	2	0			
...	18	2.69	+0.67	1.25	30th	3	0	0	...	0	1	2	6	0	0	2	4	38	10	0			
...	165	29.48	+4.23	1.25																			
1	181	90	7.7	21	4.06	+1.81	0.81	4th	3	0	0	3	19	0	0	5	1	19	0	11	9	17	0	0		
9	171	90	8.4	17	3.04	+0.96	0.67	20th	5	0	0	0	19	0	0	16	7	16	0	8	6	3	0	0		
5	172	85	6.7	18	2.78	+0.13	0.44	19th	9	2	0	0	4	17	0	0	4	22	2	2	2	30	0	0		
4	228	82	8.1	9	1.45	-0.57	0.41	27th	2	0	0	0	20	0	1	7	7	6	1	0	4	29	6	0		
6	293	77	6.0	8	1.53	-0.94	0.59	11th	0	0	1	8	14	0	0	7	6	21	5	4	5	14	0	0		
2	301	73	6.2	13	1.54	-0.77	0.28	3rd	0	0	1	2	11	0	0	10	0	4	0	1	10	27	8	0		
7	340	82	7.3	8	0.62	-2.43	0.15	2nd	0	0	0	2	17	0	0	12	2	18	0	0	1	22	7	0		
0	342	75	5.5	11	2.55	-0.76	0.75	25th	0	0	0	8	9	0	0	1	3	3	1	0	13	37	4	0		
0	308	80	6.4	14	1.53	-0.88	0.41	12th	1	1	1	4	13	0	0	3	0	4	0	6	19	21	7	0		
4	249	82	8.5	14	3.32	-0.50	1.10	23rd	1	0	0	1	23	0	0	13	2	10	0	8	3	19	7	0		
0	188	91	7.0	24	6.27	+3.27	1.04	25th	5	0	0	2	13	0	0	13	6	3	0	5	10	16	7	0		
4	188	88	7.0	20	4.24	+1.43	0.93	15th	2	0	0	4	15	0	0	4	3	5	0	7	8	31	4	0		
...	177	32.93	+0.75	1.10																			
...	21	3.64	+1.18	0.76	4th	3	0	0	...	0	0	2	14	0	4	2	34	1	5	0	0		
...	14	2.89	+0.64	0.50	20th	5	0	0	...	0	0	1	20	0	0	0	25	1	9	0	0		
...	17	2.79	+0.53	0.43	19th	9	2	0	...	0	0	1	15	0	6	0	33	0	7	0	0		
...	9	1.47	-0.71	0.45	14th	2	0	0	...	0	1	0	9	0	4	0	47	0	0	0	0		
...	6	1.01	-1.07	0.38	6th	0	0	0	...	0	0	1	20	1	5	4	31	0	0	0	0		
...	13	1.28	-0.99	0.22	13th	0	0	1	...	0	0	0	11	0	0	0	246	1	0	0	0		
...	9	0.71	-2.35	0.23	2nd	0	0	0	...	0	0	0	37	0	1	3	19	0	2	0	0		
...	13	2.49	-0.62	0.74	25th	0	0	0	...	0	0	0	6	0	4	3	49	0	0	0	0		
...	17	1.38	-1.47	0.34	1st	1	1	1	...	0	0	0	6	0	8	4	38	3	1	0	0		
...	17	3.24	-0.13	0.95	23rd	0	0	0	...	0	0	0	11	0	0	0	41	1	9	0	0		
...	24	7.01	+4.02	1.26	25th	3	0	0	...	0	0	1	24	0	0	0	32	0	3	0	0		
...	21	3.77	+0.71	0.87	30th	2	0	0	...	0	0	1	1	1	1	3	49	5	1	0	0		
...	181	31.68	-0.26	1.26																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Station at 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Peebles. WEST LINTON— Dr. J. Ritchie Jeffrey, J.P. (9, —, —.)	770	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch. ° ° ° ° ° ° ° ° ° ° ° ° °	38·7 36·1 39·1 47·4 61·1 60·2 61·4 61·6 58·1 50·0 38·5 41·4 49·5	29·3 24·8 26·6 33·8 40·8 43·9 43·3 45·7 42·1 38·0 26·5 31·2 35·5	34·0 30·5 32·9 40·6 51·0 52·1 52·4 53·7 50·1 44·0 32·5 36·3 42·5	-0·2 -4·9 -4·0 -0·7 +4·3 -0·4 -2·6 -0·3 0·0 -0·1 -5·4 +1·5 -1·1	45 41 48 56 75 72 70 73 67 62 53 48 75	15th, 21st 23rd, 24th, 27th 1st, 2nd, 10th 18th 28th 7th 15th 9th 11th 21st 23rd 19th	13 5 14 22 29 31 34 24 28 -6 16 -6	28 10 4th, 2nd, 3rd 28 3rd 29 28 28 15 14 26
GLEN— Alex. Black, for Lord Glen- conner. (9, —, —.)	754	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	° ° ° ° ° ° ° ° ° ° ° ° °	39·3 38·2 40·7 50·8 63·9 63·1 64·3 64·6 59·4 51·5 40·0 42·2 51·5	30·7 25·5 27·0 35·4 41·8 45·5 45·7 48·2 43·6 38·5 29·2 31·5 36·9	35·0 31·9 33·9 43·1 52·9 54·3 55·0 56·4 51·5 45·0 34·6 36·9 44·2	0·0 -4·3 -4·7 +0·8 +5·1 -0·1 -1·4 +0·4 -0·2 0·0 -4·1 +1·1 -0·6	45 49 48 60 78 76 74 78 73 66 55 52 78	14th 14th 5th 11th, 18th 28th, 30th 12th 15th 9th 11th 21st 23rd 19th	19 12 14 25 34 32 37 36 27 32 8 16 8	19 10 23 2nd, 15th 2nd, 3rd 3rd 25 28 14th, 16th 26
Roxburgh KELSO (Broom- lands)— J. C. Scott. (9, —, —.)	195	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	° ° ° ° ° ° ° ° ° ° ° ° °	41·1 39·0 42·5 52·8 64·1 64·6 64·9 67·9 61·4 52·7 41·5 43·9 53·0	31·8 28·4 29·1 37·1 43·7 46·7 46·9 49·1 44·7 39·4 30·5 33·1 38·4	36·5 33·7 35·8 45·0 53·9 55·7 55·9 58·5 53·1 46·1 36·0 38·5 45·7	-0·7 -4·4 -3·9 0·0 +4·4 +0·2 -2·1 +1·4 -0·2 -0·4 -4·7 +0·8 -0·8	48 45 51 67 78 79 76 79 75 64 57 51 79	15th 28th 2nd, 9th 18th 28th 7th, 12th 10th 9th 11th 6th, 21st 23rd 4th, 19th, 20th	20 16 19 26 34 35 38 40 29 30 10 22 10	19 10 4 28 2nd, 3rd 3rd 8th, 25th 28 15 16 26
WOLFELEE— A. Waugh, for R. Milbanke Hudson. (9, —, —.)	537	Jan. Feb. Mar. April May June July Aug. Sept. Oct. Nov. Dec. Year.	° ° ° ° ° ° ° ° ° ° ° ° °	39·0 36·0 39·0 47·0 61·8 62·6 63·5 65·1 58·7 51·0 38·9 41·8 50·4	30·7 27·1 27·5 34·9 41·8 44·9 44·8 47·6 42·5 37·3 29·8 32·2 36·8	34·9 31·6 33·3 41·0 51·8 53·8 54·2 56·4 50·6 44·2 34·4 37·0 43·6	-0·7 -5·0 -5·2 -2·2 +2·8 -1·1 -2·7 +0·3 -2·0 -1·1 -5·6 +0·1 -1·9 77 79 75 78 71 62 54 50 79 22nd 12th 10th 9th 4th, 5th, 11th 8th, 21st 23rd 19th	19 14 14 24 32 30 34 35 25 27 9 19 9	19 10 4th 21st, 3rd 3rd 15th 24 28 15 16 26

HYGROMETER.			CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.							WIND DIRECTIONS.†									
Mean.†				Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—							Number of Observations.								
Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Cal.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	Inch.	%		Inch.	Inch.	Inch.																			
0.6	.186	94	7.8	21 4.15	...	0.75	26th	7	0	0	1 18	1	1	0	2 10	10	2 16	10	4	8					
0.4	.156	94	7.0	12 1.22	...	0.29	25th	5	0	0	4 17	2	0	2 12	22	6	0	4	8	2					
1.5	.172	85	6.3	16 2.63	...	0.56	19th	8	2	0	2 8	0	1	4 10	6	8	2 12	12	8	0					
1.7	.229	87	7.6	18 4.33	...	1.25	15th	5	2	0	1 11	2	1	2 8	8	0	0 12	24	6	0					
3.5	.306	77	5.3	7 0.73	...	0.14	6th, 11th	0	0	1	7 8	3	0	0 0	14 26	8	4	6	4	0					
3.4	.313	78	6.0	18 2.71	...	0.50	10th	0	1	3	1 6	0	0	0 2	6 4	6 10	28	4	0						
2.7	.333	82	7.1	9 1.25	...	0.67	31st	0	0	0	2 14	6	0	4 12	12	4 4	8 10	8	0						
2.8	.342	81	6.9	15 2.43	...	0.63	25th	0	0	1	2 13	0	1	2 0	4 0	14 6	28	4	4						
2.3	.305	84	5.8	22 3.90	...	0.65	25th	2	1	0	8 13	0	0	2 6	0 6	24 10	6	2	4						
2.4	.246	82	6.2	16 2.71	...	0.82	23rd	3	1	0	3 10	1	0	2 22	0 2	6 14	10	6	0						
0.9	.165	89	6.8	24 5.11	...	0.72	23rd	13	0	0	3 13	4	3	0 18	8 4	4 6	14	4	2						
1.2	.194	90	6.0	25 5.84	...	0.74	30th	6	2	1	4 11	0	5	0 2	2 2	2 22	26	2	4						
				203 37.01		1.25																			
...	24 3.79	...	0.91	1st	10	0	0	...	1	1	2 2	10 4	12 14	10 8	0							
...	18 0.99	...	0.20	19th	12	0	0	...	2	0	6 2	12 12	4 2	12 6	0							
...	18 3.10	...	0.55	19th	10	1	0	...	0	1	2 8	12 4	2 8	18 8	0							
...	22 4.21	...	1.03	14th	9	3	0	...	0	0	6 0	2 4	0 6	20 22	0							
...	14 1.13	...	0.31	6th	0	2	0	...	0	0	0 2	6 10	16 12	10 6	0							
...	22 2.46	...	0.55	12th	0	0	1	...	0	0	4 4	4 0	6 12	14 16	0							
...	7 0.67	...	0.27	31st	0	0	0	...	0	0	10 10	6 8	0 4	18 6	0							
...	17 2.58	...	0.65	25th	0	0	0	...	0	0	0 0	0 0	0 4	38 20	0							
...	21 2.57	...	0.57	25th	1	0	0	...	0	0	6 2	0 2	10 12	16 12	0							
...	17 3.53	...	1.04	23rd	4	0	0	...	0	0	10 2	4 0	6 14	16 10	0							
...	27 3.97	...	0.70	18th	15	1	0	...	0	0	14 10	10 2	0 4	14 6	0							
...	28 7.52	...	0.95	3rd	16	0	0	...	0	0	0 0	0 0	0 16	4 32	10	0						
				235 36.52		1.04																			
...	7.7	20 2.44	+0.69	0.38	4th	3	0	0	0 13	1	0	0 2	10 12	2 32	4 0	0							
...	7.7	15 1.79	+0.09	0.30	20th	4	1	0	0 13	2	0	0 6	20 6	2 20	2 0	0							
...	6.7	22 1.66	-0.29	0.27	19th	7	0	1	0 7	0	1	2 4	10 2	6 22	8 8	0							
...	6.8	13 1.35	-0.22	0.30	27th	2	1	1	0 10	0	0	4 6	8 0	4 24	12 2	0							
...	7.0	8 1.10	-0.83	0.31	6th	0	0	1	3 14	1	0	0 16	8 20	10 4	0 4								
...	7.1	14 1.00	-1.11	0.25	3rd	0	0	5	0 5	0	0	6 4	0 0	0 22	16 8	0							
...	7.7	9 0.63	-2.00	0.16	31st	0	0	0	0 12	1	0	0 10	26 0	0 8	10 8	0							
...	6.5	12 2.26	-0.69	0.78	25th	0	0	2	0 4	0	0	0 4	0 4	18 30	6 0								
...	6.5	12 1.13	-0.77	0.42	12th	0	0	2	3 10	0	0	0 6	0 0	0 26	24 4	0							
...	6.8	16 2.89	-0.02	1.18	23rd	0	0	0	0 8	0	0	0 18	6 0	0 20	14 4	0							
...	7.2	25 3.95	+1.64	0.60	25th	3	0	0	1 10	2	0	0 2	24 0	2 14	16 0	2							
...	7.1	21 3.31	+0.99	0.75	15th	0	0	0	0 8	0	0	2 2	0 0	14 36	8 0	0							
				187 23.51	-2.52	1.18																			
...	21 3.03	-0.17	0.52	1st	8	0	0	...	0	0	2 10	4 2	16 14	10 4	0							
...	13 1.57	-1.69	0.37	20th	7	0	0	...	0	0	8 14	2 6	8 8	4 6	0							
...	22 3.73	+0.38	0.93	19th	12	0	0	...	0	2	8 10	8 6	4 12	4 10	0							
...	16 2.46	+0.20	0.58	27th	3	0	0	...	0	2	4 8	0 2	0 16	10 20	0							
...	13 1.38	-0.96	0.49	6th	0	0	0	...	2	0	2 10	0 12	4 16	4 14	0							
...	22 1.21	-1.13	0.16	3rd, 26th	0	0	0	...	0	0	4 6	0 2	0 12	10 26	0							
...	10 0.90	-2.18	0.21	31st	0	0	1	...	0	0	4 28	0 0	0 8	6 16	0							
...	14 2.82	-0.52	0.57	17th	0	0	0	...	0	0	0 0	0 0	0 18	26 18	0							
...	14 1.93	-0.64	0.46	25th	1	0	0	...	0	0	4 8	0 0	0 28	12 8	0							
...	14 3.51	-0.33	1.26	23rd	1	0	0	...	0	0	14 10	0 0	0 26	0 12	0							
...	25 5.54	+1.67	0.79	25th	9	0	0	...	2	0	14 16	2 2	0 12	6 8	0							
...	26 6.19	+2.01	1.25	10th	2	0	0	...	0	1	6 2	0 4	2 26	4 18	0							
				210 34.27	-3.36	1.26																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
			Mean at Station at 32° Fahr.†	Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Dumfries. ESKDALEMUIR (The Observa- tory)— The Meteorologi- cal Office. (9, 15, 21.)	778	Jan.	28·798	38·3	30·4	34·4	...	45	15th	17	19th
		Feb.	28·933	37·2	26·8	32·0	...	45	14th	13	10th
		Mar.	28·914	39·0	25·2	32·1	...	46	10th	12	26th
		April	29·042	48·9	33·1	41·0	...	63	18th	21	26th
		May	29·192	61·5	41·9	51·7	...	75	30th	32	3rd
		June	29·182	59·9	43·2	51·6	...	75	12th	33	3rd
		July	29·184	62·8	43·0	52·9	...	71	9th	35	15th
		Aug.	29·068	62·6	45·5	54·1	...	76	9th	33	28th
		Sept.	29·060	57·0	42·1	49·6	...	68	11th	27	28th
		Oct.	29·298	49·6	37·0	43·3	...	64	8th	29	14th
		Nov.	28·889	38·5	28·4	33·5	...	53	23rd	7	16th
		Dec.	28·762	41·2	32·2	36·7	..	49	20th	14	26th
		Year	29·027	49·7	35·7	42·7		76		7	
DUMFRIES (Crich- ton Royal)— C.C. Easterbrook, M.D., and E. Joss. (9, 15, 21.)	160	Jan.	29·476	41·5	33·3	37·4	-0·6	47	15th	25	19th
		Feb.	29·608	40·5	30·4	35·5	-3·3	50	14th	18	9th
		Mch.	29·616	42·8	30·6	36·7	-4·1	51	10th	20	4th
		Apl.	29·759	51·1	37·9	44·5	-0·9	62	18th	28	2nd, 2
		May	29·863	63·8	45·5	54·7	+3·8	75	28th, 30th, 31st	35	3rd
		June	29·873	62·1	47·6	54·9	-2·0	76	12th	37	26th
		July	29·869	65·5	47·7	56·6	-2·4	74	10th, 25th	39	14th
		Aug.	29·756	65·1	49·6	57·4	-0·6	77	9th	39	28th
		Sept.	29·748	60·0	45·7	52·9	-1·4	71	11th	32	28th
		Oct.	29·991	52·2	40·0	46·1	-1·7	62	8th	30	15th
		Nov.	29·596	42·1	31·3	36·7	-5·6	55	23rd	13	16th
		Dec.	29·453	44·5	35·8	40·2	+1·4	51	20th	21	26th
		Year.	29·717	52·6	39·6	46·1	-1·5	77		13	
RUTHWELL (Com- longon)— W. Brown, for the Earl of Mansfield. (9, —, 21.)	67	Jan.	...	42·2	33·6	37·9	...	48	15th	25	19th, 2
		Feb.	...	42·0	30·6	36·3	...	50	14th, 23rd	16	10th
		Mch.	...	43·9	30·5	37·2	...	49	17th	19	4th
		Apl.	...	51·9	37·6	44·8	...	61	19th	26	2nd
		May	...	64·6	45·6	55·1	...	77	15th	35	2nd
		June	...	63·2	47·2	55·2	...	78	12th	36	26th
		July	...	65·0	47·5	56·3	...	75	...	38	21st
		Aug.	...	65·3	49·7	57·5	...	75	9th, 10th	36	31st
		Sept.	...	59·4	45·7	52·6	...	67	4th, 5th, 11th	30	28th
		Oct.	...	51·8	39·1	45·5	...	64	8th	28	16th
		Nov.	...	40·9	31·4	36·2	...	53	23rd	8	16th
		Dec.	...	42·9	35·5	39·2	...	48	3rd, 20th	20	26th
		Year.		52·8	39·5	46·2		78		8	
Kirkcudbright. CARGEN— Colonel R. F. Dudgeon, C.B. (9, —, —.)	85	Jan.	...	42·5	33·3	37·9	-0·4	50	15th	25	19th
		Feb.	...	41·6	30·4	36·0	-3·1	50	14th 23rd 24th	17	10th
		Mch.	...	44·8	31·3	38·1	-2·6	52	10th	19	4th
		Apl.	...	52·9	38·0	45·5	+0·2	63	18th	29	28th
		May	...	65·6	46·0	55·8	+5·3	77	28th	?	?
		June	...	63·8	47·5	55·7	-0·5	76	7th	37	26th
		July	...	67·5	48·0	57·8	-0·8	76	9th	40	29th
		Aug.	...	66·8	49·8	58·3	+0·6	78	9th, 10th	39	24th, 31
		Sept.	...	61·3	46·0	53·7	-0·8	72	11th	30	28th
		Oct.	...	53·8	39·7	46·8	-0·5	64	8th	30	15th, 28
		Nov.	...	42·6	31·3	37·0	-4·8	55	23rd	10	16th
		Dec.	...	44·0	35·5	39·8	+1·0	53	20th	22	26th
		Year.		53·9	39·7	46·8	-0·5	78		10	

HYGROMETER.			CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—							WIND DIRECTIONS. † Number of Observations.									
Depression of Wet Bulb.	Vapour Pressure	Humidity.		Number of Days.	Total Fall.	Difference from Average.	Most in a Day. Amount. Day of Month.	Snow.	Hail.	Thunderstorm.	Clear Sky.	Overcast.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm		
°	Inch.	%		Inch.	Inch.	Inch.																			
1-0	·181	91	8·3	23 5·33	...	0·98	1st	15	3	1	1	21	6	0	6	6	3	7	13	7	3	2	15		
1-1	·145	84	7·5	12 0·74	...	0·28	22nd	12	1	0	2	17	2	0	12	15	2	3	2	2	3	1	16		
1-6	·146	80	6·9	19 4·09	...	0·95	10th	18	2	0	0	13	7	3	11	9	3	2	5	5	3	9	15		
2-2	·210	83	7·9	21 2·97	...	0·47	28th	11	6	0	1	18	6	2	9	3	1	1	6	17	13	7	3		
3-6	·287	76	7·0	14 1·96	...	0·67	6th	0	2	2	2	13	4	0	3	11	5	11	9	7	5	1	10		
3-4	·301	78	7·1	20 2·47	...	0·63	19th	0	0	1	0	11	1	0	6	4	0	1	9	15	12	11	2		
3-5	·313	77	7·2	9 1·34	...	0·67	31st	0	0	0	0	12	4	0	11	15	2	0	4	7	9	5	9		
3-2	·322	79	7·4	19 4·38	...	1·02	18th	0	0	1	0	13	1	2	1	1	0	1	6	12	22	8	11		
2-3	·300	85	6·6	22 6·08	...	1·54	1st	2	1	1	1	16	7	2	3	3	1	1	12	18	8	7	7		
2-0	·234	84	6·6	16 2·86	...	1·61	23rd	5	1	0	3	15	4	0	17	5	0	0	13	7	3	7	10		
1-0	·174	89	7·5	26 5·42	...	0·91	19th	15	1	0	2	15	2	1	17	14	1	1	3	5	6	2	11		
1-2	·193	90	7·6	27 10·22	...	0·79	10th	14	3	1	1	15	2	1	3	1	0	5	15	11	13	3	11		
				228 47·86		1·61																			
1-4	·194	87	6·9	21 2·57	-0·46	0·50	1st	4	1	0	2	15	1	1	7	3	13	5	10	12	4	3	5		
1-4	·169	85	6·9	7 1·02	-2·06	0·41	15th	4	0	0	3	16	0	0	11	20	12	1	1	0	2	3	6		
1-8	·176	84	6·2	13 3·37	+0·55	1·27	19th	7	0	0	1	10	0	0	6	9	6	3	5	5	7	16	5		
2-5	·232	80	7·3	16 1·76	-0·46	0·60	13th	3	2	1	1	13	0	0	6	4	0	2	1	14	17	13	3		
3-8	·315	75	6·5	12 0·71	-1·88	0·15	10th	0	0	1	5	12	0	0	0	4	13	9	15	7	6	2	6		
3-7	·327	77	6·8	17 1·64	-0·75	0·30	18th	0	0	1	0	8	0	0	4	2	1	1	5	19	14	12	2		
4-0	·346	75	7·0	3 0·99	-2·09	0·59	31st	0	0	0	0	11	0	0	11	4	9	4	3	5	12	11	3		
2-9	·371	81	6·8	16 2·85	-0·96	1·18	25th	0	0	0	0	8	0	0	1	0	2	1	3	10	25	15	5		
2-0	·343	86	6·5	16 3·00	+0·45	0·58	1st	0	3	1	2	12	1	0	4	3	2	6	2	25	4	10	4		
2-4	·255	83	5·8	10 1·18	-2·54	0·63	23rd	0	0	0	5	11	0	0	12	8	4	2	6	8	5	12	5		
1-4	·185	88	6·8	17 2·89	-0·58	0·41	28th	6	3	0	3	15	3	0	21	9	4	0	2	7	8	5	4		
1-7	·209	86	7·2	24 5·90	+1·87	1·74	26th	3	1	0	2	13	1	1	3	0	2	12	7	12	16	4	6		
				172 27·88	-8·91	1·27																			
...	20 3·01	...	0·80	1st	3	2	0	2	1	10	19	7	2	8	6	3	4	3		
...	5 0·66	...	0·19	21st, 22nd	2	0	0	0	0	6	17	18	1	0	0	0	3	11		
...	12 3·16	...	1·18	19th	5	0	0	0	0	13	6	14	6	2	10	0	3	8		
...	16 2·10	...	0·37	14th	3	1	1	0	0	9	3	6	2	4	27	1	4	4		
...	12 1·00	...	0·23	5th, 10th	0	0	2	1	0	1	5	17	11	3	6	2	3	14		
...	15 1·69	...	0·27	19th	0	0	1	0	0	3	7	1	0	0	36	1	11	1		
...	5 1·24	...	0·52	31st	0	0	0	0	0	2	7	8	0	4	12	6	5	18		
...	16 3·00	...	1·22	25th	0	0	1	0	0	0	0	4	0	3	31	4	6	14		
...	15 2·72	...	0·74	1st	0	2	1	0	0	8	2	4	1	2	28	1	7	7		
...	8 1·58	...	0·79	23rd	0	0	0	0	0	11	9	6	0	6	10	1	9	10		
...	16 2·13	...	0·43	17th	6	0	0	1	0	10	20	2	0	1	12	0	15	0		
...	24 5·31	...	0·65	26th	0	0	0	0	1	6	1	15	5	7	12	3	13	0		
				164 27·60		1·22																			
...	23 4·01	+0·02	0·65	2nd	2	0	0	0	0	2	4	10	12	8	14	8	4	0		
...	8 1·28	-2·60	0·41	15th	2	0	0	0	0	6	16	24	0	2	2	4	2	0		
...	13 4·83	+1·22	2·11	19th	7	0	0	0	0	2	10	10	4	4	6	12	14	0		
...	17 2·20	-0·47	0·65	13th	3	2	0	0	0	12	2	4	2	4	22	6	8	0		
...	11 1·00	-2·01	0·26	10th	0	1	1	0	0	2	4	16	20	10	2	6	2	0		
...	16 1·93	-0·85	0·52	19th	0	0	1	0	0	4	2	4	6	6	12	16	10	0		
...	4 1·36	-1·88	0·77	31st	0	0	1	0	0	6	8	12	2	6	2	10	16	0		
...	19 3·45	-0·95	1·40	25th	0	0	0	0	0	0	0	0	0	4	18	20	20	0		
...	19 3·60	+0·66	0·75	29th	0	1	1	1	0	2	8	0	2	16	16	4	12	0		
...	13 1·51	-2·85	0·78	23rd	0	0	0	0	0	6	6	4	2	10	8	4	22	0		
...	18 3·51	-1·01	0·39	11th 17th 30th	5	1	0	2	0	14	26	4	0	0	8	6	2	0		
...	26 7·77	+2·36	1·00	10th	1	0	0	1	1	6	2	0	4	0	28	18	4	0		
				187 36·45	-8·36	2·11																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Station at 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
CALLY— W. Thomson. (9, —, 21.)	120	Jan.	Inch. ...	° 42·0	° 34·0	° 38·0	° -0·3	° 47	15th	° 27	19th, 2
		Feb.	42·0	30·5	36·3	-2·4	52	24th	18	10th
		Mch.	44·3	30·3	37·3	-3·3	51	15th	22	4th
		Apl.	52·6	37·7	45·2	+0·6	63	22nd	25	2nd
		May	63·7	44·9	54·3	+4·5	76	29th	35	2nd
		June	62·5	46·7	54·6	-0·5	70	4th, 7th	34	26th
		July	65·9	47·3	56·6	-0·5	75	24th	39	29th
		Aug.	65·1	49·1	57·1	+1·0	74	9th	37	28th
		Sept.	60·5	45·0	52·8	0·0	69	11th	29	28th
		Oct.	53·3	39·9	46·6	-0·6	66	8th	29	15th, 16
		Nov.	43·3	31·5	37·4	-4·8	53	23rd	17	16th
		Dec.	43·8	35·7	39·8	+0·6	50	20th	20	26th
		Year.		53·2	39·4	46·3	-0·5	76		17	

1919.		Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
				Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
		Mean.	Difference from Normal.	A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
		In.	In.	°	°	°	°	°	°	°	°
January	29·621	-·232	41·0	32·6	36·8	-0·5	8·4	-0·8	51	4
February	29·802	-·024	39·3	29·2	34·3	-3·6	10·1	-0·7	54	2
March	29·756	-·035	41·8	29·9	35·9	-3·7	11·9	-0·2	54	7
April	29·857	-·024	50·3	37·1	43·7	-0·4	13·2	-1·3	72	16
May	30·028	+·085	60·4	43·7	52·1	+3·0	16·7	+0·9	83	23
June	29·986	+·021	61·2	46·8	54·0	-0·7	14·4	-1·4	80	29
July	30·020	+·122	63·7	47·3	55·5	-1·8	16·4	+1·5	81	29
August	29·858	+·002	63·5	49·1	56·3	-0·3	14·4	-0·1	83	29
September	29·838	-·101	59·2	45·1	52·2	-0·6	14·1	+0·1	76	24
October	30·135	+·294	51·9	40·4	46·2	-0·4	11·5	-0·6	73	20
November	29·746	-·064	40·8	30·8	35·8	-5·4	10·0	-0·4	57	-10
December	29·537	-·190	42·7	34·0	38·4	+0·1	8·7	-0·8	54	11
Means	...	29·849	-0·012	51·3	38·8	45·1	-1·2	12·5	-0·3	—	—

1919.	RAIN.				WIND.								
	No. of Days.		Amount.		No. of Observations—Total = 730.								
	Mean.	Difference from Normal.	Mean.	Difference from Normal.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
			In.	In.									
January ...	22	+4	3·69	+0·09	3	7	6	7	8	12	9	5	5
February ...	12	-4	1·46	-1·64	3	10	11	6	3	3	5	9	6
March ...	17	0	3·07	+0·07	5	7	6	5	3	8	11	14	3
April ...	18	+3	2·99	+0·69	6	5	2	1	2	16	18	9	1
May ...	10	-5	1·00	-1·60	1	7	13	17	5	7	10	1	1
June ...	18	+4	2·90	+0·50	2	4	1	2	5	15	16	14	1
July ...	8	-8	1·01	-2·19	4	10	8	3	1	8	13	14	1
August ...	17	-1	3·05	-0·85	1	1	2	2	2	16	24	12	2
September ...	17	+2	3·34	+0·14	3	2	1	2	7	21	13	8	3
October ...	15	-3	2·20	-1·70	9	8	2	1	4	13	10	13	2
November ...	21	+4	4·91	+0·91	8	10	6	3	2	8	9	9	5
December ...	24	+5	6·15	+1·95	2	1	2	6	8	16	15	9	3
Sums ...	199	+1	35·77	-3·63	47	72	60	55	50	143	153	117	33

* In this Table the various means are the arithmetical means of the values at all the contributing stations, except in the case of wind, the statistics for which are extracted from the Monthly Reports already published by the Registrar-General for Scotland and refer only to eight of the Principal Towns. The mean for rainfall does not represent the whole country in a quite satisfactory manner, as stations are more numerous in dry districts than in wet districts; the figures, however, are fairly comparable with the corresponding figures for former years. The Normals referred to are for the 35-year period 1881-1915.

1919.	At Depth.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Baltasound	1 Ft.	38.1	36.0	36.3	40.8	48.6	51.6	54.1	53.6	50.7	45.1	38.4	38.1	44.3
Inverness	1 "	35.2	34.1	36.5	42.4	52.9	57.1	60.2	59.0	54.2	48.0	38.3	37.4	46.3
Aberdeen	4 "	39.9	38.6	38.6	41.0	45.4	51.3	52.8	54.2	52.7	49.1	44.0	40.3	45.7
Crathes	1 "	34.4	33.1	34.0	41.9	50.5	56.3	57.9	57.6	52.9	46.3	37.5	34.7	44.8
	4 "	37.4	36.3	36.1	39.9	45.8	52.0	53.8	54.8	53.2	49.4	43.5	38.1	45.0
Dundee (College Garden)	1 "	34.0	33.4	34.9	42.2	49.4	56.9	57.8	58.3	53.2	46.1	37.2	34.7	44.8
St. Andrews	1 "	35.8	34.8	36.0	42.7	50.2	55.6	58.9	59.1	53.7	47.3	38.6	36.6	45.8
	4 "	39.8	38.5	38.6	40.9	45.6	51.1	53.8	55.7	54.3	50.7	45.2	41.2	46.3
Stirling	4 "	40.7	39.4	39.4	41.8	46.7	52.9	55.1	56.8	54.8	51.2	46.1	42.2	47.3
Ford	1 "	37.4	35.2	36.7	43.0	52.0	56.7	58.6	59.0	55.0	49.1	38.8	38.1	46.6
	4 "	41.2	39.0	38.8	41.0	46.2	52.0	54.0	55.9	55.0	51.8	45.5	41.2	46.8
Rothsay	1 "	38.1	36.1	37.3	44.0	52.1	56.6	58.1	58.2	53.8	47.9	38.6	38.7	46.6
	4 "	42.0	40.3	40.2	43.1	47.5	52.9	54.2	55.6	53.9	50.6	44.8	42.2	47.3
Paisley	1 "	37.4	35.5	37.1	44.8	53.4	59.2	60.8	60.6	55.2	50.0	39.4	38.4	47.7
	4 "	42.0	40.5	40.1	42.6	47.2	53.0	55.1	57.0	55.3	51.7	46.2	42.9	47.8
Kilmarnock	1 "	37.7	35.4	36.7	43.5	53.1	57.2	58.0	58.0	53.5	47.7	38.9	35.6	46.3
	4 "	41.7	40.2	40.0	41.9	46.8	52.5	53.3	54.9	53.6	50.7	45.6	42.6	47.0
Edinburgh (University)	1 "	36.3	35.1	35.7	42.3	50.5	56.4	57.4	58.4	53.8	47.3	39.3	37.2	45.8
	4 "	40.6	38.9	38.9	41.5	46.6	53.1	55.0	57.2	54.9	50.7	45.2	41.5	47.0
	12 "	48.9	47.2	45.8	45.0	45.3	47.2	49.3	51.1	52.6	52.7	51.6	49.4	48.8
Liberton	1 "	36.5	34.9	36.0	43.4	51.2	57.3	57.9	59.8	51.4	47.0	37.0	37.8	45.9
Smeaton...	1 "	36.3	35.3	36.1	43.1	51.1	54.4	57.5	58.9	54.1	47.6	40.0	37.2	46.0
Dumfries	1 "	38.0	36.1	37.1	43.4	52.0	56.8	57.8	58.2	53.9	47.6	39.3	38.8	46.6
	4 "	41.5	39.6	39.5	41.9	47.1	53.0	54.1	55.8	54.3	50.7	44.7	41.9	47.0

1919.	NUMBER OF HOURS.												YEAR.	YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.	Mean Daily Amount.
														Hours.
Baltasound ...	21	40	90	104	267	155	86	122	85	51	36	10	1067	2·92
Deerness ...	31	54	111	101	190	148	102	103	123	70	45	21	1099	3·01
Stornoway ...	35	65	131	128	197	112	113	135	107	85	31	25	1164	3·19
Castlebay ...	48	75	147	142	207	125	175	149	112	97	54	31	1362	3·73
Fortrose ...	50	74	132	114	200	170	202	152	145	100	53	22	1414	3·87
Inverness ...	—	—	—	—	—	—	—	—	—	91	40	21	—	—
Nairn ...	45	79	131	113	200	159	175	153	140	79	39	31	1344	3·68
Gordon Castle ...	50	77	112	103	233	163	160	147	149	77	52	30	1353	3·71
Banff ...	46	72	126	108	195	148	128	154	148	83	61	41	1310	3·59
Carrbridge ...	48	60	100	120	205	175	192	147	134	—	—	—	—	—
Aberdeen (King's College)	37	56	129	116	197	184	181	159	162	100	64	38	1423	3·90
Crathes ...	37	67	109	106	211	162	177	140	151	85	63	42	1350	3·70
Montrose ...	22	56	93	110	161	175	225	170	170	105	83	50	1420	3·89
Carnoustie ...	33	54	117	131	182	186	239	212	160	101	70	37	1522	4·17
Dundee (College Garden)	35	55	111	134	195	198	247	230	153	107	86	55	1606	4·40
Perth ...	27	46	110	137	193	194	247	202	158	96	64	43	1517	4·16
St. Andrews ...	33	43	93	129	188	185	236	208	172	95	71	47	1500	4·11
Stirling ...	22	42	118	108	159	153	203	189	135	109	65	45	1348	3·69
Oban ...	47	86	116	105	195	141	212	135	119	75	53	19	1303	3·57
Helensburgh ...	42	68	117	101	197	157	218	161	105	103	58	32	1359	3·72
Cardross ...	38	55	117	106	192	163	224	167	123	112	58	33	1388	3·80
Rothsay ...	42	73	131	104	218	162	199	156	116	108	65	29	1403	3·84
Paisley ...	40	35	93	122	197	194	217	198	120	98	36	29	1379	3·78
Glasgow (Observatory)	26	33	89	111	188	180	220	183	110	99	38	27	1304	3·57
Glasgow (Springburn Park)	31	38	100	104	187	182	231	177	114	104	46	28	1342	3·68
Thorntonhall ...	29	59	89	102	201	164	200	173	121	93	32	26	1289	3·53
Kilmarnock ...	36	73	95	117	229	169	207	172	130	107	42	35	1412	3·87
Turnberry ...	36	73	123	124	244	176	195	165	125	86	47	26	1420	3·89
Edinburgh (Royal Observatory)	44	48	79	97	185	182	189	202	143	77	57	47	1350	3·70
West Linton ...	34	50	75	79	180	148	164	158	123	87	45	31	1174	3·22
Marchmont ...	39	43	92	115	201	177	184	182	141	83	45	40	1342	3·68
Duns ...	44	48	82	80	167	138	159	175	137	86	53	43	1212	3·32
Eskdalemuir ...	36	55	103	106	223	177	188	162	126	105	61	28	1370	3·75
Dumfries ...	44	68	108	116	215	196	180	182	129	108	62	43	1451	3·98
Ruthwell ...	42	68	98	112	211	190	179	165	126	104	55	33	1383	3·79

1919.	NUMBER OF HOURS—DIFFERENCE FROM NORMAL (1881-1915).												
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Deerness ...	+ 1	0	+ 12	- 45	+ 12	- 11	- 36	- 17	+ 18	- 6	+ 9	+ 1	- 62
Stornoway ...	+ 7	+ 7	+ 26	- 26	+ 6	- 66	- 32	+ 2	- 8	- 1	- 12	+ 2	- 95
Aberdeen ...	- 11	- 17	+ 12	- 42	+ 10	0	+ 22	+ 9	+ 38	+ 5	+ 9	+ 2	+ 37
Crathes ...	- 18	- 12	- 2	- 45	+ 40	- 16	+ 23	+ 3	+ 36	- 7	+ 8	+ 7	+ 17
Glasgow (Observatory)	+ 4	- 11	+ 4	- 16	+ 27	+ 17	+ 74	+ 54	+ 10	+ 33	+ 10	+ 12	+ 218
Edinburgh (Royal Observatory)	- 5	- 30	- 35	- 41	+ 12	- 2	+ 22	+ 52	+ 23	- 22	- 4	+ 4	- 26
Marchmont ...	- 3	- 24	- 15	- 30	+ 26	- 10	+ 16	+ 34	+ 20	0	- 6	+ 6	+ 14

SUNSHINE.

PERCENTAGE OF POSSIBLE.												Year.	1919.
Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Mean.	
%	%	%	%	%	%	%	%	%	%	%	%	%	
11	16	25	24	50	28	16	26	22	17	17	6	24	Baltasound
15	21	31	24	37	27	19	22	32	23	20	11	25	Deerness
16	25	36	30	38	21	21	29	28	27	13	13	26	Stornoway
21	29	41	34	41	24	33	32	30	31	23	15	31	Castlebay
22	29	36	27	39	32	38	33	38	32	23	11	32	Fortrose
—	—	—	—	—	—	—	—	—	29	17	10	—	Inverness
20	31	36	27	39	30	33	33	37	25	17	15	30	Nairn
22	30	31	24	46	31	30	32	39	25	22	15	31	Gordon Castle
21	28	35	25	38	28	24	33	39	27	26	20	30	Banff
21	23	28	28	41	33	37	32	36	—	—	—	—	Carrbridge
17	22	36	27	39	35	34	34	43	32	27	19	32	Aberdeen (King's College)
16	26	30	25	42	31	34	30	40	27	27	20	31	Crathes
10	21	26	26	32	34	43	37	45	33	35	24	32	Montrose
14	21	32	31	36	36	46	46	42	32	29	18	34	Carnoustie
15	21	31	32	39	38	48	50	41	34	36	26	36	Dundee (College Garden)
12	18	30	33	38	37	48	44	42	30	27	21	34	Perth
14	16	26	31	38	36	46	45	46	30	30	22	34	St. Andrews
10	16	33	26	32	30	39	41	36	35	27	21	31	Stirling
21	33	32	25	39	27	41	29	32	24	22	9	30	Oban
18	26	32	24	40	30	42	35	28	33	24	15	31	Helensburgh
16	21	32	25	39	32	44	36	33	35	24	15	31	Cardross
18	28	36	25	44	31	39	34	31	34	27	14	32	Rothsay
17	13	26	29	40	38	42	43	32	31	15	14	31	Paisley
11	13	25	26	38	35	43	40	29	31	16	13	30	Glasgow (Observatory)
13	14	28	25	37	35	45	39	30	33	19	13	30	Glasgow (Springburn Park)
12	22	25	24	40	32	39	38	32	29	13	12	29	Thorntonhall
15	28	26	28	46	33	40	38	35	34	17	16	32	Kilmarnock
15	28	34	30	49	34	38	36	33	27	20	12	32	Turnberry
19	18	22	23	37	35	37	44	38	24	24	22	31	Edinburgh (Royal Obs.)
15	19	21	19	36	29	32	34	33	28	19	15	27	West Linton
17	16	25	27	40	34	36	40	38	26	19	19	30	Marchmont
19	18	23	19	34	27	31	38	36	27	22	20	27	Duns
15	21	28	25	45	35	37	36	34	33	25	13	31	Eskdalemuir
19	26	30	28	44	38	35	40	34	34	25	20	33	Dumfries
18	26	27	27	43	37	35	36	34	33	22	15	31	Ruthwell



